00108183



Digitized with financial assistance from the
Government of Maharashtra
on 19 September, 2016

00108183

Detailed Annual Report abstract of 1868

REPORT.

108183

TO THE

RIGHT HON^BLE. GATHORNE HARDY, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *July* 20, 1868.

SIR,

AT the close of the year 1865 I submitted a general abstract of the births, deaths, and marriages registered in Scotland, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80. I have now the honour to forward to you my Detailed Report for the same year, with relative tables.

During the year 1865 both marriages and births rose high above their average, which may be attributed to the generally prosperous state of the country, which caused money to be plentiful, while provisions were abundant, cheap, and good, and trades and manufactures were in full operation.

Unfortunately the deaths were high, and an epidemic of fever prevailed over the country.

This was the second year during which the Vaccination Act (26 and 27 Vict. cap. 108) had been in operation in Scotland; and though the period has been too short to permit positive conclusions to be drawn as to its efficacy in diminishing the deaths from Small-pox, it will be seen, from the facts mentioned in this Report, that it promises to prove a success.

As we are now tabulating separately the different forms of Continued Fever, instead of mixing them together under the one heading Typhus, some interesting facts are brought to light as to the prevalence in different localities of the several forms of fever.

Weather, but especially temperature, seeming to be the chief agent in regulating the mortality in Scotland, I directed that a few additional tables should be added to this Report, showing the close connection between these.

As scarcity and high price of provisions in other countries is invariably followed by a great increase of the deaths, a table is added which shows that in Scotland, at the present day, scarcity and high price of provisions do not of themselves increase the mortality; and that if a high mortality co-exists, it is owing to other aiding causes which allow the scarcity to exert its full power.

The state of elementary education, as exhibited in the proportions of men and women able to sign their names in the marriage registers, continues to be satisfactory, seeing that 88·58 per cent. of the men, and 77·78 per cent. of the women who married were able to sign their names in writing.

To complete the series of Mortality Tables for the decennial period 1855–1864, I have appended to this Report a few additional tables, in which the age is combined with the cause of death.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-Gene[redacted].

CONTENTS.

Report of Registrar-General to the Secretary of State, ... iii
Report by Dr Stark to the Registrar-General, ... ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland during each of the eleven years 1855 to 1865 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the eleven years 1855 to 1865, ... x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1865, ... xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1865, ... xii

Births.

Births in 1865, and their Proportion to the Population in 1865, with relative Tables, . x
Tables showing particulars relative to the Births during each of the eleven years 1855 to 1865, ... xi-xiv

Marriages.

Number of Marriages in 1865, and their Proportion to the Population, ... xv
Relative fertility of Scottish and English Females, ... xvi
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations in 1865, and from 1855 to 1865, with relative Tables, . xix
Number and Proportion of Persons marrying under 21 and under 25 years of age, with relative Tables, ... xx
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, ... xxiv
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, . xxiv

Deaths.

Number of Deaths in Scotland in 1865, and their Proportion to the Population, . . xxv
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, also in each of its Eight Principal Towns, during each of the eleven years 1855 to 1865, . xxvi
Death-rates in Males and Females xxvi

Page

Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during 1865, ... xxviii
Causes of Death in 1865, with relative Tables, ... xxxii
Small-pox Deaths for eleven years, and particulars relative to Vaccination in Scotland for years 1864 and 1865, with relative Tables, ... xxxvii
Different forms of Fever prevalent in Scotland, ... xl
The Eighteen most fatal Diseases in Scotland and England in 1865, . . . xliii

INFLUENCE OF EXTERNAL AGENCIES IN 1865.

Influence of Season on the Births, ... xliii
Influence of Weather, and in particular mean temperature, on the Death-rate, and on the mortality of different classes of Disease, ... xliii
Table showing the Meteorology of Scotland during each month of the year 1865, together with the Monthly and Daily number of Births, Deaths, and Marriages, . . xliv
Table showing the number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures, and the fall of Rain during every Week of the year 1865, ... xlvii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1865, . . xlviii
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the eleven years 1855–1865, showing that high price of provisions has no apparent effect on the Death-rate in Scotland, ... l
Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce, imported into Great Britain in 1863, 1864, and 1865, etc. etc., ... li

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1865, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1865, also of the Illegitimate Births, in every Registration District, 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1865, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1865; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1865; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1865, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1865, . 28

Page

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1864, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1865, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1865, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1865, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1864, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 172–175
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 176–179
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 180–183
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1865, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1865, ... 184

Page

APPENDIX TABLES.

Table of the Causes of Death at all Ages in Both Sexes in Scotland during the ten years 1855 to 1864, ... 186–189
Do. Males, ... 190–193
Do. Females, ... 194–197
Table of the Causes of Death in Scotland during each of the ten years 1855 to 1864, . 198
Table of the Causes of Death in the Insular Districts of Scotland during each of the ten years 1855 to 1864, ... 200
Table of the Causes of Death in the Mainland-Rural Districts during each of the ten years 1855 to 1864, ... 202
Table of the Causes of Death in the Town Districts during each of the ten years 1855 to 1864, ... 204
Table of Proportion of Deaths from different causes in every million persons during the ten years 1855–1864, ... 206
Table of Proportion of Deaths from different causes in every 100,000 Deaths from specified causes during the ten years 1855–1864, ... 207
Table of the Total Number of Deaths at different ages in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the ten years 1855–1864, . . 208
Table of the Mean Annual Per-centage of Deaths to the Population at each age in Scotland and its Three Great Groups of Districts during the ten years 1855–64, . . 208

Constitution of the Compound Districts, ... 209
Index to Districts, ... 210

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1865, to which this Report refers, was notable alike for the general commercial and manufacturing prosperity of the country, and for the lowness of the price of provisions, excepting towards the close of the year, when the prevalence of Rinderpest among the cattle raised the price of butcher meat high above the average. Marriages were accordingly more numerous in Scotland than they had ever previously been; and as this was the third year when a high marriage-rate prevailed, the birth-rate during the year was also the highest on record.

To counterbalance this a high death-rate prevailed, partly attributable to the increased mortality from fever which was epidemic during the year; and it is worthy of note, that while epidemic fever prevailed among the human race, that virulent disease known as Rinderpest decimated our cattle.

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the eleven years 1855 to 1864, and their Proportion to the Population; showing also the excess of Births over Deaths.

YEAR.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,978,065	93,349	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	58,529	20,740	42,291	3·395	1·953	0·692
1857	3,012,310	103,415	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	68,170	21,225	37,459	3·457	2·231	0·695
1861	3,066,633	107,009	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,833	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	70,891	23,611	42,179	3·605	2·260	0·753

The population of Scotland to the middle of the year 1865 may be estimated at 3,136,057 persons, of whom 1,481,455 were males, and 1,654,602 females. Of these, 158,289 were inhabitants of the Insular, 1,785,080 of the Mainland-Rural, and 1,192,688 of the Town Districts. (Table II.)

BIRTHS.

113,070 births were registered in Scotland during the year 1865, being in the proportion of 360 births in every ten thousand persons of the estimated population, or 3·60 per cent. This is the same high proportion

TABLE II.—POPULATION of SCOTLAND and its THREE GREAT GROUPS of DISTRICTS in 1851 and 1861; also the Population estimated to the middle of the Year 1865.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1865.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	71,958	86,304	158,289
Mainland-Rural .	829,259	883,293	1,712,552	849,381	913,996	1,763,377	857,958	927,122	1,785,080
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	551,512	641,176	1,192,688
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,481,455	1,654,602	3,136,057

TABLE III.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Eleven Years 1855-65.

YEARS.	INSULAR DISTRICTS.				MAINLAND-RURAL DISTRICTS.				TOWN DISTRICTS.			
	Births.		Deaths.	Marriages.	Births.		Deaths.	Marriages.	Births.		Deaths.	Marriages.
	Total.	Illegit.			Total.	Illegit.			Total.	Illegit.		
1855	3733	162	2693	724	53347	4589	30893	10060	36269	2606	28418	8896
1856	4320	240	2166	841	56705	5375	28825	10428	40796	3082	27538	9471
1857	4460	227	2306	954	57568	5542	30390	10960	41387	3090	29210	9445
1858	4582	247	2377	884	57607	5574	31564	10083	41829	3533	29598	8688
1859	4627	269	2633	910	59366	5874	30959	10825	42550	3572	28122	9466
1860	4588	247	2714	811	58883	5875	33358	10747	42158	3614	32098	9667
1861	4499	227	2562	919	58191	5646	30814	10288	44319	4056	28965	9689
1862	4458	219	2975	851	58557	5836	32694	10185	44054	4321	31526	9561
1863	4323	212	2934	784	59235	6277	34722	10820	45783	4459	33825	10630
1864	4340	233	2720	775	60672	6433	35719	10819	47321	4531	35977	11131
1865	5046	337	2488	776	59321	6303	32992	11184	48703	4622	35411	11651

which occurred the previous year, these two years showing a higher proportion of births than occurred during any year since the Registration Act came into operation. During the eight years 1856 to 1863 inclusive,

TABLE IV.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Eleven Years 1855–1865; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of Births to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of Deaths to the Population.			Per-centage of Marriages to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0·610	0·856
1861	2·801	3·297	3·883	5·0	9·7	9·1	1·595	1·746	2·537	0·572	0·582	0·848
1862	2·786	3·308	3·814	4·9	9·9	9·8	1·859	1·847	2·730	0·531	0·575	0·827
1863	2·711	3·338	3·921	4·9	10·6	9·7	1·840	1·956	2·897	0·491	0·609	0·910
1864	2·732	3·408	4·010	5·3	10·6	9·6	1·712	2·006	3·048	0·488	0·607	0·943
1865	3·187	3·323	4·083	6·6	10·6	9·4	1·571	1·848	2·969	0·490	0·626	0·976

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1865, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

	Estimated Population 1865.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	423,723	17957	4·23	1674	9·3	18914	3·28	4163	0·98
Edinburgh .	174,180	6195	3·55	617	9·9	4858	2·78	1784	1·02
Dundee . .	96,607	4423	4·57	573	12·9	3000	3·10	1168	1·20
Aberdeen .	74,716	2878	3·85	394	13·6	1981	2·65	679	0·91
Paisley . .	47,427	1807	3·81	164	9·1	1410	2·97	472	0·99
Greenock .	46,635	2361	5·06	128	5·4	1675	3·59	512	1·09
Leith . .	37,648	1586	4·21	100	6·3	948	2·52	356	0·94
Perth . .	26,697	903	3·38	81	8·9	729	2·73	212	0·79

TABLE VI.—BIRTHS in SCOTLAND, 1855–1865; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births; also the Proportion of Mothers who bare Twins or Triplets.

YEARS.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44041	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110 0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105 8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81

the birth-rate was in the annual proportion of 346 births in every ten thousand persons of the population, or 3·46 per cent. It is therefore evident that, during the years 1864 and 1865, some important change had occurred which affected the ratio of the births, and when we look at the increase in the number and proportion of the marriages which occurred during these years, the fact is easily accounted for. During the eight

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1865, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

	Divisions and Counties.	Population estimated to the middle of the Year 1865.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per-cent.	No.	Per cent.	No.	Per-cent.	No.	Per-cent.
	SCOTLAND . . .	3,136,057	113070	3·605	11262	9·9	70891	2·260	23611	0·753
	Insular Districts . .	158,289	5046	3·187	337	6·6	2488	1·571	776	0·490
	Mainland-Rural Dists.	1,785,080	59321	3·323	6303	10·6	32992	1·848	11184	0·626
	Town Districts . . .	1,192,688	48703	4·083	4622	9·4	35411	2·969	11651	0·976
	Divisions.									
I.	NORTHERN	131,862	3333	2·527	230	6·9	2070	1·569	619	0·469
II.	NORTH-WESTERN . .	163,759	4561	2·785	297	6·5	2678	1·635	824	0·501
III.	NORTH-EASTERN . .	374,607	12993	3·468	2018	15·5	6740	1·799	2575	0·687
IV.	EAST-MIDLAND . . .	527,161	18254	3·462	2039	11·1	11731	2·225	4068	0·771
V.	WEST-MIDLAND . .	242,957	7988	3·287	598	7·4	4784	1·969	1518	0·624
VI.	SOUTH-WESTERN . .	1,062,299	44034	4·145	3684	8·3	28966	2·726	9187	0·864
VII.	SOUTH-EASTERN . .	419,901	15205	3·620	1466	9·6	9883	2·353	3574	0·851
VIII.	SOUTHERN	213,511	6702	3·139	930	13·7	4039	1·891	1246	0·583
	Counties.									
1	Shetland	31,921	842	2·638	44	5·2	515	1·613	155	0·485
2	Orkney	32,794	797	2·430	46	5·7	457	1·393	157	0·478
3	Caithness.	43,223	1163	2·690	108	9·2	754	1·723	220	0·509
4	Sutherland	23,924	531	2·219	32	6·0	344	1·438	87	0·363
5	Ross and Cromarty .	81,850	2257	2·751	108	4·7	1362	1·664	372	0·454
6	Inverness	81,909	2304	2·812	189	8·2	1316	1·606	452	0·551
7	Nairn	8,461	256	3·025	31	12·1	157	1·855	56	0·661
8	Elgin	45,782	1424	3·110	213	14·9	773	1·688	243	0·530
9	Banff	58,001	1920	3·310	302	15·7	862	1·486	380	0·655
10	Aberdeen.	227,543	8198	3·602	1292	15·7	4388	1·928	1618	0·711
11	Kincardine	84,820	1195	3·146	180	15·0	560	1·608	278	0·798
12	Forfar	312,325	8283	2·652	1095	13·2	5267	2·480	2001	0·640
13	Perth	131,426	3733	2·840	422	11·3	2654	2·019	796	0·605
14	Fife.	155,543	5268	3·386	425	8·0	3188	2·043	1093	0·702
15	Kinross	8,353	226	2·705	28	12·8	181	2·166	58	0·694
16	Clackmannan . . .	19,514	744	3·812	69	9·2	441	2·254	120	0·615
17	Stirling	89,978	3408	3·787	261	7·6	1842	2·047	721	0·801
18	Dumbarton	57,235	2085	3·642	147	7·0	1216	2·126	343	0·599
19	Argyll	79,533	2085	2·621	166	7·9	1359	1·708	351	0·441
20	Bute	16,211	410	2·529	24	5·8	367	2·265	103	0·635
21	Renfrew	173,337	7195	4·150	530	7·3	4793	2·706	1565	0·902
22	Ayr.	202,923	7535	3·713	663	8·9	4062	2·001	1403	0·691
23	Lanark	686,039	29304	4·271	2491	8·4	20111	2·930	6219	0·906
24	Linlithgow	42,640	1812	4·249	156	8·6	842	1·974	317	0·748
25	Edinburgh	280,298	10227	3·648	962	9·4	7231	2·579	2651	0·945
26	Haddington	38,162	1224	3·207	129	10·5	739	1·936	238	0·623
27	Berwick	36,623	1139	3·110	128	11·2	654	1·786	220	0·600
28	Peebles	11,508	406	3·528	42	10·3	203	1·764	66	0·578
29	Selkirk	10,670	397	3·720	49	12·3	214	2·005	82	0·768
30	Roxburgh	54,780	1717	3·134	180	10·4	992	1·810	381	0·695
31	Dumfries	74,952	2414	3·220	345	14·3	1510	2·014	456	0·608
32	Kirkcudbright . . .	42,231	1372	3·248	208	15·1	815	1·929	226	0·535
33	Wigtown	41,548	1199	2·885	197	16·4	722	1·738	183	0·440

years 1855 to 1862 inclusive, the marriage-rate in Scotland was 66 marriages annually in every ten thousand persons; but the proportion rose to 71 in 1863, to 73 marriages in 1864, and to 75 marriages in 1865, in a like population. The general prosperity of the country had induced the working classes to enter more largely into the married state, and the natural result was a higher birth-rate.

In England also during 1865 the birth-rate was considerably above the average of former years, yet the same as during 1864, viz. during both these years at the rate of 356 births in every ten thousand persons, or 3·56 per cent. The cause of that high proportion was apparently the same as that in Scotland, viz. an increase in the number and proportion of marriages,—the two countries, in so far as the births and marriages were concerned, exhibiting a rise during the same years. Though the registered births in England appear to show that the English birth-rate is lower than the Scottish, the probability is that the birth-rate is the same for both countries; the difference in favour of Scotland being caused by the fact that in it all the births are registered, whereas a considerable proportion of births escapes registration in England.

The proportion of births differed as usual in the three great groups of districts into which Scotland is divided. Thus, of the 113070 births, 5046 were registered in the Insular, 59321 in the Mainland-Rural, and 48703 in the Town Districts; thus indicating that for every ten thousand persons in each of these districts, 318 births occurred in the Insular, 332 in the Mainland-Rural, and 408 in the Town Districts. (Tables IV. and VII.) During the nine previous years (for the registration of the births was incomplete in 1855), for every ten thousand persons in each of these districts, 277 births occurred annually in the Insular, 332 in the Mainland-Rural, and 384 in the Town Districts. Hence it appears that the Mainland-Rural Districts, whose inhabitants are mainly devoted to agricultural pursuits, had not participated in the increased proportion of births, but had only maintained the exact average of former years. This is an important fact for the political statist.

Of the Eight Principal Towns of Scotland, the birth-rate was lowest in Perth, and highest in Dundee and Greenock, the two pre-eminently industrial towns. Thus to every 100 of the population there were 3·38 births in Perth, 3·55 in Edinburgh, 3·81 in Paisley, 3·85 in Aberdeen, 4·21 in Leith, 4·23 in Glasgow, 4·57 in Dundee, and 5·06 in Greenock.

Of the 113,070 births, 101,808 were legitimate, and 11262 illegitimate,

TABLE VIII.—BIRTHS, 1865. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1865; together with the Number of Twin and Triplet Births.

1865. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes		
Insular	2,577	2,469	5,046	2,407	2,302	4,709	170	167	337	58	1
Mainland-Rural	30,561	28,760	59,321	27,327	25,691	53,018	3,234	3,069	6,303	707	5
Town	25,082	23,621	48,703	22,707	21,374	44,081	2,375	2,247	4,622	599	3
Scotland . . .	58,220	54,850	113,070	52,441	49,367	101,808	5,779	5,483	11,262	1,364	9

giving a proportion of 9·9 illegitimate in every 100 births. As usual that proportion was higher in the Mainland-Rural than in the Town Districts, and lowest of all in the Insular Districts. Thus only 6·6 per cent. of the births were illegitimate in the Insular, 9·4 per cent. in the Town, but 10·6 per cent. in the Mainland-Rural Districts.

The fourth and fifth columns of Table VII. show the number and proportion of the illegitimate births in the several divisions and counties of Scotland. That table generally corresponds with those of former years, and shows that causes must exist in those counties which are included in the North-Eastern and Southern Divisions which favour illegitimacy, seeing that in these the proportion of illegitimate births is much higher than over the rest of the country. Thus only 6·5 per cent. of the births were illegitimate in the North-Western, and 6·9 per cent. in the Northern Divisions; while even in the populous South-Western Division, which contains the active manufacturing and mining counties of Renfrew, Ayr, and Lanark, only 8·3 per cent. of the births were illegitimate. But in the Southern Division 13·7 per cent. of the births were illegitimate, and in the North-Eastern Division 15·5 per cent. Eleven counties had above 12 per cent. of illegitimate births,—viz. Nairn, 12·1 per cent.; Selkirk, 12·3; Kinross, 12·8; Forfar, 13·2; Dumfries, 14·3; Elgin, 14·9; Kincardine, 15; Kirkcudbright, 15·1; Banff and Aberdeen, each 15·7; and Wigtown, 16·4 per cent.

Of the Eight Principal Towns of Scotland, Greenock had the lowest proportion of illegitimate births, Aberdeen the highest. Thus 5·4 per cent. of the births were illegitimate in Greenock, 6·2 per cent. in Leith, 8·9 in Perth, 9·1 in Paisley, 9·3 in Glasgow, 9·9 in Edinburgh 12·9 in Dundee, and 13·6 per cent. in Aberdeen.

Of the 113,070 children born during the year, 58220 were boys, and 54850 girls, giving the proportion of 106 boys to every 100 girls at birth. This is a proportion somewhat higher than usual, a ten years' average showing the proportion of 105·5 boys to 100 girls at birth. During this year the anomaly for Scotland occurred, of the proportion of boys being greater among the legitimate than among the illegitimate births. Taking a ten years' average (1855 to 1864 inclusive), 105·3 boys were born for every 100 girls among the legitimate births, while 107 boys were born to every 100 girls among the illegitimate births. But during the year

TABLE IX.—BIRTHS, 1865. Per-centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and its Three Great Groups of Districts in 1865.

1865. DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	3·187	6·6	104·3	104·5	101·8	86	4986
Mainland-Rural	3·323	10·6	106·2	106·3	105·3	83	11721
Town	4·083	9·4	106·1	106·2	105·7	80	16032
SCOTLAND . . .	3·605	9·9	106·2	106·2	105·4	82	12409

1865, among the legitimate births there were 106·2 boys born for every 100 girls, while among the illegitimate births there were only 105·4 boys for every 100 girls. (Table IX.)

One in every 82 mothers bare twins during the year, and one in every 12409 bare triplets.

As the births during the year amounted to 113,070 and the deaths to 70891, the natural increase of the population by excess of births over deaths was 42179, and had no emigration occurred, the population of Scotland would have increased by that amount. The Emigration Commissioners, however, ascertained that there emigrated from the ports of Great Britain and Ireland at which there are emigration officers, 209,801 persons, of whom 100,767 were natives of Ireland, 61345 of England, 12870 of Scotland, and 28619 of foreign countries, while of 6291 persons the origin was not ascertained. Of these, 147,258 were ascertained to have emigrated to the United States, 17211 to British North America, 27283 to the Australian colonies, and 8049 to other places. If 407 be added to the ascertained Scottish emigrants as the proportion of persons whose nativity was not ascertained, the Scottish emigrants would amount to 13277, which number deducted from the excess of births over deaths would make the increase of the population during the year to amount to 28902 persons, or about 11000 more than the probable increase. At present no means exist for ascertaining the numbers who emigrate to England, Ireland, or the continent of Europe, or who sail from ports at which there are no emigration officers, or who join the army, navy, merchant shipping, etc.

MARRIAGES.

23611 marriages were registered in Scotland during the year 1865, being in the proportion of 75 marriages in every ten thousand persons of the estimated population. This is the highest marriage-rate noticed in Scotland up to that date since the Registration Act came into operation. (Tables I. and XI.) During the eight years 1855 to 1862 inclusive, the marriage-rate was very steady, being in the proportion of 66 marriages annually in every ten thousand persons; but in 1863 the proportion rose to 71 marriages, in 1864 it advanced to 73 marriages, and in 1865 to 75 marriages in every ten thousand persons.

TABLE X.—MARRIAGES, 1865. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportions to the Total Marriages.

	Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland Rural Districts.	Town Districts.	Scotland	Insular Districts.	Mainland Rural Districts.	Town Districts.	Scotland
Regular Marriages.	Established Church	343	5907	3927	10177	44·20	52·82	33·71	43·10
	Free Church	290	2603	2743	5636	37·37	23·27	23·55	23·87
	United Presbyterian Church	68	1480	1797	3345	8·76	13·24	15·42	14·17
	Roman Catholic Church	25	621	1753	2399	3·22	5·55	15·05	10·16
	Episcopalian Church	1	124	351	476	0·13	1·11	3·01	2·02
	Other Denominations	41	424	1051	1516	5·29	3·79	9·02	6·42
	Denomination not stated	8	18	4	30	1·03	0·16	0·03	0·13
	Irregular Marriages	0	7	25	32	0·00	0·06	0·21	0·13
	Total Marriages	776	11184	11651	23611	100·00	100·00	100·00	100·00

Though this is a very high marriage-rate for Scotland, it is far below that of England, which during 1865 was in the proportion of 88 marriages in every ten thousand persons.

The greater fecundity of the Scottish women seems, however, fully to make up for the lower marriage-rate in Scotland. Thus in England, during 1865, only 378 legitimate children were born to every 100 marriages, while in Scotland 435 legitimate children were born to the 100 marriages. The Registrar-General of England thinks that a more accurate mode of ascertaining the fecundity of the marriage is to compare the births with the number of marriages which occurred six years previously. Without at all agreeing with him in this,—nay, being able to prove from the Scottish statistics that his ideas are erroneous,—it may be mentioned that the mode of calculation makes no real difference in the results arrived at, seeing that both modes of calculation prove the superior fecundity of the Scottish women. Thus in England the mean annual number of marriages during

TABLE XI.—MARRIAGES, 1855–1865. Number of Marriages according to the Rites of the several Religious Denominations during each of the Eleven Years 1855–1865.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not Registered.	
1855	19680	0·660	8879	4665	2952	1826	350	928	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22284	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2899	476	1516	30	32

TABLE XII.—MARRIAGES, 1855–1865. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Eleven Years 1855–1865.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not Registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13

the years 1858, 1859, and 1860 was 164,649, while the legitimate births in 1865 numbered 701,484. This gives the proportion of 426 legitimate births for every 100 marriages in England. In Scotland during the years 1858, 1859, and 1860, the mean annual number of marriages was 20693, while the legitimate births in 1865 numbered 101,808. This gives the much higher proportion of 492 legitimate children for every 100 marriages in Scotland.

The same fact, however, is still more strikingly evidenced by comparing the number of children born during the year with the number of married women in the two countries who are at the ages capable of bearing children, viz. under 50 years of age. For the sake of strict accuracy, it is safest to make the comparison with the numbers of the married women under 50 years of age as ascertained by the census of 1861, though the very same conclusion is arrived at by estimating the numbers to the middle of the year 1865.

In Scotland there were 352,397 married women under 50 years of age in 1861, and to these were born 101,808 legitimate children during the year 1865. This shows that every 3·46 wives gave birth to one child during the year; or, in other words, that every 346 wives at the childbearing ages produced 100 children during the year.

In England, at the taking of the census in 1861, it was found that there were 2,674,755 wives under 50 years of age; and as 701,484 legitimate children were born in 1865, it is manifest that every 3·81 wives at the childbearing ages gave birth to one child during the year; or, in other words, that it required 381 wives in England to give birth to 100 children during the year.

This fact shows that the fecundity of the married women in Scotland is so much greater than that of the married women in England, that while to produce 100 children annually it requires 381 wives in England, it only requires 346 wives in Scotland.

TABLE XIII.—MARRIAGES, 1865. Ages of Men and Women at Marriage in Scotland and in its Three Great Groups of Districts in 1865.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	2	–	–	–	2	–	–
15—16	–	11	–	–	–	6	–	5
16—17	1	78	–	1	1	39	–	38
17—18	15	263	–	7	7	123	8	133
18—19	112	891	–	9	49	409	63	473
19—20	479	1612	10	23	212	757	257	832
20—21	1088	2153	10	59	499	950	574	1144
21—25	8169	8854	153	267	3800	4209	4216	4378
25—30	7045	5637	262	233	3456	2774	3327	2630
30—35	2903	2065	156	93	1411	1004	1336	968
35—40	1487	1038	76	50	674	466	737	522
40—45	917	560	35	12	418	237	434	311
45—50	573	246	23	9	253	110	297	124
50—55	370	94	17	4	169	38	184	52
55—60	212	42	12	1	88	21	112	20
60—65	135	12	6	1	68	6	61	5
65—70	48	5	4	–	17	3	27	2
70—75	28	–	5	–	11	–	12	–
75—80	4	–	1	–	1	–	2	–
80—85	2	–	–	–	1	–	1	–
85—90	–	–	–	–	–	–	–	–
Age not stated	28	51	6	7	19	30	3	14
ALL AGES	23,611	23,611	776	776	11,184	11,184	11,651	11,651

The marriage-rate in the three great groups of districts into which Scotland is divided was very different. Thus in the Insular Districts marriages occurred in the proportion of 49 marriages in every ten thousand persons, in the Mainland-Rural Districts in the proportion of 62 marriages in a like population, but in the Town Districts in the proportion of 97 marriages in a like population.

It is very instructive to look at the annual proportion of marriages in these three groups of districts since 1855, as shown in the last three columns of Table IV. It will there be seen at a glance what are the true barriers to marriage. With an increasing population and increasing commercial prosperity over the country, we there see that the proportion of marriages in the Insular Districts during the last eleven years has on the whole rather decreased. That there has been scarcely any increase in the proportion of marriages in the Mainland-Rural Districts during these eleven years, while the increase in the Town Districts has been very great during the last three years of the period, is indeed quite startling.

These figures tell a tale which political statists would do well to study.

TABLE XIV.—MARRIAGES, 1865. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1865.

Ages.	Men.				Women.			
	Scotland.	Insular Districts.	Mainland Rural Districts.	Town Districts.	Scotland.	Insular Districts.	Mainland Rural Districts.	Town Districts.
15—20 years	2·57	1·29	2·40	2·82	12·10	5·15	11·94	12·71
20—25	39·19	21·01	38·44	41·11	46·62	42·01	46·13	47·40
25—30	29·84	33·76	30·90	28·56	23·88	30·03	24·80	22·57
30—35	12·30	20·10	12·62	11·47	8·75	11·99	8·98	8·31
35—40	6·30	9·80	6·03	6·33	4·39	6·44	4·17	4·48
40—45	3·89	4·51	4·01	3·72	2·37	1·55	2·12	2·67
45—50	2·40	2·97	2·26	2·55	1·03	1·16	0·98	1·06
50 and above	3·39	5·79	3·17	3·42	0·65	0·77	0·61	0·68
Not stated.	0·12	0·77	0·17	0·02	0·21	0·90	0·27	0·12
All Ages	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XV.—MARRIAGES during the TEN YEARS 1855–1864. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the ten years 1855–1864.

Ages.	Men.		Women.	
	Number of Men who married at each Age.	Proportion at each Age in every 1000 Men who married	Number of Women who married at each Age.	Proportion at each Age in every 1000 Women who married.
15—20 years	6,373	30·36	26,944	128·61
20—25	80,752	384·71	96,327	459·79
25—30	61,238	291·75	50,422	240·67
30—35	26,571	126·59	18,259	87·15
35—40	14,272	68·00	9,308	44·43
40—45	8,514	40·56	4,651	22·19
45—50	5,342	25·45	2,228	10·63
50 and above	6,840	32·58	1,368	6·53
All Ages	209,902	1000·00	209,507	1000.00

The above numbers do not include 420 men and 815 women whose ages were not ascertained.

They prove that the increase in the wealth and strength of the country is dependent on the industrial and commercial classes, and not on the agricultural. They prove that the agricultural classes have now attained as great a development as the soil can support, and that the sole outlet for the increase and enterprise of the nation is through its manufacturing industry and its commerce. They show that even in a highly civilized country, where no legislative enactments interfere with the freedom of the subject, Nature herself and the prudence of the people set up barriers which repress marriage, and thus prevent the population increasing beyond the means of support.

The same conclusions may be drawn from an examination of the proportion of marriages in each of the counties of Scotland. (See last column of Table VII.) It will be seen that the proportion of marriages to the population is very nearly in the ratio of the proportion of the people who devote their energies to commercial, industrial, and mining pursuits. The greater the proportion of these in the population, the higher is the proportion of marriages contracted annually. The county of Edinburgh is almost the only exception to this, for reasons which are known to every one, and need not here be particularized.

The proportion of marriages in each of the Eight Principal Towns of Scotland was very different during the year 1865. Thus, for every ten thousand persons in each of the towns, 79 marriages were contracted in Perth, 91 in Aberdeen, 94 in Leith, 98 in Glasgow, 99 in Paisley, 102 in Edinburgh, 109 in Greenock, and 120 in Dundee. (Table V.)

Of the 23611 marriages in Scotland, 10117 were contracted according to the rites of the Established Church, 5636 according to those of the Free Church, 3345 according to those of the United Presbyterian Church, 2399 according to those of the Romish Church, 476 according to those of the Episcopal Church, 1516 according to those of the smaller religious denominations, while in 30 cases the name of the religious denomination was not stated, and in 32 cases the marriage was contracted irregularly. (Table X.)

TABLE XVI.—MARRIAGES in SCOTLAND, 1865. Number of Men and Women under and above 25 years of age who contracted Marriage in 1865; also the Number who were Minors, or were under 21 years of age.

1865.	Number Married whose Ages were ascertained.		Number under 25 Years.		Number above 25 Years.		Number of Minors under 21 Years.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
SCOTLAND, . . .	23,583	23,560	9,859	13,864	13,724	9,696	1,690	5,010
Insular Districts, . .	770	769	173	366	597	403	20	99
Mainland-Rural do. .	11,165	11,154	4,568	6,495	6,597	4,659	768	2,286
Town Districts, . .	11,648	11,637	5,118	7,003	6,530	4,634	902	2,625
1. Northern Division,	613	612	178	301	435	311	23	87
2. North-Western do.	824	822	156	372	668	450	9	103
3. North-Eastern do.	2,574	2,573	946	1,457	1,628	1,116	136	526
4. East-Midland do.	4,063	4,061	1,739	2,321	2,324	1,740	394	715
5. West-Midland do.	1,515	1,517	548	865	967	652	82	287
6. South-Western do.	9,182	9,170	4,279	5,770	4,903	3,400	839	2,319
7. South-Eastern do.	3,569	3,562	1,515	2,066	2,054	1,496	230	730
8. Southern do.	1,243	1,243	498	712	745	531	77	243
EDINBURGH, . . .	1,784	1,781	647	969	1,137	812	96	345
GLASGOW, ...	4,163	4,160	1,885	2,567	2,278	1,593	374	1017

These numbers yield proportions closely approximating those of former years, and show that 43·10 per cent. of the marriages were Established Church, 23·87 per cent. Free Church, 14·17 per cent. United Presbyterian Church, 2·02 per cent. Episcopal Church, 6·42 per cent. the smaller religious denominations, while in 0·13 per cent. the name of the religious denomination was omitted to be registered, and in 0·13 per cent. (that is, 13 in every ten thousand marriages) the marriage was irregular—that is to say, was contracted without previous proclamation of banns, and without a religious ceremony.

In the absence of more reliable information relative to the proportion of the different religious denominations in the population, these proportions indicate in a general way the relative proportions of the population attached to each; and the facts brought to light by Tables XI. and XII. seem to indicate that, while almost every class of Dissenters is annually increasing, the population attached to the Established Church is annually on the decrease.

Of the 23611 men who married in 1865, the ages of 23583 were ascertained, and of these 1690 were minors, or under 21 years of age. Of the 23611 women who married, the ages of 23560 were ascertained, and of these 5010 were under 21 years of age, or were minors. It thus appears that 7·16 per cent. of the men, and 21·26 per cent. of the women who married during the year 1865, were under 21 years of age. (Tables XVI. and XVII.)

In England during the same year, of the 185,474 marriages, the age of both parties was ascertained in only 120,392 instances. Of the 120,392 men who married, 10971 were under 21 years of age; and of the 120,392 women, 29487 were under 21 years of age. Hence 9·11 per cent. of the men, and 24·49 per cent. of the women who married in England in 1865, were under 21 years of age, being a considerably higher proportion than that of Scotland.

As the time of life when a man contracts marriage is chiefly dependent on his ability to support a wife, it is instructive to look at the per-centage of

TABLE XVII.—MARRIAGES in SCOTLAND, 1865. Per-centage of Men and Women under and above 25 years of age, the Per-centage of Minors, and the Per-centage of Marriages between Persons in different conjugal conditions.

1865.	Per-centage who Married.				Per-centage under 21 Years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women.	Men.	Women.	Men.	Women.				
SCOTLAND, . . .	41·38	58·84	58·62	41·16	7·16	21·26	85·97	2·53	8·77	2·73
Insular Districts, . .	22·46	47·59	77·54	52·41	2·59	12·87	84·93	1·61	11·71	1·75
Mainland-Rural do. .	40·91	58·14	59·09	41·86	6·87	20·49	87·85	1·88	8·49	1·78
Town Districts, . .	43·94	60·18	56·06	39·82	7·74	22·56	84·25	8·20	8·84	8·71
1. Northern Division,	29·04	49·18	70·96	50·82	3·75	14·21	86·88	0·99	10·80	1·33
2. North-Western do.	18·93	45·25	81·07	54·75	1·09	12·53	86·38	2·00	10·50	1·12
3. North-Eastern do.	36·75	56·62	63·25	43·38	5·28	20·44	87·90	2·29	8·25	1·56
4. East-Midland do.	42·80	57·15	57·20	42·85	7·23	17·60	87·67	1·21	8·64	2·48
5. West-Midland do.	36·17	57·02	63·83	42·98	5·47	18·92	85·87	2·73	8·74	2·66
6. South-Western do.	46·60	62·92	53·40	37·08	9·13	25·29	83·95	3·44	8·82	3·79
7. South-Eastern do.	42·45	58·00	57·55	42·00	6·44	20·49	86·69	2·34	8·82	2·15
8. Southern do.	40·06	57·28	59·94	42·72	6·19	19·55	88·76	1·94	7·60	1·70
EDINBURGH, . .	36·26	54·40	63·74	45·60	5·38	19·37	84·90	2·75	9·99	2·36
GLASGOW, . . .	45·28	61·68	54·72	38·32	8·98	24·44	83·31	3·72	8·50	4·47

men under 21 years of age who married in each of the eight divisions into which the counties of Scotland are divided. In the North-Western Division, consisting of purely Highland counties, where there is no outlet for the young but by the death of the aged, only 1·09 per cent. of the men who married were under 21 years of age. In the North-Eastern Division, where agricultural, commercial, and manufacturing operations are carried on with considerable vigour, 5·28 per cent. of the men who married were under 21 years of age. But in the South-Western Division, in which are included the counties which combine the mercantile, manufacturing, and mining activity of Scotland, no fewer than 9·13 per cent. of the men who married were under 21 years age. (See Tables XV. and XVI.)

The same fact is strikingly illustrated by looking at the proportions in which men under 25 years of age contract marriage in the several divisions. (Tables XV. and XVI.) In the North-Western Division, where there are almost no openings for the young, only 18·93 per cent. of the men who married were under 25 years of age; whereas, in the great mining, manufacturing, and commercial South-Western Division, 46·60 per cent. of the men who married during the year were under 25 years of age.

Even the cities of Edinburgh and Glasgow, by their marriage returns, indicate the comparative facility of procuring a livelihood in each, by showing that the men are able to contract marriage in Glasgow much earlier in life than in Edinburgh. (Tables XV. and XVI.) Thus in Edinburgh only 5·38 per cent. of the men who married were under 21 years of age, and only 36·26 per cent. under 25 years of age. But in Glasgow 8·98 per cent. of the men who married in 1865 were under 21 years of age, and 45·28 per cent. under 25 years of age; and these proportions indicate very accurately the comparative facility of procuring a livelihood in each city.

For the purposes of comparison with the marriage statistics of England and of foreign countries, Table XV. has been added, showing the number and proportion of men and women at each quinquennial period of life who married in Scotland during the ten years 1855 to 1864. From this it appears, that (discarding decimals) of every thousand men who married during that period, 30 were between 15 and 20 years of age, 385 between 20 and 25 years of age, 292 between 25 and 30 years, 127 between 30 and

---

TABLE XVIII.—MARRIAGES in SCOTLAND, 1855–1865.

YEARS.	Per-centage of Persons who married under 21 years.		Per-centage of Persons who married.				Per-centage of Persons who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·88	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73

35 years, 68 between 35 and 40 years, 41 between 40 and 45 years, 25 between 45 and 50 years, while only 32 were above 50 years of age.

Of every thousand women who married during the same period, 129

TABLE XIX.—MARRIAGES, 1865. Number of Marriages between Persons in different Conjugal Conditions; also the Number and Proportion of Men and Women who re-married.

	Divisions and Counties.	Total Marriages, condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	Re-marriages. Widowers.	Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND	28448	20158	593	2055	612	2697	1235	11·50	5·26
	Insular Districts	743	631	12	87	13	100	25	13·45	3·36
	Mainland-Rural Districts	11064	9720	208	939	197	1136	405	10·26	3·66
	Town Districts	11641	9807	373	1029	432	1461	805	12·55	6·91
	Divisions.									
I.	Northern	602	523	6	65	8	73	14	12·12	2·32
II.	North-Western	800	691	16	84	9	93	25	11·62	3·12
III.	North-Eastern	2570	2259	59	212	40	252	99	9·80	3·85
IV.	East-Midland	4030	3533	49	348	100	448	149	11·11	3·70
V.	West-Midland	1500	1288	41	131	40	171	81	11·40	5·40
VI.	South-Western	9170	7698	315	809	348	1157	663	12·61	7·23
VII.	South-Eastern	3539	3068	83	312	76	388	159	10·96	4·49
VIII.	Southern	1237	1098	24	94	21	115	45	9·29	3·63
	Counties.									
1	Shetland	143	123	–	19	1	20	1	13·98	0·70
2	Orkney	156	133	3	18	2	20	5	12·82	3·20
3	Caithness	216	189	3	20	4	24	7	11·11	3·24
4	Sutherland	87	78	–	8	1	9	1	10·34	1·15
5	Ross and Cromarty	372	323	9	38	2	40	11	10·75	2·93
6	Inverness	428	368	7	46	7	53	14	12·38	3·27
7	Nairn	56	49	–	6	1	7	1	12·50	1·78
8	Elgin	239	211	5	21	2	23	7	9·62	2·92
9	Banff	379	337	5	32	5	37	10	9·76	2·64
10	Aberdeen	1618	1416	45	129	28	157	73	9·70	4·51
11	Kincardine	278	246	4	24	4	28	8	10·07	2·87
12	Forfar	1995	1713	28	192	62	254	90	12·73	4·51
13	Perth	791	703	12	63	13	76	25	9·60	3·16
14	Fife	1067	951	8	86	22	108	30	10·12	2·80
15	Kinross	58	56	1	1	–	1	1	1·72	1·72
16	Clackmannan	119	110	–	6	3	9	3	7·56	2·52
17	Stirling	709	610	25	57	17	74	42	10·43	5·92
18	Dumbarton	341	291	11	29	10	39	21	11·44	6·15
19	Argyll	347	304	3	32	8	40	11	11·50	3·17
20	Bute	103	83	2	13	5	18	7	17·47	6·79
21	Renfrew	1563	1313	45	139	66	205	111	13·11	7·10
22	Ayr	1392	1178	28	148	38	186	66	13·36	4·74
23	Lanark	6215	5207	242	522	244	766	486	12·32	7·82
24	Linlithgow	304	271	10	16	7	23	17	7·56	5·59
25	Edinburgh	2641	2259	72	247	63	310	135	11·73	5·11
26	Haddington	236	214	1	20	1	21	2	8·89	0·85
27	Berwick	213	196	–	12	5	17	5	7·98	2·35
28	Peebles	64	58	–	6	–	6	–	9·37	0·00
29	Selkirk	81	70	–	11	–	11	–	13·58	0·00
30	Roxburgh	379	338	7	29	5	34	12	8·97	3·16
31	Dumfries	451	401	9	32	9	41	18	9·09	3·99
32	Kirkcudbright	224	196	6	19	3	22	9	9·82	4·01
33	Wigtown	188	163	2	14	4	18	6	9·83	3·27
	EDINBURGH	1782	1513	49	178	42	220	91	12·34	5·10
	GLASGOW	4163	3468	155	354	186	540	341	12·97	8·19

were between 15 and 20 years of age, 460 were between 20 and 25 years of age, 241 between 25 and 30 years, 87 between 30 and 35 years, 44

TABLE XX.—MARRIAGES, 1865. Number and Per-centage of Men and of Women who signed the Marriage Register by Mark, with the proportion of Men and of Women who signed by Mark and who signed in writing, in Scotland, its Divisions and Counties, in 1865.

Divisions and Counties.		Men.				Women.			
		Number of Men who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.	Number of Women who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.
SCOTLAND		23611	2697	11·42	88·58	23611	5247	22·22	77·78
Insular Districts		776	195	25·13	74·87	776	285	36·72	63·28
Mainland-Rural Districts		11184	913	8·16	91·84	11184	1786	15·96	84·04
Town Districts		11651	1589	13·63	86·37	11626	3176	27·26	72·74
	Divisions.								
I.	Northern	619	36	5·81	94·19	619	110	17·77	82·23
II.	North-Western	824	250	30·34	69·66	824	398	48·30	51·70
III.	North-Eastern	2575	88	3·41	96·59	2575	376	14·60	85·40
IV.	East-Midland	4068	379	9·31	90·69	4068	753	18·50	81·50
V.	West-Midland	1518	192	12·64	87·36	1518	331	21·80	78·20
VI.	South-Western	9187	1414	15·39	84·61	9187	2837	30·88	69·12
VII.	South-Eastern	3574	274	7·66	92·34	3574	451	12·62	87·38
VIII.	Southern	1246	64	5·18	94·87	1246	91	7·30	92·70
	Counties.								
1	Shetland	155	11	7·09	92·91	155	43	27·74	72·26
2	Orkney	157	2	1·27	98·73	157	10	6·37	93·63
3	Caithness	220	13	5·91	94·09	220	32	14·54	85·46
4	Sutherland	87	10	11·49	88·51	87	25	28·78	71·27
5	Ross and Cromarty	372	126	33·87	66·13	372	177	47·58	52·42
6	Inverness	452	124	27·43	72·57	452	221	48·89	51·11
7	Nairn	56	9	16·07	83·97	56	13	23·21	76·78
8	Elgin	243	10	4·11	95·89	243	35	14·40	85·60
9	Banff	380	20	5·26	94·74	380	52	13·68	86·32
10	Aberdeen	1618	39	2·41	97·59	1618	149	9·20	90·80
11	Kincardine	278	10	3·59	96·41	278	27	9·71	90·29
12	Forfar	2001	303	15·14	84·86	2001	590	29·48	70·52
13	Perth	796	27	3·39	96·61	796	55	6·91	93·09
14	Fife	1093	45	4·11	95·89	1093	91	8·32	91·68
15	Kinross	58	2	3·44	96·56	58	3	5·17	94·83
16	Clackmannan	120	2	1·66	98·34	120	14	11·66	88·34
17	Stirling	721	82	11·37	88·63	721	157	21·77	78·23
18	Dumbarton	343	51	15·74	84·26	343	97	28·28	71·72
19	Argyll	351	48	13·67	86·33	351	70	19·94	80·06
20	Bute	103	8	7·76	92·24	103	7	6·79	93·21
21	Renfrew	1565	286	18·27	81·73	1565	528	33·73	66·27
22	Ayr	1403	189	13·47	86·53	1403	357	25·44	74·56
23	Lanark	6219	939	15·09	84·91	6219	1952	31·39	68·61
24	Linlithgow	317	70	22·08	77·92	317	84	26·49	73·51
25	Edinburgh	2651	166	6·26	93·75	2651	309	11·65	88·35
26	Haddington	238	28	11·76	88·24	238	42	17·62	82·38
27	Berwick	220	6	2·72	97·28	220	10	4·54	95·46
28	Peebles	66	2	3·03	96·97	66	4	6·06	93·94
29	Selkirk	82	2	2·44	97·56	82	2	2·44	97·56
30	Roxburgh	381	17	4·46	95·54	381	24	6·30	93·70
31	Dumfries	456	16	3·51	96·49	456	19	4·16	95·84
32	Kirkcudbright	226	11	4·87	95·13	226	20	8·85	91·15
33	Wigtown	183	20	10·92	89·08	183	28	15·30	84·70
	EDINBURGH	1784	82	4·59	95·41	1784	159	8·91	91·09
	GLASGOW	4163	685	16·45	83·55	4163	1426	34·25	65·75

between 35 and 40 years, 22 between 40 and 45 years, 11 between 45 and 50 years, while only six were above 50 years of age.

These proportions do not differ materially from those for the year 1865, shown in Table XIV.

Of the 23611 marriages contracted in 1865, the conjugal or civil condition of the parties previous to their entrance into the new engagement was ascertained in 23448 instances. Of these 23448 marriages, 20158 marriages were those of bachelors with spinsters, 593 were those of bachelors with widows, 2055 were those of widowers with spinsters, and 642 were those of widowers with widows. These numbers indicate that, in every 100 marriages, 85·97 were those of bachelors with spinsters, 2·53 were those of bachelors with widows, 8·77 were those of widowers with spinsters, while 2·73 marriages were between widowers and widows. (Tables XVII. and XIX.)

The last four columns of Table XIX. show the number and proportion of widowers and widows who re-married in the several groups of districts, divisions, and counties of Scotland during the year 1865. They show that the proportion of widows who re-marry is twice as great in the Town as in the Rural Districts; for while only 3·36 per cent. of the women who married were widows in the Insular Districts, and 3·66 per cent. widows in the Mainland-Rural Districts, 6·91 per cent. were widows in the Town Districts.

Widows, however, in the mining and manufacturing counties of Renfrew and Lanark, re-married in a much higher proportion than in the other counties of Scotland. Thus in Renfrew and Lanark 7·6 per cent. of the women who married during the year were widows, while in the whole of the remaining counties of Scotland only 4 per cent. of the women who married were widows. This is now a well-established fact relative to the social economy of the mining and manufacturing populations.

It is the same social peculiarity which causes such a difference between Edinburgh and Glasgow in the proportion of widows who re-marry. Thus, while only 5 per cent. of the women who married were widows in Edinburgh, 8 per cent. were widows in Glasgow—the difference between a manufacturing and a literary town.

The last four columns of Table XVIII. show the relative proportions of marriages between persons in different conjugal conditions for the eleven years 1855 to 1865 inclusive, by which it will be seen that the proportions of the different classes vary very little from year to year.

During 1865 the state of elementary education among the people, so far as such can be indicated by the proportion of men and women able to sign their names in writing, was much the same as in former years. Thus, during the year, of the 23611 men who married, 20914 signed their names in writing, while 2697, being unable to write, were obliged to sign by mark. Of the 23611 women who married, 18364 signed their names in writing, while 5247, not being able to write, appended a mark. These numbers indicate that 88·58 per cent. of the men, and 77·78 per cent. of the women were able to sign their names in writing; while 11·42 per cent. of the men, and 22·22 per cent. of the women, not being able to sign by writing, were obliged to sign by mark. During the same year in England only 77·5 per cent. of the men, and 68·8 per cent. of the women who married were able to sign the marriage registers in writing, while 22·5 per cent. of the men, and 31·2 per cent. of the women were obliged to sign by mark. Judged by this test it would appear that elementary education is in a much more advanced state in Scotland than in England, seeing that 11 per cent. more of the men, and 9 per cent. more of the women were able to write their names.

Ross, Cromarty, and Inverness are the counties which year after year show the highest proportion of persons unable to write. After them come the counties which contain the largest proportion of Irish, the proportion of inability to write being very closely proportioned to the number of persons of Irish descent in the population. The same is the case with regard to the towns, and the difference between the number of persons able to sign their names is chiefly to be attributed to that cause. Thus, while 95·41 per cent. of the men, and 91·09 per cent. of the women who married in Edinburgh were able to sign their names in writing, only 83·55 per cent. of the men, and 65·75 per cent. of the women in Glasgow could sign their names in writing,—showing the enormous difference in favour of Edinburgh of 12 men and 25 women more in every 100 who could write their names.

DEATHS.

70891 deaths were registered in Scotland during the year 1865, being at the rate of 22·60 deaths in every thousand persons of the estimated population. This was a death-rate considerably lower than that of the previous year, which was in the proportion of 23·86 deaths in every thousand persons, but was above the mean of the nine previous years, which was in the annual proportion of 21·07 deaths in every thousand persons.

In England the death-rate was also above the average during 1865, being in the proportion of 23·39 deaths in every thousand persons, and consequently above the Scottish death-rate.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than the Town Districts. Thus 2488 deaths occurred in the Insular Districts, 32992 in the Mainland-Rural, and 35411 in the Town Districts. This gives a death-rate in every thousand persons of 15·71 deaths in the Insular, 18·48 deaths in the Mainland-Rural, and 29·69 deaths in the Town Districts. The mean annual death-rate in every thousand persons in each of these Districts during the ten previous years was 16·13 deaths in the Insular, 18·21 deaths in the Mainland-Rural, and 27·20 deaths in the Town Districts. From this it will be seen that the increased mortality during 1865 was almost entirely confined to the towns.

Of the Eight Principal Towns in Scotland, the mortality was highest in Greenock, and lowest in Leith (Table XXIV.); but the mortality in every town was considerably above the average of former years. Thus,

TABLE XXI.—DEATHS in SCOTLAND in 1865.

1865.	Number of Deaths.			Per-centage of Deaths to the Population.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular Districts	1236	1252	2488	1·717	1·450	1·571
Mainland-Rural Districts	16339	16653	32992	1·904	1·796	1·848
Town Districts	17615	17796	35411	3·193	2·775	2·969
SCOTLAND	35190	35701	70891	2·375	2·157	2·260

in every thousand persons living in each of these towns, 24·9 died during the year in Leith, 26·5 in Aberdeen, 27·3 in Perth, 27·8 in Edinburgh, 29·7 in Paisley, 31·0 in Dundee, 32·8 in Glasgow, and 39·5 in Greenock. The mean annual death-rate in every thousand persons in each of these towns during the ten previous years was 22·9 in Leith, 24·5 in Aberdeen, 25·0 in Edinburgh, 25·7 in Perth, 27·0 in Paisley, 27·8 in Dundee, 30·1 in Glasgow, and 32·2 in Greenock.

Now that so much attention is given to sanitary improvements, and that so much money is expended thereon in the different towns, it is very important that the facts disclosed by Tables XIII. and XXIV. should be carefully studied, because they indicate that, instead of the mortality having decreased in the towns during the last six years, when these sanitary measures were in full operation, the death-rate has largely increased.

As in former years, males died in a higher proportion than females, seeing that in every thousand of each sex, 23·75 males died during the year, but only 21·57 females. During the ten previous years, in every thousand of each sex there died annually 22·38 males, but only 20·41 females. By comparing the last two columns of Table XXV., it will be seen that males were cut off in a higher proportion than females at every age of life excepting during the period from the fourth to the fifteenth year of life. At all other ages, even during the childbearing period of life, females died in lower proportions than males. A ten years' average shows that males in

TABLE XXII.—DEATHS in SCOTLAND during each of the Eleven Years 1855–1865, distinguishing the Sexes.

Years.	Scotland.			Insular Districts.			Mainland-Rural Districts.			Town Districts.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31878	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16658	32992	17615	17796	35411

TABLE XXIII.—Per-centage of Deaths to the Population in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the Eleven years 1855–1865.

Years.	Scotland.			Insular Districts.			Mainland-Rural Districts.			Town Districts.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·910	2·028	1·690	1·578	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·768	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969

Scotland die in higher proportions than females, at all ages excepting during the third, fourth, and fifth years of life, and from 10 to 15 years of age, during which years the female deaths very slightly preponderate.

This greater mortality of the male was most strikingly evidenced during the first year of life, for during 1865, of every thousand males under one year of age 165·71 died, but in every thousand females at the same age only 137·97 died. This was above the mean annual proportion during the ten previous years, for during that period, in every thousand of either sex under one year of age, 151·96 males, but only 126·82 females died annually.

It is interesting to note the very different mortality of children under one year of age in the Rural and in the Town Districts. Thus, in every thousand of each sex, there died in the Mainland-Rural Districts 127·70 males, and 106·99 females; but in the Town Districts there died 223·91 males, and 185·42 females under one year of age.

Take all the children under 5 years, and the same striking fact is manifested. Thus, in every thousand of each sex under 5 years of age, there died during the year 45·94 males, and 41·42 females in the Mainland-Rural Districts; but 97·03 males, and 87·17 females out of an equal number of each sex at these ages in the Town Districts.

With both sexes the age at which there was the smallest mortality was from the tenth to the fifteenth year of life, and this was the same in Town and in Rural Districts. From birth till the tenth year of life the mortality diminished; from the fifteenth year to the close of life the mortality slowly but regularly increased with the increase of age.

At every successive age of life the mortality of both sexes was higher in the Town than in the Rural Districts. (Tables XXVII. and XXVIII.) Thus, while only 9 women died during the year out of every 1000 between 30 and 40 years of age in the Mainland-Rural Districts, 15 died in the Town Districts; while only 15 died in every 1000 women between 50 and 60 years of age in the Mainland-Rural Districts, 29 died in the Town Districts; while only 77 died in every 1000 women between 70 and 80 years of age in the Mainland-Rural Districts, 115 died in the Town Districts.

If the Eight Principal Towns of Scotland were arranged in the order of least mortality among male children under one year of age, Perth would stand at the head of the list as showing the smallest proportion of deaths,

---

TABLE XXIV.—TOWN DEATHS, 1855-1865. Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland.

TOWNS.	PER-CENTAGE OF DEATHS TO POPULATION.											
	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Mean Annual Mortality.	1865.
Glasgow .	2·99	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·01	3·28
Edinburgh	2·57	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·50	2·78
Dundee .	2·58	2 84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	2·78	3·10
Aberdeen	2·28	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·45	2·65
Paisley .	2·76	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·70	2·97
Greenock	3·38	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·22	3·59
Leith .	1·97	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·29	2·52
Perth .	2·19	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·57	2·78

and Greenock at the bottom as showing the highest. Thus, discarding decimals, of every 1000 male infants under one year of age in each of the Eight Towns, there died during the year 167 in Perth, 196 in Paisley, 201

TABLE XXV.—SCOTLAND, 1865. Population and Deaths at different Ages, and Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,116	45,595	7808	6291	16·571	13·797
— 2	43,036	41,837	3150	2995	7·322	7·158
— 3	43,375	42,175	1432	1369	3·301	3·246
— 4	41,919	41,126	960	954	2·290	2·319
— 5	41,286	39,856	699	679	1·695	1·703
Total under 5 Years	216,682	210,589	14049	12288	6·483	5·787
5—10	198,204	183,381	1705	1640	0·860	0·894
10—15	168,559	161,547	876	925	0·519	0·572
15—20	153,688	161,165	1220	1146	0·793	0·711
20—30	234,929	292,440	2670	2721	1·136	0·930
30—40	163,693	212,788	2266	2535	1·384	1·191
40—50	139,730	165,976	2416	2466	1·729	1·485
50—60	101,759	122,289	2511	2469	2·467	2·019
60—70	66,606	88,364	2906	3231	4·363	3·645
70—80	29,063	41,930	2697	3532	9·245	8·423
80—90	7,900	12,870	1589	2276	20·113	17·684
90—100	612	1,206	217	409	35·457	33·913
100 and above	30	57	10	27	33·333	47·368
Not stated	–	–	58	36	–	–
ALL AGES	1,481,455	1,654,602	35190	35701	2·375	2·157
BOTH SEXES	3,136,057		70891		2·260	

TABLE XXVI.—INSULAR DISTRICTS, 1865. Population and Deaths at different Ages, and Per-centage of Deaths at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,956	1,861	226	181	11·554	9·725
— 2	1,887	1,847	78	59	4·133	3·194
— 3	1,991	1,981	37	36	1·858	1·817
— 4	1,947	1,873	23	24	1·181	1·281
— 5	2,028	1,919	16	17	0·788	0·885
Total under 5 Years	9,809	9,481	380	317	3·868	3·435
5—10	9,299	9,095	39	31	0·419	0·340
10—15	8,529	8,314	33	22	0·386	0·264
15—20	7,382	8,188	46	32	0·623	0·390
20—30	10,039	14,261	107	91	1·065	0·638
30—40	7,484	10,827	62	101	0·832	0·932
40—50	6,280	8,643	61	64	0·971	0·740
50—60	5,468	6,943	86	61	1·573	0·878
60—70	4,549	5,990	110	133	2·418	2·220
70—80	2,267	3,101	156	189	6·881	6·094
80—90	791	1,289	122	153	15·423	11·093
90—100	84	153	25	46	29·761	30·065
100 and above	4	19	1	6	25·000	31·578
Not stated	–	–	8	6	–	–
ALL AGES	71,985	86,304	1236	1252	1·717	1·450
BOTH SEXES	158,289		2488		1·571	

* The Populations of this and of the eleven consecutive Tables are calculated to the middle of the year, so as to give the true proportion of deaths.

in Leith, 203 in Aberdeen, 219 in Edinburgh, 239 in Glasgow, 252 in Dundee, and 292 in Greenock.

If arranged according to the least mortality among female children under one year of age, Paisley would be at the head of the list as showing the least mortality, and Dundee at the bottom. Thus, of every 1000 female

TABLE XXVII.—MAINLAND-RURAL DISTRICTS, 1865. Population and Deaths at Different Ages and Per-centage of Deaths to Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,296	25,506	3358	2729	12·770	10·699
— 2	24,882	24,129	1167	1091	4·690	4·521
— 3	25,155	24,453	568	534	2·257	2·184
— 4	24,674	23,935	381	385	1·544	1·609
— 5	24,370	23,507	287	295	1·177	1·254
Total under 5 Years	125,377	121,530	5761	5034	4·594	4·142
5—10	112,412	108,520	801	802	0·712	0·739
10—15	101,572	96,140	452	460	0·445	0·478
15- 20	89,767	88,671	602	554	0·670	0·624
20—30	126,241	150,393	1230	1182	0·974	0·786
30—40	94,752	112,636	903	1058	0·953	0·939
40—50	79,069	90,849	937	979	1·184	1·077
50—60	60,829	69,503	1139	1081	1·872	1·555
60—70	42,119	52,544	1534	1631	3·642	3·104
70—80	19,737	26,798	1655	2075	8·385	7·743
80—90	5,628	8,703	1120	1491	19·900	17·132
90—100	432	803	159	269	36·805	33·498
100 and above	23	32	7	19	30·434	57·812
Not stated	–	–	39	18	–	–
ALL AGES	857,958	927,122	16339	16653	1·904	1·796
BOTH SEXES	1,785,080		32992		1·848	

TABLE XXVIII.—TOWN DISTRICTS, 1865. Population and Deaths at Different Ages, and Per-centage of Deaths to Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	18,864	18,228	4224	3381	22·391	18·542
— 2	16,267	15,861	1905	1845	11·711	11·632
— 3	16,229	15,741	827	799	5·096	5·075
— 4	15,298	15,318	556	545	3·634	3·558
— 5	14,838	14,430	396	367	2·668	2·543
Total under 5 Years	81,496	79,578	7908	6937	9·703	8·717
5—10	66,493	65,766	865	807	1·300	1·227
10—15	58,458	57,093	391	443	0·668	0·775
15—20	56,539	64,306	572	560	1·011	0·878
20—30	98,649	127,786	1333	1448	1·351	1·133
30—40	71,457	89,325	1301	1376	1·820	1·529
40—50	54,381	66,484	1418	1423	2·607	2·140
50—60	35,462	45,843	1286	1327	3·626	2·894
60—70	19,938	29,830	1262	1467	6·329	4·917
70—80	7,059	11,031	886	1268	12·551	11·495
80—90	1,481	2,878	347	632	23·480	21·959
90—100	96	240	33	94	34·375	39·166
100 and above	3	6	2	2	66·666	33·333
Not stated	–	–	11	12	–	–
ALL AGES	551,512	641,176	17615	17796	3·193	2·775
BOTH SEXES	1,192,688		35411		2·969	

infants under one year of age in each of these towns, there died 143 in Paisley, 156 in Perth, 177 in Aberdeen, 179 in Edinburgh, 189 in Leith, 192 in Glasgow, 222 in Greenock, and 232 in Dundee.

Again, if arranged according to the least mortality among the females from 20 to 30 years of age, Edinburgh and Aberdeen would stand at the

TABLE XXIX.—GLASGOW, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,339	6,944	1760	1337	23·981	19·254
— 2	5,988	5,884	877	879	14·646	14·921
— 3	5,781	5,729	364	376	6·296	6·563
— 4	5,408	5,476	240	250	4·438	4·565
— 5	5,221	5,054	174	171	3·332	3·383
Total under 5 Years	29,737	29,087	3415	3013	11·484	10·355
5—10	22,714	22,515	358	347	1·576	1·541
10—15	19,885	19,533	144	188	0·724	0·962
15—20	20,957	23,365	265	208	1·264	0·890
20—30	38,806	48,232	568	602	1·463	1·248
30—40	27,162	32,462	523	570	1·925	1·755
40—50	19,814	22,996	553	572	2·791	2·489
50—60	11,655	14,614	480	494	4·118	3·380
60—70	5,900	8,724	422	463	7·150	5·307
70—80	1,619	2,971	217	311	13·403	10·468
80—90	300	597	63	114	21·000	19·095
90—100	20	56	6	14	30·000	25·000
100 and above	1	1	1	1	100·000	100·000
Not stated	—	—	2	—	—	—
ALL AGES	198,570	225,153	7017	6897	3·533	3·063
BOTH SEXES	423,723		13914		3·283	

TABLE XXX.—EDINBURGH, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,275	2,385	500	428	21·978	17·946
— 2	2,043	2,049	226	204	11·062	9·956
— 3	2,016	1,955	102	69	5·059	3·529
— 4	1,888	1,943	64	45	3·389	2·362
— 5	1,974	1,801	37	44	1·874	2·443
Total under 5 Years	10,196	10,133	929	790	9·111	7·795
5—10	8,869	8,722	81	84	0·913	0·963
10—15	8,127	7,931	46	46	0·566	0·580
15—20	8,175	9,964	69	61	0·844	0·612
20—30	14,800	19,871	174	170	1·175	0·855
30—40	10,041	13,664	237	193	2·360	1·412
40—50	7,617	10,592	229	201	3·006	1·897
50—60	5,238	7,744	207	219	3·951	2·828
60—70	3,158	5,218	222	279	7·029	5·346
70—80	1,228	2,136	145	261	11·807	12·216
80—90	230	476	69	121	30·000	25·420
90—100	9	40	3	17	33·333	42·500
100 and above	—	1	—	—	—	—
Not stated	—	—	1	4	—	—
ALL AGES	77,688	96,492	2412	2446	3·104	2·535
BOTH SEXES	174,180		4858		2·780	

head of the list as showing the least mortality, and Greenock at the bottom. Thus, during 1865, of every 1000 females between the ages of 20 and 30 in each of the towns, there died 8·55 in Edinburgh and Aberdeen, 8·57 in Perth, 9·63 in Leith, 10·23 in Paisley, 11·96 in Dundee, 12·48 in Glasgow, and 14·23 in Greenock.

TABLE XXXI.—DUNDEE, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,554	1,455	392	339	25·225	23·298
— 2	1,212	1,242	178	160	14·686	12·882
— 3	1,363	1,229	62	58	4·549	4·719
— 4	1,183	1,184	44	35	3·719	2·956
— 5	1,144	1,186	29	28	2·534	2·360
Total under 5 Years	6,456	6,269	705	620	10·920	9·889
5—10	5,363	5,409	76	60	1·417	1·109
10—15	4,646	4,667	41	37	0·882	0·792
15—20	4,227	5,724	48	48	1·135	0·838
20—30	7,053	11,870	111	142	1·573	1·196
30—40	5,270	7,771	112	130	2·125	1·685
40—50	4,033	5,600	111	124	2·752	2·214
50—60	2,999	3,876	93	110	3·101	2·837
60—70	1,477	2,280	104	106	7·041	4·649
70—80	488	800	63	84	12·909	10·500
80—90	83	188	23	38	27·710	20·212
90—100	12	18	2	7	16·666	38·888
100 and above	1	–	–	–	–	–
Not stated	–	–	3	2	–	–
ALL AGES	42,108	54,499	1492	1508	3·543	2·767
BOTH SEXES	96,607		3000		3·105	

TABLE XXXII.—ABERDEEN, 1865. Population and Deaths at Different Ages and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,046	998	213	177	20·363	17·735
— 2	939	883	55	59	5·857	6·681
— 3	960	935	35	33	3·645	3·518
— 4	914	897	30	35	3·271	3·902
— 5	892	841	21	14	2·354	1·664
Total under 5 Years	4,751	4,554	354	318	7·451	6·982
5—10	4,287	4,102	60	49	1·399	1·192
10—15	3,879	3,958	18	19	0·461	0·480
15—20	3,357	3,840	31	34	0·923	0·885
20—30	4,990	7,484	83	64	1·663	0·855
30—40	3,716	5,683	58	84	1·560	1·478
40—50	3,205	4,539	74	79	2·308	1·740
50—60	2,465	3,551	77	79	3·123	2·224
60—70	1,457	2,515	78	94	5·353	3·753
70—80	621	1,215	68	122	10·950	10·041
80—90	155	349	44	78	28·387	22·349
90—100	11	31	2	12	18·181	38·709
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	1	–	–
ALL AGES	32,894	41,822	947	1034	2·878	2·472
BOTH SEXES	74,716		1981		2·651	

Causes of Death.

Of the 70891 deaths registered in Scotland during the year 1865, the cause of death was recorded in 67727 instances. In most of the remaining 3164 cases, the cause of death was recorded in such indefinite terms that the

Table XXXIII.—PAISLEY, 1865. Population and Deaths at different Ages, and the Per-centage of Deaths to the Population.

Ages.	Population.		Deaths.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	154	112	19·617	14·358
— 2	680	659	71	72	10·441	10·925
— 3	724	642	47	30	6·466	4·672
— 4	652	643	22	19	3·374	2·954
— 5	621	581	29	15	4·698	2·581
Total under 5 Years	3,462	3,305	323	248	9·392	7·503
5—10	2,759	2,872	38	35	1·377	1·218
10—15	2,438	2,409	18	21	0·738	0·871
15—20	2,130	2,598	16	43	0·751	1·659
20—30	3,497	4,690	36	48	1·029	1·023
30—40	2,630	3,293	41	50	1·559	1·518
40—50	2,134	2,520	54	60	2·530	2·381
50—60	1,472	1,857	44	45	2·989	2·477
60—70	925	1,272	49	67	5·297	5·267
70—80	373	559	44	67	11·796	11·985
80—90	81	129	23	34	28·395	26·356
90—100	12	10	3	2	25·000	20·000
100 and above	–	–	–	–	–	–
Not stated	–	–	–	1	–	–
All Ages	21,913	25,514	689	721	3·144	2·825
Both Sexes	47,427		1410		2·973	

Table XXXIV.—GREENOCK, 1865. Population and Deaths at different Ages, and the Per-centage of Deaths to the Population.

Ages.	Population.		Deaths.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	832	747	243	166	29·206	22·222
— 2	644	641	92	96	14·285	14·976
— 3	699	648	37	44	5·293	6·790
— 4	665	660	30	38	4·511	5·757
— 5	609	619	20	15	3·284	2·423
Total under 5 Years	3,449	3,315	422	359	12·235	10·829
5—10	2,739	2,652	33	43	1·204	1·621
10—15	2,238	2,122	10	20	0·446	0·942
15—20	2,240	2,128	22	31	0·982	1·456
20—30	4,396	4,496	79	64	1·797	1·423
30—40	3,225	3,478	53	69	1·643	1·983
40—50	2,312	2,469	80	57	3·458	2·308
50—60	1,335	1,535	63	38	4·718	2·475
60—70	709	1,028	45	62	6·347	6·031
70—80	243	369	38	42	15·638	11·382
80—90	40	97	14	22	35·000	22·680
90—100	5	10	2	5	40·000	50·000
100 and above	–	1	–	–	–	–
Not stated	–	–	–	2	–	–
All Ages	22,935	23,760	861	814	3·754	3·434
Both Sexes	46,635		1675		3·591	

death could not be referred to any particular class of diseases, while in a small number no cause of death was assigned. Less than 4½ per cent. (4·463 per cent.), therefore, could not be classified as having fallen victims to any special cause of death. In comparing the deaths from different

TABLE XXXV.—LEITH, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	605	553	122	105	20·165	18·987
— 2	582	493	51	38	8·762	7·707
— 3	512	509	16	24	3·125	4·715
— 4	513	500	9	14	1·756	2·800
— 5	501	460	6	8	1·197	1·739
Total under 5 Years	2,713	2,515	204	189	7·445	7·554
5—10	2,149	2,111	27	20	1·256	0·947
10—15	1,933	1,741	9	5	0·465	0·287
15—20	1,704	1,763	12	6	0·704	0·340
20—30	3,890	3,423	31	33	0·796	0·963
30—40	2,664	2,689	44	40	1·651	1·487
40—50	1,780	2,026	47	35	2·640	1·727
50—60	1,044	1,332	36	36	3·448	2·702
60—70	576	894	33	48	5·729	5·369
70—80	208	365	26	31	12·500	8·476
80—90	38	84	6	24	15·789	28·571
90—100	2	4	2	4	100·000	100·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	18,701	18,947	477	471	2·550	2·489
BOTH SEXES	37,648		948		2·518	

TABLE XXXVI.—PERTH, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	369	352	62	55	16·774	15·653
— 2	345	336	27	32	7·826	9·523
— 3	331	321	15	17	4·531	5·296
— 4	359	322	14	7	3·900	2·173
— 5	299	302	9	11	3·010	3·642
Total under 5 Years	1,703	1,633	127	122	7·457	7·470
5—10	1,386	1,437	18	14	1·298	0·974
10—15	1,309	1,296	6	7	0·583	0·540
15—20	1,292	1,371	13	11	1·006	0·802
20—30	2,034	2,567	22	22	1·081	0·857
30—40	1,587	1,995	33	23	2·079	1·152
40—50	1,203	1,530	32	33	2·660	2·157
50—60	855	1,175	35	30	4·093	2·553
60—70	569	943	38	42	6·672	4·453
70—80	242	397	29	34	11·983	8·564
80—90	66	100	13	20	19·696	20·000
90—100	2	5	2	3	100·000	60·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,248	14,449	368	361	3·004	2·498
BOTH SEXES	26,697		729		2·730	

diseases with the population, this per-centage has therefore been allowed for, so as to give a true idea of the per-centage of deaths by each disease in the population.

TABLE XXXVII.—DEATHS, 1865. Proportion of Deaths from different causes to every hundred thousand persons of the Population in 1865.

1865.	Proportion of DEATHS in every 100,000 Living.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
ALL CAUSES . . .	2260	2375	2157	1571	1717	1450	1848	1904	1796	2969	3193	2775
1. Zymotic Class . . .	562	589	538	292	337	242	411	414	408	821	889	762
2. Uncertain Seat . .	78	64	91	62	60	64	75	62	88	85	69	100
3. Tubercular Class .	381	393	369	227	244	212	304	310	298	515	541	492
4. Nervous System .	179	199	161	113	144	85	149	160	139	233	268	203
5. Organs of Circulation	101	107	96	41	48	35	88	93	82	130	136	124
6. Respiratory Organs	312	342	285	161	187	139	213	236	193	476	524	434
7. Organs of Digestion	168	181	157	96	119	78	151	161	142	204	220	190
8. Urinary Organs . .	31	45	19	18	28	9	30	45	16	35	47	25
9. Generative Organs .	19	–	37	18	–	34	16	–	32	24	–	44
10. Locomotive Organs .	14	15	12	11	11	10	12	14	11	17	19	16
11. Skin, etc.	3	4	2	–	–	1	4	5	2	3	4	2
12. Malformation . . .	7	7	6	4	5	2	6	6	6	8	8	7
13. Premature Debility .	104	123	86	49	46	50	81	94	68	145	176	117
14. Atrophy	15	14	16	8	8	6	12	12	12	21	19	22
15. Age	194	150	231	403	348	447	216	171	257	142	102	177
16. Sudden Deaths . .	5	7	4	1	1	1	4	4	4	8	12	5
17. Violent Deaths . .	79	127	36	70	124	26	69	111	30	96	154	47
Small-pox	12	14	11	5	5	5	13	15	12	12	15	10
Measles	39	43	36	4	8	–	18	18	17	75	84	68
Scarlatina	75	83	67	22	25	20	55	62	48	110	123	99
Diphtheria	33	33	32	33	38	28	40	40	40	23	23	23
Hooping-cough . .	77	74	79	49	52	47	43	39	46	130	129	131
Croup	33	39	29	39	52	28	33	36	29	35	43	28
DIARRHŒA . .	57	59	51	16	21	12	38	41	35	88	91	86
Dysentery	10	10	9	4	3	5	9	9	16	12	13	12
Cholera	7	8	5	4	5	4	6	7	5	9	12	6
Influenza	5	5	5	11	11	11	6	6	7	3	3	3
ALL FEVERS . .	179	191	168	70	85	59	118	118	120	273	316	252
Viz. Typhus . .	109	122	97	47	52	42	52	55	48	202	233	174
Enteric . .	36	33	37	7	7	6	36	33	39	37	37	36
Relapsing . .	1	2	1	2	5	–	2	3	2	2	2	2
Continued . .	28	28	28	14	20	9	24	22	26	35	37	34
Infantile . .	5	6	5	–	1	–	5	5	5	7	7	6
Metria	7	–	13	3	–	6	7	–	13	8	–	15
Erysipelas	10	10	9	8	10	5	9	9	9	11	12	10
Dropsy	23	21	24	26	20	31	22	20	24	23	22	24
Cancer	42	29	53	26	33	20	41	29	51	45	29	60
Scrofula	20	23	17	15	23	9	18	21	16	23	27	20
Tabes Mesenterica .	29	35	24	8	13	4	23	26	21	40	52	30
PHTHISIS . . .	269	263	276	181	179	182	217	211	223	358	355	363
Hydrocephalus . .	61	71	52	21	28	16	44	51	37	91	106	78
Apoplexy	39	44	35	27	40	16	36	40	32	46	50	42
Paralysis	56	55	56	37	50	26	52	49	55	64	66	62
Epilepsy	7	7	7	5	6	4	6	6	6	10	10	10
Convulsions . . .	29	34	25	7	8	5	12	20	15	49	58	41
BRONCHITIS . .	206	214	200	74	78	69	132	137	129	330	346	317
Pneumonia . . .	66	82	51	34	52	20	47	59	36	96	119	75
Teething	35	39	31	10	16	5	22	25	19	56	62	50
Enteritis	31	35	28	10	8	11	29	33	26	36	42	32
All Liver Diseases .	33	36	30	25	40	13	31	33	29	36	40	33
CHILDBIRTH . .	14	–	26	16	–	36	11	–	20	18	–	34
Burns and Scalds .	9	14	8	10	10	9	8	9	7	10	12	9
Drowning	17	32	4	38	80	4	18	33	5	13	25	4
Fracture & Contusion	29	52	8	12	16	8	26	47	7	36	65	10

The zymotic or epidemic and contagious class of diseases cut off 16863 persons in Scotland during the year 1865, of whom 8318 were males and 8545 females. The deaths from the zymotic class thus constituted 24·89

TABLE XXXVIII.—DEATHS, 1865. Proportion of Deaths from different causes in every ten thousand Deaths from specified causes in 1865.

1865.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2489	2481	2497	1857	1960	1673	2224	2173	2274	2766	2784	2747
2. Uncertain Seat	347	271	423	398	351	444	406	327	489	289	216	361
3. Tubercular Class	1685	1656	1714	1444	1424	1465	1646	1621	1663	1735	1695	1775
4. Nervous System	795	843	750	715	848	586	810	842	778	787	840	734
5. Organs of Circulation	450	452	447	264	282	145	476	492	460	438	427	448
6. Respiratory Organs	1382	1442	1323	1027	1092	964	1157	1211	1076	1603	1640	1566
7. Organs of Digestion	746	762	731	614	692	538	821	848	794	688	632	686
8. Urinary Organs	140	183	91	115	165	66	165	238	94	119	148	90
9. Generative Organs	86	–	171	120	–	236	91	–	178	81	–	161
10. Locomotive Organs	63	67	59	72	65	75	67	73	61	59	61	57
11. Skin, etc.	15	19	11	4	–	9	22	28	15	10	13	7
12. Malformation	31	30	31	24	29	19	35	35	36	27	26	28
13. Premature Debility	460	519	399	312	273	349	438	497	381	488	552	424
14. Atrophy	69	61	76	48	48	47	66	62	70	71	60	82
15. Age	859	638	1077	2568	2029	3090	1169	898	1431	481	321	639
16. Sudden Deaths	25	31	20	9	9	9	23	24	23	28	38	18
17. Violent Deaths	351	536	170	446	722	179	374	586	169	325	482	170
Small-pox	56	62	51	33	29	37	73	80	66	42	47	37
Measles	176	182	170	24	48	–	97	98	96	255	264	247
Scarlatina	331	351	311	144	146	141	298	325	271	371	386	357
Diphtheria	146	142	153	211	224	198	219	211	227	78	72	84
Hooping-cough	342	313	370	316	302	330	233	208	258	440	406	473
Croup	149	165	134	249	302	198	178	191	166	118	135	101
DIARRHŒA	252	251	252	105	127	85	208	219	199	299	286	311
Dysentery	46	42	50	28	19	37	53	46	59	42	40	43
Cholera	31	36	26	28	29	28	32	36	29	30	37	24
Influenza	23	20	26	72	65	75	34	30	38	10	8	12
ALL FEVERS	795	806	783	451	497	406	645	620	669	948	989	909
Viz. Typhus	483	515	453	298	303	293	280	294	267	675	722	629
Enteric	155	140	169	43	39	47	196	174	218	125	118	132
Relapsing	9	11	7	15	29	–	11	14	8	6	6	6
Continued	124	116	131	91	117	66	131	112	148	119	119	120
Infantile	24	24	23	4	9	–	27	26	28	23	24	22
Metria	31	–	62	24	–	47	37	–	72	26	–	53
Erysipelas	44	43	45	48	58	36	51	48	54	37	38	37
Dropsy	101	88	114	168	117	217	122	107	137	78	69	88
Cancer	185	122	247	168	195	141	222	154	288	154	90	216
Scrofula	89	99	80	100	136	66	100	110	91	79	86	72
Tabes Mesenterica	130	148	112	53	78	28	129	186	121	136	163	110
PHTHISIS	1194	1108	1279	1152	1044	1257	1178	1108	1245	1211	1112	1309
Hydrocephalus	270	299	242	139	165	113	238	271	206	307	332	283
Apoplexy	174	185	163	172	234	118	195	211	178	155	164	151
Paralysis	248	234	262	235	292	179	285	250	308	217	208	226
Epilepsy	33	32	35	33	39	28	33	32	33	34	31	37
Convulsions	131	144	117	43	48	37	97	108	86	166	182	150
BRONCHITIS	914	899	928	470	458	482	719	718	720	1114	1085	1143
Pneumonia	290	345	237	220	302	141	258	313	204	323	375	272
Teething	154	164	144	67	97	37	121	134	109	189	195	182
Enteritis	139	141	130	62	48	75	161	173	149	124	131	117
All Liver Diseases	145	152	139	163	234	94	169	177	162	123	126	121
CHILDBIRTH	62	–	123	105	–	208	59	–	116	62	–	124
Burns and Scalds	40	43	37	62	58	66	44	48	41	35	39	32
Drowning	76	134	20	245	468	28	99	173	27	46	79	13
Fracture & Contusion	129	221	39	76	97	56	142	248	38	121	204	33

per cent. of the deaths whose causes were ascertained, or cut off at the rate of 562 persons during the year out of every 100,000 living. During the ten years 1855 to 1864 inclusive, the same class of diseases constituted 24·26 per cent of the deaths, or proved fatal in the proportion of 518 deaths in every 100,000 persons of the population. That class of diseases was therefore more fatal than usual during 1865.

This class of diseases constituted 18·57 per cent. of the deaths in the Insular, 22·24 per cent. in the Mainland-Rural, and 27·66 per cent. in the Town Districts; or in every 100,000 persons in each of these districts, that class of diseases caused 292 deaths in the Insular, 411 deaths in the Mainland-Rural, and 821 deaths in the Town Districts. In other words, these epidemic and contagious diseases were exactly twice as fatal to the population of the towns as they were to the inhabitants of the Rural Districts of Scotland.

The zymotic diseases affected the Eight Principal Towns of Scotland very differently during the year 1865; but indeed the mortality from that class of diseases varies in each town from year to year, nor has any cause been traced to which that variation could be attributed. Thus, if we compare the deaths from the zymotic diseases with the population, it would appear that in every ten thousand persons in each town, 57 died from that class of diseases in Leith, 60 in Edinburgh, 70 in Aberdeen, 80 in Perth, 91 in Paisley, 93 in Dundee, 98 in Glasgow, and 111 in Greenock. If, again, the proportion of deaths from the zymotic class of diseases be compared with the total deaths, then we find that 21·68 per cent. of the deaths in Edinburgh were caused by zymotic diseases, 22·63 per cent. in Leith, 26·66 per cent. in Aberdeen, 29·48 per cent. in Perth, 29·79 per cent. in

TABLE XXXIX.—TOWN DEATHS, 1865. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1865.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·283	2·780	3·105	2·651	2·973	3·591	2·518	2·730
I. Zymotic Class	0·978	0·604	0·929	0·704	0·908	1·109	0·569	0·805
III. Tubercular Class	0·604	0·472	0·511	0·383	0·504	0·609	0·371	0·402
IV. Brain, etc., Diseases	0·224	0·271	0·223	0·279	0·220	0·271	0·206	0·205
V. Heart, etc., Diseases	0·113	0·169	0·162	0·149	0·077	0·138	0·181	0·189
VI. Respiratory Organs, Dis.	0·615	0·452	0·422	0·349	0·374	0·537	0·390	0·307
VII. Organs of Digestion, Dis.	0·209	0·198	0·198	0·198	0·255	0·236	0·168	0·158
XII. Premature Debility	0·155	0·129	0·195	0·100	0·110	0·195	0·165	0·158
XV. Age	0·096	0·143	0·141	0·165	0·253	0·155	0·117	0·258
XVII. Violent Deaths	0·098	0·102	0·114	0·068	0·060	0·122	0·165	0·094
Small-pox	0·006	0·008	0·006	0·012	0·006	0·009	0·000	0·034
Measles	0·078	0·063	0·179	0·004	0·149	0·026	0·056	0·110
Scarlatina	0·122	0·066	0·074	0·247	0·186	0·114	0·069	0·094
Diphtheria	0·016	0·017	0·027	0·026	0·015	0·017	0·037	0·019
Hooping-cough	0·210	0·089	0·101	0·008	0·093	0·249	0·069	0·075
Croup	0·026	0·024	0·048	0·017	0·023	0·074	0·032	0·038
Diarrhœa, Dysentery, Cholera	0·111	0·109	0·142	0·112	0·090	0·125	0·096	0·102
Typhus and Infantile Fevers	0·368	0·180	0·301	0·226	0·203	0·440	0·165	0·178
Dropsy	0·024	0·016	0·034	0·026	0·056	0·017	0·018	0·007
Cancer	0·032	0·070	0·043	0·063	0·034	0·033	0·037	0·041
Phthisis	0·423	0·311	0·397	0·251	0·370	0·458	0·227	0·288
Apoplexy	0·045	0·049	0·040	0·041	0·045	0·039	0·048	0·083
Paralysis	0·043	0·086	0·072	0·077	0·084	0·076	0·064	0·045
Convulsions	0·060	0·039	0·068	0·082	0·034	0·028	0·053	0·022
Bronchitis	0·425	0·324	0·265	0·241	0·253	0·427	0·264	0·239
Pneumonia	0·139	0·064	0·096	0·072	0·082	0·074	0·107	0·026
Teething	0·064	0·021	0·070	0·071	0·082	0·129	0·026	0·049

Glasgow, 29·94 per cent. in Dundee, 30·56 per cent. in Paisley, and 30·89 per cent. in Greenock.

Of these epidemic diseases, Small-pox cut off 383 persons in Scotland during the year 1865, of whom 7 belonged to the Insular, 228 to the Mainland-Rural, and 148 to the Town Districts. During only one of the ten previous years (viz. during the year 1858) did the mortality from Small-pox fall so low; but during that year only 332 deaths were caused thereby, or 51 fewer deaths than during 1865.

During the year 1865, however, the Scottish Vaccination Act was in full operation, and many might be apt to attribute to its working the low mortality from Small-pox. Before such a conclusion, however, can be drawn, we must know something of the prevalence and fatality of Small-pox in Scotland before the introduction of that Act, and the following table furnishes us with these particulars for a period of eleven years:—

TABLE XLI.—Small-Pox Deaths in Scotland.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1861	766
1856	1306	1862	426
1857	845	1863	1616
1858	332	1864	1741
1859	682	1865	383
1860	1495		

This table shows that Small-pox, without any legislative efforts to arrest its progress, has regular periods of increase and decrease, and that during

TABLE XL.—TOWN DEATHS, 1865. Per-centage of Deaths from different Diseases to the total specified Causes of Death in each of the Eight Principal Towns of Scotland in 1865.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class	29 79	21·68	29·94	26·66	30·56	30·89	22·68	29·48
III. Tubercular Class	18·40	16·77	16·46	14·52	16·95	16·97	14·77	14·74
IV. Brain, etc., Diseases	6·83	9·73	7·21	10·56	7·42	7·57	8·18	7·51
V. Heart, etc., Diseases	3·45	6·08	5·22	5·63	2·62	3·84	7·22	6·95
VI. Respiratory Organs, Dis.	18·83	16·23	13·61	13·20	12·59	14·95	15·41	11·26
VII. Organs of Digestion, Dis.	6·38	7·10	6·40	7·52	8·58	6·59	6·69	5·84
XII. Premature Debility	4·72	4·63	6·30	3·80	3·71	5·43	6·58	5·84
XV. Age	2·92	5·15	4·56	6·27	8·51	4·32	4·67	9·45
XVII. Violent Deaths	3·00	3·69	3·69	2·59	2·04	3·42	6·58	3·47
Small-pox	0·19	0·26	0·21	0·46	0·21	0·24	0·00	1·25
Measles	2·40	2·27	5·78	0·15	5·02	0·73	2·23	5·42
Scarlatina	3·73	2·38	2·40	9·34	6·25	3·17	2·76	3·47
Diphtheria	0·50	0·62	0·87	1·00	0·51	0·48	1·48	0·69
Hooping-cough	6·40	3·21	3·27	0·30	3·13	6·96	2·76	2·78
Croup	0·80	0·89	1·56	0·66	0·80	2·07	1·27	1·39
Diarrhœa, Dysentery, Cholera	3·39	3·91	4·59	4·26	3·05	3·47	3·82	3·75
Typhus and Infantile Fevers	11·21	6·46	9·71	8·58	10·19	12·27	6·58	6·53
Dropsy	0·72	0·60	1·11	1 00	1·89	0·48	0·74	0 27
Cancer	0·97	2·52	1·39	2·38	1·16	0·91	1·48	1·53
Phthisis	12·89	11·16	12·81	9·49	12·45	12·76	9·03	10·57
Apoplexy	1·37	1·78	1·28	1·57	1·52	1·09	1·91	3·06
Paralysis	1·31	3·10	2·26	2·94	2·84	2·13	2·55	1·66
Convulsions	1·82	1·40	2·19	3·09	1·16	0·79	2·12	0·83
Bronchitis	12·95	11·63	8·53	9·13	6·51	11·90	10·52	8·76
Pneumonia	4·23	2·29	3·09	2·74	2·77	2·07	4·25	0·97
Teething	1·94	0·78	2·26	2·69	2·77	3·60	1·06	1·80

1858, when Scotland had no Compulsory Vaccination Act, the mortality from Small-pox fell lower than in 1865, when the Act had been two years in operation. This fact does not show that the Act has failed in its objects, but it warns us not to draw rash conclusions, or to attribute to the successful working of the Act alone, that which may be, to a certain extent, due to natural causes. But if subsequent years shall show that Small-pox, instead of again increasing is diminishing,* then the diminution may fairly be ascribed to the successful working of the Vaccination Act.

It may be stated that, in so far as the vaccination of the children born during each year since the Act came into operation is concerned, the success of the Act has been complete. The Vaccination Act came into operation on the 1st of January 1864, and enacted that all children born on and after that date, must be vaccinated within six months from birth, and that the parents or guardians must send to the Registrar within that time a medical certificate of successful vaccination. In many Highland and Insular districts one year is properly allowed to elapse before vaccination can be enforced. The returns, therefore, of the vaccination of the children born during 1864 are not received at the General Register Office till the beginning of the year 1866, and so on year by year; and from the Registrars often including double entries (or transcripts), the total number of births deduced from their returns differs slightly from that of the corrected numbers given in these Reports. The following tables taken from the Registrar-General's First and Second Reports on Vaccination, will show the completeness with which the Vaccination Act works in Scotland.

TABLE XLII.—Vaccination of Children born in Scotland in 1864 and 1865.

YEAR		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			DIED before Vaccination.	Removed from District before Vaccinated, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
1864	Number .	95,047	662	667	154	440	9180	2701	108,851
1865	Number .	99,648	719	474	34	207	9366	2681	113,129
1864	Per-centage	87·33	0·61	0·61	0·14	0·40	8·44	2·48	100·00
1865	Per-centage	88·08	0·64	0·42	0·03	0·18	8·28	2·37	100·00

This table shows that, of the whole children born during these two years, 87·70 per cent. were successfully vaccinated, 1·52 per cent. were found insusceptible of vaccination or had their vaccination postponed, 2·42 per cent. had removed from the district before vaccination or were not accounted for, while 8·36 per cent. died before they could be vaccinated.

As what we specially wish to know, however, is the proportion of surviving children who are protected by vaccination, we must exclude all those who died before they could be vaccinated. The following table is drawn up with the view of showing this:—

* It was estimated that the Small-pox deaths in Scotland amounted to 300 in 1866, and to 124 in 1867. The Scottish Vaccination Act may therefore be regarded as a success.

TABLE XLIII.—Vaccination of the surviving Children who were born in Scotland in 1864 and 1865.

YEAR.		Successfully Vaccinated.	Vaccination Postponed	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number .	95,047	662	667	154	440	2701	99,671
1865	Number .	99,648	719	474	34	207	2681	103,763
1864	Per-centage	95·36	0·67	0·67	0·15	0·44	2·71	100·00
1865	Per-centage	96·06	0·69	0·47	0·03	0·20	2·58	100·00

By this table it appears that, of the surviving children born during the years 1864 and 1865, no fewer than 95·70 per cent. were successfully vaccinated, 0·68 per cent. had the vaccination postponed from delicacy and other causes, 0·98 per cent. were found to be insusceptible of vaccination from having previously had an attack of Small-pox, or having been previously vaccinated by unauthorized vaccinators, or from being insusceptible of the virus, while only 2·64 per cent. were unaccounted for, having been lost sight of by the Registrars from having left the district in which they were born.

Small-pox is one of those diseases to which the young are most liable, and which proves fatal in proportion to the youth of the party attacked. Thus in Scotland, during the ten years which preceded the thorough vaccination of the infants, of the 10548 deaths from Small-pox, 2985 deaths occurred during the first year of life, 1765 deaths during the second year, 1132 deaths during the third year, 798 during the fourth year, and only 514 deaths during the fifth year of life,—the deaths from Small-pox gradually but regularly diminishing as life advanced. The general vaccination of the infants must therefore have the most powerful effect in abating the spread and mortality of small-pox. But that virulent and loathsome disease cannot be expected to be arrested till the infants are vaccinated as early as possible after birth, and until the unvaccinated adults in the general population are compelled to be vaccinated. Even before the late compulsory Vaccination Act, the practice of vaccination was very general over Scotland; and the inhabitants only require to have pointed out to them the fact, that the younger their infants, the more liable are they to be attacked with Small-pox, when, without additional legislative enactments, they will be induced to vaccinate their infants within the month, whenever practicable. During the ten years 1855 to 1864, of the 2985 deaths from Small-pox among children under one year of age, 774 of these were infants under three months, and 698 were infants between three and six months.

Of the individual zymotic diseases, continued fevers were the most fatal, cutting off 5385 persons, of whom 2704 were males, and 2681 females. Heretofore these fevers have all been tabulated under the one term *Typhus;* but in the present tables the leading forms have been distinguished, viz. Typhus, Enteric, Relapsing, Simple Continued, and Infantile. These fevers were very fatal during the year 1865, constituting 7·95 per cent. of the specified deaths, or causing 179 deaths in every hundred thousand of the population. During the ten previous years these fevers only constituted 4·90 per cent. of the specified deaths, or caused 104 deaths in every hundred thousand persons of the population.

The proportion of deaths from fever was very different in each of the Eight Principal Towns of Scotland, having been lowest in Edinburgh and

highest in Greenock. Hence, of the specified deaths, only 6·46 per cent. were from fever in Edinburgh, 6·53 per cent. in Perth, 6·58 per cent. in Leith, 8·58 per cent. in Aberdeen, 9·71 per cent. in Dundee, 10·19 per cent. in Paisley, 11·21 per cent. in Glasgow, and 12·27 per cent. in Greenock.

From the want of statistics of the different forms of continued fever, the most erroneous theories have been promulgated relative to the prevalence of each kind in different epidemics, and their supposed change in type. It would appear, however, that every form now known was accurately described and known a century ago; but each epidemic takes more or less one of the forms as its leading type, though all may be confounded together by the unobservant physician. These tables, however, show some singular facts well worthy of notice. Thus, while in the fever epidemic which prevailed over Scotland during 1865, Typhus (or Spotted Fever) was the leading form or type, and produced the greatest number of deaths in the counties of Shetland, Orkney, Caithness, Sutherland, Ross, Cromarty, Aberdeen, Forfar, Fife, Dumbarton, Renfrew, and Lanark; Enteric (Gastric, or Typhoid) Fever was the leading type or form in the counties of Banff, Kinross, Clackmannan, Linlithgow, Haddington, Berwick, Peebles, Selkirk, Roxburgh, Kirkcudbright, and Wigtown. The prevalence of one form did not, however, extinguish the others; all co-existed, but in different proportions in each county.

A more singular peculiarity, however, was noticed in the different proportions of each form of fever which prevailed in the Rural and in the Town Districts, as shown in the accompanying table.

TABLE XLIV.—Deaths from Fever, 1865.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus, . . .	864	43·3	2346	71·1
Enteric, . . .	605	30·4	434	13·1
Relapsing, . . .	36	1·8	23	0·7
Simple Continued, .	404	20·3	416	12·6
Infantile, . . .	83	4·2	80	2·5
ALL FEVERS, . .	1992	100·0	3299	100·0

By this table it is seen, that Typhus or Spotted Fever was so predominant in the Towns, that 71 per cent. of the deaths from fever were caused by it, while in the Rural Districts the same form of fever only caused 43 per cent. of the fever deaths. All this was reversed with Enteric (or Typhoid) Fever. 30 per cent. of the fever deaths were caused by Enteric Fever in the Rural Districts, but only 13 per cent. in the Town District. In some of the individual towns, however, as in Montrose, Coatbridge, and Dumfries, Enteric Fever was the leading form of fever, and caused the largest number of deaths.

Hooping-cough was the next most fatal of the zymotic diseases, causing 2318 deaths, and thus constituted 3·42 per cent. of the mortality; while Scarlatina caused 2244 deaths, Measles 1195, Croup 1015, and Diphtheria 995.

Diarrhœa, Dysentery, and Cholera were more fatal than usual, as

might have been expected, seeing the autumnal heat was greater than it had been for several years. 1707 deaths were attributed to Diarrhœa, 316 to Dysentery, and 214 to Cholera—in all, 2237 deaths from bowel complaints.

Of the other zymotic diseases, Erysipelas caused 300 deaths, Metria 213, Syphilis 158, Influenza 160, Rheumatic Fever 119, Thrush 23, Purpura 39, Ague 9, Worms 28, Pyæmia 27, and Noma 15.

The diseases of uncertain seat caused 2355 deaths, and thus constituted 3·47 per cent. of the mortality. Of the diseases classed under this head, Cancer was the most fatal, cutting off 1257 persons, of whom 411 were males, and 846 females. Of the other diseases belonging to this class, Dropsy caused 688 deaths, Abscess 132, Mortification 124, Hæmorrhage (seat not stated) 82, Ulcer 47, Fistula 13, and Gout 12.

The tubercular class of diseases caused 11417 deaths, and thus constituted 16·85 per cent. of the mortality, or caused during the year 381 deaths in every hundred thousand persons. The proportion of deaths from this class of diseases was very different in the Town and Rural Districts; for, in every hundred thousand persons in each of the three great groups of districts, only 227 died during the year from the tubercular class of diseases in the Insular Districts, 304 in the Mainland-Rural Districts, but 515 in the Town Districts.

Phthisis or Consumption is the most fatal of the tubercular class of diseases, and caused 8089 deaths in Scotland, of whom 3716 were males, and 4373 females. This gives the proportion of 2·69 deaths in every thousand persons of the population, or 11·94 per cent. of the total deaths. When the deaths from Consumption are compared with the total deaths, it does not appear that there is much difference in favour of the Rural Districts; for, during the year 1865, the deaths from Consumption constituted 11·52 per cent. of the deaths in the Insular, 11·78 per cent. of the deaths in the Mainland-Rural, and 12·11 per cent. of the deaths in the Town Districts. But when contrasted with the populations in each of these districts, the mortality from Consumption is annually from a third to nearly a half greater in the Town than in the Rural Districts. Thus, during 1865, of every ten thousand persons in each of these Districts, 18·1 died from Consumption in the Insular, 21·7 in the Mainland-Rural, but 35·8 in the Town Districts. This remarkable fact seems to prove that, in Scotland, town and rural populations are equally liable to Consumption, so that in a generation of persons in town and country, when all have died, nearly the same number have fallen victims to that disease in the Rural as in the Town Districts—the sole difference being, that the persons belonging to the generation residing in the country have lived from eight to twelve years longer than those belonging to the generation residing in the Town Districts.

In the Eight Principal Towns of Scotland, the proportion of deaths from Consumption, as compared with the population, arranges the towns in almost the exact order they hold when arranged according to that of the total mortality—Leith having the fewest, and Greenock the greatest number of deaths. Thus, in every ten thousand persons in each of these towns, 22·7 died from Consumption in Leith, 25·1 in Aberdeen, 28·8 in Perth, 31·1 Edinburgh, 37·0 in Paisley, 39·7 in Dundee, 42·3 in Glasgow, and 45·8 in Greenock.

Of the other diseases belonging to the tubercular class, Hydrocephalus caused 1834, Tabes Mesenterica 885, and Scrofula 609 deaths.

Diseases of the brain and nervous system caused 5387 deaths, or 7·95 per cent. of the mortality, of which 2821 were males, and 2566

females. Of these, 1683 resulted from Paralysis, 1180 from Apoplexy, 888 from Convulsions, 397 from Cephalitis, 74 from Delirium Tremens, 12 from Chorea, 41 from Tetanus, 32 from Insanity, and 849 from undefined brain disease.

Diseases of the heart and blood-vessels caused 3049 deaths, or 4·50 per cent. of the mortality. Of these, 1517 were males, and 1532 females; and 2905 deaths were ascribed to Disease of the Heart, 80 to Aneurism, and 64 to Pericarditis.

Inflammatory affections of the respiratory organs caused 9362 deaths, and thus constituted 13·82 per cent. of the mortality. Of that number, 4835 were males, and 4527 females, showing that in every thousand of each sex 3·42 males, but only 2·85 females died from these affections during 1865.

Bronchitis is always the most fatal of these diseases in Scotland, and it caused 6194 deaths, Pneumonia caused 1969, Asthma 515, Pleurisy 238, Laryngitis 141, and unspecified lung disease 305 deaths.

Diseases of the organs of digestion caused 5056 deaths, and thus constituted 7·46 per cent. of the general mortality. Of these diseases, Teething caused 1047 deaths, Enteritis 943, Peritonitis 314, Ulceration of the Intestines 206, Ileus 275, Quinsey 58, Gastritis 189, Ascites 92, Hernia 93, Intussusception 36, Stricture of Intestines 22, Disease of Stomach 761, Disease of Pancreas 2, Hepatitis 146, Jaundice 174, other diseases of liver 668, and Disease of the Spleen 30.

Kidney and urinary diseases caused 949 deaths, of which 636 were males, and 313 females, showing that these complaints are exactly the converse of Cancer, in that they are twice as fatal to males as to females. Of these, Nephritis caused 58 deaths, Nephria 229, Ischuria 42, Diabetes 80, Cystitis 170, Stone 55, Stricture of Urethra 10, Kidney Disease (not included in the above or not specified) 297, while 8 died from Addison's Disease, placed here for temporary convenience till the new arrangement is adopted.

Diseases and accidents connected with the organs of generation caused 588 deaths, of which one only was a male, the rest being females. The greatest number of deaths under this head was caused by Childbirth, 422 deaths being attributed to that cause. These, with the 213 deaths from Metria, or Childbed Fever, make a total of 635 deaths among the 111688 mothers who bare children during 1865. This shows that one in every 176 died in childbed, or 56 in every ten thousand—a very small proportion indeed.

Only 430 deaths occurred from the diseases affecting the organs of locomotion, 149 being attributed to diseases of the joints, 94 to diseases of the bones, and 187 to Rheumatism.

Diseases of the skin and subcutaneous cellular tissue caused 105 deaths, of which 56 were ascribed to disease of the skin, 35 to Carbuncle, and 14 to Phlegmon. The average annual deaths from Carbuncle were 20 during each of the ten previous years, so that the disease had been greatly on the increase during 1865.

Malformations at birth caused 211 deaths, Premature Debility 3116, Atrophy 465, and Old Age without special disease 5818; while 175 were sudden deaths, the special causes of which were not ascertained.

2382 deaths were ascribed to violent causes, which thus constituted 3·51 per cent. of the general mortality, being very nearly the proportion of the ten previous years. It is a singular fact, that year after year as many die from accidental or violent causes as from the most fatal epidemics of childhood, viz. as from Hooping-cough, or Scarlatina, or Measles; but

that, instead of showing great fluctuations as these diseases exhibit, the deaths from violence are wonderfully steady from year to year. Of these 2382 deaths, fractures and contusions caused 877 deaths, drowning 519, burns and scalds 276, poison 52, poisoned wounds 2, hanging 58, suffocation 107, gunshot wounds 10, cuts and stabs 73, intemperance 88, privation 8, want of breast milk 144, exposure to cold 38, and other violent causes, the particulars of which were not specified, 130 deaths.

Of the above violent deaths, 133 were suicides, 58 being by hanging, 40 by cut-throat, 12 by drowning, 10 by poisoning with laudanum or opium, 7 by other poisons, 2 by gunshot wounds, 2 by precipitation from a height, and 2 by causes not stated.

Table XLV. exhibits the eighteen most fatal diseases in England and in Scotland, arranged for each country according to the order of their fatality, from which it will be seen that, even during the same year, the prevalence and fatality of the same disease is very different in each.

TABLE XLV.—The Eighteen most fatal Diseases in Scotland and England in 1865.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis,	269	Phthisis,	258
Bronchitis,	206	Debility, Atrophy, and Premature Birth,	196
Typhus, &c., Fever,	179	Bronchitis,	175
Debility, Atrophy, and Premature Birth,	119	Convulsions,	128
Heart Diseases,	101	Heart Diseases,	115
Hooping-cough,	77	Diarrhœa,	113
Scarlatina,	75	Typhus, &c., Fever,	110
Pneumonia	66	Pneumonia,	108
Hydrocephalus,	61	Scarlatina,	85
Diarrhœa,	57	Paralysis,	51
Paralysis,	56	Apoplexy,	49
Cancer,	42	Liver Diseases,	42
Measles,	39	Hooping-cough,	41
Apoplexy,	39	Measles,	41
Teething,	35	Cancer,	38
Croup,	33	Hydrocephalus,	36
Diphtheria,	33	Tabes Mesenterica,	33
Liver Diseases,	33	Small-Pox,	30

INFLUENCE OF WEATHER, ETC., IN 1865.

The influence of season on the births was as marked in 1865 as in former years, the greatest monthly number of births occurring during the months of April, May, and June.

The yearly number of marriages, on the other hand, as has been often shown in these Reports, is regulated by the commercial and industrial prosperity of the country; and the monthly marriages are not regulated as in England and Roman Catholic countries by church fasts or holidays, but by the civil terms, and other circumstances detailed at length in former Reports.

The deaths, on the other hand, seem to be especially under the influence of weather, or rather of temperature, and the close connection between temperature and deaths has been traced in all these Reports. A few

remarks will therefore first be offered on the monthly temperatures, and their influence on the monthly deaths over Scotland; and then the singular and regular succession of waves of warm and cold weather, as shown in the weekly meteorological returns of the Eight Towns will be noticed, and it will be pointed out how every change in the character of the weather is impressed on the deaths,—facts which prove how closely our welfare, health, and life, depend on the condition of the air which we breathe.

The mean temperature of the year 1865 was nearly one degree above the average of the nine previous years; and the result was produced mainly by the high temperature which prevailed during June, July, and September. During the first fortnight of September, the mean temperature attained a

TABLE XLVI.—Meteorology of Scotland for 1865, from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also the Births, Deaths, and Marriages registered during each month of the year 1865.

1865.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	57·5	52·1	58·8	77·0	81·3	92·0	84·0	75·0	80·5	70·6	62·0	61·0	92·0
Lowest Temperature do.	-4·0	-1·1	14·7	23·0	24·9	31·3	33·0	32·0	30·0	21·0	14·0	20·8	-4·0
Day Temperatures (Mean)	39·2	38·5	42·7	54·5	57·9	65·8	66·3	62·8	66·0	52·1	46·9	47·1	53·3
Night Temperatures (Mean)	30·0	29·3	31·9	38·4	44·0	48·5	50·6	49·4	50·1	40·0	36·0	38·7	40·5
Daily Range (Mean)	9·2	9·3	10·8	16·1	14·0	17·3	15·7	13·3	15·9	12·2	10·9	8·4	12·7
Mean Temperature	34·6	33·9	37·3	46·5	50·9	57·1	58·4	56·1	58·0	46·0	41·4	42·9	46·9
Highest Temperature in Sun	82·0	119·0	114·0	131·0	142·0	137·2	135·4	128·6	122·0	123·0	100·0	84·0	142·0
Lowest on Grass at Night	-7·0	-6·0	10·0	10·0	18·0	18·0	22·0	21·0	23·0	9·0	9·0	11·0	-7·0
Wet-bulb Temperature (Mean)	33·4	32·6	34·7	43·4	48·1	53·5	55·1	53·8	54·8	43·6	39·1	41·0	44·4
Dew-point Temperature (Mean)	30·7	30·4	32·3	40·7	45·4	50·5	52·5	51·9	52·9	41·5	37·3	39·0	42·1
Humidity of Air	87	86	85	83	83	81	82	87	86	88	89	87	85
Elastic Force of Vapour (inch)	·173	·172	·183	·255	·305	·370	·396	·387	·416	·263	·223	·239	·282
Number of Days Rain fell	17	14	15	8	16	7	14	18	7	14	15	15	100
Amount of Rain (inches)	3·73	2·91	2·05	0·94	3·36	0·75	3·09	3·89	1·14	5·11	3·29	3·65	33·91
Amount of Cloud	6·2	7·1	6·4	5·9	6·7	5·6	6·0	7·2	5·2	6·3	6·3	6·5	6·3
Hours of Sunshine	70	70	128	194	176	230	226	141	195	111	90	64	1715
Mean Barometer (inches)	29·414	29·801	29·886	30·112	29·886	30·188	29·849	29·796	30·131	29·641	29·787	30·015	29·869
Easterly Winds, No. of Days	8	12	9	10	11	8	7	10	4	16	7	7	109
Westerly Winds, No. of Days	16	10	13	13	12	16	14	12	19	7	14	18	161
Births	9573	9035	9985	9859	10537	9921	9398	9069	8839	9275	8759	8829	113070
Deaths	6900	7000	6903	5788	5930	5551	5603	5490	4837	5371	6044	6674	70891
Marriages	2749	1407	1260	1248	1174	3285	2398	1550	1391	1600	2272	3274	23611
Daily Births	309	322	322	329	340	331	303	293	295	299	292	284	309
Daily Deaths	223	250	223	193	191	178	181	177	161	173	201	185	194
Daily Marriages	119	70	60	62	51	149	114	67	66	72	103	156	90

height rarely noticed even in June, and never previously observed in September, so far as existing records show.

During January and February the weather was cold and wintry, with severe and continued frost, and much snow, alternating with rapid thaws, which came on with south-west winds, but were of short duration. The mean temperature attained its minimum for the year in February, when it was 33°·9, that of January being 34°·6. March, though still very cold and wintry, with frequent storms of snow, was on the whole more open, but the east winds were very cold and piercing. The mean temperature only rose to 37°·3.

It has often been pointed out in these Reports, that the deaths are chiefly regulated by the mean temperature, increasing with the fall of temperature, and diminishing with its rise. This influence of cold in increasing and regulating the mortality was strikingly manifested during the above months. February was the coldest month, and it was during that month that the greatest daily number of deaths occurred, the temperature of 33°·9 causing 250 deaths daily. The next coldest month was January, and its temperature of 34°·6 caused 223 deaths daily; while March, with its temperature of 37°·3, had 222 deaths daily. The reason why March, with its higher temperature, had nearly as many deaths as January, was chiefly owing to the fact that the prolongation of the cold weather, even though the cold did not increase in intensity, increased the number of deaths—those whose health was enfeebled by the first accession of cold not being able to withstand the effects of its continuance.

A sudden rise of mean temperature occurred during April, its mean temperature being more than 9° higher than that of March, viz. 46°·5; and coincident with this rise, the deaths fell to 193 daily. The prevalent east winds were greatly tempered by the sun's rays, and by occasional south-westerly atmospheric currents, the meeting of which with the easterly currents occasioned frequent dense fogs. On many days during April, while the whole east side of the island, from 10 to 15 miles inland, was enveloped in a dense fog, and with the wind blowing from the east, the central and western parts of the island enjoyed clear sunshine, with a south-westerly breeze. May opened with delightfully mild weather, but from the 8th to the 14th a cold, rainy, misty week occurred, with the wind almost constantly in the east; but from the 17th to the end of the month, the weather was splendid, with a high temperature, and with occasional storms of thunder and lightning, accompanied by heavy falls of rain. The mean temperature, being kept down by the cold period, was only 50°·9, and the deaths only fell to 191 daily.

June proved an unusually warm month, with a clear sky, very little rain, and with a very moderate amount of wind. Its mean temperature was 57°·1, and its daily deaths numbered 178. July was a warm, genial month, with the highest daily temperatures ranging from 74° to 84° in the shade. Heavy showers of rain fell after the 7th, but merely sufficient to refresh vegetation. On the 27th of July, however, a cold period set in, when the mean temperature fell 10° below that of the previous week; and this cold period continued till the 9th of August, the winds during the period being from the north, north-east, and east. The heats in June and July now began to exert their usual deleterious influence on the people, inducing bowel complaints, which increased the mortality, so that the deaths in July, instead of being lower than in June, were higher, seeing that 180 persons died daily. August was a considerably cooler month; and after the 9th a rainy period set in, and continued till the 28th of the month. Bowel com-

plaints, however, still were prevalent, so that the deaths continued rather high, viz. at the rate of 177 daily. September proved a close, sultry, dry, hot month, particularly in its first half, with little or no wind; and during the latter half of the month a thick mist or fog settled over the ground, favouring the development of mildew, which attacked the turnips to a large extent, while the Russian Cattle Plague spread over the country both among dairy and store cattle. The mean temperature of September was 58°, a higher temperature than had been noticed in that month for a very long period. The deaths attained their lowest rate during September, viz. 161 daily.

October was an ordinary month, the temperature slowly sinking; and as the deaths increased with the fall of temperature, 173 deaths occurred daily. November was a colder month than October, and the lowest temperature of the latter half of the year was attained on the 6th and 13th of the month. The mean temperature of November was 41°·4, and the deaths increased to 201 daily. December proved a milder month than November, its mean temperature being 42°·9, and under the influence of the milder weather the deaths diminished to 183 daily. During the severe weather at the beginning of November, all diseases, but notably the epidemic diseases, threatened seriously to increase; but under the influence of the milder weather which followed, they did not spread so much as might have been expected, and the deaths consequently declined. The milder weather of December was unquestionably due to the unusual prevalence of south-westerly winds. These were both stronger and more constant than they had been for years; and it is now a recognised fact that, so long as south-westerly breezes blow over our island, we have no frosts and no wintry weather.

Table XLVI. shows the chief points of the Meteorology of Scotland for the year 1865, as well as for each of the months of the year. By that table it appears that the mean barometric pressure, corrected to the sea-level, and to 32° Fahr., was 29·869 inches. The mean temperature was 46°·9. The highest temperature in the shade noted at any station was 92°, and the lowest —4°·0. The mean of the day temperatures was 53°·3, and that of the night temperatures 40°·5; while the mean daily range of temperature was 12°·7. The highest temperature in the sun, by exposing a thermometer with a black bulb to its direct rays, was 142°; and the greatest cold during the night, by exposing a black-bulb thermometer on the grass, was —7°. Rain fell on 160 days, with a mean depth of 33·91 inches. The sun shone for 1715 hours during the year, and the mean humidity of the air was 85. Winds with an easterly point blew 109 days; those with a westerly point, 164 days.

It is still more interesting to trace the connection between the deaths and the temperature in the Eight Principal Towns of Scotland, viz. Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth. This is best done by quoting from the "Supplement to the Monthly and Quarterly Returns of the Births, Deaths, and Marriages registered in Scotland during the year 1865," published shortly after the close of that year.

In Scotland the changes from cold to warm periods are sudden and frequent, and it is this which causes its climate to be so trying to the invalid. These fluctuations of temperature are best seen by looking at the weekly temperatures, when a comparison of the highest, the lowest, and the mean temperatures of each week will give a good idea of the sudden variations to which our climate is exposed. In fact, during the whole year alternate waves of warm and cold weather occurred.

Thus the first week of January (see Table XLVII.) had a temperature of 36°; but a warm wave occurred the second week, which raised its mean to 41°·1. A cold depression followed, so that the third week showed a mean temperature of 36°·2, increasing on the fourth week to 30°·1. This was succeeded by a warm wave the fifth week, which again raised the mean temperature to 35°·2; but a cold period followed, sinking the mean temperature to 33°·2 on the sixth week, and to 29°·4 on the seventh week, or week ending the 18th February. This was the coldest week of the year, the lowest degree of temperature registered being 8° Fahr.; and during this and the following week the greatest number of deaths were registered, showing most clearly the baneful effects of extreme cold on the inhabitants of Scotland. On the eighth week a wave of warm temperature occurred, raising the mean temperature to 37°·2 that week, and to 40° the ninth week, when it again sunk slowly through the influence of a cold period or depression, till on the twelfth week, or that ending the 25th of March, the mean temperature had again sunk to 35°·6. A warm wave again rolled on, raising the thirteenth week, or that ending April 1, to 41°, and on the fourteenth week to 47°·4. A slight depression occurred the two succeeding weeks; but on the last week of April and first week of May, the mean temperature had risen to 48°·3 and 48°·8. The nineteenth week was somewhat colder, being only 47°; and the twentieth week, or third week of May, only had a mean temperature of 50°·9. A sudden warm wave of temperature rolled over Scotland the twenty-first week, ending the 27th of May, raising its mean temperature to 59°·9, succeeded by a cold depression, which lowered the twenty-second week, that ending 3d June, to 51°·3. A warm wave again succeeded this, so that the second week of June had a mean temperature of 59°·4, the third of 58°·3, and the fourth week of 60°·4. This was the highest weekly temperature attained during the first half of the year. A cold depression occurred during the week ending July 1, sinking the mean temperature to 58°·1; but a warm wave during the week ending

TABLE XLVII.—Showing the number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures; also the Mean Fall of Rain during every Week of the Year 1865.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches.	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches.
			Mean.	Highest.	Lowest.					Mean.	Highest.	Lowest.	
			°	°	°					°	°	°	
1	January 7	659	36·0	50·0	17·0	1·195	27	July 8	556	61·6	80·2	42·0	1·602
2	14	622	41·1	52·0	31·0	1·002	28	15	515	57·3	84·2	42·9	0·729
3	21	647	36·2	44·2	27·0	0·512	29	22	567	57·2	73·8	43·9	0·823
4	28	585	30·1	42·3	18·2	0·236	30	29	595	62·0	80·0	47·5	0·097
5	February 4	721	35·2	47·0	13·7	1·481	31	August 5	549	54·1	70·9	41·0	0·210
6	11	650	33·2	41·0	21·0	0·304	32	12	512	58·6	71·0	47·0	1·077
7	18	735	29·4	42·0	8·0	0·406	33	19	515	57·3	72·0	43·5	1·299
8	25	743	37·2	52·1	19·9	0·788	34	26	480	57·1	71·4	46·0	0·337
9	March 4	652	40·0	54·0	29·6	0·947	35	September 2	461	57·9	71·0	43·0	1·616
10	11	595	38·0	49·0	27·9	0·671	36	9	428	63·9	77·0	51·5	0·058
11	18	569	37·5	47·0	28·3	0·109	37	16	411	61·4	76·7	46·0	0·206
12	25	558	35·6	47·0	25·8	0·102	38	23	448	56·8	72·0	39·0	0·293
13	April 1	569	41·0	56·0	26·0	0·408	39	30	442	54·5	73·1	35·0	0·051
14	8	587	47·4	59·0	33·0	0·374	40	October 7	451	53·7	68·2	29·0	0·005
15	15	530	46·3	60·0	29·2	0·278	41	14	521	50·8	59·0	37·0	1·292
16	22	546	46·7	66·3	31·0	0·151	42	21	469	44·5	57·0	30·0	1·013
17	29	513	48·3	77 0	31·0	0·057	43	28	541	40·9	59·4	25·0	1·152
18	May 6	497	48·8	65·0	29·0	0·877	44	November 4	556	41·9	53·6	27·0	1·175
19	13	467	47·0	65·0	37·0	0·712	45	11	588	39·8	54·0	23·0	0·022
20	20	522	50·9	67·7	36·0	0·401	46	18	641	41·7	56·0	28·0	0 584
21	27	502	59·9	80·0	45·0	0·255	47	25	593	45·7	59·3	30·0	1·525
22	June 3	548	51·3	67·0	35·0	1·261	48	December 2	584	41·2	53·0	27·5	1·040
23	10	526	59·4	79·2	42·0	0·175	49	9	568	46·1	56·0	33·0	0·674
24	17	479	58·3	84·0	38·0	0·000	50	16	491	41·5	53·0	24·6	0 007
25	24	461	60·4	82·0	45·0	0·156	51	23	543	45·8	56·0	31·9	0·595
26	July 1	502	58·1	75·0	38·0	0·189	52	30	505	43·7	56·0	31·1	1·420

July 8 again raised the mean temperature to 61°·6. A cold depression followed for a couple of weeks, sinking the temperature of July below that of June, the respective temperatures during the two weeks being 57°·3 and 57°·2. A warm wave of temperature raised the mean temperature of the last week of July to 62°. A sudden and prolonged cold depression or period set in after this, sinking the mean temperature of the week ending August 5 to 54°·1, and that of the three following weeks to 57°·3, 57°·1, and 57°·9.

After the 28th of August, however, an oppressively hot wave rolled over Scotland, raising the mean temperature of the thirty-sixth week, or that ending September 9th, to 63°·9—a temperature very rarely witnessed in Scotland, and the highest which was attained during any week of the year. But the declination of the sun and the shortening of the days could not permit this high temperature to be continued; so, though the next week, ending September 16th, had the very high mean temperature of 61°·4, the mean temperature slowly but steadily declined week after week after this, till it attained its lowest on the week ending November 11, when it had fallen to 39°·8.

The south-west winds after this began to be the prevalent atmospheric currents over Scotland during the remainder of the year, so that the weekly mean temperatures fluctuated between 41° and 45° Fahr., observing, however, an alternate rise and fall of temperature on each successive week. The whole year, therefore, showed that periods of heat came in successive waves, followed by periods of cold, which very properly may be represented by the depression which follow waves.

Our special object, however, in directing attention to mean temperature is to point out its effects on the mortality. In all our previous Reports it has been shown, that in Scotland it is cold which exerts the most prejudicial effect on the human frame. Accordingly, whether we look at the weekly deaths and weekly mean temperatures in the Eight Towns (Table XLVII.), or at the monthly deaths and monthly mean temperatures in these same towns (Table XLVIII.), we shall find that the week and month which had the lowest temperatures were those in which the deaths were most numerous. Were every death registered on the day the death occurred, this would be found to be rigidly correct; but as many deaths

TABLE XLVIII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1865.

1865.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	35°·5	34°·5	38°·1	47°·0	51°·8	58°·4	59°·3	56°·6	58°·5	46°·7	41°·7	43°·6
Highest Temperature,	52°·0	52°·1	53°·6	77°·0	80°·0	84°·0	80°·0	71°·4	76°·9	78°·0	59°·3	56°·0
Lowest Temperature,	14°·0	8°·0	25°·8	29°·0	29°·0	38°·0	38°·0	39°·7	35°·0	25°·0	23°·0	24°·6
Rainfall in inches,	3·20	2·41	1·82	0·92	3·02	1·07	3·40	4·12	1·10	4·73	3·37	3·42
Total Deaths,	2812	2837	2593	2256	2311	2138	2420	2247	1853	2233	2557	2262
Daily Deaths,	91	101	84	74	74	71	78	72	62	72	85	73
Zymotic Diseases,	757	692	650	594	587	541	778	678	530	699	700	640
Small-pox,	18	3	5	7	5	5	6	2	4	6	3	3
Measles,	101	81	74	70	98	87	116	74	22	18	33	35
Scarlatina and Diphtheria,	122	116	81	67	47	46	76	79	99	159	174	151
Hooping-Cough,	119	114	103	89	113	88	93	96	87	155	149	116
Croup,	44	28	29	30	9	20	16	16	15	29	28	26
Typhus,	275	281	289	269	245	214	199	167	168	173	220	207
Diarrhœa, Dysen., & Chol.,	37	36	33	36	45	58	236	215	116	112	53	32
Consumption,	323	313	306	284	327	284	294	253	236	259	246	246
Diseases Respiratory Organs,	512	770	511	376	302	229	223	220	171	353	540	422
Heart, etc., Diseases,	115	90	111	98	91	116	85	95	90	89	104	102
Brain, etc., Diseases,	226	188	217	180	198	171	198	169	149	179	182	141
Age,	135	151	135	182	80	94	96	97	71	67	118	108

are not registered for two or three days after they occur, it frequently happens that, if the cold period occurs towards the end of a week, a considerable proportion of the deaths due to the cold are registered during the next week. The same does not occur with the months to such an extent as to affect the general deductions. Bearing this in remembrance, we find that the greatest cold occurred during the month of February, when the mean temperature was 34°·5, and the greatest degree of cold was so low as 8°. During that month 2837 deaths occurred in the Eight Towns, or 101 deaths daily—by far the greatest number that occurred during any month of the year. At the close of the year again, November was the coldest month, its mean temperature being 41°·7, and 2557 deaths occurred, or 85 daily—a much larger number than during September, October, or even December.

But even the weeks showed the same fact. The seventh week of the year, that ending February 18, had the very low mean temperature of 29°·4, when 725 deaths were registered, and 743 the succeeding week—the largest number of deaths during any week of the year. At the close of the year, again, the coldest week fell on the forty-fifth, viz. that ending November 11. During that week 538 deaths, and during the succeeding week 641 deaths, were registered, being a larger number than during any of the closing weeks of the year.

Even in this country, however, extreme heat to a certain extent increases the deaths, by inducing diseases which assimilate in their nature to those of warm countries, viz. bowel complaints. Every year this is observed to a small extent, but during the past year to a more marked extent, in consequence of the increased mean temperatures of June and July. In ordinary years in Scotland, the mortality progressively diminishes from February to September; but during the past years, in the Eight Towns, while June, with its mean temperature of 58°·4, had 2138 deaths, or 71 deaths daily, July, with a mean temperature of 59°·3, had 2420, or 78 deaths daily—a great increase, caused by the high temperature; and even August had 2247 deaths, or 72 deaths daily—a higher proportion than June, though a great proportion of the month had no higher temperature than usual. The previous cool weeks of August, and the cool mornings and evenings during the latter half of September, prevented the mortality rising with the extremely high mean temperatures of the first two weeks of September.

The effect of high mean temperature on the bowel diseases is best seen by comparing the deaths from Diarrhœa, Dysentery, and Cholera during the different months. During May, when heat first began to be felt, the deaths from these bowel complaints in the Eight Towns were 45; during June, the continuance of the heat raised them to 58. But as bowel complaints take some time to prove fatal, it was not till July that they amounted to 236 deaths, and to 215 in August. The cold weather during the last two weeks of September allowed them to fall to 116 during September, and to 112 during October. During November only 53 deaths from that cause occurred, and 32 during December.

With the single exception of these bowel complaints, all the diseases to which the inhabitants of Scotland are liable increase with the cold and diminish with the warm weather, and most notably all those called epidemic diseases, as Typhus, Scarlatina, Hooping-cough, etc. (See Table XLVIII.) Thus Typhus, which in the Eight Towns had diminished to 167 deaths in August, increased with the cold to 207 in December, 275 in January, and 281 in February. Hooping-cough, which only caused 87 deaths in Septem-

ber, caused 149 in November, and 146 in December. Scarlatina and Diphtheria, which caused 79 deaths in August, caused 174 in November, and 151 in December. Diseases of the respiratory organs (Bronchitis, Pneumonia, etc.), which caused 171 deaths in September, rose to 353 deaths in October, to 546 in November (the coldest month), and to 422 in December. In all these cases the milder month of December caused the mortality from each of these diseases to be smaller than that of the colder month of November.

Though the weather, but especially the temperature, is the most powerful agent in this country in affecting and regulating the mortality, there are other causes which influence the health and sickness of the inhabitants, and of course increase or diminish the mortality. In other countries the most powerful agent in this respect is the price of provisions; and in all countries whose inhabitants are chiefly dependent for their livelihood on the crops which the country yields, a deficiency of these, leading to a famine, decimates the population. In this country, however, deficiency in the crops, and a consequent high price in provisions, is not followed by the same deadly results, because the great majority of the inhabitants are engaged in commercial or industrial pursuits; and as their wages rise with the price of provisions, our commercial industry is only stimulated to greater exertions to supply from other countries the provisions which have failed in this. Hence it happens that, provided our commercial and manufacturing industry continues prosperous, deficiency in the crops, and a high price in the provisions, do not sensibly affect the mortality, as is fully exemplified in the subjoined Table XLIX. The prices of wheat and potatoes quoted in the table are those of the official returns for England and Wales, as they are more to be depended on for correctness than the Scottish returns.

Here we see that while the price of wheat, the staple of life, steadily diminished in price from 69s. in 1856 to 44s. per quarter in 1858, the deaths as steadily increased from 52529 in 1856 to 63539 in 1858. Again, the price of wheat was the same in 1861 and 1862, viz. 55s. per quarter, but the deaths were only 62341 in 1861, but 67195 in 1862. The price of wheat and of all provisions regularly diminished from 1862 to 1864, so that wheat, which sold at 55s. the quarter in 1862, fell to 44s. 8d. in 1863, and to 40s. 2d. in 1864; while potatoes, which brought 137s. the ton in 1862, fell to 100s. in 1863, and to 75s. in 1864. If a plentiful supply of provisions, therefore, and cheapness in price, of themselves exerted any appreciable influence on the mortality, there ought to have been a marked

TABLE XLIX.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Eleven Years 1855-1865.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 0

diminution of the deaths in Scotland during these years. On the other hand, the mortality largely increased from year to year, for while only 67195 deaths occurred in 1862, the year of high prices, they increased to 71481 deaths in 1863, and to 74416 in 1864.

The years 1860 and 1861 show the same want of connection in Scotland between the mere price of provisions, as represented by wheat, and the mortality. Wheat was 2s. per quarter higher in price in 1861 than in 1860. But instead of the mortality increasing with the increased price of wheat, it fell greatly, for in 1860, the cheaper year, the deaths numbered 68170, but in 1861, the dearer year, the deaths were only 62341.

The same was noticed in 1864 and 1865.. Both wheat and potatoes were dearer in 1865 than they had been during 1864, yet during the very cheap year 1864, no fewer than 74416 deaths occurred, the greatest number ever previously registered in Scotland; while in 1865, when provisions were higher in price, the deaths fell to 70891.

Table L. is added for the purpose of showing the condition of the country as to its imports, exports, quantity and price of provisions, and other facts whereby its general prosperity may be deduced, or facts may be furnished which may throw light on the influence of trade, commerce, and

---

TABLE L.—Showing the Revenue, Value of Imports and Exports, the Quantities of Grain, Tea, Sugar, etc., imported into the United Kingdom; also the average Price of the Chief Articles of Food, etc., during the years 1863, 1864, and 1865.

		1863.	1864.	1865.
Gross Revenue of United Kingdom,	£	70,603,561	70,208,964	70,313,437
Gross Expenditure,	£	69,302,008	67,056,286	66,462,207
Real Value of Total Imports,	£	248,919,020	274,863,924	271,134,969
Real Value of Total Exports,	£	196,902,409	212,656,542	218,858,316
Wheat imported,	Cwts.	24,364,171	23,196,714	20,962,963
Barley, Oats, Maize, imported,	Cwts.	26,615,707	16,770,259	22,628,637
Wheat Flour imported,	Cwts.	5,218,977	4,512,391	3,904,471
Eggs imported,	No.	266,929,680	335,298,240	364,013,040
Butter imported,	Cwts.	986,708	1,054,617	1,083,717
Cheese imported,	Cwts.	756,285	834,844	853,277
Rice imported,	Cwts.	3,070,292	3,189,691	1,941,580
Tea imported,	Lbs.	136,806,319	124,359,248	121,271,219
Coffee imported,	Lbs.	117,354,329	109,370,213	138,187,429
Cocoa imported,	Lbs.	9,592,965	7,920,712	7,464,982
Raw Sugar imported,	Cwts.	10,724,532	10,767,538	10,250,524
Tobacco imported (total),	Lbs.	55,122,048	66,615,176	66,959,538
Wine imported,	Galls.	14,186,189	15,451,622	14,269,750
Wool imported,	Lbs.	177,377,664	206,473,045	212,206,747
Cotton (Raw) imported,	Cwts.	5,978,422	7,975,935	8,731,949
Flax imported,	Cwts.	1,458,962	1,842,947	1,913,132
Hemp, etc., imported,	Cwts.	1,067,913	953,086	1,002,980
Jute imported,	Cwts.	1,223,033	2,024,537	2,108,942
Quantity of Coal raised in Scotland,	Tons	11,100,500	12,400,000	
——— Iron Ore raised in do.,	Tons	1,500,000	1,950,000	
——— Pig Iron-made in do.,	Tons	1,160,000	1,158,000	
Cod and Ling taken on Coasts of do.,	Cwts.	129,725	107,758	
do. do.	Barrels.	7,337	7,963	
Herrings taken on do.,	Barrels	614,816	643,650	
Average Price of Wheat in England,	per Qr.	44s. 9d.	40s. 2d.	
——— Barley,	per Qr.	33s. 11d.	29s. 11d.	
——— Oats,	per Qr.	21s. 2d.	20s. 1d.	
Contract price of 4lb. Loaf to Troops in Scotland,	1st half year,	5½d.	4·47d.	
	2d half year,	5⅝d.	4·43d.	
Contract price of Fresh Meat per lb. to Troops in Scotland,	1st half year,	4 7/10d.	4 7/10d.	
	2d half year,	4 8/10d.	4 9/10d.	
Savings Banks, Scotland—Number of Accounts,		155,298	159,319	
Savings Banks, do.—Amount of Deposits, £		2,877,508	2,812,201	
Number of registered Paupers in Scotland,		99,695	101,636	
Number of ascertained Scottish Emigrants,		15,230	15,035	

supply and cheapness of provisions on the marriages and deaths. From that table it may be deduced, that the country, during 1865, was in a highly prosperous condition, with capital abundant, trade brisk, wages high, provisions plentiful and cheap, though somewhat higher in price than during the previous year.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 27*th June* 1868.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1865.

1865.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres.
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	58220	54850	113070	5779	5483	11262	35190	35701	70891	23611	42179	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,422	1760	1573	3333	128	102	230	979	1091	2070	619	1263	2,261,662
2 NORTH-WESTERN, .	175,735	167,329	2350	2211	4561	140	157	297	1324	1354	2678	824	1883	4,789,676
3 NORTH-EASTERN, .	348,366	366,783	6752	6241	12993	1040	978	2018	3307	3433	6740	2575	6253	2,429,594
4 EAST-MIDLAND, .	515,966	523,822	9323	8931	18254	1061	978	2039	5655	6076	11731	4068	6523	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4189	3799	7988	305	293	598	2462	2322	4784	1518	3204	2,693,176
6 SOUTH-WESTERN, .	881,092	1,008,253	22671	21363	44034	1887	1797	3684	14614	14352	28966	9187	15068	1,462,897
7 SOUTH-EASTERN, .	383,217	408,962	7630	7375	15205	767	699	1466	4906	4977	9883	3574	5322	1,192,524
8 SOUTHERN, . . .	215,884	214,216	3345	3357	6702	451	479	930	1943	2096	4039	1246	2663	2,069,696
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,078	31,670	431	411	842	24	20	44	236	279	515	155	327	598,726
2 Orkney, . . .	31,455	32,395	416	381	797	21	25	46	214	243	457	157	340	
3 Caithness, . . .	39,782	42,200	614	549	1163	64	44	108	354	400	754	240	409	455,708
4 Sutherland, . . .	24,720	24,157	299	232	531	19	13	32	175	169	344	87	187	1,207,188
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	83,781	82,427	1177	1080	2257	53	55	108	659	703	1362	372	895	2,016,375
6 Inverness, . . .	91,954	84,902	1173	1131	2304	87	102	189	665	651	1316	452	988	2,723,501
III. NORTH-EASTERN.														
7 Nairn, ...	8,076	8,347	141	115	256	18	13	31	72	85	157	56	99	137,500
8 Elgin (or Morny), . .	40,532	44,218	789	635	1424	118	95	213	401	372	773	243	651	340,000
9 Banff, ...	51,353	56,020	977	943	1920	156	146	302	421	441	862	380	1058	439,219
10 Aberdeen, . . .	215,461	223,344	4250	3948	8198	667	625	1292	2143	2245	4388	1618	3810	1,260,625
11 Kincardine, . . .	34,944	34,854	595	600	1195	81	99	180	270	290	560	278	635	252,250
IV. EAST-MIDLAND.														
12 Forfar, ...	193,627	206,750	4284	3999	8283	581	514	1095	2541	2726	5267	2001	3016	568,750
13 Perth, ...	137,369	133,198	1904	1829	3733	213	209	422	1286	1368	2654	796	1079	1,814,068
14 Fife,*	153,789	155,021	2630	2638	5268	212	213	425	1503	1685	3188	1095	2080	328,427
15 Kinross,* . . .	9,626	8,731	118	108	226	16	12	28	88	93	181	58	45	49,812
16 Clackmannan, . .	21,555	20,122	387	357	744	39	30	69	237	204	441	120	303	29.440
V. WEST-MIDLAND.														
17 Stirling, . . .	83,802	88,138	1771	1637	3408	130	131	261	932	910	1842	721	1566	295,875
18 Dumbarton, . . .	46,995	54,179	1112	973	2085	83	64	147	620	596	1216	343	869	204,800
19 Argyll, ...	94,042	83,859	1104	981	2085	82	84	166	720	639	1359	351	726	2,083,126
20 Bute, ...	16,608	16,331	202	208	410	10	14	24	190	177	367	103	43	109,375
VI. SOUTH-WESTERN.														
21 Renfrew,* . . .	157,950	168,746	3787	3408	7195	259	271	530	2389	2404	4793	1565	2402	158,268
22 Ayr,*	189,973	199,063	3891	3644	7535	346	317	663	2026	2036	4062	1403	3473	735,262
23 Lanark,*	533,169	640,444	14993	14311	29304	1282	1209	2491	10199	9912	20111	6219	9193	568,867
VII. SOUTH-EASTERN.														
24 Linlithgow,* . . .	30,590	39,045	930	882	1812	73	83	156	428	414	842	317	970	81,113
25 Edinburgh,* . . .	259,493	274,093	5265	4962	10227	491	471	962	3581	3650	7231	2651	2996	234,925
26 Haddington,* . . .	36,363	37,626	643	581	1224	74	55	129	360	379	739	238	485	179,142
27 Berwick,* . . .	36,165	36,488	590	549	1139	80	48	128	326	328	654	220	485	302,951
28 Peebles,* . . .	10,804	11,300	212	194	406	22	20	42	101	102	203	66	203	227,869
29 Selkirk,* . . .	9,802	10,410	190	207	397	27	22	49	110	104	214	82	183	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	51,225	53,722	873	844	1717	89	91	180	501	491	992	381	725	428,494
31 Dumfries,* . . .	78,149	75,904	1167	1247	2414	160	185	345	751	759	1510	456	904	702,953
32 Kirkcudbright,* . .	43,121	42,495	686	686	1372	107	101	208	363	452	815	226	557	610,343
33 Wigtown,* . . .	43,389	42,095	619	580	1199	95	102	197	328	394	722	183	477	327,966

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Totl	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	11	14	25	–	–	–	4	1	5	2
	(2) Burra and Quarff	906	890	8	10	18	–	–	–	3	8	11	11
2	Delting,	2124	1975	27	20	47	2	2	4	13	21	34	15
3	Dunrossness, etc.—												
	(1) Dunrossness,	c. 2005	2113	35	27	62	–	1	1	9	18	27	8
	(2) Sandwick and Cunningsburgh,	c. 2220	2337	34	39	73	1	–	1	23	19	42	15
	(3) Fair Isle,	280	380	3	7	10	–	–	–	2	1	3	5
4	Fetlar, etc.—												
	(1) Fetlar,	658	548	4	4	8	–	1	1	4	8	12	1
	(2) North Yell,	998	932	11	9	20	–	–	–	6	13	19	2
5	Lerwick (incl. Town),	3390	3631	59	44	103	6	3	9	31	45	76	40
6	Mid and South Yell,	1741	1784	14	20	34	1	1	2	15	18	33	3
7	Nesting, etc.—												
	(1) Nesting,	c. 806	855	17	12	29	2	1	3	9	3	12	2
	(2) Lunnasting,	c. 830	880	14	8	22	2	2	4	7	4	11	3
	(3) Whalsay and Skerries	784	848	23	7	30	2	–	2	5	10	15	3
8	Northmavine,	2534	2585	23	36	59	2	–	2	16	22	38	11
9	Sandsting and Aithsting,	2603	2670	45	45	90	2	–	2	16	22	38	6
10	Tingwall, etc.—												
	(1) Tingwall,	c. 1654	1554	19	25	44	2	1	3	14	13	27	7
	(2) Whiteness & Weesdale	c. 1220	1143	15	8	23	2	2	4	10	6	16	4
11	Unst,	2977	3060	42	39	81	–	–	–	26	21	47	12
12	Walls, etc.—(1) Walls,	c. 1230	1365	12	19	31	–	2	2	12	11	23	2
	(2) Sandness,	c. 563	606	10	12	22	–	3	3	9	6	15	2
	(3) Papa-Stour,	359	366	3	4	7	–	1	1	1	8	9	–
	(4) Foula,	240	233	2	2	4	–	–	–	1	1	2	1
	Total,	31078	31670	431	411	842	24	20	44	236	279	515	155
	2. Orkney.												
13	Birsay,	1749	1774	15	19	34	2	3	5	8	11	19	4
14	Deerness,	786	813	14	7	21	1	–	1	3	3	6	9
15	Eday and Pharay,	1016	979	17	18	35	–	2	2	7	8	15	5
16	Evie and Rendall,	1446	1408	13	22	35	–	–	–	6	11	17	2
17	Firth and Stennes,	1327	1493	23	18	41	–	–	–	7	8	15	10
18	Harray,	750	819	8	5	13	1	1	2	6	6	12	2
19	Holm and Paplay,	749	834	16	14	30	1	–	1	7	4	11	9
20	Hoy and Græmsay,	615	556	8	11	19	–	2	2	2	2	4	1
21	KIRKWALL & ST OLA (incl. Burgh),	3090	4422	50	49	99	5	4	9	39	41	80	17
22	North Ronaldshay,	526	532	11	7	18	–	1	1	4	5	9	6
23	Orphir,	1157	1133	15	11	26	2	1	3	7	6	13	6
24	Rousay and Egilsay,	1215	1152	14	17	31	–	–	–	9	6	15	5
25	St Andrews,	926	868	9	6	15	1	–	1	7	5	12	6
26	Sanday,	2004	2145	39	29	68	–	1	1	14	10	24	11
27	Sandwick,	1107	1225	15	13	28	2	–	2	9	7	16	7
28	Shapinshay,	899	973	12	13	25	–	–	–	4	8	12	3
29	South Ronaldshay and Burray,	3086	3282	49	40	89	1	3	4	18	35	53	22
30	Stromness,	2770	2540	25	25	50	3	3	6	25	36	61	3
31	Stronsay,	1211	1228	19	12	31	–	2	2	10	7	17	8
32	Walls, etc.—(1) Walls,	1278	1254	9	12	21	–	–	–	8	5	13	2
	(2) Flotta,	389	420	3	1	4	–	–	–	–	2	2	4
33	Westray, etc.—(1) Westray	2088	2153	25	27	52	2	2	4	11	14	25	11
	(2) Papa-Westray,	371	392	7	5	12	–	–	–	3	3	6	4
	Total,	31455	32395	416	381	797	21	25	46	214	243	457	157

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: THURSO.

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	16	23	39	1	2	3	8	2	10	8
35	Canisbay,	2437	2730	48	45	93	4	2	6	10	16	26	16
36	Dunnet,	1868	1861	15	21	36	1	1	2	23	10	33	8
37	Halkirk,	2918	2864	43	32	75	4	1	5	23	26	49	11
38	Latheron,	8224	8571	106	94	200	8	12	20	42	80	122	34
39	Olrig,	1873	2059	26	27	53	3	–	3	17	15	32	3
40	Reay,	2506	2476	30	26	56	3	–	3	28	19	47	8
41	Thurso (incl. Town),	5096	5561	78	58	136	12	5	17	57	68	125	29
42	Watten,	1351	1491	21	13	34	3	–	3	15	7	22	5
43	Wick—(1) Burgh,	6796	7505	151	145	296	10	14	24	99	111	210	65
	(2) Landward,	5055	5336	80	65	145	15	7	22	32	46	78	28
	Total,	39782	42200	614	549	1163	64	44	108	354	400	754	220
	4. Sutherland.												
44	Assynt—(1) Kirkton,	*c.* 510	553	6	5	11	–	1	1	6	4	10	4
	(2) Stoer,	*c.* 2479	2625	24	23	47	–	–	–	14	17	31	6
45	Clyne,	1933	1886	23	21	44	2	1	3	18	12	30	10
46	Creich—(1) Bonar,	*c.* 2134	1982	21	25	46	5	2	7	15	13	28	6
	(2) Roschall,	*c.* 580	539	9	5	14	–	1	1	9	7	16	1
47	Dornoch (incl. Burgh),	2981	2885	32	27	59	2	1	3	27	28	55	8
48	Durness,	1152	1109	16	15	31	2	4	6	5	3	8	4
49	Eddrachillis—(1) Scourie,	*c.* 700	727	4	3	7	–	–	–	2	5	7	2
	(2) Kinlochbervie,	*c.* 876	914	10	13	23	–	–	–	10	2	12	2
50	Farr—(1) Kirkton,	*c.* 1313	1251	25	10	35	1	1	2	6	5	11	1
	(2) Strathy,	*c.* 890	852	15	4	19	4	–	4	5	5	10	3
51	Golspie,	1529	1615	27	17	44	–	–	–	16	6	22	9
52	Kildonan,	2288	2132	34	15	49	1	–	1	19	15	34	11
53	Lairg,	1162	961	7	8	15	–	–	–	1	12	13	3
54	Loth,	640	610	8	9	17	–	–	–	3	7	10	1
55	Rogart,	1535	1439	12	12	24	–	1	1	8	12	20	13
56	Tongue,	2018	2077	26	20	46	2	1	3	11	16	27	3
	Total,	24720	24157	299	232	531	19	13	32	175	169	344	87
	II. North-Western.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	12	19	31	1	2	3	5	5	10	5
58	Applecross—												
	(1) Applecross,	*c.* 1130	1064	14	13	27	–	–	–	3	8	11	8
	(2) Shieldaig,	*c.* 1579	1480	22	20	42	2	–	2	10	7	17	5
59	Avoch,	2029	1788	22	25	47	1	2	3	14	23	37	10
60	Contin,	1562	1509	16	15	31	–	–	–	17	10	27	1
61	Cromarty (incl. Burgh)	2727	2300	37	32	69	6	2	8	17	21	38	16
62	Dingwall (incl. Burgh)	2364	2412	33	25	58	1	3	4	42	28	70	14
63	Edderton,	890	836	12	6	18	1	2	3	6	4	10	2
64	Fearn,	2122	2083	29	35	64	2	–	2	13	31	44	13
65	Fodderty,	2342	2247	28	21	49	1	1	2	18	23	41	5
66	Gairloch—												
	(1) Northern District,	*c.* 1822	1927	24	25	49	–	1	1	14	10	24	1
	(2) Southern District,	*c.* 3340	3522	30	37	67	1	2	3	18	24	42	18
67	Glenshiel,	573	485	4	7	11	–	–	–	2	1	3	3
68	Killearnan,	1794	1494	19	7	26	2	–	2	14	12	26	8
69	Kilmuir-Easter,	1437	1295	13	13	26	–	–	–	11	11	22	3
70	Kiltearn,	1538	1634	17	20	37	1	2	3	12	18	30	6
71	Kincardine,	1896	1746	21	19	40	3	6	9	15	14	29	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Tota	
72	Kintail,	1009	890	11	8	19	2	1	3	7	7	14	3
73	Knockbain,	3005	2485	21	27	48	2	3	5	9	13	22	8
74	Lochalsh,	2299	2413	35	27	62	2	2	4	15	18	33	7
75	Lochbroom—												
	(1) Lochbroom,	*c.* 3540	3577	46	38	84	1	2	3	21	36	57	16
	(2) Coigach,	*c.* 1273	1285	25	16	41	–	1	1	11	7	18	3
76	Lochcarron,	1612	1592	12	18	30	–	–	–	7	6	13	5
77	Logie-Easter,	965	932	12	16	28	3	2	5	4	6	10	7
78	Nigg,	1457	1253	13	12	25	1	4	5	6	4	10	10
79	Resolis,	1551	1568	15	20	35	1	1	2	14	20	34	2
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	10	11	21	1	–	1	10	14	24	8
81	Rosskeen,	3699	3766	59	54	113	5	3	8	46	47	93	22
82	TAIN (incl. Burgh),	3574	3294	43	52	95	4	2	6	38	41	79	16
83	Tarbat,	2151	2269	41	32	73	–	2	2	19	13	32	6
84	Urquhart & Logie-Wester,	3153	3147	34	28	62	2	3	5	20	38	58	12
85	Urray,	2621	2355	36	30	66	4	1	5	20	22	42	17
	Insular.												
*a*86	Barvas,	4189	4609	82	71	153	–	1	1	40	32	72	32
*b*86	Carloway,	*c.* 2120	2204	57	45	102	–	–	–	21	24	45	7
87	Lochs,	*c.* 3109	3568	93	60	153	1	–	1	28	20	48	14
88	Stornoway (incl. Town),	8057	8668	143	150	293	2	4	6	75	72	147	41
89	Uig,	*c.* 2236	2007	36	26	62	–	–	–	17	13	30	10
	Total,	83781	82427	1177	1080	2257	53	55	108	659	703	1362	372
	6. Inverness.												
	Mainland.												
90	Alvie,	914	833	20	10	30	–	1	1	10	2	12	3
91	Ardersier,	1337	1239	7	15	22	–	–	–	13	7	20	6
92	Boleskine & Abertarff—												
	(1) Boleskine,	*c.* 936	813	8	7	15	–	–	–	7	5	12	2
	(2) Fort-Augustus or Abertarff,	*c.* 1070	930	8	6	14	–	–	–	6	5	11	3
93	Cromdale—(1) Cromdale, (2) Inverallan,	3990	*c.* 1647 *c.* 2295	12 42	14 47	26 89	2 7	4 11	6 18	12 23	10 18	22 41	7 13
94	Croy and Dalcross,	1777	1873	24	22	46	2	2	4	6	11	17	3
95	Daviot and Dunlichty,	1857	1741	15	19	34	2	1	3	14	12	26	6
96	Dores,	1650	1506	20	16	36	1	3	4	13	12	25	6
97	Glenelg—(1) Glenelg,	*c.* 1070	800	5	7	12	–	1	1	3	5	8	5
	(2) Knoydart,	*c.* 770	574	9	14	23	–	1	1	4	6	10	–
	(3) North Morar,	*c.* 630	469	11	9	20	2.	1	3	1	3	4	4
98	INVERNESS (including Burgh),	16496	16162	271	235	506	20	26	46	208	215	423	138
99	Kilmonivaig—												
	(1) Glengarry,	*c.* 710	625	7	6	13	–	–	–	6	3	9	1
	(2) Lochaber,	*c.* 1873	1651	19	12	31	1	–	1	9	5	14	4
100	Kilmorack,	3007	2852	30	31	61	2	3	5	10	20	30	12
101	Kiltarlity,	2965	2839	31	43	74	1	6	7	17	10	27	10
102	Kingussie and Insh,	2201	2033	26	32	58	1	7	8	15	18	33	9
103	Kirkhill,	1730	1757	20	13	33	2	1	3	12	8	20	10
104	Laggan,	1223	986	14	10	24	3	–	3	5	10	15	3
105	Moy and Dalarossie,	1018	1026	8	11	19	1	–	1	7	5	12	4
106	Petty,	1784	1671	32	28	60	2	4	6	13	12	25	6
107	Urquhart, etc.—												
	(1) Urquhart,	*c.* 2585	2294	30	19	49	2	1	3	16	10	26	13
	(2) Glenmoriston,	*c.* 695	617	6	7	13	–	1	1	4	4	8	3
	Insular.												
108	Barra,	1873	1853	41	28	69	–	5	5	9	11	20	9
109	Bracadale,	1597	1335	11	18	29	–	–	–	13	9	22	3
110	Duirinish,	5330	4775	62	71	133	5	2	7	22	31	53	18

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	Harris—(1) Harris,	3663	3769	55	62	117	4	5	9	28	29	57	26
	(2) Bernera,	477	336	10	6	16	1	2	3	7	5	12	4
	(3) St Kilda,	110	78	–	–	–	–	–	–	1	–	1	–
112	Kilmuir—(1) Kilmuir,	c. 1743	1561	19	19	38	2	1	3	11	7	18	9
	(2) Stenscholl,	c. 1464	1311	15	15	30	1	1	2	7	10	17	5
113	North Uist,	3918	3959	58	57	115	4	1	5	25	27	52	17
114	Portree—(1) Portree,	2805	2579	26	37	63	4	2	6	15	20	35	14
	(2) Raasay,	752	580	9	13	22	–	–	–	5	3	8	5
115	Sleat,	2531	2330	31	33	64	–	–	–	20	16	36	10
116	Small Isles,	916	567	6	3	9	–	–	–	2	2	4	–
117	Snizort—(1) North (2) South	c. 3071	2613	17 25	7 13	24 38	1 2	– 1	1 3	5 10	4 12	9 22	2 12
118	South Uist—												
	(1) Benbecula,	1762	1544	23	16	39	2	2	4	7	5	12	5
	(2) Howmore,	c. 2040	1763	30	30	60	3	1	4	15	22	37	15
	(3) Boisdale,	c. 2371	2051	27	34	61	3	1	4	10	4	14	12
119	Strath,	3243	2664	33	36	69	4	4	8	19	18	37	15
	—— Total,	91954	84902	1173	1131	2304	87	102	189	665	651	1316	452
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	13	15	28	3	2	5	11	8	19	7
121	Auldearn,	1480	1328	20	12	32	2	–	2	7	9	16	13
122	Cawdor,	1202	1203	14	11	25	2	2	4	10	13	23	4
123	NAIRN (incl. Burgh),	4116	4486	94	77	171	11	9	20	44	55	99	32
	Total,	8076	8347	141	115	256	18	13	31	72	85	157	56
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	28	26	54	4	6	10	12	6	18	6
125	Alves,	919	1010	24	16	40	2	1	3	7	9	16	3
126	Bellie,	2017	1967	27	25	52	5	3	8	18	30	48	8
127	Birnie,	427	411	6	3	9	1	–	1	1	4	5	3
128	Boharm,	1368	1412	22	22	44	4	6	10	9	6	15	5
129	Dallas,	1226	1102	13	17	30	2	5	7	6	8	14	3
130	Drainy,	1856	3028	70	44	114	4	5	9	18	20	38	32
131	Duffus,	2983	3308	74	60	134	9	5	14	27	23	50	18
132	Duthil, etc.—(1) Duthil,	c. 1493	1609	26	19	45	4	–	4	16	14	30	10
	(2) Rothiemurchus,	c. 295	319	6	2	8	3	2	5	2	1	3	4
133	Dyke,	1369	1247	19	19	38	5	1	6	13	7	20	12
134	Edinkillie,	1343	1303	26	18	44	5	1	6	12	4	16	6
135	ELGIN (incl. Burgh),	8231	9866	168	135	303	26	19	45	125	106	231	42
136	New Spynie,	445	518	11	9	20	2	2	4	6	10	16	1
137	FORRES (incl. Burgh),	4069	4112	88	66	154	15	9	24	53	58	111	28
138	Kinloss,	1370	1315	25	21	46	6	2	8	10	9	19	9
139	Knockando,	1771	1736	25	22	47	5	6	11	15	9	24	9
140	Rafford,	1020	1055	12	21	33	4	2	6	3	6	9	6
141	Rothes,	2022	2407	44	35	79	7	8	15	18	13	31	12
142	St Andrews Lhanbryde,	1208	1344	20	9	29	–	1	1	11	6	17	14
143	Speymouth,	685	689	11	8	19	1	3	4	3	6	9	3
144	Urquhart,	2544	2532	44	38	82	4	8	12	16	17	33	9
	Total,	40532	44218	789	635	1424	118	95	213	401	372	773	243
	9. Banff.												
145	Aberlour,	1447	1665	25	27	52	2	3	5	10	6	16	12
146	Alvah,	1402	1467	20	25	45	3	8	11	13	7	20	10
147	BANFF—(1) Burgh,	6084	6791	139	106	245	22	9	31	67	64	131	39
	(2) Landward,	869	949	12	16	28	4	2	6	5	4	9	3
148	Botriphnie,	713	867	8	15	23	3	1	4	6	3	9	6
149	Boyndie,	1564	1711	29	27	56	4	4	8	14	13	27	12

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.		
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.
150	CULLEN (pt. of Burgh),	1697	1821	28	42	70	2	6	8	14	16	30
151	Deskford,	917	1031	12	21	33	3	4	7	2	7	9
152	Enzie,	c. 1872	2072	36	26	62	4	2	6	15	20	35
153	Fordyce,	3807	4145	77	78	155	9	13	22	29	34	63
154	Forglen,	695	783	13	14	27	1	3	4	3	4	7
155	Gamrie,	2758	3019	67	41	108	8	7	15	16	16	32
156	Grange,	1851	1909	27	33	60	3	10	13	13	11	24
157	Inveravon—(1) Inveravon,	c. 894	868	10	12	22	1	–	1	1	1	2
	(2) Auchbreck,	c. 1820	1771	22	31	53	8	8	16	10	11	21
158	Inverkeithny,	835	880	25	15	40	3	3	6	5	6	11
159	Keith,	4986	5943	108	106	214	25	16	41	50	61	111
160	Kirkmichael, etc.—											
	(1) Kirkmichael,	c. 568	551	6	5	11	1	–	1	1	7	8
	(2) Tomintoul,	c. 990	960	13	14	27	6	3	9	12	5	17
161	Marnoch,	2994	3289	63	63	126	18	13	31	24	22	46
162	Mortlach,	2804	3095	47	43	90	8	4	12	21	29	50
163	Ordiquhill,	644	764	11	14	25	1	5	6	2	4	6
164	Rathven (incl. Buckie,											
	Town),	c. 4664	4922	102	91	193	10	9	19	45	64	109
165	Rothiemay,	1413	1414	18	20	38	2	4	6	7	4	11
166	St Fergus,	1597	1608	29	31	60	4	6	10	19	12	31
167	Seafield (pt. of CULLEN,											
	Burgh),	c. 1468	1725	30	27	57	1	3	4	17	10	27
	Total,	51353	56020	977	943	1920	156	146	302	421	441	862
	10. Aberdeen.											
168	ABERDEEN—											
	(1) St Nicholas (Burgh),	41465	41962	888	893	1781	131	110	241	622	617	1239
	(2) Old Machar (Burgh),	30503	31938	570	527	1097	75	78	153	325	417	742
	(3) Do. (Landward),	1254	1298	16	16	32	1	3	4	6	15	21
169	Aberdour,	1707	1837	34	53	87	8	14	22	18	16	34
170	Aboyne,	1108	1160	24	18	42	3	2	5	9	5	14
171	Alford,	1143	1264	20	22	42	2	4	6	8	5	13
172	Auchindoir,	1369	1593	23	28	51	4	8	12	9	8	17
173	Auchterless,	1837	2010	33	28	61	6	6	12	8	12	20
174	Belhelvie,	1692	1807	35	37	72	9	5	14	16	8	24
175	Birse,	1533	1284	18	18	36	1	2	3	13	6	19
176	Bourtie,	529	547	9	4	13	–	1	1	3	3	6
177	Cabrach,	750	794	11	13	24	3	2	5	6	8	14
178	Cairney,	1565	1490	21	19	40	2	5	7	14	22	36
179	Chapel of Garioch,	2102	2023	47	27	74	6	5	11	15	12	27
180	Clatt,	543	511	4	6	10	1	1	2	4	5	9
181	Cluny,	1149	1254	36	13	49	6	1	7	12	3	15
182	Coull,	734	792	15	11	26	4	2	6	4	9	13
183	Crathie and Braemar,	1788	1574	18	17	35	1	–	1	12	18	30
184	Crimond,	893	892	14	13	27	1	1	2	4	8	12
185	Cruden,	2479	2743	58	38	96	8	3	11	19	22	41
186	Culsamond,	1042	1165	14	8	22	2	–	2	5	11	16
187	Daviot,	601	614	5	10	15	–	1	1	3	6	9
188	Drumblade,	949	926	14	11	25	2	1	3	5	5	10
189	Drumoak,	948	996	16	12	28	–	–	–	6	5	11
190	Dyce,	470	585	13	8	21	–	–	–	4	1	5
191	Echt,	1206	1287	19	20	39	1	1	2	8	7	15
192	Ellon,	c. 2750	3239	59	46	105	14	10	24	19	19	38
193	Fintray,	1080	1003	13	17	30	1	2	3	4	15	19
194	Forgue,	2626	2686	53	35	88	7	7	14	23	18	41
195	Foveran,	1638	1891	34	30	64	2	5	7	10	13	23
196	Fraserburgh (incl. Twn.),	4447	4511	100	103	203	11	11	22	49	61	110
197	Fyvie,	c. 2927	c. 3264	71	51	122	11	13	24	13	21	34
198	Gartly,	990	1029	15	6	21	2	2	4	6	5	11

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
199	Glass,	972	1049	20	17	37	5	4	9	9	7	16	9
200	Glenbucket,	542	552	6	2	8	3	–	3	4	3	7	4
201	Glenmuick, Tullich, and Glengairn,	1984	1668	33	26	59	6	4	10	17	17	34	11
202	Huntly (incl. Town),	4061	4329	70	71	141	21	20	41	55	46	101	26
203	Insch,	1519	1565	28	27	55	5	5	10	15	12	27	9
204	Inverurie (including part of Burgh),	*c.* 2649	2668	61	56	117	14	13	27	24	22	46	22
205	Keig,	772	811	10	13	23	1	1	2	3	4	7	7
206	Keithhall,	920	933	11	11	22	1	3	4	10	8	18	4
207	Kemnay,	680	832	22	18	40	3	2	5	7	6	13	12
208	Kildrummy,	643	590	9	11	20	1	3	4	6	2	8	5
209	Kincardine O'Neil,	2093	2186	34	36	70	6	11	17	18	18	36	12
210	King-Edward,	2749	2843	56	54	110	11	16	27	18	15	33	14
211	Kinnellar,	590	691	6	4	10	1	1	2	6	2	8	5
212	Kinnethmont,	1108	1187	18	18	36	5	3	8	12	13	25	6
213	Kintore (incl. Burgh, and part of Burgh of Inverurie),	1342	1895	34	44	78	4	5	9	21	19	40	14
214	Leochel-Cushnie,	1068	1173	27	16	43	1	2	3	11	5	16	3
215	Leslie,	559	577	7	13	20	1	1	2	5	3	8	3
216	Logie-Buchan,	724	762	19	10	29	4	2	6	5	6	11	10
217	Logie-Coldstone,	889	932	15	12	27	2	–	2	8	10	18	7
218	Longside,	2952	3008	68	53	121	18	8	26	26	25	51	22
219	Lonmay,	1964	2142	29	36	65	5	7	12	5	8	13	19
220	Lumphanan,	1088	1251	16	27	43	2	5	7	6	5	11	4
221	Methlic,	1997	2157	33	33	66	7	5	12	14	17	31	9
*a*222	Midmar,	1166	1091	26	8	34	4	1	5	12	12	24	10
*b*222	Millbrex,	*c.* 1215	*c.* 1295	23	22	45	3	6	9	13	16	29	6
223	Monquhitter,	*c.* 2080	*c.* 2365	54	47	101	15	7	22	21	21	42	10
224	Monymusk,	940	988	20	20	40	4	6	10	7	3	10	9
225	New Deer,	*c.* 3383	3736	80	67	147	10	13	23	32	25	57	28
226	Newhills,	3325	3463	58	87	145	6	10	16	27	31	58	29
*a*227	New Machar,	*c.* 1338	1556	29	22	51	6	4	10	18	8	26	9
*b*227	New Pitsligo,	*c.* 2425	2609	55	60	115	12	10	22	25	26	51	20
228	Old Deer,	*c.* 4025	4392	79	78	157	18	12	30	34	40	74	25
229	Old Meldrum,	2002	2343	52	35	87	13	6	19	16	25	41	7
230	Oyne,	919	1127	28	19	47	3	1	4	10	6	16	5
231	Peterculter,	1351	1410	21	22	43	4	2	6	13	15	28	5
232	Peterhead (incl. Burgh),	9429	9796	226	206	432	26	13	39	93	101	194	72
233	Pitsligo,	1801	1890	46	35	81	2	6	8	16	19	35	13
234	Premnay,	793	916	24	29	53	5	6	11	10	10	20	11
235	Rathen,	2368	2554	47	49	96	5	12	17	21	12	33	14
236	Rayne,	1550	1514	21	31	52	2	6	8	9	11	20	9
*a*237	Rhynie,	1017	1061	13	21	34	2	3	5	5	10	15	6
*b*237	Savoch,	*c.* 1852	2061	41	26	67	7	8	15	15	5	20	12
238	Skene,	1862	1831	23	27	50	3	3	6	11	20	31	10
239	Slains,	1232	1266	24	12	36	7	2	9	17	9	26	6
240	Strathdon,	1531	1459	29	17	46	4	4	8	21	11	32	10
241	Strichen,	*c.* 2223	2409	47	44	91	14	17	31	14	19	33	15
242	Tarland,	1197	1246	22	15	37	4	2	6	8	16	24	5
243	Tarves,	*c.* 2339	2377	38	31	69	7	8	15	14	21	35	20
244	Tough,	891	874	19	8	27	2	–	2	7	6	13	7
245	Towie,	758	839	15	15	30	3	3	6	5	6	11	6
246	Tullynessle and Forbes,	930	957	16	18	34	1	6	7	8	8	16	3
247	Turriff,	3584	3693	76	67	143	12	14	26	37	41	78	23
248	Tyrie,	*c.* 775	833	16	11	27	5	1	6	7	2	9	4
249	Udny,	*c.* 1473	1623	30	33	63	6	6	12	10	11	21	14
	Total,	213461	223344	4250	3948	8198	667	625	1292	2143	2245	4388	1618

No. of District.	Registration Districts.	Population.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	II. KINCARDINE.												
250	Arbuthnot,	1002	932	10	14	24	2	3	5	6	8	14	4
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh),	c. 1298	1232	30	21	51	1	3	4	12	18	30	9
	(2) Portlethen,	c. 1780	1687	27	23	50	4	5	9	18	15	33	22
252	Banchory-Ternan,	2462	2947	53	63	116	6	10	16	23	32	55	23
253	Benholm,	1641	1574	26	29	55	4	7	11	10	20	30	22
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	34	27	61	3	6	9	19	16	35	17
255	Dunnottar (incl. part of STONEHAVEN, Town),	1949	1828	29	40	69	6	4	10	15	14	29	19
256	Durris,	962	1109	22	25	47	6	6	12	7	8	15	9
257	Fettercairn,	1741	1700	19	25	44	1	1	2	4	10	14	4
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of STONEHAVEN, Town),	c. 3730	3575	53	57	110	3	7	10	33	28	61	21
	(2) Cookney,	c. 1990	1952	27	30	57	3	5	8	12	8	20	13
259	Fordoun,	2386	2297	30	34	64	–	6	6	21	15	36	15
260	Garvock,	457	458	5	2	7	–	1	1	3	2	5	5
261	Glenbervie,	1239	1219	23	18	41	3	4	7	9	7	16	8
262	Kinneff and Catterline,	1069	1054	17	20	37	3	3	6	6	5	11	6
263	Laurencekirk,	2125	2110	34	50	84	4	6	10	15	22	37	14
264	Maryculter,	1055	1055	16	12	28	4	3	7	9	9	18	8
265	Marykirk,	2232	2068	43	40	83	9	9	18	20	12	32	24
266	Nigg,	1841	2074	44	30	74	10	1	11	14	19	33	17
267	St Cyrus,	1579	1552	34	28	62	5	6	11	9	19	28	10
268	Strachan,	947	870	19	12	31	4	3	7	5	3	8	8
	Total,	34944	34854	595	600	1195	81	99	180	270	290	560	278
	IV. EAST-MIDLAND. 12. FORFAR.												
269	Aberlemno,	1116	1054	15	14	29	1	2	3	1	6	7	11
270	Airlie,	856	845	14	10	24	1	–	1	4	9	13	1
271	Arbirlot,	990	960	10	14	24	–	2	2	8	4	12	10
272	ARBROATH (incl. Bur.),	17238	17831	405	355	760	43	36	79	217	250	467	170
273	Auchterhouse,	686	706	13	8	21	–	1	1	5	5	10	3
274	Barry,	2175	2465	32	33	65	3	4	7	33	32	65	21
275	BRECHIN (incl. Burgh),	8210	8810	153	145	298	28	26	54	83	94	177	69
276	Carmylie,	1240	1286	23	18	41	5	2	7	5	6	11	10
277	Careston,	207	225	1	4	5	–	–	–	–	3	3	2
278	Cortachy and Clova,	722	653	9	7	16	1	–	1	2	–	2	8
279	Coupar-Angus,	2685	2642	36	34	70	5	5	10	38	32	70	14
280	Craig (incl. part of MONTROSE, Burgh),	1934	2177	48	36	84	5	3	8	16	18	34	15
281	Dun,	522	552	9	13	22	3	3	6	4	7	11	1
282	DUNDEE—												
	(1) First District,	c. 39960	44064	1110	988	2098	129	106	235	656	669	1325	524
	(2) Second District,	c. 34835	40813	950	941	1891	148	131	279	714	673	1387	539
	(3) Third (or Lochee) Dis.	c. 5232	6787	219	215	434	28	31	59	122	166	288	106
283	Dunnichen,	1884	1932	31	32	63	9	9	18	29	17	46	13
284	Eassie and Nevay,	706	748	10	10	20	1	–	1	1	4	5	5
285	Edzell,	1084	1025	18	13	31	3	3	6	13	7	20	4
286	Farnell,	650	703	3	9	12	1	1	2	3	6	9	3
287	Fearn,	392	439	5	6	11	–	–	–	3	5	8	3
288	FORFAR (incl. Burgh),	11009	10838	224	200	424	42	40	82	123	148	271	84
289	Glammis,	2152	1980	30	20	50	4	3	7	17	15	32	12
290	Glenisla,	1050	1008	10	13	23	1	1	2	5	5	10	4

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	469	476	5	3	8	1	–	1	–	1	1	3
292	Inverarity,	948	961	12	15	27	4	1	5	4	5	9	7
293	Inverkeillor,	1871	1792	30	21	51	4	–	4	5	11	16	15
294	Kettins,	995	962	14	13	27	2	1	3	4	3	7	3
295	Kingoldrum,	429	473	7	3	10	–	–	–	1	3	4	3
296	Kinnell,	826	816	9	14	23	1	2	3	3	4	7	3
297	Kinnettles,	460	447	9	8	17	–	–	–	7	4	11	3
298	Kirkden,	1763	1862	26	35	61	1	1	2	17	17	34	13
299	Kirriemuir (incl. Town),	7617	7359	97	117	214	24	22	46	51	77	128	49
300	Lethnott and Navar,	408	446	6	1	7	1	1	2	3	3	6	2
301	Liff, Benvie, and Invergowrie,	1467	1430	24	24	48	6	1	7	16	12	28	9
302	Lintrathen,	926	898	13	10	23	3	1	4	3	4	7	5
303	Lochlee,	615	495	8	5	13	3	–	3	4	4	8	3
304	Logie-Pert,	1609	1483	25	17	42	8	3	11	10	6	16	10
305	Lunan,	279	259	3	6	9	–	–	–	2	1	3	–
306	Lundie,	450	442	4	9	13	1	–	1	1	9	10	2
307	Mains, etc.—(1) Mains,	1299	1392	26	31	57	4	5	9	13	11	24	9
	(2) Strathmartine,	735	789	12	9	21	2	1	3	5	3	8	4
308	Marytown,	366	417	5	5	10	–	1	1	2	1	3	3
309	Menmuir,	693	796	14	14	28	4	1	5	3	8	11	6
310	Monifieth (including part of Broughty Ferry),	4267	5052	98	102	200	10	4	14	60	63	123	35
311	Monikie,	1317	1460	22	22	44	2	4	6	9	11	20	8
312	Montrose (incl. part of Burgh),	16037	15668	280	230	510	23	29	52	145	193	338	117
313	Murroes,	643	763	12	12	24	–	3	3	6	6	12	3
314	Newtyle,	1141	1139	17	18	35	4	3	7	8	7	15	7
315	Oathlaw,	424	399	3	11	14	–	1	1	4	6	10	1
316	Panbride,	1372	1299	23	15	38	–	3	3	10	12	22	10
317	Rescobie,	711	747	12	13	25	3	2	5	2	8	10	3
318	Ruthven,	503	265	4	4	8	–	2	2	2	4	6	2
319	St Vigeans,	2591	2553	46	40	86	4	7	11	21	20	41	16
320	Stracathro,	505	546	9	10	19	3	4	7	8	5	13	5
321	Tannadice,	1517	1438	22	14	36	2	2	4	7	16	23	6
322	Tealing,	844	883	9	10	19	–	–	–	3	7	10	4
	Total,	193627	206750	4284	3999	8283	581	514	1095	2541	2726	5267	2001
	13. Perth.												
323	Aberdalgie,	343	295	5	1	6	–	–	–	–	6	6	–
324	Aberfeldy,	c. 2702	2402	34	33	67	5	5	10	25	27	52	7
325	Aberfoyle,	514	565	7	8	15	–	2	2	6	5	11	1
326	Abernethy,	2026	1960	29	23	52	3	–	3	16	25	41	15
327	Abernyte,	275	310	–	3	3	–	–	–	3	6	9	4
328	Alyth (incl. Town),	c. 2946	3198	48	43	91	11	6	17	26	25	51	19
329	Auchterarder (including Town),	4160	4208	49	67	116	10	14	24	38	50	88	17
330	Auchtergaven,	3232	2562	27	31	58	3	3	6	26	22	48	11
331	Balquhidder,	c. 974	c. 846	10	10	20	–	1	1	6	8	14	2
332	Bendochy,	c. 552	549	10	8	18	–	1	1	2	3	5	3
333	Blackford,	c. 2012	2084	25	29	54	2	2	4	17	13	30	7
334	Blair-Athol,	c. 1951	1553	22	13	35	2	1	3	13	10	23	4
335	Blairgowrie (including Town),	c. 4081	4423	70	69	139	10	12	22	66	69	135	39
336	Callander,	1716	1676	21	20	41	3	1	4	13	14	27	8
337	Caputh,	c. 1920	1728	24	21	45	2	–	2	10	22	32	6
338	Cargill,	1629	1647	25	25	50	3	7	10	21	20	41	6
339	Clunie,	723	699	8	8	16	3	–	3	2	7	9	2
340	Collace,	581	534	6	4	10	–	–	–	5	4	9	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	c. 2363	c. 2126	16	32	48	2	6	8	16	16	32	16
342	Crieff (incl. Town),	4504	4490	64	75	139	10	11	21	32	34	66	34
343	CULROSS (incl. Burgh),	1487	1423	23	22	45	3	1	4	9	12	21	7
344	Dowally,	c. 531	486	9	6	15	1	2	3	1	3	4	
345	Dron,	394	376	11	3	14	3	–	3	2	2	4	
346	Dull,	c. 855	753	9	7	16	1	1	2	6	3	9	
347	Dunbarney,	1066	1035	16	11	27	3	–	3	7	7	14	3
348	Dunblane,	c. 3213	3096	51	39	90	4	6	10	17	23	40	25
349	Dunkeld,	c. 1199	1086	12	10	22	1	–	1	13	12	25	5
350	Dunning,	2206	2084	27	18	45	3	5	8	22	12	34	11
351	Errol,	2796	2759	52	56	108	2	7	9	22	29	51	15
352	Findo-Gask,	405	399	5	2	7	1	–	1	2	3	5	2
353	Forgandenny,	828	759	7	9	16	2	2	4	4	5	9	4
354	Forteviot,	638	595	9	6	15	–	–	–	1	4	5	2
355	Fortingall,	c. 1409	1244	11	8	19	2	–	2	10	11	21	4
356	Foss,	c. 432	381	3	4	7	1	1	2	1	4	5	–
356	Fowlis-Easter,	300	317	9	6	15	1	1	2	2	2	4	–
357	Fowlis-Wester,	1321	1276	12	8	20	1	1	2	8	5	13	12
358	Glendevon,	128	138	–	1	1	–	–	–	1	–	1	2
359	Inchture,	745	659	10	11	21	–	1	1	7	11	18	2
360	Kenmore,	c. 1718	1515	19	15	34	4	2	6	17	16	33	11
361	Killin,	c. 1817	1681	16	9	25	–	1	1	10	12	22	5
362	Kilmadock,	3659	3312	36	41	77	4	5	9	32	28	60	15
363	Kilspindie,	684	665	13	7	20	–	–	–	9	5	14	5
364	Kincardine,	1993	1778	15	21	36	1	4	5	14	17	31	10
365	Kinclaven,	881	758	6	7	13	–	1	1	8	8	16	2
366	Kinfauns,	650	659	10	8	18	–	1	1	5	2	7	5
367	Kinloch-Rannoch,	c. 1303	1147	12	12	24	5	–	5	10	10	20	3
368	Kinnaird,	370	318	9	6	15	1	1	2	3	2	5	2
369	Kinnoull,	771	796	10	9	19	–	–	–	6	9	15	6
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	8	13	21	4	1	5	4	8	12	2
	(2) Glenshee,	c. 349	334	4	2	6	–	–	–	–	1	1	–
371	Lecropt,	442	528	7	3	10	–	–	–	5	3	8	3
372	Lethendy and Kinloch,	c. 544	530	3	6	9	–	–	–	2	–	2	6
373	Little Dunkeld,	c. 2140	2089	45	26	71	2	4	6	30	25	55	25
374	Logie (including part of STIRLING),	2551	3483	45	51	96	4	8	12	35	37	72	21
375	Logiealmond,	c. 959	815	7	9	16	1	1	2	5	7	12	–
376	Logierait,	c. 2109	1902	34	26	60	6	2	8	25	17	42	12
377	Longforgan,	1787	1823	26	36	62	–	2	2	11	27	38	12
378	Madderty,	593	536	8	5	13	2	–	2	5	6	11	4
379	Meigle,	978	1122	12	16	28	1	–	1	12	13	25	2
380	Methven,	c. 2394	2290	27	30	57	6	3	9	19	20	39	12
381	Moneydie,	321	252	1	2	3	–	–	–	–	2	2	–
382	Monzie,	c. 569	461	3	9	12	–	–	–	3	5	8	1
383	Monzievaird,	790	782	13	13	26	–	2	2	7	4	11	5
384	Moulin,	c. 1772	1605	21	18	39	4	4	8	19	20	39	15
385	Muckhart,	685	615	3	6	9	–	–	–	5	3	8	6
386	Muthill,	c. 2972	2008	48	34	82	7	7	14	27	32	59	5
386	Persie,	c. 814	839	17	15	32	4	2	6	6	8	14	10
387	PERTH (incl. Burgh),	24670	26094	438	465	903	39	42	81	368	361	729	212
388	Port of Menteith,	1419	1375	27	10	37	2	1	3	4	7	11	4
389	Rattray,	c. 2308	2234	27	32	59	1	5	6	19	31	50	11
390	Redgorton,	c. 1955	1596	17	15	32	2	1	3	12	12	24	13
391	Rhynd,	338	297	4	5	9	1	–	1	1	–	1	2
392	St Madoes,	288	280	4	1	5	–	–	–	1	2	3	1
393	St Martins,	983	904	11	6	17	–	1	1	4	7	11	4
394	Scone,	2332	2153	36	23	59	4	1	5	24	22	46	12
394	Strathfillan,	c. 435	411	16	7	23	4	–	4	3	4	7	2

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
394	Tenandry,	c. 681	595	4	4	8	–	–	–	6	1	7	2
395	Tibbermore,	1469	1182	16	14	30	–	–	–	6	5	11	5
396	Trinity-Gask,	597	488	10	5	15	1	–	1	1	2	3	5
397	Tullialtan (including Kincardine),	3043	2410	38	35	73	5	6	11	22	30	52	14
398	Weem,	c. 230	215	2	2	4	–	1	1	3	3	6	1
	Total,	137369	133198	1904	1829	3733	213	209	422	1286	1368	2654	796
	14. Fife.												
399	Abbotshall,	688	808	14	12	26	–	–	–	8	2	10	5
400	Abdie,	c. 1353	1257	19	20	39	4	2	6	5	10	15	6
401	Aberdour,	1945	1874	35	24	59	4	–	4	17	14	31	9
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	19	18	37	–	–	–	9	8	17	5
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	10	8	18	–	–	–	5	1	6	1
404	Arngask,	689	705	7	11	18	3	2	5	5	6	11	2
405	Auchterderran,	3210	3457	90	83	173	2	6	8	45	49	94	30
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	45	50	95	2	7	9	29	49	78	22
407	Auchtertool,	517	609	6	9	15	1	1	2	3	8	11	6
408	Ballingry,	568	736	21	20	41	2	2	4	10	7	17	3
409	Balmerino,	945	815	4	9	13	–	1	1	5	4	9	2
410	Beath,	1252	2390	79	83	162	4	–	4	34	38	72	18
411	BURNTISLAND (incl. Burgh),	3158	3670	66	65	131	4	4	8	36	33	69	24
412	Cameron,	1207	1362	21	20	41	–	1	1	10	5	15	11
413	Carnbee,	1129	1157	22	16	38	2	–	2	13	5	18	5
414	Carnock,	3191	2925	39	48	87	1	1	2	20	29	49	17
415	Ceres,	2833	2723	42	48	90	6	3	9	36	32	68	17
416	Collessie,	1520	1530	20	29	49	1	3	4	14	6	20	13
417	CRAIL (incl. Burgh),	1903	1931	26	29	55	1	–	1	27	34	61	11
418	Creich,	386	377	7	7	14	–	–	–	4	3	7	2
419	Cults,	915	800	10	14	24	1	1	2	6	10	16	5
420	CUPAR (incl. Burgh),	7427	6750	110	91	201	12	17	29	71	90	161	42
421	Dairsie,	708	638	13	9	22	2	1	3	4	5	9	3
422	Dalgetty,	1513	1569	26	24	50	1	1	2	9	10	19	9
423	Dunbog,	c. 409	414	7	9	16	–	1	1	1	3	4	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	230	207	437	18	14	32	151	162	313	153
	(2) Landward,	c. 7602	7609	139	151	290	14	12	26	92	84	176	27
425	Dunino,	289	370	4	7	11	–	1	1	–	–	–	1
426	DYSART (incl. Burgh),	8739	8842	171	161	332	10	13	23	105	106	211	88
427	Elie,	843	826	11	12	23	–	1	1	9	15	24	7
428	FALKLAND (incl. Burgh)	3102	2937	35	51	86	6	8	14	18	36	54	15
429	Ferry-Port-on-Craig,	2238	2013	31	36	67	4	4	8	21	19	40	16
430	Flisk,	c. 157	230	1	2	3	–	–	–	3	2	5	4
431	Forgan,	1125	1326	13	28	41	2	2	4	6	8	14	9
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	62	39	101	4	8	12	38	42	80	15
433	Kemback,	956	896	18	12	30	3	1	4	11	7	18	13
434	Kennoway,	2257	2012	28	19	47	2	1	3	12	16	28	16
435	Kettle,	2601	2474	21	32	53	2	2	4	20	17	37	18
436	Kilconquhar (including EARLSFERRY),	2489	2431	30	33	63	–	3	3	23	27	50	15
437	Kilmany,	662	656	9	8	17	–	–	–	5	–	5	4
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	51	67	118	2	4	6	34	30	64	11
439	KINGHORN (incl. Burgh)	2455	2349	41	41	82	5	8	13	26	35	61	23

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Tota	
440	Kinglassie,	1186	1266	19	21	40	1	1	2	7	7	14	2
441	Kingsbarns,	893	937	13	9	22	1	–	1	8	5	13	3
442	KIRKCALDY (including Burgh),	10636	11117	212	215	427	15	16	31	108	135	243	88
443	Largo,	2800	2626	33	45	78	3	1	4	17	17	34	16
444	Leslie (incl. Town),	3800	4332	62	67	129	13	5	18	55	50	105	40
445	Leuchars,	1991	1903	31	23	54	1	1	2	13	12	25	7
446	Logie,	467	410	8	12	20	1	2	3	3	4	7	3
447	Markinch,	5843	5375	88	72	160	15	3	18	58	71	129	36
448	Monimail,	1102	1054	12	14	26	2	2	4	4	9	13	4
449	Moonzie,	198	179	1	2	3	–	–	–	1	–	1	1
450	NEWBURGH (including Burgh),	2986	2693	56	54	110	5	4	9	30	33	63	26
451	Newburn,	375	374	3	8	11	1	–	1	5	1	6	1
452	PITTENWEEM (incl. Burgh),	1473	1710	28	29	57	5	3	8	13	11	24	8
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	111	115	226	7	14	21	59	83	142	53
454	St Monance (or Abercrombie),	1241	1498	43	24	67	–	1	1	11	17	28	9
455	Saline,	1792	1610	26	38	64	1	4	5	10	6	16	9
456	Scoonie (incl. Leven),	3115	3257	64	56	120	8	8	16	24	39	63	22
457	Strathmiglo,	2509	2261	29	32	61	1	5	6	16	32	48	13
458	Torryburn,	1341	1229	28	18	46	3	3	6	7	16	23	6
459	Wemyss,	5647	6003	110	122	232	4	4	8	54	70	124	41
	Total,	153789	155021	2630	2638	5268	212	213	425	1503	1685	3188	1093
	15. Kinross.												
460	Cleish,	659	649	9	4	13	2	–	2	5	3	8	4
461	Fossoway and Tulliebole,	1621	1584	22	22	44	2	2	4	12	17	29	8
462	Kinross (incl. Town),	3227	2649	24	35	59	6	5	11	30	36	66	15
463	Orwell,	2569	2399	38	30	68	5	4	9	21	25	46	20
464	Portmoak,	1550	1450	25	17	42	1	1	2	20	12	32	11
	Total,	9626	8731	118	108	226	16	12	28	88	93	181	58
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	170	174	344	14	12	26	104	91	195	50
466	Clackmannan,	5802	4425	97	79	176	11	7	18	57	30	87	23
467	Dollar,	1574	1776	24	27	51	5	1	6	21	18	39	9
468	Tillicoultry (including Town),	4686	5054	96	77	173	9	10	19	55	65	120	38
	Total,	21555	20122	387	357	744	39	30	69	237	204	441	120
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	27	30	57	4	5	9	8	12	20	2
470	Alva (incl. Town),	3204	3283	69	77	146	8	5	13	31	35	66	20
471	Baldernock,	801	718	7	8	15	1	1	2	2	6	8	8
472	Balfron,	1900	1517	31	29	60	5	6	11	18	20	38	10
473	Bothkennar,	1179	1722	33	35	68	2	2	4	19	18	37	10
474	Buchanan,	632	705	13	8	21	1	–	1	4	5	9	2
475	Campsie (including Lennoxtown),	6918	6483	109	94	203	10	7	17	58	62	120	48
476	Denny (incl. Town),	4754	4988	84	105	189	4	7	11	38	34	72	45
477	Drymen,	1481	1619	16	20	36	2	1	3	15	13	28	7
478	Dunipace,	1472	1731	29	31	60	1	1	2	10	19	29	14
479	FALKIRK—(1) Burgh,	8752	9030	196	152	348	13	10	23	115	93	208	78
	(2) Landward,	7686	7996	182	153	335	14	7	21	101	88	189	88

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	11	8	19	1	1	2	3	7	10	2
481	Gargunnock,	754	728	9	8	17	–	1	1	4	4	8	3
482	Killearn,	1176	1171	16	18	34	1	2	3	8	8	16	7
483	Kilsyth (incl. Town),	5346	6112	151	141	292	15	23	38	81	72	153	56
484	Kippen,	1892	1722	28	22	50	2	4	6	16	19	35	8
485	Larbert,	4606	4999	94	96	190	7	5	12	59	42	101	40
486	Muiravonside,	2647	2660	71	68	139	3	3	6	21	16	37	16
487	Polmont,	3764	4111	89	71	160	2	11	13	29	25	54	33
488	St Ninians (includ. Bannockburn, Town),	7630	6648	140	119	259	12	4	16	65	77	142	53
489	Slamannan,	1655	2916	75	91	166	2	4	6	28	30	58	22
490	STIRLING (incl. Burgh),	12401	14012	276	230	506	20	20	40	190	202	392	141
491	Strathblane,	1010	1388	15	23	38	–	1	1	9	3	12	8
	Total,	83802	88138	1771	1637	3408	130	131	261	932	910	1842	721
	18. Dumbarton.												
492	Arrochar,	562	629	8	9	17	1	–	1	7	4	11	2
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	143	137	280	5	9	14	76	61	137	68
494	Cardross (incl. Renton),	3402	4168	88	74	162	9	9	18	44	52	96	36
495	Cumbernauld,	3778	3513	73	76	149	9	7	16	35	42	77	13
496	DUMBARTON (incl. Burgh)	5445	8268	251	205	456	13	4	17	119	118	237	64
497	Kilmaronock,	1033	1085	14	18	32	2	1	3	5	6	11	4
498	Kirkintilloch (incl. Town)	8426	8179	155	138	293	15	19	34	109	95	204	42
499	Lass,	907	831	11	18	29	–	2	2	10	6	16	2
500	New, or East, Kilpatrick,	4286	4910	121	82	203	6	4	10	58	54	112	20
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	113	87	200	12	5	17	70	75	145	46
502	Roseneath,	1044	1626	22	23	45	1	1	2	18	15	33	8
503	Row (incl. Helensburgh),	4372	6334	113	106	219	10	3	13	69	68	137	38
	Total,	46995	54179	1112	973	2085	83	64	147	620	596	1216	343
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	15	9	24	1	1	2	7	13	20	3
505	Ardnamurchan—												
	(1) Aharacle,	c. 1791	1544	31	15	46	3	1	4	13	9	22	11
	(2) Arisaig,	c. 1555	1343	13	10	23	1	1	2	10	6	16	8
	(3) Sunart (or Strontian)	c. 875	759	13	10	23	1	–	1	4	5	9	2
	(4) Western District,	c. 1225	1054	13	13	26	–	2	2	7	10	17	–
506	Ballachulish and Corran of Ardgour,	c. 1125	919	18	7	25	–	–	–	8	6	14	3
507	CAMPBELTOWN (incl. Burgh),	9381	8149	136	113	249	13	14	27	84	74	158	46
508	Craignish,	756	618	5	6	11	1	–	1	7	4	11	2
509	Cumlodden,	1095	1033	10	13	23	–	–	–	8	5	13	3
510	Dunoon and Kilmun (incl. Dunoon & Kirn),	4518	5461	64	77	141	2	6	8	66	66	132	40
511	Glassary,	c. 1860	1769	19	28	47	2	1	3	14	12	26	6
512	Glenorchy and Inishail,	1450	1307	21	9	30	4	2	6	5	7	12	2
513	INVERARAY (including Burgh),	1755	1650	24	16	40	–	2	2	16	15	31	8
514	Inverchaolain,	474	424	8	4	12	–	–	–	4	1	5	1
515	Kilbrandon & Kilchattan,	c. 2571	2053	27	26	53	–	2	2	22	18	40	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmouell,	c. 930	742	10	3	13	–	–	–	2	5	7	5
	(2) Kilberry,	689	583	6	6	12	–	–	–	4	2	6	–
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	6	4	10	1	2	3	1	5	6	3
	(2) Dalavich,	282	230	3	3	6	1	–	1	3	3	6	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Tota	
518	Kilfinan,	1695	1891	37	31	68	2	–	2	17	11	28	10
519	Killean and Kilchenzie,	2219	1890	31	19	50	1	2	3	18	16	34	8
520	Kilmalie,	c. 4110	3353	31	34	65	1	4	5	24	31	55	5
521	Kilmartin,	1144	949	11	14	25	–	1	1	15	5	20	10
522	Kilmodan,	500	433	2	6	8	–	–	–	5	4	9	2
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	41	36	77	4	2	6	32	33	65	16
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	5	4	9	–	–	–	2	2	4	–
	(2) Kilmelford,	265	486	11	6	17	–	–	–	3	5	8	2
525	Lismore, etc.—												
	(1) Lismore,	c. 1167	1023	15	9	24	–	–	–	10	8	18	2
	(2) Appin,	c. 940	825	9	6	15	1	–	1	6	4	10	1
	(3) Glencoe & Ballachulish,	c. 1510	1324	22	20	42	–	2	2	14	6	20	3
	(4) Duror,	c. 480	423	4	5	9	2	–	2	1	1	2	1
526	Lochgilphead,	c. 3263	3312	64	51	115	1	3	4	41	36	77	20
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	446	418	4	6	10	–	–	–	3	–	3	2
	(2) Kilmorich,	388	284	3	3	6	–	–	–	2	2	4	1
528	Morvern,	1547	1226	14	18	32	–	2	2	8	10	18	4
529	Muckairn,	788	729	8	7	15	–	–	–	5	1	6	2
530	North Knapdale,	1666	1327	10	14	24	1	–	1	5	6	11	4
531	Saddell, etc.—												
	(1) Saddell,	791	739	13	7	20	2	–	2	6	2	8	3
	(2) Skipness,	c. 705	533	5	5	10	–	–	–	3	6	9	2
532	Southend,	1406	1214	15	16	31	4	2	6	7	9	16	5
533	South Knapdale,	565	654	7	6	13	1	–	1	2	1	3	3
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	6	7	13	–	1	1	2	3	5	3
	(2) Strachur,	518	563	2	7	9	–	1	1	5	2	7	4
535	Tarbert,	c. 1828	1661	28	29	57	3	–	3	15	12	27	13
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	25	20	45	2	6	8	22	23	45	6
537	Gigha,	547	467	1	3	4	–	–	–	3	2	5	1
538	Iona,	c. 900	743	10	9	19	–	1	1	4	5	9	4
539	Jura, etc.—(1) Jura,	c. 868	858	19	5	24	4	–	4	4	1	5	6
	(2) Colonsay,	837	598	9	6	15	1	1	2	2	2	4	2
540	Kilchoman,	c. 2865	2377	22	26	48	4	1	5	21	15	36	11
541	Kildalton,	c. 2450	2187	17	28	45	5	7	12	17	11	28	5
542	Kilfinichen & Kilvickeon,	c. 2171	1792	19	23	42	1	2	3	14	11	25	5
543	Kilmeny,	1413	1268	15	12	27	1	2	3	11	15	26	1
544	Kilninian and Kilmore,	c. 1890	1641	13	12	25	1	1	2	13	2	15	3
545	Kinlochspelvie,	c. 420	428	10	6	16	2	–	2	3	1	4	1
546	Oa,	c. 860	769	6	6	12	–	1	1	4	7	11	2
547	Portnahaven,	c. 1277	1059	11	14	25	2	–	2	10	6	16	2
548	Salen,	c. 634	604	10	7	17	1	2	3	5	5	10	3
549	Tobermory,	c. 1804	1566	19	18	37	–	1	1	18	15	33	2
550	Torosay,	c. 550	557	4	6	10	–	–	–	–	6	6	2
551	Tyree, etc.—(1) Tyree,	3709	3217	41	34	75	5	4	9	27	18	45	13
	(2) Coll,	1109	781	13	8	21	–	1	1	6	12	18	7
	Total,	94042	83859	1104	981	2085	82	84	166	720	639	1359	351
	20. Bute.												
552	Cumbraes,	1275	1256	17	14	31	–	–	–	14	12	26	9
553	Kilbride,	c. 2340	2253	21	26	47	1	1	2	23	20	43	11
554	Kilmory,	c. 2724	2515	26	17	43	2	2	4	25	20	45	11
555	Kingarth,	1007	905	14	11	25	–	1	1	12	9	21	7

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
556	Lochranza,	c. 883	824	10	11	21	–	–	–	5	11	16	5
557	North Bute,	c. 1235	1351	19	15	34	–	4	4	16	12	28	10
558	ROTHESAY,	c. 7144	7227	95	114	209	7	6	13	95	93	188	50
	Total,	16608	16331	202	208	410	10	14	24	190	177	367	103
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	315	292	607	35	19	54	197	189	386	180
	(2) Landward (including part of Barrhead),	c. 4867	5670	82	98	180	6	6	12	39	49	88	46
	(3) Johnstone (including Town),	c. 7363	8142	178	165	343	11	10	21	108	98	206	66
560	Cathcart,	2916	3782	77	84	161	2	1	3	41	39	80	28
561	Eaglesham,	2524	2328	32	22	54	2	2	4	13	12	25	11
562	Eastwood,	9243	11314	242	212	454	19	22	41	119	126	245	85
563	Erskine,	1232	1457	17	28	45	–	1	1	10	11	21	10
564	GREENOCK—												
	(1) New, or Middle	9414	9446	258	252	510	14	32	46	185	173	358	51
	(2) East,	7704	12135	441	242	683	15	8	23	197	185	382	117
	(3) Old, or West,	20318	22313	601	567	1168	27	32	59	479	456	935	344
565	Houston and Killellan,	2753	2490	40	36	76	5	1	6	16	27	43	14
566	Inchinnan,	649	619	11	10	21	–	1	1	8	6	14	6
567	Innerkip—												
	(1) Innerkip.	c. 1026	1188	20	27	47	–	–	–	17	14	31	5
	(2) Gourock (including Town),	c. 1992	2307	55	44	99	2	3	5	30	32	62	17
568	Kilbarchan,	5474	6348	104	114	218	7	8	15	55	61	116	29
569	Kilmalcolm,	1399	1455	27	19	46	3	2	5	18	18	36	16
570	Lochwinnoch,	4153	3821	55	47	102	5	9	14	41	35	76	24
571	Mearns,	3704	3547	52	65	117	8	9	17	35	40	75	32
572	Neilston (including part of Barrhead),	12233	11013	173	153	326	17	25	42	81	81	162	69
573	PAISLEY—												
	(1) High,	14643	14900	302	285	587	27	27	54	194	216	410	119
	(2) Low,	7205	6712	140	100	240	7	6	13	142	139	281	68
	(3) Middle,	9904	9926	183	190	373	18	25	43	156	177	333	105
574	PORT-GLASGOW (incl. Burgh),	7017	7294	270	239	509	23	18	41	155	169	324	105
575	RENFREW (incl. Burgh),	3866	4650	112	117	229	6	4	10	53	51	104	18
	Total,	157950	168746	3787	3408	7195	259	271	530	2389	2404	4793	1565
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats),	c. 3434	3530	69	56	125	7	6	13	30	30	60	41
	(2) New (including Ardrossan),	c. 2147	3246	67	75	142	1	3	4	33	27	60	19
577	Auchinleck,	3697	4213	113	101	214	4	7	11	59	48	107	21
578	AYR (incl. Burgh),	18845	19659	320	275	595	38	22	60	198	235	433	114
579	Ballantrae,	1801	1483	20	30	50	4	5	9	20	11	31	8
580	Barr,	907	910	12	13	25	1	–	1	5	3	8	2
581	Beith (incl. Town),	6425	5775	99	117	216	12	9	21	69	86	155	53
582	Colmonell,	2984	2588	30	34	64	5	3	8	11	19	30	11
583	Coylton,	1542	1604	26	15	41	3	1	4	11	9	20	7
584	Craigie,	793	730	9	3	12	–	–	–	3	1	4	11
585	Dailly,	2413	2050	32	32	64	5	4	9	12	14	26	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total	
586	Dalmellington,	2910	4194	132	101	233	14	7	21	49	39	88	23
587	Dalry (incl. Town),	8865	11156	343	297	640	18	13	31	160	119	279	78
588	Dalrymple,	1096	1325	25	31	56	3	3	6	15	13	28	11
589	Dreghorn,	1828	3283	74	70	144	5	4	9	31	26	57	16
590	Dundonald (incl. Troon),	4555	4694	61	70	131	2	3	5	45	39	84	33
591	Dunlop,	1115	1038	13	14	27	1	–	1	12	9	21	7
592	Fenwick,	1741	1532	11	17	28	1	4	5	7	24	31	10
593	Galston (incl. Town),	4392	5254	122	143	265	4	11	15	55	61	116	52
594	Girvan (incl. Town),	8588	7053	106	92	198	29	29	58	69	60	129	42
595	Irvine (incl. Burgh),	8463	8607	154	144	298	14	11	25	119	137	256	58
596	Kilbirnie (incl. Town),	5484	5265	120	127	247	8	8	16	67	56	123	40
597	Kilmarnock (incl. part of Burgh),	21287	23556	479	448	927	35	35	70	234	274	508	212
598	Kilmaurs,	3144	3526	68	56	124	5	1	6	29	30	59	18
599	Kilwinning (incl. Town),	6359	7717	184	161	345	13	14	27	72	71	143	38
600	Kirkmichael,	3262	2823	36	41	77	5	5	10	21	17	38	25
601	Kirkoswald,	2242	2060	39	21	60	6	4	10	19	12	31	7
602	Largs (incl. Town),	3715	3620	46	64	110	3	3	6	34	50	84	24
603	Loudoun (incl. Newmilns),	4720	4840	87	80	167	4	5	9	31	41	72	45
604	Mauchline,	2470	2303	45	29	74	3	4	7	20	27	47	9
605	Maybole (incl. Town),	7615	6713	125	108	233	18	16	34	71	51	122	33
606	Monkton and Prestwick,	1960	1937	24	33	57	2	4	6	23	17	40	20
607	Muirkirk (incl. Town),	3423	3270	56	65	121	4	10	14	32	25	57	20
608	New Cumnock,	2759	2891	53	51	104	7	3	10	32	35	67	25
609	Ochiltree,	1787	1676	17	23	40	1	1	2	9	10	19	9
610	Old Cumnock (including Town),	3777	3721	71	70	141	6	3	9	30	34	64	24
611	Riccarton (incl. part of Kilmarnock),	4583	5629	131	140	271	6	15	21	71	50	121	40
612	St Quivox and Newton-upon-Ayr,	2231	1870	26	33	59	6	4	10	13	13	26	7
613	Sorn (incl. Catrine),	4174	4042	71	66	137	6	5	11	35	41	76	39
614	Stair,	820	743	12	12	24	–	1	1	4	10	14	1
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	141	124	265	18	14	32	54	57	111	28
616	Stewarton (incl. Town),	4572	4449	71	60	131	5	6	11	39	43	82	49
617	Straiton,	1540	1544	30	23	53	4	2	6	11	16	27	12
618	Symington,	902	855	11	9	20	–	–	–	4	5	9	5
619	Tarbolton,	2824	2669	78	45	123	3	5	8	49	32	81	27
620	West Kilbride,	2021	1968	32	25	57	7	4	11	9	9	18	15
	Total,	189973	199063	3891	3644	7535	346	317	663	2026	2036	4062	1403
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	96	91	187	11	7	18	58	61	119	46
622	Barony—												
	(1) Maryhill (incl. Town and part of Glasgow),	c. 4007	6734	160	165	325	11	13	24	102	96	198	51
	(2) Springburn (incl. pt. of Glasgow),	c. 6386	8911	266	235	501	37	30	67	322	302	624	48
	(3) Shettleston,	c. 6564	6914	141	118	259	5	8	13	74	72	146	49
623	Biggar,	2049	1999	31	34	65	4	2	6	9	19	28	15
624	Blantyre,	2848	3092	57	50	107	11	9	20	29	24	53	21
625	Bothwell—												
	(1) Bothwell (including Bellshill),	c. 5583	7059	157	157	314	5	9	14	103	80	183	33
	(2) Holytown,	c. 9700	10844	246	203	449	16	9	25	112	127	239	93

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
626	Cadder—												
	(1) Western District,	c. 2550	3023	53	74	127	3	1	4	27	22	49	21
	(2) Eastern District,	c. 2464	2925	56	56	112	2	3	5	28	28	56	12
626	Calderhead,	c. 2140	3789	96	92	188	3	7	10	19	28	47	24
627	Cambuslang,	3306	3647	80	79	159	4	6	10	37	25	62	28
628	Cambusnethan (including Wishaw) (part of),	8571	c.13377	369	401	770	23	27	50	160	155	315	131
629	Carluke (incl. Town),	6283	6176	129	136	265	16	18	34	69	63	132	55
630	Carmichael,	805	836	9	13	22	1	3	4	7	3	10	7
631	Carmunnock,	710	734	10	9	19	–	1	1	4	7	11	7
632	Carnwath,	3551	3584	120	91	211	26	11	37	48	40	88	32
633	Carstairs,	1066	1345	35	24	59	3	2	5	10	10	20	14
634	Covington & Thankerton,	548	532	9	7	16	–	1	1	2	2	4	6
635	Crawford—												
	(1) Crawford,	c. 730	694	14	17	31	3	1	4	2	2	4	10
	(2) Leadhills,	c. 940	896	26	18	44	1	4	5	9	9	18	11
636	Crawfordjohn,	1111	980	15	13	28	3	4	7	9	10	19	3
637	Culter,	472	665	5	6	11	1	–	1	4	4	8	4
638	Dalserf—												
	(1) Larkhall (including Town),	c. 2670	3629	91	111	202	8	9	17	44	51	95	26
	(2) Dalserf,	c. 913	1247	29	24	53	3	2	5	13	15	28	13
639	Dalziel (incl. Motherwell),	2262	5438	186	152	338	4	6	10	83	65	148	35
640	Dolphington,	305	260	3	2	5	–	–	–	4	1	5	2
641	Douglas,	2611	2490	47	49	96	9	7	16	22	18	40	21
642	Dunsyre,	312	312	9	8	17	1	–	1	4	3	7	2
643	East Kilbride,	3760	4064	76	59	135	6	5	11	37	26	63	27
644	GLASGOW—												
	(1) Central District,	c. 43270	49678	1262	1210	2472	230	210	440	1155	1142	2297	390
	(2) High,	c. 42005	48119	1137	1052	2189	99	73	172	1339	1112	2451	400
	(3) Bridgeton,	c. 38385	45485	1054	1032	2086	92	84	176	718	756	1474	413
	(4) Calton,	c. 33310	36625	827	763	1590	55	72	127	583	555	1138	560
	(5) Clyde,	c. 32800	29975	557	526	1083	73	88	161	500	483	983	230
	(6) Blythswood,	c. 21405	28697	450	448	898	33	32	65	280	353	633	606
	(7) Milton,	c. 26240	33360	831	864	1695	73	63	136	504	542	1046	319
	(8) Anderston,	c. 30035	40945	1054	949	2003	53	58	111	605	580	1185	379
	(9) Tradeston,	c. 27163	38660	927	884	1811	70	55	125	648	659	1307	508
	(10) Hutchesontown,	c. 34484	44019	1081	1048	2129	79	82	161	685	715	1400	358
645	Glassford,	1955	1938	27	32	59	6	2	8	12	17	29	17
646	Govan—												
	(1) Govan (incl. Town),	c. 6238	13725	479	451	930	15	17	32	245	234	479	190
	(2) Partick (incl. Town),	c. 7852	14859	452	390	842	19	12	31	221	210	431	185
647	HAMILTON (incl. Burgh),	11740	14047	314	280	594	10	12	22	185	174	359	130
648	LANARK (incl. Burgh),	8243	7891	131	128	259	22	20	42	90	114	204	70
649	Lesmahagow,	7746	9266	194	166	360	24	12	36	88	86	174	59
650	Libberton,	800	836	14	13	27	2	3	5	5	4	9	3
651	New Monkland—												
	(1) AIRDRIE,	14435	12922	275	302	577	33	26	59	150	175	325	144
	(2) Landward,	8766	7632	164	155	319	19	16	35	93	75	168	43
652	Old Monkland—												
	(1) Western District,	c. 6646	6932	174	165	339	9	13	22	100	81	181	28
	(2) Middle District (incl. Coatbridge),	c. 13168	15303	387	421	808	21	23	44	225	197	422	160
	(3) Eastern District (incl. Calderbank),	c. 7519	7308	157	190	347	10	8	18	81	55	136	26
653	Pettinain,	428	407	8	5	13	–	1	1	3	6	9	6
654	RUTHERGLEN (incl. Burgh),	7954	9335	206	160	366	6	4	10	127	126	253	93
655	Shotts (part of),	c. 3892	c. 4778	107	94	201	2	6	8	45	37	82	24

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	73	60	133	5	9	14	40	40	80	28
657	Symington,	536	528	13	5	18	1	1	2	6	1	7	2
658	Walston,	497	480	5	8	13	1	1	2	5	5	10	3
659	Wandell and Lamington,	369	380	6	5	11	–	–	–	1	3	4	1
660	Wiston and Roberton,	839	786	6	11	17	–	1	1	9	7	16	2
	Total,	533169	640444	14993	14311	29304	1282	1209	2491	10199	9912	20111	6219
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	977	965	6	14	20	–	2	2	9	14	23	1
662	Bathgate (incl. Town and Armadale),	4583	10134	304	272	576	17	23	40	109	89	198	87
663	Borrowstounness (incl. Town),	5192	5698	139	124	263	13	8	21	70	70	140	48
664	Carriden,	1724	1821	42	45	87	2	4	6	29	17	46	23
665	Dalmeny,	768	804	17	15	32	2	1	3	6	13	19	8
666	Ecclesmachen,	289	309	6	1	7	–	–	–	1	2	3	4
667	Kirkliston,	2029	1907	50	33	83	3	1	4	16	16	32	14
668	Linlithgow—												
	(1) Burgh,	4213	3643	60	63	123	6	8	14	45	44	89	31
	(2) Landward,	1902	1941	33	28	61	2	6	8	13	23	36	9
669	Livingstone,	1289	1366	24	38	62	5	8	13	14	15	29	9
670	Queensferry (incl. Burgh),	1195	1391	30	37	67	5	3	8	22	22	44	10
671	Torphichen,	1356	1848	44	24	68	3	1	4	18	16	34	19
672	Uphall,	1331	1507	36	41	77	5	4	9	15	15	30	9
673	Whitburn,	3792	5511	139	147	286	10	14	24	61	58	119	45
	Total,	30590	39045	930	882	1812	73	83	156	428	414	842	317
	25. Edinburgh.												
674	Borthwick,	1614	1742	35	30	65	3	5	8	16	11	27	11
675	Carrington,	710	681	9	13	22	1	2	3	3	2	5	6
676	Cockpen,	3228	2902	67	55	122	4	8	12	26	29	55	20
677	Colinton,	2676	2656	49	48	97	9	5	14	30	18	48	19
678	Corstorphine,	1499	1579	22	13	35	2	–	2	15	18	33	6
679	Cramond,	2547	2695	57	53	110	3	8	11	29	17	46	18
680	Cranston,	1235	1035	9	22	31	1	1	2	10	10	20	8
681	Crichton,	1387	1304	23	35	58	2	8	10	10	17	27	9
682	Currie,	2190	2248	31	39	70	2	4	6	15	20	35	8
683	Dalkeith (incl. Town),	6521	7114	135	148	283	10	13	23	68	95	163	62
684	Duddingston—												
	(1) Portobello,	3559	4366	68	75	143	9	7	16	47	60	107	45
	(2) Landward,	904	857	14	11	25	2	2	4	4	9	13	4
685	Edinburgh—												
	(1) St George (incl. Landward of St Cuthbert),	c. 38540	42068	769	667	1436	32	30	62	576	601	1177	386
	(2) St Andrew,	c. 37435	38731	478	466	944	30	28	58	319	376	695	405
	(3) Canongate (incl. Landward),	c. 29230	30169	710	662	1372	65	58	123	821	646	1467	267
	(4) St Giles,	c. 29245	29679	651	645	1296	162	134	296	352	415	767	327
	(5) Newington,	c. 27198	29797	582	565	1147	39	39	78	344	408	752	399
686	Fala and Soutra,	434	382	6	9	15	–	1	1	2	3	5	4
687	Glencross,	1138	1217	16	16	32	1	1	2	4	11	15	4
688	Heriot,	352	407	4	5	9	–	1	1	2	1	3	5
689	Inveresk (incl. Musselburgh),	8653	9518	196	169	365	12	18	30	140	157	297	77

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	23	24	47	3	2	5	19	15	34	8
691	Lasswade,	5821	5688	111	96	207	9	16	25	59	49	108	57
692	LEITH—												
	(1) North Leith,	c. 9494	11562	255	260	515	17	15	32	145	140	285	102
	(2) South Leith	c. 22725	24467	551	520	1071	29	39	68	332	331	663	254
693	Liberton,	3528	3510	59	37	96	5	2	7	38	39	77	19
694	Mid-Calder,	1474	1389	16	16	32	1	2	3	8	4	12	9
695	Newbattle,	2518	2837	67	53	120	10	4	14	32	25	57	20
696	Newton,	1780	1553	24	17	41	–	1	1	8	16	24	9
697	Penicuik,	3003	3249	59	55	114	7	6	13	32	30	62	24
698	Ratho,	1718	1659	34	23	57	5	2	7	10	18	28	14
699	Stow,	1973	2171	41	32	73	7	3	10	17	18	35	9
700	Temple,	1414	1385	35	25	60	4	1	5	14	8	22	10
701	West-Calder,	2120	1927	59	58	117	5	5	10	34	33	67	26
	Total,	259493	274093	5265	4962	10227	491	471	962	3584	3650	7231	2651
	26. Haddington.												
702	Aberlady,	1099	1019	12	15	27	1	–	1	7	8	15	6
703	Athelstaneford,	971	902	13	8	21	–	1	1	6	8	14	6
704	Bolton,	373	332	3	5	8	1	–	1	2	3	5	2
705	Dirleton,	1684	1540	16	14	30	1	1	2	18	9	27	10
706	DUNBAR (incl. Burgh),	4415	4944	82	76	158	13	11	24	42	41	83	19
707	Garvald,	869	891	19	14	33	4	3	7	6	9	15	6
708	Gladsmuir,	1780	1945	47	33	80	6	3	9	19	11	30	12
709	HADDINGTON (incl. Burgh),	5525	5548	86	86	172	6	14	20	54	75	129	56
710	Humbie,	925	997	12	14	26	3	–	3	9	7	16	3
711	Innerwick,	1012	937	14	18	32	2	1	3	4	9	13	3
712	Morham,	249	281	4	3	7	–	–	–	3	2	5	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	44	44	88	4	1	5	27	22	49	10
714	Oldhamstocks,	692	615	14	8	22	2	2	4	8	3	11	8
715	Ormiston,	811	915	19	17	36	1	1	2	11	7	18	9
716	Pencaitland,	1175	1187	17	26	43	2	3	5	14	20	34	10
717	Prestonkirk,	1894	1960	32	26	58	3	–	3	25	28	53	14
718	Prestonpans,	2123	2080	42	32	74	4	1	5	19	25	44	17
719	Salton,	697	712	16	6	22	2	–	2	6	8	14	3
720	Spott,	595	555	4	14	18	–	1	1	3	8	11	4
721	Stenton,	719	692	11	5	16	4	–	4	9	7	16	3
722	TRANENT (incl. Town),	4158	4647	98	80	178	10	9	19	43	55	98	23
723	Whitekirk & Tynninghame	1131	1113	13	11	24	2	1	3	14	6	20	6
724	Whittinghame,	671	710	11	4	15	2	1	3	2	3	5	1
725	Yester (or Gifford),	1202	1033	14	22	36	1	1	2	9	5	14	6
	Total,	36363	37626	643	581	1224	74	55	129	360	379	739	238
	27. Berwick.												
726	Abbey St Bathans,	155	179	4	2	6	–	–	–	1	2	3	–
727	Ayton,	1959	2014	29	29	58	1	2	3	28	21	49	12
728	Bunkle and Preston,	715	756	8	8	16	1	–	1	4	6	10	4
729	Channelkirk,	728	671	6	5	11	–	–	–	3	1	4	2
730	Chirnside,	1384	1502	18	18	36	1	–	1	12	11	23	10
731	Cockburnspath,	1196	1194	18	17	35	1	1	2	8	12	20	8
732	Coldingham,	3188	3241	56	64	120	9	9	18	32	29	61	19
733	Coldstream,	3245	2823	46	33	79	7	5	12	23	35	58	16
734	Cranshaws,	127	134	2	4	6	–	1	1	–	1	1	–
735	DUNSE (incl. Town),	3407	3595	59	53	112	6	3	9	51	35	86	23
736	Earlston,	1819	1825	35	31	66	4	1	5	13	18	31	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Toti	Mal.	Fem	Total.	
737	Eccles,	1892	1861	32	23	55	10	1	11	10	25	35	12
738	Edrom,	1474	1592	22	17	39	3	1	4	10	15	25	11
739	Eyemouth,	1468	1804	40	49	89	3	1	4	22	20	42	14
740	Fogo,	604	559	4	5	9	1	1	2	2	3	5	3
741	Fouldon,	480	431	5	5	10	1	–	1	3	7	10	6
742	Gordon,	983	931	17	8	25	1	1	2	6	3	9	9
743	Greenlaw,	1378	1370	18	23	41	7	1	8	12	14	26	5
744	Hume,	406	420	7	9	16	–	–	–	4	1	5	4
745	Hutton,	1102	1067	18	17	35	2	–	2	5	6	11	7
746	Ladykirk,	561	564	9	6	15	1	–	1	1	2	3	6
747	Langton,	484	502	8	10	18	1	1	2	4	3	7	4
748	LAUDER (incl. Burgh),	2154	2198	42	45	87	10	7	17	32	22	54	9
749	Legerwood,	587	599	8	8	16	2	2	4	–	–	–	2
750	Longformacus,	411	448	14	5	19	1	–	1	4	1	5	4
751	Merton,	692	729	9	6	15	1	1	2	5	7	12	7
752	Mordington,	427	377	6	4	10	–	–	–	9	3	12	1
753	Nenthorn,	441	461	7	4	11	3	1	4	1	2	3	1
754	Polwarth,	331	251	3	1	4	–	–	–	1	2	3	2
755	Swinton,	994	964	19	19	38	2	4	6	7	7	14	2
756	Westruther,	791	786	9	13	22	1	4	5	8	4	12	–
757	Whitsome,	612	640	12	8	20	–	–	–	5	10	15	1
	Total,	36165	36488	590	549	1139	80	48	128	326	328	654	220
	28. PEEBLES.												
758	Broughton,	284	297	4	5	9	–	2	2	1	–	1	–
759	Drumelzier,	244	209	3	3	6	–	–	–	2	2	4	1
760	Eddlestone,	790	753	12	11	23	1	2	3	10	7	17	6
761	Glenholm,	252	198	4	2	6	–	–	–	2	1	3	–
762	Innerleithen,	1236	1823	39	43	82	8	4	12	16	29	45	8
763	Kilbucho,	345	228	2	6	8	–	3	3	1	2	3	2
764	Kirkurd,	326	362	4	5	9	–	–	–	–	4	4	1
765	Lyne, etc.—(1) Lyne,	95	81	–	1	1	–	–	–	–	–	–	–
	(2) Meggat,	63	53	1	2	3	–	–	–	–	–	–	–
766	Manor,	256	247	7	2	9	–	–	–	4	3	7	–
767	Newlands,	950	987	22	18	40	2	2	4	9	7	16	10
768	PEEBLES (incl. Burgh),	2673	2850	61	40	101	6	2	8	26	21	47	16
769	Skirling,	316	317	3	3	6	–	1	1	–	–	–	2
770	Stobo,	478	478	9	8	17	–	–	–	1	4	5	1
771	Traquair,	646	687	10	19	29	1	1	2	9	3	12	4
772	Tweedsmuir,	220	196	–	5	5	–	–	–	1	1	2	2
773	West Linton,	1630	1534	31	21	52	4	3	7	19	18	37	13
	Total,	10804	11300	212	194	406	22	20	42	101	102	203	66
	29. SELKIRK.												
774	Ettrick,	477	454	7	6	13	1	1	2	3	3	6	2
775	GALASHIELS (incl. part of Town),	3014	3379	77	87	164	13	4	17	45	39	84	39
776	Kirkhope,	*c.* 600	555	10	8	18	3	2	5	3	3	6	2
777	Roberton,	670	640	4	14	18	1	4	5	4	3	7	6
778	SELKIRK (incl. Burgh),	4347	4739	85	84	169	9	11	20	53	53	106	32
779	Yarrow,	*c.* 694	643	7	8	15	–	–	–	2	3	5	1
	Total,	9802	10410	190	207	397	27	22	49	110	104	214	82
	VIII. SOUTHERN. 30. ROXBURGH.												
786	Ancrum,	1554	1511	28	17	45	5	2	7	14	15	29	8
791	Ashkirk,	578	578	6	8	14	–	–	–	4	1	5	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Tot	Mal.	Fem	Total.	
782	Bedrule,	240	222	4	4	8	–	–	–	3	2	5	3
783	Bowden,	981	864	10	19	29	–	2	2	6	13	19	9
784	Castleton,	2130	3688	42	35	77	5	5	10	17	20	37	17
785	Cavers,	1495	1824	29	29	58	2	–	2	13	14	27	13
786	Crailing,	734	673	6	6	12	–	1	1	3	5	8	13
787	Eckford,	1073	957	5	13	18	–	3	3	3	6	9	5
787	Edgerston,	c. 373	359	3	5	8	–	1	1	3	3	6	–
788	Ednam,	658	599	16	9	25	1	–	1	5	3	8	7
789	Hawick (incl. part of Town),	7801	8726	173	168	341	24	20	44	109	91	200	61
790	Hobkirk,	720	771	15	10	25	1	1	2	4	1	5	3
791	Hownam,	252	289	5	4	9	–	–	–	1	–	1	1
792	JEDBURGH (incl. Burgh),	c. 5220	5011	77	72	149	3	7	10	51	51	102	35
793	Kelso (incl. Town),	5634	5192	76	55	131	9	4	13	56	55	111	28
794	Kirktown,	282	421	5	9	14	1	1	2	2	1	3	1
795	Lilliesleaf,	798	772	8	11	19	2	2	4	8	5	13	3
796	Linton,	630	608	8	7	15	1	1	2	4	5	9	6
797	Makerston,	345	380	–	5	5	–	1	1	1	1	2	2
798	Maxton,	550	497	9	8	17	1	2	3	3	2	5	4
799	Melrose—												
	(1) Melrose,	3592	3557	67	57	124	6	4	10	41	43	84	24
	(2) Ladhope (incl. part of Galashiels),	3773	4154	76	86	162	6	8	14	41	49	90	59
800	Minto,	467	430	5	7	12	3	1	4	2	1	3	3
801	Morebattle,	997	1031	16	9	25	1	–	1	6	12	18	2
802	Oxnam,	c. 632	592	14	8	22	1	–	1	9	8	17	2
803	Roxburgh,	1141	1178	18	17	35	1	5	6	10	6	16	6
804	St Boswells,	884	865	11	15	26	1	1	2	12	11	23	3
805	Smailholm,	617	554	9	10	19	–	1	1	5	3	8	2
806	Southdean,	c. 765	687	4	7	11	–	1	1	2	2	4	4
807	Sprouston,	1424	1305	19	22	41	2	2	4	12	9	21	9
808	Stitchel,	426	425	5	9	14	1	2	3	2	3	5	3
809	Teviothead,	550	438	5	8	13	–	2	2	2	–	2	3
810	Wilton (incl. Town and part of Hawick),	2557	3357	76	76	152	10	8	18	40	40	80	30
811	Yetholm,	1352	1207	23	19	42	2	3	5	7	10	17	11
	Total,	51225	53722	873	844	1717	89	91	180	501	491	992	381
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	90	77	167	13	6	19	72	56	128	20
813	Applegarth,	918	935	18	19	37	–	2	2	11	5	16	5
813	Brydekirk (incl. part of ANNAN),	c. 864	779	11	7	18	4	–	4	4	7	11	4
814	Canonbie,	3163	3219	52	48	100	7	5	12	20	17	37	20
815	Carlaverock,	1418	1248	16	24	40	3	4	7	7	15	22	6
816	Closeburn,	1732	1651	39	30	69	4	4	8	16	9	25	11
817	Cummertrees,	c. 1334	1184	15	15	30	1	4	5	7	10	17	5
818	Dalton,	761	679	7	5	12	–	1	1	2	4	6	2
819	Dornock,	936	856	12	17	29	2	4	6	4	7	11	7
820	Dryfesdale,	2409	2509	42	49	91	7	7	14	15	25	40	20
821	DUMFRIES (incl. part of Burgh),	12298	13523	223	258	481	32	48	80	199	200	399	93
822	Dunscore,	1578	1554	22	21	43	2	3	5	14	10	24	11
823	Durrisdeer,	1795	1320	14	14	28	–	–	–	5	8	13	7
824	Eskdalemuir,	672	590	5	6	11	–	3	3	3	2	5	1
825	Ewes,	354	356	7	7	14	1	–	1	3	6	9	–
826	Glencairn,	1980	1867	27	32	59	2	3	5	12	20	32	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna),	1830	1620	22	15	37	4	3	7	17	19	36	8
828	Halfmorton,	687	713	8	11	19	–	2	2	3	5	8	1
829	Hoddam,	*c.* 1705	1568	27	25	52	9	5	14	20	10	30	6
830	Holywood,	1060	1115	12	14	26	–	1	1	6	10	16	5
831	Hutton,	836	876	8	14	22	–	2	2	4	5	9	2
832	Johnstone,	1261	1149	14	16	30	2	1	3	7	10	17	8
833	Keir,	960	849	9	19	28	3	3	6	15	8	23	6
834	Kirkconnel,	1245	996	10	20	30	–	2	2	10	12	22	6
835	Kirkmahoe,	1553	1462	19	21	40	3	2	5	19	13	32	15
836	Kirkmichael,	1124	1026	13	15	28	1	–	1	7	10	17	3
837	Kirkpatrick-Fleming,	1829	1925	27	38	65	4	5	9	23	15	38	9
838	Kirkpatrick-Juxta,	1097	1025	15	24	39	2	4	6	4	10	14	10
839	Langholm,	2990	2979	67	61	128	11	9	20	26	36	62	22
840	LOCHMABEN (includ. Burgh),	3127	3087	51	54	105	8	11	19	32	31	63	19
841	Middlebie,	2163	2004	27	32	59	4	5	9	15	12	27	16
842	Moffat,	2304	2232	33	34	67	5	5	10	19	28	47	21
843	Morton,	2482	2253	34	38	72	8	5	13	25	19	44	13
844	Mousewald,	686	633	10	9	19	–	–	–	9	10	19	3
845	Penpont,	1411	1326	14	15	29	2	–	2	15	10	25	5
846	Ruthwell,	1110	1046	16	13	29	3	1	4	10	6	16	5
847	St Mungo,	645	686	10	10	20	–	1	1	4	2	6	4
848	SANQUHAR (including Burgh),	*c.* 3155	2758	38	35	73	2	4	6	30	22	52	13
849	Tinwald,	1080	1079	22	17	39	2	6	8	8	12	20	5
850	Torthorwald,	1313	1254	23	24	47	3	8	11	10	14	24	7
851	Tundergarth,	577	507	9	9	18	2	–	2	2	5	7	3
852	Tynron,	482	446	5	4	9	–	1	1	5	5	10	2
853	Wamphray,	523	559	11	9	20	2	1	3	3	5	8	1
854	Wanlockhead,	*c.* 916	811	7	14	21	1	2	3	6	10	16	3
855	Westerkirk,	658	537	6	8	14	1	2	3	3	4	7	3
	Total,	78149	75904	1167	1247	2414	160	185	345	751	759	1510	456
	32. KIRKCUDBRIGHT.												
855	Anwoth,	900	899	10	9	19	1	–	1	7	7	14	8
856	Balmaclellan,	*c.* 938	890	14	18	32	2	2	4	11	10	21	3
857	Balmaghie,	1217	1225	14	20	34	1	3	4	8	8	16	1
858	Bargrennan,	*c.* 500	*c.* 500	8	–	8	–	–	–	2	2	4	3
858	Borgue,	1043	1162	18	14	32	4	2	6	8	8	16	3
859	Buittle,	1042	1165	17	17	34	4	4	8	4	7	11	10
860	Carsphairn,	855	553	1	6	7	–	1	1	6	12	18	1
861	Colvend,	1398	1366	21	17	38	2	3	5	9	11	20	8
862	Corsock-Bridge,	*c.* 550	544	11	11	22	3	2	5	5	2	7	2
863	Crossmichael,	1362	1536	25	38	63	3	4	7	20	20	40	6
864	Dalbeattie,	*c.* 1927	2054	45	45	90	5	8	13	26	27	53	10
865	Dalry,	1238	1149	9	13	22	3	1	4	9	23	32	5
866	Girthon,	1787	1702	25	28	53	4	2	6	13	12	25	13
867	Irongray,	918	913	13	16	29	5	3	8	8	6	14	5
868	Kells (incl. NEW GALLOWAY),	1091	1170	15	20	35	1	4	5	8	4	12	2
869	Kelton	3186	3436	49	53	102	5	9	14	24	47	71	24
870	Kirkbean,	982	942	12	11	23	–	1	1	10	9	19	2
871	KIRKCUDBRIGHT (including Burgh),	3355	3407	53	54	107	7	7	14	51	45	96	23
872	Kirkgunzeon,	734	793	17	12	29	4	–	4	6	4	10	4
873	Kirkmabreck,	2266	1851	31	33	64	7	5	12	13	23	36	10
874	Kirkpatrick-Durham,	*c.* 1349	1323	31	23	54	7	5	12	9	16	25	4
875	Lochrutton,	726	677	11	8	19	2	1	3	6	7	13	2
876	Minnigaff,	*c.* 1804	*c.* 1554	22	20	42	5	4	9	5	15	20	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
877	New Abbey,	1098	1063	22	18	40	3	2	5	7	7	14	4
878	Parton,	*c.* 547	572	10	5	15	–	1	1	–	3	3	3
879	Rerrick,	1725	1738	26	42	68	4	3	7	8	11	19	14
880	Terregles (incl. part of DUMFRIES),	566	580	12	7	19	1	1	2	5	6	11	1
881	Tongland,	924	892	15	12	27	4	3	7	3	8	11	4
882	Troqueer (incl. part of DUMFRIES),	4925	4743	97	88	185	14	13	27	55	70	125	32
883	Twynholm,	782	815	12	5	17	2	3	5	4	8	12	2
884	Urr,	*c.* 1436	1531	20	23	43	4	4	8	13	14	27	11
	Total,	43121	42495	686	686	1372	107	101	208	363	452	815	226
	33. Wigtown.												
885	Glasserton,	1487	1472	14	14	28	5	3	8	9	8	17	2
886	Inch,	2579	2460	37	32	69	4	7	11	17	16	33	10
887	Kirkcolm,	2018	1860	30	31	61	8	3	11	11	15	26	13
888	Kirkcowan,	1541	1434	20	19	39	3	6	9	10	10	20	6
889	Kirkinner,	1914	1716	25	30	55	5	8	13	11	15	26	6
890	Kirkmaiden,	2681	2333	37	34	71	4	6	10	17	21	38	7
891	Leswalt,	1703	1417	16	19	35	1	4	5	9	10	19	7
892	Mochrum,	2946	2694	45	36	81	5	4	9	21	27	48	12
893	New Luce,	791	731	10	10	20	1	1	2	8	9	17	2
894	Old Luce (or Glenluce),	2841	2800	39	34	73	9	3	12	14	17	31	15
895	Penninghame (incl. Newton-Stewart),	4155	4061	52	53	105	3	12	15	25	28	53	21
896	Portpatrick,	1963	2189	23	29	52	9	5	14	16	20	36	9
897	Sorbie,	1886	1814	28	23	51	5	5	10	19	22	41	1
898	Stoneykirk,	3321	3228	48	48	96	7	5	12	21	18	39	12
899	STRANRAER (incl. Burgh)	5738	6315	125	88	213	16	19	35	75	83	158	38
900	WHITHORN (incl. Burgh)	3001	2934	39	45	84	5	7	12	20	46	66	10
901	WIGTOWN (incl. Burgh)	2824	2637	31	35	66	5	4	9	25	29	54	12
	Total,	43389	42095	619	580	1199	95	102	197	328	394	722	183

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular,	166,487	1,60733	2577	2469	5046	170	167	337	1236	1252	2488	776
Mainland-Rural,	1,711,717	1,762,576	30561	28760	59321	3234	3069	6303	16339	16653	32992	11184
Town,	1,010,538	1,138,985	25082	23621	48703	2375	2247	4622	17615	17796	35411	11651
SCOTLAND,	2,888,742	3,062,294	58220	54850	113070	5779	5483	11262	35190	35701	70891	23611

MARRIAGES registered in SCOTLAND in 1865, according to the Rites of the several Religious Denominations, with the number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.	TOTAL.		Men.	Women.	Both Sexes.
SCOTLAND.	10177	5636	3345	476	2399	1516	30	23579	32	2697	5247	7944
INSULAR DISTRICTS	343	290	68	1	25	41	8	776	–	195	285	480
MAINLAND-RURAL DISTRICTS	5907	2603	1480	124	621	424	18	11177	7	913	1786	2699
TOWN DISTRICTS	3927	2743	1797	351	1753	1051	4	11626	25	1589	3176	4765
DIVISIONS.												
I. Northern	216	267	57	–	–	64	15	619	–	36	110	146
II. North-Western	242	510	25	2	38	4	2	823	1	250	398	648
III. North-Eastern	1497	693	130	62	61	132	–	2575	–	88	276	364
IV. East-Midland	1925	831	667	95	360	186	2	4066	2	379	753	1132
V. West-Midland	724	338	210	16	143	81	6	1518	–	192	331	523
VI. South-Western	3275	1986	1433	183	1438	853	5	9173	14	1414	2837	4251
VII. South-Eastern	1617	783	625	108	301	132	–	3566	8	274	451	725
VIII. Southern	681	228	198	10	58	64	–	1239	7	64	91	155
COUNTIES.												
1 Shetland	82	27	16	–	–	24	6	155	–	11	43	54
2 Orkney	74	31	40	–	–	12	–	157	–	2	10	12
3 Caithness	50	135	1	–	–	27	9	220	–	13	32	45
4 Sutherland	10	76	–	–	–	1	–	87	–	10	25	35
5 Ross and Cromarty	67	293	6	1	1	4	–	372	–	126	177	303
6 Inverness	175	217	19	1	37	–	2	451	1	124	221	345
7 Nairn	20	19	13	–	4	–	–	56	–	9	13	22
8 Elgin	104	104	27	2	5	1	–	243	–	10	35	45
9 Banff	227	96	17	6	20	14	–	380	–	20	52	72
10 Aberdeen	947	416	65	46	30	114	–	1618	–	39	149	188
11 Kincardine	199	58	8	8	2	3	–	278	–	10	27	37
12 Forfar	831	368	291	76	310	124	–	2000	1	303	590	893
13 Perth	384	243	98	13	28	30	–	796	–	27	55	82
14 Fife	638	176	228	6	20	22	2	1092	1	45	91	136
15 Kinross	32	12	14	–	–	–	–	58	–	2	3	5
16 Clackmannan	40	32	36	–	2	10	–	120	–	2	14	16
17 Stirling	288	151	144	3	69	60	6	721	–	82	157	239
18 Dumbarton	172	58	32	7	59	15	–	343	–	54	97	151
19 Argyll	218	92	23	5	10	3	–	351	–	48	70	118
20 Bute	46	37	11	1	5	3	–	103	–	8	7	15
21 Renfrew	685	302	186	33	291	68	–	1565	–	286	528	814
22 Ayr	776	265	183	12	88	78	1	1403	–	189	357	546
23 Lanark	1814	1419	1064	138	1059	707	4	6205	14	939	1952	2891
24 Linlithgow	129	72	44	6	49	17	–	317	–	70	84	154
25 Edinburgh	1135	619	468	100	220	101	–	2643	8	166	309	475
26 Haddington	134	47	26	–	28	3	–	238	–	28	42	70
27 Berwick	136	25	52	–	1	6	–	220	–	6	10	16
28 Peebles	36	9	18	–	3	–	–	66	–	2	4	6
29 Selkirk	47	11	17	2	–	5	–	82	–	2	2	4
30 Roxburgh	181	60	88	5	25	21	–	380	1	17	24	41
31 Dumfries	240	90	69	3	17	31	–	450	6	16	19	35
32 Kirkcudbright	154	37	16	2	10	7	–	226	–	11	20	31
33 Wigtown	106	41	25	–	6	5	–	183	–	20	28	48

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1865.

CONDITION.	TOTAL.	AGES.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated
BACHELORS with SPINSTERS.	20138	–	–	1	15	111	478	1071	8001	6570	2307	888	371	181	85	39	14	7	2	1	–	–	16
	20158	2	10	72	261	868	1574	2101	8450	4849	1314	419	142	46	8	6	1	–	–	–	–	–	35
BACHELORS with WIDOWS.	593	–	–	–	–	1	–	9	85	153	138	77	65	30	18	9	3	2	1	–	–	–	2
	593	–	–	–	–	–	1	2	34	137	183	120	72	23	11	2	2	3	–	–	–	–	3
WIDOWERS with SPINSTERS.	2055	–	–	–	–	–	–	1	42	245	365	408	359	248	167	102	77	22	12	3	2	–	2
	2055	–	–	6	2	20	27	37	314	534	427	355	202	89	26	10	3	–	–	–	–	–	3
WIDOWERS with WIDOWS.	642	–	–	–	–	–	–	–	5	25	62	102	111	111	97	58	41	17	12	–	–	–	1
	642	–	–	–	–	–	1	–	11	73	121	137	139	80	48	23	6	2	–	–	–	–	1
Condition not stated. MEN.	163	–	–	–	–	–	1	2	36	52	31	12	11	3	3	4	–	–	1	–	–	–	7
Condition not stated. WOMEN.	163	–	1	–	–	3	9	13	45	44	20	7	5	5	1	1	–	–	–	–	–	–	9
TOTAL MEN.....	23611	–	–	1	15	112	479	1083	8169	7045	2903	1487	917	573	370	212	135	43	28	4	2	–	28
TOTAL WOMEN.....	23611	2	11	78	263	891	1612	2153	8854	5637	2065	1038	560	243	94	42	12	5	–	–	–	–	51

CONDITION and AGE of Persons married in SCOTLAND in 1865.

AGES of MALES married in Scotland in 1865.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1865.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	23611	–	–	1	15	112	479	1083	8169	7045	2903	1487	917	573	370	212	135	48	28	4	2	–	28
DISTRICTS.																							
Insular . .	776	–	–	–	–	–	10	10	153	262	156	76	35	23	17	12	6	4	5	1	–	–	6
Mainland-Rural	11184	–	–	1	7	49	212	499	3800	3456	1411	674	448	253	169	88	68	17	11	1	1	–	19
Town . . .	11651	–	–	–	8	63	257	574	4216	3327	1336	737	434	297	184	112	61	27	12	2	1	–	3
DIVISIONS.																							
1. Northern . .	619	–	–	–	–	1	13	9	155	201	113	52	25	12	12	6	8	5	1	–	–	–	6
2. North-Western	824	–	–	–	–	1	1	7	147	255	200	104	46	21	22	7	8	2	3	–	–	–	–
3. North-Eastern	2575	–	–	–	1	6	44	85	810	829	346	180	102	78	39	27	20	4	2	–	1	–	1
4. East-Midland .	4068	–	–	–	2	18	80	194	1445	1243	466	219	156	93	64	42	28	10	3	–	–	–	5
5. West-Midland	1518	–	–	–	3	8	21	50	466	503	213	97	67	40	22	17	1	1	5	1	–	–	3
6. South-Western	9187	–	–	–	4	61	238	536	3440	2537	1005	542	336	215	132	62	46	16	11	1	–	–	5
7. South-Eastern	3574	–	–	1	2	12	63	152	1285	1071	427	200	141	79	59	42	21	8	3	2	1	–	5
8. Southern . .	1246	–	–	–	3	5	19	50	421	406	133	93	44	35	20	9	3	2	–	–	–	–	3
COUNTIES.																							
Shetland . .	155	–	–	–	–	–	4	3	37	58	22	13	3	2	3	1	2	1	–	–	–	–	6
Orkney . .	157	–	–	–	–	–	3	4	40	47	24	15	7	4	4	4	1	3	1	–	–	–	–
Caithness . .	220	–	–	–	–	1	5	2	65	71	43	14	7	2	3	1	5	1	–	–	–	–	–
Sutherland . .	87	–	–	–	–	–	1	–	13	25	24	10	8	4	2	–	–	–	–	–	–	–	–
Ross and Cromarty	372	–	–	–	–	1	1	5	72	124	81	44	26	7	5	1	4	1	–	–	–	–	–
Inverness . .	452	–	–	–	–	–	–	2	75	131	119	60	20	14	17	6	4	1	3	–	–	–	–

AGES of MALES married in Scotland in 1865.

| | | |

AGES of FEMALES married in Scotland in 1865.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1865.																					Age not stated.
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
Scotland . .	23611	2	11	78	263	891	1612	2153	8854	5637	2065	1038	560	243	94	42	12	5	–	–	–	–	51
DISTRICTS.																							
Insular . .	776	–	–	1	7	9	23	59	267	233	93	50	12	9	4	1	1	–	–	–	–	–	7
Mainland-Rural	11184	2	6	39	123	409	757	950	4209	2774	1004	466	257	110	38	21	6	3	–	–	–	–	30
Town . . .	11651	–	5	38	133	473	832	1144	4378	2630	968	522	311	124	52	20	5	2	–	–	–	–	14
DIVISIONS.																							
1. Northern . .	619	–	–	–	3	10	32	42	214	174	74	37	12	10	3	–	1	–	–	–	–	–	7
2. North-Western	824	–	–	4	5	6	39	49	269	262	112	47	17	8	3	–	1	–	–	–	–	–	2
3. North-Eastern	2575	–	3	13	19	104	176	211	931	663	233	114	66	28	7	4	1	–	–	–	–	–	2
4. East-Midland .	4068	2	–	3	21	100	234	355	1606	1023	362	165	111	46	20	11	2	–	–	–	–	–	7
5. West-Midland .	1518	–	–	6	25	50	93	113	578	400	133	73	26	10	3	5	1	1	–	–	–	–	1
6. South-Western	9187	–	5	32	126	454	743	959	3451	1937	723	391	214	85	30	14	3	3	–	–	–	–	17
7. South-Eastern	3574	–	3	17	44	135	214	317	1336	856	327	164	80	41	19	6	2	1	–	–	–	–	12
8. Southern . .	1346	–	–	3	20	32	81	107	469	322	101	47	34	15	9	2	1	–	–	–	–	–	3
COUNTIES.																							
Shetland . .	155	–	–	–	–	–	5	11	64	42	17	6	2	2	–	–	–	–	–	–	–	–	6
Orkney . .	157	–	–	–	2	7	4	14	51	40	15	15	4	4	1	–	–	–	–	–	–	–	–
Caithness . .	220	–	–	–	–	2	17	12	78	64	25	12	2	4	2	–	1	–	–	–	–	–	1
Sutherland . .	87	–	–	–	1	1	6	5	21	28	17	4	4	–	–	–	–	–	–	–	–	–	–
Ross and Cromarty	372	–	–	2	1	2	16	24	131	118	48	13	8	1	–	–	1	–	–	–	–	–	2
Inverness . .	452	–	–	2	4	4	23	25	138	144	64	29	9	7	3	–	–	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1865.

| | | |

DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	2888742	3062294	70891	6817	2512	4770	6145	2801	1914	1378	3345	1801	2366	2818	2570
Insular	166487	160733	2488	228	78	101	137	73	47	33	70	55	78	107	91
Mainland	1711717	1762576	32992	3183	1002	1902	2258	1102	766	582	1603	912	1156	1286	1126
Towns	1010538	1138985	35411	3406	1432	2767	3750	1626	1101	763	1672	884	1132	1420	1361
Shetland	31078	31670	515	33	8	11	30	19	9	5	20	15	15	16	21
Orkney	31455	32395	457	23	3	5	12	8	6	9	14	9	18	24	19
Caithness	39782	42200	754	57	19	33	39	38	26	18	47	32	24	27	24
Sutherland	24720	24157	344	29	7	4	13	5	9	4	16	7	15	17	6
Ross & Cromarty	83781	82427	1362	133	47	83	87	41	39	26	70	27	33	49	29
Inverness	91954	84902	1316	138	55	59	56	41	15	21	43	29	46	65	49
Nairn	8076	8347	157	14	2	3	2	3	2	–	6	1	3	5	8
Elgin	40532	44218	773	82	23	40	39	27	15	20	30	16	28	23	28
Banff	51353	56020	862	63	20	40	43	18	15	15	31	31	27	33	33
Aberdeen	218461	223344	4388	475	163	222	230	135	111	73	232	118	169	164	150
Kincardine	34944	34854	560	48	22	31	17	9	7	12	28	19	20	18	23
Forfar	193627	206750	5267	580	201	350	491	187	128	95	248	137	164	202	190
Perth	137369	133198	2654	217	65	100	145	77	65	45	111	56	79	105	87
Fife	153789	155021	3188	249	111	206	272	126	80	57	156	65	99	116	83
Kinross	9626	8731	181	12	4	6	12	4	3	1	12	6	4	9	4
Clackmannan	21555	20122	441	48	19	26	37	21	10	10	17	18	15	11	12
Stirling	83802	88138	1842	196	55	123	162	69	39	38	104	60	67	61	85
Dumbarton	46995	54179	1216	107	43	95	90	31	29	25	49	34	47	64	49
Argyll	94042	83859	1359	100	33	55	55	32	22	14	37	32	51	55	53
Bute	16608	16331	367	15	9	15	19	12	7	4	9	8	12	21	18
Renfrew	157950	168746	4793	465	190	390	495	238	158	111	240	111	184	165	180
Ayr	189973	199063	4062	361	137	262	374	194	128	85	215	131	142	187	157
Lanark	533169	640444	20111	1968	830	1762	2418	1008	667	459	1019	546	682	845	783
Linlithgow	30590	39045	842	124	35	78	83	33	25	8	42	18	21	29	27
Edinburgh	259493	274093	7231	723	267	471	610	262	169	134	285	126	186	230	259
Haddington	36363	37626	739	82	21	32	34	29	12	9	37	15	21	36	22
Berwick	36165	36488	654	61	9	33	33	15	9	5	27	21	27	24	23
Peebles	10804	11300	203	22	3	5	10	8	4	1	9	7	6	16	8
Selkirk	9802	10410	214	29	10	19	11	11	7	4	11	6	8	11	7
Roxburgh	51225	53722	992	106	29	52	65	22	31	24	40	25	41	44	22
Dumfries	78149	75904	1510	124	44	76	88	38	39	28	77	42	52	72	65
Kirkcudbright	43121	42495	815	74	21	42	42	23	18	7	33	19	26	37	27
Wigtown	43389	42095	722	59	17	41	31	17	10	11	30	14	34	32	27

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND. 1865.—BOTH SEXES.

Inverness	16496	16162	423	38	22	28	23	26	7	10	16	12	14	22	18
Aberdeen	71973	73900	1981	196	78	116	114	68	65	35	109	37	65	82	65
Arbroath	17238	17831	467	63	13	29	38	22	12	7	21	12	14	16	8
Dundee	80027	91664	3000	342	135	254	338	120	79	57	136	78	96	123	130
Forfar	11009	10838	271	33	8	12	29	10	9	4	16	5	4	8	6
Montrose	16037	15668	338	25	10	11	17	8	5	4	11	10	14	13	12
Perth	24670	26094	729	56	21	40	59	32	21	20	32	13	24	22	22
Dunfermline	13836	13506	313	28	13	20	22	14	9	4	7	10	13	14	6
Kirkcaldy	10636	11117	243	19	9	28	26	9	6	2	9	4	2	13	7
Stirling	12401	14012	392	37	15	33	30	14	12	10	25	8	12	16	16
Greenock	37436	43894	1675	170	75	164	188	81	68	35	76	30	53	67	76
Paisley	48071	47427	1410	121	53	92	143	77	41	44	73	39	59	41	43
Ayr	18845	19659	433	28	16	13	27	18	8	7	31	9	15	20	17
Kilmarnock	21287	23556	508	57	19	31	51	22	20	18	18	12	20	28	22
Glasgow	329097	395503	13914	1279	574	1244	1756	740	490	345	705	332	473	608	562
Barony	16050	22559	968	82	42	69	100	39	25	21	34	34	32	33	32
Govan	14996	28584	910	103	47	74	115	57	31	11	53	26	32	31	43
Hamilton	11740	14047	359	40	13	33	35	10	12	7	15	9	4	19	17
Airdrie	14435	12922	325	41	18	23	33	12	8	3	22	17	11	7	6
Coatbridge, etc.	13168	13303	422	48	21	48	46	23	14	9	31	15	14	16	10
Edinburgh	161648	170444	4858	457	175	296	430	171	109	81	165	92	130	167	177
Leith	32219	86029	948	110	40	77	89	40	28	14	47	14	18	30	34
Dumfries	17223	18266	524	41	15	32	41	16	27	15	20	16	13	24	26

DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
SCOTLAND	2382	2419	2438	2444	2511	2469	3079	3058	3259	2970	2492	1873	490	136	37	94
Insular	91	72	72	53	74	73	111	132	176	169	163	112	52	19	7	14
Mainland	974	987	941	975	1037	1183	1506	1659	1870	1860	1671	940	342	86	26	57
Towns	1317	1360	1425	1416	1400	1213	1462	1267	1213	941	658	321	96	31	4	23
Shetland	19	15	11	9	10	14	13	38	32	52	31	36	20	5	1	7
Orkney	16	10	19	10	8	12	34	32	48	39	39	36	5	2	1	1
Caithness	23	18	20	28	21	17	23	43	48	38	58	22	11	3	1	1
Sutherland	13	10	11	13	16	14	9	19	26	20	28	15	14	3	–	1
Ross and Cromarty	40	20	29	30	40	41	55	73	81	101	102	48	20	10	2	6
Inverness	89	38	35	31	50	39	60	65	95	89	90	97	12	11	6	2
Nairn	5	4	6	2	3	11	7	6	13	12	23	6	6	1	–	3
Elgin	18	26	19	23	23	18	33	36	58	58	55	27	12	3	2	1
Banff	24	22	22	25	23	26	41	43	60	74	70	36	19	5	–	3
Aberdeen	136	139	124	139	134	152	185	191	239	263	237	149	38	15	3	2
Kincardine	10	14	15	17	16	23	16	23	44	44	42	24	13	5	–	–
Forfar	177	195	201	162	198	218	237	217	232	193	144	80	25	6	1	8
Perth	95	78	83	79	98	116	152	169	199	173	147	81	32	6	3	1
Fife	88	81	89	94	94	119	154	187	186	189	155	73	42	10	–	7
Kinross	9	5	8	6	4	5	5	12	16	16	10	10	3	–	–	–
Clackmannan	15	19	11	16	9	14	19	30	19	19	18	7	1	–	–	–
Stirling	46	58	55	58	60	63	77	92	80	79	57	47	8	2	1	–
Dumbarton	49	49	48	46	34	44	56	52	58	45	44	14	6	5	–	3
Argyll	52	42	48	37	48	70	86	77	81	90	91	59	25	6	2	6
Bute	9	17	14	16	12	10	25	18	37	22	17	9	10	–	1	1
Renfrew	158	164	182	171	171	146	184	196	171	133	96	64	18	6	1	5
Ayr	130	135	117	123	152	118	185	162	183	152	135	63	22	9	–	3
Lanark	745	729	767	809	761	627	738	608	521	389	252	186	52	8	3	9
Linlithgow	24	27	28	31	28	20	26	32	34	32	28	10	3	–	–	1
Edinburgh	282	315	294	299	310	299	380	551	345	277	224	91	29	5	–	8
Haddington	21	17	27	21	31	29	40	42	44	46	38	24	6	1	–	2
Berwick	13	23	21	11	20	36	34	38	51	50	31	21	10	–	–	8
Peebles	6	11	7	5	9	9	13	14	6	7	10	5	2	–	–	–
Selkirk	6	5	5	5	4	6	7	11	14	9	3	4	1	–	–	–
Roxburgh	43	34	39	33	32	36	45	55	56	54	42	15	6	1	–	–
Dumfries	34	41	45	49	55	64	77	61	86	95	86	53	14	1	3	1
Kirkcudbright	21	30	26	23	18	20	36	37	63	64	51	36	11	4	6	3
Wigtown	21	28	22	23	19	33	32	33	48	46	38	35	14	3	3	1

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—BOTH SEXES.

Inverness	7	15	8	14	13	15	21	12	30	28	20	12	2	1	–	–
Aberdeen	71	71	75	78	72	84	95	77	89	101	76	46	10	4	1	1
Arbroath	12	10	20	10	20	24	18	20	29	19	18	9	3	–	–	–
Dundee	116	126	127	108	109	94	118	92	82	65	46	15	6	3	–	5
Forfar	4	3	9	5	8	21	22	14	14	16	7	3	1	–	–	–
Montrose	9	17	12	11	20	16	22	21	26	17	13	13	–	–	1	–
Perth	26	30	29	36	32	33	42	38	41	22	22	11	5	–	–	–
Dunfermline	8	9	17	14	13	13	19	15	18	14	8	4	–	–	–	1
Kirkcaldy	6	8	10	7	8	8	13	14	14	7	7	3	2	1	–	1
Stirling	12	13	13	12	17	6	15	19	15	19	8	11	3	1	–	–
Greenock	64	58	69	68	59	42	60	47	47	33	22	14	7	–	–	2
Paisley	42	49	57	57	49	40	49	67	60	51	36	21	1	4	–	1
Ayr	17	18	16	10	23	17	24	27	24	18	15	7	5	2	–	1
Kilmarnock	16	15	11	18	22	15	14	19	28	17	9	3	2	1	–	–
Glasgow	550	543	551	574	531	443	488	397	319	209	116	61	16	4	2	2
Barony	50	80	51	39	47	31	47	34	46	21	13	8	2	–	–	–
Govan	26	35	34	22	34	20	27	25	21	27	10	3	–	2	–	1
Hamilton	10	9	14	18	4	16	10	14	11	15	11	7	3	1	–	2
Airdrie	9	9	10	18	19	9	12	11	12	4	4	6	1	–	–	–
Coatbridge, etc.	7	9	14	20	19	9	16	12	5	6	7	2	1	–	–	–
Edinburgh	209	221	210	220	221	205	261	240	227	179	146	44	15	5	–	5
Leith	37	47	47	35	39	33	46	35	28	29	24	6	6	–	–	–
Dumfries	9	15	21	22	21	19	23	17	27	24	20	12	5	2	–	1

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—MALES.

	MALE POPULATION.		MALES.													
				AGE UNDER												
			ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30	
	1851.	1861.		3	6	12										
SCOTLAND	1375479	1449848	35190	3854	1414	2540	3150	1482	960	699	1705	876	1220	1450	1240	
Insular	76760	78409	1236	125	50	51	78	37	23	16	39	23	46	58	49	
Mainland	828852	848938	16339	1789	558	1020	1167	568	381	287	801	452	602	670	560	
Towns	469867	527441	17615	1940	806	1469	1905	827	556	396	865	391	572	702	631	
Shetland	13145	13653	236	22	5	5	20	8	5	3	6	8	10	5	11	
Orkney	14350	14924	214	9	2	4	5	4	4	2	8	8	15	14	9	
Caithness	18809	19816	354	35	10	18	23	20	13	9	20	15	17	12	15	
Sutherland	11437	11058	175	19	4	3	6	–	4	1	8	2	9	6	5	
Ross & Cromarty	39489	38462	659	77	30	42	44	16	21	16	33	12	17	28	12	
Inverness	42814	39479	665	77	41	29	32	25	8	12	24	14	20	36	28	
Nairn	3831	3976	72	10	1	1	1	1	1	–	1	1	–	3	5	
Elgin	18943	20737	401	44	15	23	24	13	7	11	15	11	17	14	12	
Banff	24195	26401	421	32	10	27	25	8	8	6	12	15	14	21	18	
Aberdeen	100935	105322	2143	262	88	118	116	67	49	35	126	55	87	97	74	
Kincardine	17188	16939	270	30	12	17	9	3	2	7	18	10	12	8	6	
Forfar	89408	93280	2541	319	110	176	246	86	63	49	139	64	79	90	88	
Perth	65697	63169	1286	115	30	51	65	41	32	24	61	25	39	45	46	
Fife	73305	72714	1503	143	61	97	134	58	45	32	67	36	50	50	39	
Kinross	4660	4150	88	9	1	5	5	–	2	1	8	1	2	6	1	
Clackmannan	10634	9742	237	31	13	20	23	10	5	3	9	6	7	6	4	
Stirling	41113	43487	932	110	32	64	89	39	25	24	56	26	28	32	49	
Dumbarton	23340	26455	620	54	21	50	39	15	13	9	17	22	24	41	24	
Argyll	46197	40914	720	57	19	29	31	23	9	5	21	14	30	40	33	
Bute	7518	7208	190	8	5	6	11	7	2	3	5	5	6	13	9	
Renfrew	74224	79380	2389	264	107	221	248	119	77	60	117	49	73	88	88	
Ayr	92983	97035	2026	200	76	145	189	114	65	44	107	71	70	89	66	
Lanark	258449	308263	10199	1158	470	945	1220	507	336	230	510	264	376	414	358	
Linlithgow	15422	20069	428	70	21	45	49	15	12	3	25	10	9	18	14	
Edinburgh	119428	126429	3581	398	145	251	323	147	88	64	151	67	99	116	124	
Haddington	17592	17866	360	49	15	19	19	13	7	5	13	4	11	16	13	
Berwick	17367	17854	326	35	5	12	15	8	5	4	14	9	19	10	11	
Peebles	5400	5603	101	14	–	3	7	3	1	1	7	3	2	6	4	
Selkirk	4836	5069	110	15	4	9	9	5	3	3	5	1	3	9	6	
Roxburgh	25002	26593	501	55	20	30	38	11	15	13	25	15	19	28	6	
Dumfries	37200	35687	751	65	23	34	44	22	22	13	44	22	28	38	41	
Kirkcudbright	20228	19789	363	37	12	24	22	13	7	3	15	3	12	15	10	
Wigtown	20335	19395	328	31	6	17	19	11	4	4	18	8	16	16	11	
MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.																
Inverness	7401	7261	208	15	17	15	9	14	3	7	9	6	8	10	12	
Aberdeen	31746	32554	947	108	41	64	55	35	30	21	60	18	31	51	32	
Arbroath	7866	7770	217	30	7	15	18	4	6	4	12	5	5	8	3	
Dundee	36364	40395	1492	192	72	128	178	62	44	29	76	41	48	48	63	
Forfar	5017	4735	123	17	7	5	13	4	3	2	7	1	1	3	2	
Montrose	7061	6736	145	14	4	7	6	5	1	3	7	5	5	8	3	
Perth	11689	11947	368	32	10	20	27	15	14	9	18	6	13	10	12	
Dunfermline	6901	6447	151	13	7	11	12	5	5	2	2	5	10	5	1	
Kirkcaldy	4906	5074	108	11	2	13	18	3	3	–	2	2	1	5	1	
Stirling	5908	6814	190	18	11	13	15	7	6	7	17	4	3	8	10	
Greenock	17905	21567	861	99	43	101	92	37	30	20	33	10	22	41	38	
Paisley	22608	21913	689	71	32	51	71	47	22	29	38	18	16	16	20	
Ayr	8675	9094	198	19	10	6	15	8	3	4	12	5	5	9	6	
Kilmarnock	10163	11898	234	28	13	15	28	10	12	8	12	7	8	10	10	
Glasgow	154930	185556	7017	759	330	671	877	364	240	174	358	144	265	307	261	
Barony	8090	11221	498	53	21	37	54	21	16	7	19	16	16	14	10	
Govan	7286	13603	466	64	22	32	67	32	20	8	30	15	12	14	15	
Hamilton	5576	6798	185	22	7	21	19	6	6	1	7	6	2	10	8	
Airdrie	7383	6242	150	21	10	9	10	9	3	1	10	8	5	3	2	
Coatbridge, etc.	7084	8155	225	24	10	28	25	13	6	9	18	7	7	6	3	
Edinburgh	72067	76013	2412	219	100	151	226	102	64	37	81	46	69	84	90	
Leith	15482	17894	477	61	21	40	51	16	9	6	27	9	12	17	14	
Dumfries	7809	8254	254	22	9	16	19	8	10	8	10	7	8	15	15	

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1122	1144	1199	1217	1797	1232	1483	1423	1466	1231	1031	558	173	44	10	58
Insular	35	27	34	27	40	46	45	65	84	72	72	50	19	6	1	8
Mainland	472	431	440	497	534	605	738	801	857	798	717	403	126	33	7	39
Towns	615	686	725	693	705	581	705	557	525	361	242	105	28	5	2	11
Shetland	6	7	8	3	7	7	3	18	17	21	12	13	6	–	–	5
Orkney	8	3	6	4	5	9	9	14	23	14	16	17	1	–	–	1
Caithness	9	5	8	11	9	8	13	21	16	12	23	9	3	–	–	–
Sutherland	9	7	6	8	7	7	4	6	13	10	15	9	5	1	–	1
Ross and Cromarty	17	7	14	17	18	25	28	30	36	50	45	18	4	5	–	2
Inverness	17	17	18	15	24	18	28	29	50	33	38	21	5	6	–	–
Nairn	2	2	4	–	2	3	5	3	4	5	9	4	1	–	–	3
Elgin	5	11	10	16	16	10	16	18	26	21	30	9	5	1	–	1
Banff	12	11	10	12	12	11	21	20	31	35	22	16	8	2	–	2
Aberdeen	61	59	62	72	65	83	95	88	110	101	106	51	10	4	1	1
Kincardine	3	6	9	8	8	4	10	14	19	20	21	10	1	3	–	–
Forfar	81	90	98	68	92	97	122	98	113	72	53	35	7	–	1	5
Perth	44	40	40	31	49	62	75	82	94	76	67	33	16	2	1	–
Fife	43	30	40	40	47	50	80	88	81	83	57	29	16	2	–	5
Kinross	4	3	1	3	3	3	1	3	7	8	6	4	1	–	–	–
Clackmannan	7	11	3	8	6	6	10	19	13	5	7	4	1	–	–	–
Stirling	21	31	19	29	29	31	38	39	37	44	23	14	2	1	–	–
Dumbarton	24	27	21	22	22	28	32	32	31	24	19	5	–	2	–	2
Argyll	30	19	27	18	24	36	47	43	38	39	43	26	10	2	2	5
Bute	3	8	9	10	8	4	13	11	14	12	10	4	4	–	–	–
Renfrew	62	77	94	91	96	76	87	81	76	59	39	27	8	4	–	1
Ayr	58	57	53	67	82	60	86	86	80	61	58	28	8	3	–	3
Lanark	337	372	384	409	386	319	353	289	231	154	92	61	14	2	1	7
Linlithgow	15	11	12	18	14	12	9	9	12	13	8	3	–	–	–	1
Edinburgh	158	159	158	157	161	139	166	141	140	105	81	35	6	–	–	2
Haddington	10	4	12	11	16	19	21	28	15	20	13	8	3	–	–	1
Berwick	9	12	14	6	8	18	12	22	21	23	16	7	3	–	–	8
Peebles	4	5	2	2	4	5	7	4	1	5	7	2	2	–	–	–
Selkirk	2	1	3	1	3	4	2	6	5	5	3	2	1	–	–	–
Roxburgh	26	13	22	18	13	17	24	26	23	16	18	6	4	–	–	–
Dumfries	18	19	15	22	24	33	40	35	38	43	37	19	8	1	2	1
Kirkcudbright	9	9	9	11	7	14	16	13	28	27	22	18	3	2	2	–
Wigtown	8	11	13	9	12	14	15	12	23	15	15	11	7	1	–	1
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—MALES.																
Inverness	3	6	5	6	7	7	12	5	16	10	5	3	–	–	–	–
Aberdeen	26	32	37	37	37	40	45	33	38	30	32	12	1	1	–	–
Arbroath	6	4	10	5	7	14	10	9	7	10	7	2	–	–	–	–
Dundee	51	61	64	47	52	41	64	40	36	27	18	5	2	–	–	3
Forfar	3	1	4	1	4	11	11	8	8	5	1	1	–	–	–	–
Montrose	4	10	2	4	7	5	9	5	14	5	6	5	–	–	1	–
Perth	16	17	19	13	17	18	22	16	17	12	10	3	2	–	–	–
Dunfermline	2	4	6	6	7	9	12	4	12	6	4	–	–	–	–	1
Kirkcaldy	1	3	5	2	3	2	7	5	6	5	5	2	–	–	–	1
Stirling	5	8	6	6	5	3	4	7	10	12	2	2	1	–	–	–
Greenock	24	29	41	39	38	25	32	13	23	15	7	7	2	–	–	–
Paisley	17	24	28	26	25	19	23	26	26	18	15	8	1	2	–	–
Ayr	9	9	5	5	13	6	14	12	6	6	5	3	2	–	–	1
Kilmarnock	4	5	5	9	8	5	5	7	11	9	3	1	1	–	–	–
Glasgow	217	276	276	277	267	213	227	195	135	82	41	22	6	–	1	2
Barony	26	20	25	22	27	16	25	11	22	9	7	3	1	–	–	–
Govan	15	16	15	15	16	10	11	14	11	7	3	–	–	1	–	1
Hamilton	6	4	7	7	3	7	6	9	8	5	2	2	3	–	–	1
Airdrie	2	3	6	11	9	5	7	5	6	1	1	3	–	–	–	–
Coatbridge, etc.	3	8	9	11	10	8	6	7	4	2	2	–	–	–	–	–
Edinburgh	122	115	111	118	114	93	120	102	87	58	54	15	3	–	–	1
Leith	21	23	30	17	21	15	19	14	12	14	5	1	2	–	–	–
Dumfries	2	8	9	9	8	10	14	10	10	13	7	5	1	1	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	1513263	1612446	35701	2963	1098	2230	2995	1389	954	679	1640	925	1146	1383	1338
Insular	89727	87324	1252	103	28	59	59	36	24	17	31	22	32	49	42
Mainland	882865	913578	16653	1403	444	882	1091	584	385	295	802	460	554	616	566
Towns	540671	611544	17796	1457	626	1298	1845	799	545	367	807	443	560	718	730
Shetland	17933	18617	279	11	3	6	10	11	4	2	14	7	5	11	10
Orkney	17105	17471	243	14	1	1	7	4	2	7	6	1	3	10	10
Caithness	20973	22354	400	22	9	15	16	18	13	9	27	17	7	15	9
Sutherland	13283	13099	169	10	3	1	7	5	5	3	8	5	6	11	1
Ross & Cromarty	44292	43965	703	56	17	41	43	25	18	10	37	15	16	21	17
Inverness	49140	45523	651	61	14	30	24	16	7	9	19	15	26	29	21
Nairn	4245	4371	85	4	1	2	1	2	1	–	5	–	3	2	3
Elgin	21589	23481	372	38	8	17	15	14	8	9	15	5	11	9	16
Banff	27158	29619	441	31	10	13	18	10	7	9	19	16	13	12	15
Aberdeen	112526	118022	2245	213	75	104	114	68	62	38	106	63	82	67	76
Kincardine	17756	17915	290	18	10	14	8	6	5	5	10	9	8	10	17
Forfar	104219	113470	2726	261	91	174	245	101	65	46	109	73	85	112	102
Perth	71672	70029	1368	102	25	49	80	36	33	21	50	31	40	60	41
Fife	80484	82307	1685	106	50	109	138	68	35	25	89	29	47	66	44
Kinross	4966	4581	93	3	3	1	7	4	1	–	4	5	2	3	3
Clackmannan	10921	10380	204	17	6	6	14	11	5	7	8	12	8	5	8
Stirling	42689	44651	910	86	23	59	73	30	14	14	48	34	39	29	36
Dumbarton	23655	27724	596	58	22	45	51	16	16	16	32	12	23	23	25
Argyll	47815	42945	639	43	14	26	24	9	13	9	16	18	21	15	20
Bute	9090	9123	177	7	4	9	8	5	5	1	4	3	6	8	9
Renfrew	83726	89366	2404	201	83	169	247	119	81	51	123	62	111	77	92
Ayr	96980	102028	2036	161	61	117	185	80	63	41	108	60	72	98	91
Lanark	274420	332181	9912	810	360	817	1198	501	331	229	509	282	306	431	425
Linlithgow	15168	18976	414	54	14	33	34	18	13	5	17	8	12	11	13
Edinburgh	140065	147664	3650	325	122	220	287	115	81	70	134	59	87	114	135
Haddington	18771	19760	379	33	6	13	15	16	5	4	24	11	10	20	9
Berwick	18798	19134	328	26	4	21	18	7	4	1	13	12	8	14	12
Peebles	5404	5697	102	8	3	2	3	5	3	–	2	4	4	10	4
Selkirk	4966	5341	104	14	6	10	2	6	4	1	6	5	5	2	1
Roxburgh	26223	27129	491	51	9	22	27	11	16	11	15	10	22	16	16
Dumfries	40949	42217	759	59	21	42	44	16	17	15	33	20	24	34	24
Kirkcudbright	22898	22706	452	37	9	18	20	10	11	4	18	16	14	22	17
Wigtown	23054	22700	394	28	11	24	12	6	6	7	12	6	18	16	16
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—FEMALES.															
Inverness	9095	8901	215	17	5	13	14	9	4	3	7	6	6	12	6
Aberdeen	40227	41346	1034	88	37	52	59	33	35	14	49	19	34	31	33
Arbroath	9372	10061	250	24	6	14	20	18	6	3	9	7	9	8	5
Dundee	43663	51269	1508	150	63	126	160	58	35	28	60	37	48	75	67
Forfar	5992	6103	148	16	1	7	16	6	6	2	9	4	3	5	4
Montrose	8976	8932	193	11	6	4	11	3	4	1	4	5	9	5	9
Perth	12981	14147	361	24	11	20	32	17	7	11	14	7	11	12	10
Dunfermline	6935	7059	162	15	6	9	10	9	4	2	5	5	8	9	5
Kirkcaldy	5730	6043	135	8	7	15	8	6	3	2	7	2	1	8	6
Stirling	6493	7198	202	19	4	20	15	7	6	3	8	4	9	8	6
Greenock	19531	22327	814	71	32	63	96	44	38	15	43	20	31	26	38
Paisley	25463	25514	721	50	21	41	72	30	19	15	35	21	43	25	23
Ayr	10170	10565	235	9	6	7	12	10	5	3	19	4	10	11	11
Kilmarnock	11124	12158	274	29	6	16	23	12	8	10	6	5	12	18	12
Glasgow	174167	209947	6897	520	244	573	879	376	250	171	347	188	208	301	301
Barony	7960	11338	470	29	21	32	46	18	9	14	15	18	16	19	28
Govan	7710	14981	444	39	25	42	48	25	11	8	23	11	20	17	28
Hamilton	6164	7249	174	18	6	12	16	4	6	6	8	3	2	9	9
Airdrie	7102	6680	175	20	8	14	23	3	5	2	12	9	6	4	4
Coatbridge, &c.	6084	7148	197	24	11	20	21	10	8	–	13	8	7	10	7
Edinburgh	89581	94431	2446	208	75	145	204	69	45	44	84	46	61	83	87
Leith	16737	18135	471	49	19	37	38	24	14	8	20	5	6	13	20
Dumfries	9414	10012	270	19	6	16	22	8	17	7	10	9	5	9	11

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—FEMALES.

	FEMALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
SCOTLAND	1260	1275	1239	1227	1232	1237	1596	1635	1793	1739	1461	815	317	92	27	36
Insular	56	45	38	26	34	27	66	67	92	97	91	62	33	13	6	6
Mainland	502	556	501	478	503	578	773	858	1013	1062	954	537	216	53	19	18
Towns	702	674	700	723	695	632	757	710	688	580	416	216	68	26	2	12
Shetland	13	8	8	6	3	7	10	20	15	31	19	23	14	5	1	2
Orkney	8	7	13	6	3	3	25	18	20	25	23	19	4	2	1	–
Caithness	14	13	12	17	12	9	10	22	27	26	35	18	8	3	1	1
Sutherland	4	3	5	5	9	7	5	13	13	10	13	6	9	2	–	–
Ross and Cromarty	23	13	15	13	22	16	32	43	45	51	57	30	16	5	2	4
Inverness	22	21	17	16	26	21	32	36	45	56	52	16	7	5	6	2
Nairn	3	2	2	2	1	8	2	3	9	7	14	2	5	1	–	–
Elgin	8	15	9	7	7	8	17	18	27	37	25	18	7	2	2	–
Banff	12	11	12	13	11	15	20	23	29	39	48	20	11	3	–	1
Aberdeen	75	80	62	67	69	69	90	103	129	162	131	98	28	11	2	1
Kincardine	7	8	6	9	8	19	6	9	25	24	21	14	12	2	–	–
Forfar	96	105	103	94	106	121	115	119	119	121	91	45	18	6	–	3
Perth	51	38	43	48	49	54	77	87	105	97	80	48	16	4	2	1
Fife	45	51	49	54	47	69	74	99	105	106	98	44	26	8	–	2
Kinross	5	2	2	3	1	2	4	9	9	8	4	6	2	–	–	–
Clackmannan	8	8	8	8	3	8	9	11	6	14	11	3	–	–	–	–
Stirling	25	27	36	29	31	32	39	53	43	35	34	33	6	1	1	–
Dumbarton	25	22	27	24	12	16	24	20	27	21	25	9	6	3	–	1
Argyll	22	23	21	19	24	34	39	34	43	51	48	33	15	4	–	1
Bute	6	9	5	6	4	6	12	7	23	10	7	5	6	–	1	1
Renfrew	96	87	88	80	75	70	97	115	95	74	57	37	10	2	1	4
Ayr	72	78	64	56	70	58	99	76	103	91	77	35	14	6	–	–
Lanark	408	357	383	400	375	308	380	314	290	235	160	75	18	6	2	2
Linlithgow	9	16	11	13	14	8	17	23	22	19	20	7	3	–	–	–
Edinburgh	124	156	136	142	149	160	214	210	205	172	143	56	23	5	–	6
Haddington	11	13	15	10	15	10	19	19	29	26	25	16	3	1	–	1
Berwick	4	11	7	5	12	18	22	16	30	27	15	14	7	–	–	–
Peebles	2	6	5	3	5	4	6	10	5	2	3	3	–	–	–	–
Selkirk	4	4	2	4	1	2	5	5	9	4	–	2	–	–	–	–
Roxburgh	17	21	17	15	19	19	21	29	33	38	24	9	2	1	–	–
Dumfries	16	22	30	27	31	31	37	26	48	52	49	34	6	–	1	–
Kirkcudbright	12	21	17	12	11	6	20	24	35	37	29	18	8	2	1	3
Wigtown	13	17	9	14	7	19	17	21	25	31	23	24	7	2	3	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—FEMALES.

Inverness	4	9	3	8	6	8	9	7	14	18	15	9	2	1	–	–
Aberdeen	45	39	38	41	35	44	50	44	51	71	44	34	9	3	1	1
Arbroath	6	6	10	5	13	10	8	11	22	9	11	7	3	–	–	–
Dundee	65	65	63	61	57	53	54	52	46	38	28	10	4	3	–	2
Forfar	1	2	5	4	4	10	11	6	6	11	6	2	1	–	–	–
Montrose	5	7	10	7	13	11	13	16	12	12	7	8	–	–	–	–
Perth	10	13	10	23	15	15	20	22	24	10	12	8	3	–	–	–
Dunfermline	6	5	11	8	6	4	7	11	6	8	4	4	–	–	–	–
Kirkcaldy	5	5	5	5	5	6	6	9	8	2	2	1	2	1	–	–
Stirling	7	5	7	6	12	3	11	12	5	7	6	9	2	1	–	–
Greenock	40	29	28	29	21	17	28	34	24	18	15	7	5	–	–	2
Paisley	25	25	29	31	24	21	26	41	34	33	21	13	–	2	–	1
Ayr	8	9	11	5	10	11	10	15	18	12	10	4	3	2	–	–
Kilmarnock	12	10	6	9	14	10	9	12	17	8	6	2	1	1	–	–
Glasgow	303	267	275	297	264	230	261	202	184	127	75	39	10	4	1	–
Barony	24	10	26	17	20	15	22	23	24	12	6	5	1	–	–	–
Govan	11	19	19	7	18	10	16	11	10	20	7	3	–	1	–	–
Hamilton	4	5	7	11	1	9	4	5	8	10	9	5	–	1	–	1
Airdrie	7	6	4	7	10	4	5	6	6	3	3	3	1	–	–	–
Coatbridge, etc.	4	1	5	9	9	2	10	5	1	4	5	2	1	–	–	–
Edinburgh	87	106	99	102	107	112	141	138	140	121	92	29	12	5	–	4
Leith	16	24	17	18	18	18	27	21	16	15	19	5	4	–	–	–
Dumfries	7	7	12	13	13	9	9	7	17	11	13	7	4	1	–	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.	...
ALL CAUSES	70891	515	457	754	344	1362	1316	157	773	862	4388	560	5267	2654	3188	1(
SPECIFIED CAUSES	67727	400	408	697	290	1129	1150	149	710	815	4216	535	5039	2518	3002	1(
I. Zymotic Class	16863	41	61	262	51	308	198	21	154	147	1010	101	1371	589	797	
II. Diseases of Uncer. Seat	2355	14	23	39	16	49	48	9	28	29	176	25	165	114	122	
III. Tubercular Class	11417	53	55	78	37	107	163	11	97	119	646	88	799	367	387	
IV. Brain and Nervous Sys.	5387	18	25	35	17	81	90	16	92	68	385	41	407	282	247	
V. Organs of Circulation	3049	7	10	12	8	23	31	6	34	39	238	34	282	159	154	
VI. Respiratory Organs	9362	31	36	53	20	87	116	11	63	99	487	58	621	261	344	
VII. Organs of Digestion	5056	19	23	49	16	56	94	8	56	77	341	31	368	179	230	
VIII. Urinary Organs	949	3	3	15	4	23	27	2	11	29	98	9	70	39	45	
IX. Organs of Generation	588	3	8	2	3	11	17	2	8	11	35	5	49	21	29	
X. Organs of Locomotion	430	1	2	4	4	10	9	1	4	12	26	7	13	21	16	
XI. Skin, etc.	105	–	–	–	2	3	2	–	1	1	4	1	8	6	8	
XII. Malformation	211	–	2	2	–	1	2	1	1	1	16	3	19	6	7	
XIII. Premature Debility	3116	13	12	26	10	30	47	4	29	36	200	19	295	96	104	
XIV. Atrophy	465	2	3	5	1	7	7	2	3	5	24	1	28	11	16	
XV. Age	5818	168	129	96	88	302	257	43	109	111	398	91	368	335	360	
XVI. Sudden Deaths	174	1	–	–	1	5	3	–	–	1	7	1	17	8	17	
XVII. Violent Deaths	2382	26	16	19	12	26	39	12	20	30	125	20	159	79	116	
I. Small Pox	383	–	–	53	1	13	30	4	–	1	13	3	8	14	3	
Measles	1195	–	–	–	–	8	1	–	1	1	17	–	220	60	78	
Scarlatina	2244	2	15	58	11	81	7	–	20	4	230	12	73	55	98	
Diphtheria	995	6	2	21	18	26	11	–	16	29	153	18	122	45	76	
Hooping Cough	2318	14	6	15	–	49	40	–	28	14	28	6	119	57	101	
Croup	1015	3	2	15	9	44	29	–	25	25	43	10	98	42	58	
Thrush	23	1	–	–	–	–	3	–	–	–	5	1	5	–	1	
Diarrhœa	1707	1	4	5	4	10	11	2	14	10	119	8	132	56	69	
Dysentery	316	1	1	4	–	4	–	3	1	9	30	2	54	11	17	
Cholera	214	–	–	1	–	2	2	–	–	–	12	–	23	6	5	
Influenza	160	–	6	2	1	6	7	–	–	7	30	3	11	7	6	
Purpura	39	1	2	–	–	–	1	–	–	–	2	–	5	3	2	
Ague	9	–	–	–	–	1	–	–	–	–	2	–	3	–	–	
Worms	28	–	–	–	–	2	1	–	1	–	–	–	2	1	–	
Typhus	3272	9	16	70	5	38	17	8	17	15	188	12	278	95	134	
Enteric Fever	1048	–	2	2	1	9	8	4	12	18	38	8	78	49	38	
Relapsing Fever	62	1	1	–	–	1	1	–	2	1	7	2	10	4	4	
Simple Cont. Fever	859	1	–	3	–	–	9	–	4	4	37	7	51	51	54	
Infantile Remittent	164	–	–	2	–	1	1	–	3	2	5	3	8	2	11	
Metria	213	–	1	4	1	2	2	–	1	3	13	3	15	13	18	
Rheumatic Fever	119	–	1	3	–	3	4	–	3	1	8	–	6	4	4	
Erysipelas	300	1	2	2	–	8	12	–	4	2	20	1	28	11	13	
Pyæmia	27	–	–	–	–	–	–	–	–	1	1	–	3	1	2	
Syphilis	158	–	–	2	–	–	1	–	2	–	9	2	18	2	3	
Noma	15	–	–	–	–	–	–	–	–	–	–	–	1	–	2	
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
II. Hæmorrhage	82	1	–	–	1	3	1	–	1	–	3	–	6	6	6	
Dropsy	688	7	11	15	7	16	23	1	9	2	34	3	49	38	35	
Abscess	132	–	–	–	–	3	1	–	–	1	9	6	6	4	5	
Ulcer	47	–	1	–	–	2	1	–	1	–	4	–	4	1	2	
Fistula	13	–	–	–	–	1	–	–	–	–	2	–	–	1	–	
Mortification	124	1	1	4	–	2	2	–	–	5	9	–	8	6	7	
Cancer	1257	4	10	20	8	21	19	8	15	21	115	16	92	57	66	
Gout	12	1	–	–	–	1	1	–	2	–	–	–	–	1	1	
III. Scrofula	699	7	7	4	3	3	6	–	4	7	58	3	33	19	19	
Tabes Mesenterica	885	1	2	2	–	3	8	–	4	6	42	5	23	8	24	
Phthisis	8089	42	44	61	31	98	135	9	73	96	438	67	612	292	275	
Hydrocephalus	1834	3	2	11	8	8	14	2	16	10	108	13	131	48	69	

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Clackmannan	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	441	1842	1216	1359	367	4793	4062	20111	842	7231	739	654	203	214	992	1510	815	722
SPECIFIED CAUSES	408	1696	1147	1211	348	4613	3911	19656	796	7125	709	624	199	213	963	1420	766	695
Zymotic Class	84	400	316	186	68	1310	983	5542	186	1565	148	137	48	54	204	257	115	113
Uncertain Seat	14	72	56	40	13	132	150	488	25	252	31	29	6	7	42	67	40	28
Tubercular Class	76	263	209	203	69	834	852	3616	153	1132	83	82	32	42	198	251	143	150
Brain, etc.	29	148	103	114	42	332	295	1336	35	697	59	69	15	11	92	128	75	42
Heart, etc.	24	80	44	51	16	160	131	667	45	456	60	43	16	16	61	64	44	25
Respiratory Organs	51	215	105	150	39	661	429	3516	116	1113	88	49	22	26	96	181	112	90
Digestive Organs	21	169	105	96	29	335	312	1400	64	511	34	60	16	20	71	129	66	56
Urinary Organs	6	18	15	15	6	45	48	192	8	130	10	9	–	3	7	31	6	12
Generative Organs	3	12	12	5	3	35	34	150	10	59	12	9	4	2	10	8	4	10
Locomotive Organs	3	12	4	14	1	24	25	117	7	54	3	5	–	2	4	15	3	6
Skin	–	5	5	2	–	9	8	9	2	13	–	4	–	1	3	8	2	3
Malformation	3	6	6	1	1	8	13	48	6	31	1	7	1	2	7	3	4	2
Premature Debility	31	76	35	30	4	246	171	945	56	347	46	20	7	15	63	46	23	26
Atrophy	5	13	8	4	–	32	36	149	1	57	12	6	6	1	6	8	4	2
Age	45	142	75	244	49	292	261	752	45	398	85	62	17	8	64	180	107	105
Sudden Deaths	1	8	1	1	–	11	8	68	2	9	4	1	1	–	–	2	1	–
Violent Deaths	12	57	48	55	8	147	155	661	35	801	35	32	8	3	35	44	17	25
Small Pox	–	42	1	6	–	13	39	67	13	16	1	12	–	4	8	12	4	2
Measles	2	10	3	10	1	105	58	458	8	135	5	1	5	–	–	2	1	5
Scarlatina	14	78	24	16	4	179	110	691	34	235	9	5	7	10	53	70	29	9
Diphtheria	7	21	8	19	11	33	48	140	4	63	20	12	–	12	9	12	15	5
Hooping Cough	2	30	61	16	6	251	111	1078	16	199	11	1	1	5	36	13	3	–
Croup	25	30	17	14	–	67	87	193	21	73	9	15	2	3	5	25	7	17
Thrush	–	1	–	1	–	–	–	2	–	–	–	1	–	–	–	1	–	1
Diarrhœa	11	51	26	10	9	121	113	573	21	233	18	11	4	5	13	19	8	10
Dysentery	–	4	6	3	3	12	28	54	3	28	4	8	1	4	1	11	7	4
Cholera	–	5	1	3	4	9	21	59	3	30	1	6	2	2	9	4	–	3
Influenza	–	6	3	4	1	3	14	16	1	6	1	2	1	–	7	2	–	7
Purpura	–	–	–	–	–	2	1	8	–	6	–	–	–	–	1	2	2	1
Ague	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Worms	–	1	1	1	–	–	2	6	–	1	–	1	1	–	3	1	3	1
Typhus	4	35	107	31	14	357	138	1426	12	212	9	6	2	–	13	10	7	4
Enteric Fever	4	9	28	17	2	38	78	257	17	130	37	39	19	6	23	49	10	14
Relapsing Fever	–	2	–	2	–	4	1	13	1	2	–	1	–	1	–	1	–	–
Simple Cont. Fever	8	52	12	9	10	61	68	261	15	65	8	5	–	–	14	11	3	16
Infantile Remittent	4	10	1	–	–	18	17	33	1	23	4	1	1	–	1	4	3	5
Metria	–	6	8	8	1	16	14	43	4	21	4	2	2	–	2	2	1	3
Rheumatic Fever	1	3	2	8	1	7	5	20	1	17	–	4	–	1	2	3	3	3
Erysipelas	2	3	5	3	–	21	21	77	5	39	6	2	–	–	2	1	6	2
Pyæmia	–	–	–	–	–	–	1	10	–	5	–	–	–	–	1	–	2	–
Syphilis	–	1	3	4	1	12	10	48	6	26	1	2	–	1	1	2	–	1
Noma	–	–	–	1	–	–	3	7	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	3	1	–	3	7	19	–	12	–	–	1	–	2	2	–	1
Dropsy	5	33	25	18	2	52	50	169	6	30	5	6	–	1	12	14	6	9
Abscess	–	4	2	1	–	11	12	40	1	20	–	–	–	–	–	3	2	–
Ulcer	1	1	–	2	–	4	1	6	1	7	1	2	–	–	2	1	1	1
Fistula	–	–	1	1	–	1	2	2	–	2	–	–	–	–	–	–	–	–
Mortification	–	3	4	4	–	8	5	17	2	12	2	4	1	–	6	3	5	3
Cancer	7	29	21	18	11	53	73	235	15	165	23	17	4	6	20	44	25	14
Gout	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–
Scrofula	1	14	6	13	2	42	68	162	20	67	2	7	2	–	9	10	6	4
Tabes Mesenterica	–	14	13	7	3	55	93	347	23	119	11	9	2	4	13	19	11	12
Phthisis	65	181	156	164	47	611	552	2476	66	745	58	50	24	32	146	195	110	122
Hydrocephalus	10	34	34	19	47	126	139	631	44	201	12	16	4	6	30	27	16	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	397	1	6	4	1	12	13	1	4	6	31	4	17	5	18	1
	Apoplexy	1180	4	4	11	2	8	14	3	23	21	78	9	100	64	62	1
	Paralysis	1683	5	11	12	11	30	32	9	26	25	101	15	128	97	92	5
	Delirium Tremens	74	–	–	–	–	–	2	–	1	1	5	–	5	5	3	–
	Chorea	12	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–
	Epilepsy	229	3	1	3	1	7	3	–	4	2	7	5	16	12	9	–
	Tetanus	41	–	–	–	–	4	3	–	–	–	–	2	2	–	2	1
	Insanity	34	2	–	1	–	2	2	1	3	–	7	–	1	1	1	–
	Convulsions	888	–	2	2	–	8	10	1	22	6	90	2	80	20	22	1
	Brain Disease	849	3	1	2	2	10	10	1	9	7	66	4	57	27	38	2
V.	Pericarditis	64	–	–	–	–	1	–	–	–	1	6	–	5	1	5	1
	Aneurism	80	–	–	1	–	1	–	–	–	1	12	–	6	3	2	–
	Heart Disease	2905	7	10	11	8	21	31	6	34	37	220	34	271	155	147	8
VI.	Laryngitis	141	1	–	1	–	–	3	–	2	1	10	–	13	7	7	1
	Bronchitis	6194	15	14	30	7	43	53	9	36	62	312	45	393	183	215	7
	Pleurisy	238	4	1	1	–	4	20	1	5	6	18	–	11	9	21	1
	Pneumonia	1969	3	11	16	5	10	12	–	12	19	121	10	133	44	71	6
	Asthma	515	7	4	5	8	26	24	1	4	9	17	1	45	14	25	1
	Lung Disease	305	1	6	–	–	4	4	–	4	2	9	2	26	4	5	–
VII.	Teething	1047	6	–	1	1	8	20	1	9	15	73	5	104	32	49	2
	Quinsey	58	2	1	–	–	1	1	–	2	1	3	–	8	4	3	–
	Gastritis	189	–	–	3	1	–	6	–	3	2	20	3	8	8	7	1
	Enteritis	948	–	2	8	1	9	12	2	16	10	35	5	46	24	23	5
	Peritonitis	314	1	–	4	–	2	7	–	3	1	22	3	19	11	13	1
	Ascites	92	–	2	1	1	1	4	1	1	1	5	–	10	3	4	–
	Ulceration of Intestines	206	1	1	3	–	1	1	–	1	6	25	2	18	2	14	1
	Hernia	93	–	–	1	2	1	4	1	2	–	10	–	6	4	5	1
	Ileus	275	2	3	2	–	3	5	1	3	10	36	2	17	18	17	1
	Intussusception	36	–	–	3	–	–	–	–	–	–	–	–	3	–	4	–
	Stricture of Intestines	22	–	–	–	–	–	1	–	–	1	3	–	1	1	1	–
	Stomach Disease	761	2	9	7	4	17	18	–	8	14	42	4	54	33	33	2
	Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	146	2	1	6	–	1	1	1	–	2	8	–	11	3	6	–
	Jaundice	174	1	2	3	2	3	2	–	3	3	23	2	20	7	11	–
	Liver Disease	668	2	2	6	4	7	12	1	5	10	32	5	43	30	40	1
	Spleen Disease	30	–	–	1	–	2	–	–	–	1	4	–	1	4	–	–
VIII.	Nephritis	58	–	–	–	–	1	1	–	–	–	2	1	–	2	1	1
	Nephria	229	1	–	3	1	3	3	–	3	5	12	1	24	12	12	3
	Addison's Disease	8	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	Ischuria	42	–	–	1	–	3	3	–	1	–	5	–	3	6	–	–
	Diabetes	80	–	–	1	1	–	4	–	–	1	6	1	4	4	4	–
	Stone	55	2	2	4	2	4	5	–	–	7	10	–	2	2	4	1
	Cystitis	170	–	–	2	–	5	2	1	1	10	23	1	9	6	10	2
	Stricture of Urethra	10	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Kidney Disease	297	–	1	4	–	6	9	1	6	5	40	5	25	7	14	–
IX.	Paramenia	25	–	–	–	–	2	–	–	–	2	–	2	2	–	1	–
	Ovarian Dropsy	74	–	2	–	–	–	2	–	3	3	10	1	2	2	5	–
	Childbirth	422	3	6	–	3	7	15	2	5	3	21	2	42	14	19	2
	Organs of Generation	67	–	–	2	–	2	–	–	–	3	4	–	3	5	4	–
X.	Arthritis	94	–	–	–	–	1	1	–	2	4	4	3	4	4	3	1
	Rheumatism	187	1	1	4	–	8	5	1	2	7	12	1	1	10	8	–
	Joint and Bone Disease	149	–	1	–	4	1	3	–	–	1	10	3	8	7	5	–
XI.	Carbuncle	35	–	–	–	1	2	1	–	–	–	2	–	3	1	5	–
	Phlegmon	14	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–
	Skin Disease	56	–	–	–	–	1	1	–	–	1	2	1	4	4	3	–
XVII.	Intemperance	88	–	–	–	–	–	2	–	1	–	4	1	8	3	2	1
	Privation	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	144	–	–	1	–	–	–	–	–	–	12	–	5	3	6	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	88	–	–	1	1	3	3	–	–	2	2	–	1	1	2	1
	Poison	52	–	–	1	–	1	1	–	–	–	1	–	3	2	3	–
	Poisoned Wounds	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Burns and Scalds	276	7	2	4	–	4	1	–	4	3	20	1	9	3	14	1
	Hanging, etc.	58	–	2	–	–	1	1	–	–	–	1	–	5	1	9	–
	Suffocation	107	–	–	–	–	–	–	–	–	3	5	3	29	1	3	–
	Drowning	519	17	8	4	9	13	16	9	5	13	25	5	18	17	39	2
	Fracture and Contusion	877	1	4	8	2	4	11	2	9	7	40	8	58	86	28	1
	Gunshot Wounds	10	–	–	–	–	–	–	–	1	–	1	1	2	–	–	1
	Cuts and Stabs	73	1	–	–	–	–	1	–	–	1	6	–	10	1	4	–
	Other Violent Causes	130	–	–	–	–	–	2	1	–	1	8	1	11	4	6	–
	Not Specified	3164	115	49	57	54	283	166	8	63	47	172	25	228	136	186	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	8	9	7	9	1	27	14	101	2	51	6	4	1	4	4	14	7	4
Apoplexy	7	29	29	36	17	72	73	260	7	130	10	15	4	3	16	27	33	8
Paralysis	7	50	25	37	13	107	113	302	15	229	26	24	4	2	40	52	20	18
Delirium Tremens	–	1	1	1	–	5	6	19	–	14	2	–	–	–	1	–	2	–
Chorea	–	1	–	–	–	1	2	3	–	–	–	–	–	–	1	–	1	–
Epilepsy	1	6	6	4	–	14	6	57	1	36	3	6	–	–	5	7	2	2
Tetanus	–	1	–	3	–	3	2	12	–	5	–	–	–	–	–	1	–	–
Insanity	–	–	1	–	–	3	1	4	–	4	–	–	–	–	–	–	–	–
Convulsions	5	20	16	10	2	40	34	334	4	112	8	6	4	1	9	8	6	3
Brain Disease	1	31	18	14	9	60	44	244	6	116	4	14	2	1	16	19	4	7
Pericarditis	1	2	1	2	–	3	3	17	2	7	–	1	–	–	2	1	2	–
Aneurism	–	2	2	–	–	1	3	13	–	29	–	–	–	1	1	1	1	–
Heart Disease	23	73	41	49	16	156	125	637	48	420	60	42	16	15	58	62	41	25
Laryngitis	–	3	1	3	1	5	14	36	–	23	1	1	–	1	–	2	4	–
Bronchitis	35	112	69	84	22	484	277	2414	80	785	58	28	15	20	60	114	64	49
Pleurisy	2	3	4	3	–	9	15	36	1	36	1	3	2	1	8	4	7	1
Pneumonia	10	60	18	34	14	121	78	781	26	179	24	14	3	3	23	50	32	26
Asthma	4	14	9	21	1	21	34	140	2	48	4	–	1	1	3	9	5	7
Lung Disease	–	23	4	5	1	21	11	109	7	42	–	3	1	–	2	2	–	7
Teething	5	33	21	13	–	115	42	368	13	64	3	4	2	–	11	15	5	7
Quinsey	–	2	1	–	–	6	1	13	1	3	1	1	–	–	–	2	–	1
Gastritis	–	5	6	5	2	10	9	67	–	8	–	1	–	–	3	5	4	2
Enteritis	5	35	14	9	7	71	89	336	15	71	8	7	2	1	11	27	22	15
Peritonitis	1	10	4	2	1	15	16	88	11	44	1	7	–	6	3	9	5	4
Ascites	1	2	3	5	1	4	5	27	–	7	–	–	–	–	–	2	–	1
Ulceration of Intestines	–	3	4	2	1	6	14	38	4	35	–	1	1	4	6	6	1	4
Hernia	–	3	–	1	–	4	8	17	–	12	1	1	–	–	4	4	4	1
Ileus	1	7	7	7	–	7	14	62	3	29	4	5	–	–	5	8	1	–
Intussusception	1	–	1	5	–	–	3	7	–	5	1	1	–	–	–	2	–	–
Stricture of Intestines	–	–	–	2	–	3	1	4	–	3	–	–	–	–	1	–	1	–
Stomach Disease	2	38	23	21	3	82	45	157	6	99	7	17	6	5	12	18	9	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Hepatitis	–	6	3	2	2	10	23	28	1	10	2	1	1	1	1	8	2	3
Jaundice	1	7	5	4	–	3	5	37	1	12	3	6	–	–	2	3	1	2
Liver Disease	4	17	13	17	7	48	35	148	8	105	3	6	4	3	16	18	9	7
Spleen Disease	–	1	–	1	–	1	2	3	1	4	–	2	–	–	–	–	2	–
Nephritis	1	2	3	–	1	5	4	19	1	7	–	1	–	–	1	4	–	–
Nephria	2	3	4	4	2	16	13	44	5	37	2	2	–	–	1	7	2	2
Addison's Disease	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–
Ischuria	–	–	1	2	–	3	5	6	–	2	–	–	–	1	–	–	–	–
Diabetes	–	2	1	–	1	3	4	20	–	9	1	3	–	1	–	7	1	1
Stone	–	–	–	2	–	–	1	4	–	2	–	–	–	–	–	–	–	1
Cystitis	1	3	3	5	1	8	8	26	1	22	1	2	–	1	3	7	2	4
Stricture of Urethra	–	–	–	–	–	–	–	3	–	3	1	–	–	–	–	1	–	–
Kidney Disease	2	8	3	2	1	10	13	67	1	46	5	1	–	–	2	8	1	4
Paramenia	–	1	1	2	–	2	3	4	–	–	1	–	–	1	1	–	–	–
Ovarian Dropsy	–	2	–	–	1	4	3	13	2	12	1	2	2	–	1	–	–	1
Childbirth	3	8	11	3	2	27	23	115	7	41	10	4	1	1	7	6	3	6
Organs of Generation	–	1	–	–	–	2	5	18	1	6	–	3	1	–	1	2	1	3
Arthritis	–	1	1	3	1	4	7	21	1	20	1	1	–	–	1	4	1	–
Rheumatism	1	7	3	6	–	15	9	54	3	12	2	2	–	1	3	6	1	1
Joint Disease	2	4	–	5	–	5	9	42	3	22	–	2	–	1	–	5	1	5
Carbuncle	–	1	–	–	–	3	2	1	–	5	–	4	–	–	1	1	1	1
Phlegmon	–	1	1	–	–	–	2	3	1	–	–	–	–	–	1	–	–	1
Skin Disease	–	3	4	2	–	6	4	5	1	8	–	–	–	1	1	2	1	1
Intemperance	–	–	1	1	1	8	4	31	3	15	1	1	–	–	–	–	–	–
Privation	–	–	–	1	–	–	1	3	–	1	–	–	–	–	1	–	–	1
Want of Breast Milk	1	2	–	4	–	6	5	58	–	31	–	–	–	–	3	5	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	2	–	3	3	6	1	2	–	–	–	–	–	1	–	–
Poison	1	1	1	1	–	3	6	21	–	5	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	18	3	5	–	21	20	71	8	33	2	5	1	–	4	4	1	–
Hanging, etc.	–	–	–	3	–	4	3	15	–	6	3	1	–	–	1	2	–	–
Suffocation	–	3	–	–	–	3	5	30	–	16	2	1	–	–	1	–	–	2
Drowning	3	9	25	21	7	43	18	95	8	34	11	12	2	2	3	7	4	15
Fracture and Contusion	1	20	15	15	–	49	78	271	10	118	12	10	3	1	18	22	8	7
Gunshot Wounds	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–
Cuts and Stabs	2	3	–	2	–	4	7	21	–	6	–	2	–	–	1	1	–	–
Other Violent Causes	–	–	3	–	–	3	3	39	5	32	1	–	2	–	2	2	4	–
Not Specified	33	146	69	148	19	180	151	455	46	106	30	30	4	1	29	90	49	27

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife	Kinross.
ALL CAUSES	35190	236	214	354	175	659	665	72	401	421	2148	270	2541	1286	1503	88
SPECIFIED CAUSES	33514	175	194	328	145	535	578	66	370	396	2052	256	2437	1232	1397	82
I. Zymotic Class	8618	16	29	130	19	158	100	6	87	62	502	55	686	290	364	13
II. Diseases of Uncer. Seat	908	5	11	8	9	18	23	4	15	12	68	10	61	48	41	2
III. Tubercular Class	5551	22	32	40	21	55	82	2	55	58	323	33	384	174	191	18
IV. Brain and Nervous Sys.	2821	10	16	17	8	36	54	7	48	42	196	24	194	110	124	6
V. Organs of Circulation	1517	4	4	8	4	12	16	3	19	16	111	18	123	77	72	6
VI. Respiratory Organs	4835	14	22	18	8	35	58	6	36	50	248	24	307	135	160	9
VII. Organs of Digestion	2554	13	9	30	10	30	55	7	28	40	167	18	178	89	113	6
VIII. Urinary Organs	636	3	2	10	4	19	21	1	8	20	67	7	51	30	31	4
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
X. Organs of Locomotion	225	–	1	1	2	5	3	–	3	5	15	6	6	10	9	–
XI. Skin, etc.	66	–	–	–	2	2	2	–	1	–	4	–	7	3	6	–
XII. Malformation	103	–	1	1	–	1	2	1	–	1	8	1	7	3	3	–
XIII. Premature Debility	1740	8	6	16	7	16	21	3	16	19	112	11	156	56	53	6
XIV. Atrophy	205	1	–	3	1	1	5	2	1	4	9	–	9	4	6	–
XV. Age	2130	60	47	32	39	120	105	13	38	42	136	33	138	140	129	13
XVI. Sudden Deaths	105	–	–	–	1	4	1	–	–	1	4	–	8	1	6	0
XVII. Violent Deaths	1799	19	14	14	10	23	30	11	15	24	82	16	122	61	89	4
I. Small Pox	208	–	–	32	1	9	21	–	–	1	7	2	1	10	3	–
Measles	612	–	–	–	–	1	1	–	1	–	11	–	110	18	45	–
Scarlatina	1178	–	7	32	3	44	3	–	11	1	114	6	40	29	44	1
Diphtheria	470	1	1	11	7	15	3	–	6	14	78	10	49	22	32	6
Hooping Cough	1050	6	4	7	–	18	19	–	14	8	14	3	63	23	43	–
Croup	556	1	1	9	3	27	17	–	15	13	23	5	54	25	29	–
Thrush	14	1	–	–	–	–	2	–	–	–	3	1	5	–	–	–
Diarrhœa	342	1	1	2	1	7	6	1	9	4	55	7	66	27	36	1
Dysentery	143	–	1	2	–	3	–	1	–	4	12	–	26	3	7	1
Cholera	123	–	–	–	–	–	2	–	–	–	7	–	17	4	1	1
Influenza	69	–	3	2	1	2	2	–	–	2	14	1	3	3	2	–
Purpura	23	1	1	–	–	–	–	–	–	–	–	–	3	3	1	–
Ague	5	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–
Worms	12	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Typhus	1725	3	6	31	3	22	11	2	9	5	96	6	145	56	62	2
Enteric Fever	470	–	–	1	–	1	4	2	9	5	18	5	28	29	11	1
Relapsing Fever	37	1	1	–	–	1	–	–	2	1	4	2	4	3	2	–
Simple Cont. Fever	389	1	–	–	–	–	4	–	3	–	21	5	32	24	30	–
Infantile Remittent	83	–	–	–	–	–	1	–	2	2	3	–	5	1	6	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	54	–	1	1	–	3	1	–	2	–	4	–	3	2	1	–
Erysipelas	146	–	2	–	–	4	8	–	2	2	11	–	16	5	7	–
Pyæmia	15	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Syphilis	86	–	–	–	–	–	–	–	1	–	5	2	11	2	1	–
Noma	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	–	–	–	1	1	1	–	1	–	1	–	3	2	4	–
Dropsy	296	2	5	4	4	8	8	1	2	2	11	1	20	14	14	–
Abscess	59	–	–	–	–	–	–	–	–	1	3	4	2	2	1	–
Ulcer	21	–	–	–	–	1	–	–	1	–	2	–	1	1	1	–
Fistula	9	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
Mortification	61	1	1	1	–	1	2	–	–	5	7	–	4	4	1	–
Cancer	411	2	5	3	4	5	11	3	9	4	43	5	31	24	19	2
Gout	8	–	–	–	–	1	1	–	2	–	–	–	–	–	1	–
III. Scrofula	332	4	6	2	1	2	2	–	4	1	36	1	15	8	9	1
Tabes Mesenterica	499	–	2	2	–	1	6	–	2	3	24	1	15	6	10	1
Phthisis	3716	16	22	31	17	50	65	2	38	50	207	24	288	184	128	9
Hydrocephalus	1004	2	2	5	3	2	9	–	11	4	56	7	66	26	44	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	237	932	620	720	190	2389	2026	10199	428	3581	360	326	101	110	501	751	363	328
SPECIFIED CAUSES	217	845	579	640	181	2293	1933	9961	402	3529	344	305	100	110	484	700	335	313
Zymotic Class	44	207	144	91	40	665	457	2784	90	772	70	63	19	28	118	112	48	49
Uncertain Seat	5	26	25	20	8	60	61	178	9	97	14	9	3	4	16	27	9	12
Tubercular Class	38	112	99	119	34	373	415	1727	84	581	33	42	18	21	102	136	60	72
Brain, etc.	13	77	57	58	26	183	154	733	15	357	33	38	10	4	43	66	43	19
Heart, etc.	14	46	30	35	6	86	70	349	21	221	32	15	9	9	24	30	18	9
Respiratory Organs	35	118	53	74	18	360	240	1864	56	565	40	23	9	14	47	87	53	49
Digestive Organs	9	86	55	52	16	160	143	700	40	272	17	34	10	11	42	62	26	26
Urinary Organs	4	12	9	12	8	31	35	109	4	81	8	7	–	2	5	24	4	8
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	5	4	10	1	13	15	60	5	25	1	4	–	–	2	8	2	3
Skin	–	2	3	1	–	7	4	5	1	4	–	4	–	1	3	2	1	1
Malformation	–	3	5	1	–	4	7	26	3	13	1	3	1	–	4	1	1	1
Premature Debility	23	47	16	16	2	138	93	551	36	177	31	11	4	9	31	25	11	13
Atrophy	2	5	4	3	–	11	21	63	–	29	6	3	3	–	2	3	2	2
Age	18	52	32	105	21	102	92	253	13	121	29	24	8	5	17	77	45	31
Sudden Deaths	1	4	1	1	–	7	1	49	2	8	3	1	–	–	–	1	–	–
Violent Deaths	10	43	42	42	6	103	125	510	23	206	26	24	6	2	28	39	12	18
Small Pox	–	23	1	2	–	5	19	40	6	8	–	2	–	2	5	5	1	2
Measles	–	4	–	7	1	63	26	229	6	79	2	–	3	–	–	1	–	4
Scarlatina	8	52	11	9	3	92	61	359	19	123	4	4	3	7	33	34	17	4
Diphtheria	3	14	–	11	6	14	22	66	2	28	13	7	–	8	4	7	7	3
Hooping Cough	1	8	24	6	3	115	51	482	6	98	7	–	–	1	21	5	–	–
Croup	14	16	12	7	–	37	46	108	10	47	4	8	–	2	2	8	3	10
Thrush	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	10	22	9	5	6	54	60	293	12	110	9	4	2	3	6	6	4	3
Dysentery	–	2	3	2	–	7	6	32	–	12	1	6	–	2	1	3	3	3
Cholera	–	2	1	3	3	8	10	33	–	14	–	3	1	1	7	2	–	3
Influenza	–	4	1	4	–	3	5	7	–	1	1	–	–	–	4	2	–	2
Purpura	–	–	–	–	–	1	1	7	–	3	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	1	3	–	–	–	1	–	–	2	–	2	1
Typhus	2	16	60	17	7	181	67	769	7	113	4	5	2	–	9	3	3	1
Enteric Fever	1	6	13	8	2	21	30	127	7	56	15	17	7	1	14	24	2	5
Relapsing Fever	–	2	–	1	–	2	–	7	–	2	–	1	–	–	–	1	–	–
Simple Cont. Fever	2	25	5	2	7	31	25	119	8	24	5	1	–	–	6	4	2	3
Infantile Remittent	3	7	1	–	–	6	11	15	–	12	2	1	1	–	–	2	1	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	2	1	3	2	10	1	8	–	1	–	1	2	2	–	1
Erysipelas	–	2	2	2	–	13	9	39	3	17	2	1	–	–	1	–	2	1
Pyæmia	–	–	–	–	–	–	1	7	–	4	–	–	–	–	–	–	–	–
Syphilis	–	–	1	1	1	9	3	28	3	18	1	1	–	–	–	2	–	1
Noma	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	3	1	–	1	1	10	–	7	–	–	1	–	–	2	–	1
Dropsy	2	13	12	7	1	19	27	81	5	19	2	1	–	–	5	5	–	1
Abscess	–	2	–	1	–	7	5	20	1	8	–	–	–	–	–	1	1	–
Ulcer	1	1	–	–	–	3	–	3	–	2	1	1	–	–	1	1	–	–
Fistula	–	–	1	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Mortification	–	1	1	2	–	2	4	4	1	7	1	1	–	–	4	2	1	3
Cancer	2	7	8	8	7	18	23	58	2	50	10	6	2	4	6	16	7	7
Gout	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Scrofula	–	6	3	7	2	27	40	86	12	35	1	4	2	–	5	5	2	3
Tabes Mesenterica	–	4	7	4	1	27	49	208	11	70	5	4	2	2	8	15	5	4
Phthisis	31	74	71	95	23	249	251	1089	33	364	23	25	12	16	74	101	43	61
Hydrocephalus	7	28	18	13	8	70	75	344	28	112	4	9	2	3	15	15	10	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	219	–	4	3	1	5	7	–	3	3	19	3	7	2	8	1
	Apoplexy	621	3	2	4	1	3	5	1	14	14	35	4	48	28	38	1
	Paralysis	785	2	9	9	5	16	22	4	12	14	54	9	52	40	36	3
	Delirium Tremens	58	–	–	–	–	–	2	–	1	1	3	–	3	4	3	–
	Chorea	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Epilepsy	108	2	–	–	–	1	2	–	2	1	3	2	9	6	4	–
	Tetanus	30	–	–	–	–	1	3	–	–	–	–	2	2	–	1	1
	Insanity	17	–	–	–	–	–	1	1	2	–	2	–	–	–	1	–
	Convulsions	485	–	1	1	–	5	6	–	10	4	42	2	41	11	11	–
	Brain Disease	493	3	–	–	1	5	5	1	4	5	38	2	32	18	22	–
V.	Pericarditis	27	–	–	–	–	–	–	–	–	1	1	–	2	1	2	1
	Aneurism	57	–	–	–	–	1	–	–	–	1	7	–	5	3	2	–
	Heart Disease	1433	4	4	8	4	11	16	3	19	14	103	18	116	73	68	5
VI.	Laryngitis	89	–	–	–	–	–	3	–	1	–	6	–	9	5	5	1
	Bronchitis	3016	7	6	9	1	20	25	5	18	30	152	15	175	87	95	4
	Pleurisy	135	2	1	1	–	3	13	–	4	2	8	–	7	5	9	1
	Pneumonia	1157	2	8	6	3	4	9	–	9	10	69	7	81	27	37	3
	Asthma	260	3	2	2	4	6	5	1	2	7	7	1	21	10	11	–
	Lung Disease	178	–	5	–	–	2	3	–	2	1	6	1	14	1	3	–
VII.	Teething	552	5	–	–	1	3	14	1	7	10	37	3	54	19	31	1
	Quinsey	29	1	–	–	–	1	1	–	–	–	1	–	2	2	1	–
	Gastritis	103	–	–	1	1	–	4	–	–	1	11	2	7	2	4	1
	Enteritis	495	–	–	5	1	4	8	2	9	4	21	3	26	10	16	3
	Peritonitis	121	–	–	2	–	1	4	–	–	1	5	2	10	3	6	–
	Ascites	36	–	1	1	–	1	2	–	1	–	–	–	4	1	2	–
	Ulceration of Intestines	107	–	1	1	–	1	–	–	1	3	15	1	9	–	7	–
	Hernia	38	–	–	1	1	–	2	1	1	–	4	–	2	2	1	–
	Ileus	146	2	2	2	–	2	–	1	2	5	16	1	8	8	9	–
	Intussusception	20	–	–	2	–	–	–	–	–	–	–	–	1	–	2	–
	Stricture of Intestines	13	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–
	Stomach Disease	365	1	2	3	2	8	11	–	4	6	21	2	21	17	18	1
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	78	2	1	5	–	1	1	1	–	2	3	–	3	2	3	–
	Jaundice	84	–	2	2	1	3	1	–	1	2	9	1	9	4	5	–
	Liver Disease	350	2	–	4	3	5	7	1	2	5	19	3	22	16	17	–
	Spleen Disease	16	–	–	1	–	1	–	–	–	–	3	–	–	2	–	–
VIII.	Nephritis	30	–	–	–	–	–	1	–	–	–	2	1	–	2	–	1
	Nephria	119	1	–	2	1	1	2	–	3	1	7	1	13	6	8	–
	Addison's Disease	6	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	Ischuria	34	–	–	–	–	3	3	–	1	–	4	–	3	6	–	–
	Diabetes	54	–	–	1	1	–	2	–	–	–	4	–	3	3	4	–
	Stone	52	2	2	3	2	4	5	–	–	7	9	–	2	2	3	1
	Cystitis	148	–	–	2	–	4	2	1	1	8	20	1	8	6	7	2
	Stricture of Urethra	10	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Kidney Disease	183	–	–	2	–	6	6	–	3	3	21	4	19	5	9	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
X.	Arthritis	57	–	–	–	–	1	–	–	1	4	2	3	2	3	–	–
	Rheumatism	82	–	–	1	–	4	1	–	2	1	6	1	–	4	5	–
	Joint and Bone Disease	86	–	1	–	2	–	2	–	–	–	7	2	4	3	4	–
XI.	Carbuncle	28	–	–	–	1	2	1	–	–	–	2	–	2	1	3	–
	Phlegmon	9	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
	Skin Disease	29	–	–	–	–	–	1	–	–	–	2	–	4	2	3	–
XVII.	Intemperance	56	–	–	–	–	–	2	–	–	–	2	–	6	2	1	1
	Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	79	–	–	1	–	–	–	–	–	–	7	–	2	4	4	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	24	–	–	–	–	3	2	–	–	1	–	–	1	–	2	1
	Poison	31	–	–	1	–	1	–	–	–	–	–	–	1	2	2	–
	Poisoned Wounds	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Burns and Scalds	147	2	2	1	–	3	–	–	2	3	6	–	4	4	11	–
	Hanging, etc.	41	–	2	–	–	1	1	–	–	–	1	–	3	1	6	–
	Suffocation	66	–	–	–	–	–	–	–	–	3	3	2	18	1	2	–
	Drowning	449	16	7	4	9	18	15	9	4	12	20	5	16	13	83	–
	Fracture and Contusion	742	–	3	7	1	2	7	1	8	4	30	7	49	32	28	1
	Gunshot Wounds	9	–	–	–	–	–	–	–	1	–	1	1	2	–	–	1
	Cuts and Stabs	58	1	–	–	–	–	1	–	–	–	6	–	10	–	3	–
	Other Violent Causes	92	–	–	–	–	–	1	1	–	1	6	1	10	2	2	–
	Not Specified	1676	61	20	26	30	124	87	6	31	25	91	14	104	54	106	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	5	9	3	4	–	17	5	59	1	24	3	3	–	1	4	10	4	1
Apoplexy	3	12	17	18	13	44	34	144	3	69	4	9	3	2	10	13	18	4
Paralysis	2	18	15	15	7	46	55	152	4	92	15	10	4	–	13	27	14	9
Delirium Tremens	–	1	–	–	–	4	5	16	–	12	1	–	–	–	1	–	1	–
Chorea	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	4	3	3	–	9	4	20	–	19	2	5	–	–	3	2	1	1
Tetanus	–	1	–	3	–	3	2	9	–	2	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	2	1	3	–	4	–	–	–	–	–	–	–	–
Convulsions	3	15	8	5	1	21	19	187	3	69	5	3	2	–	4	3	3	–
Brain Disease	–	16	11	10	5	36	29	142	4	66	3	8	1	1	8	11	2	4
Pericarditis	–	1	–	–	–	2	3	7	1	3	–	1	–	–	1	–	–	–
Aneurism	–	2	2	–	–	1	–	9	–	23	–	–	–	–	–	1	–	–
Heart Disease	14	43	28	35	6	83	67	333	20	195	32	14	9	9	23	29	18	9
Laryngitis	–	2	1	2	1	2	10	20	–	14	–	1	–	1	–	1	4	–
Bronchitis	24	55	30	41	6	251	150	1222	31	382	25	13	6	10	26	42	28	25
Pleurisy	1	1	2	3	–	7	2	22	–	24	1	1	2	1	5	4	2	1
Pneumonia	6	35	10	19	9	75	52	459	18	97	13	7	1	1	13	33	18	16
Asthma	4	10	8	5	1	11	19	83	1	23	1	–	–	1	2	5	1	3
Lung Disease	–	15	2	4	1	14	7	58	6	25	–	1	–	–	1	2	–	4
Teething	3	16	12	7	–	65	20	193	8	30	3	3	2	–	7	3	1	3
Quinsey	–	2	–	–	–	2	1	10	–	2	–	1	–	–	–	1	–	1
Gastritis	–	4	4	1	1	3	5	33	–	7	–	1	–	–	3	3	1	1
Enteritis	1	18	5	7	3	35	43	175	9	39	3	4	1	1	6	14	12	7
Peritonitis	1	3	3	–	–	4	6	32	7	16	1	3	–	2	1	4	1	3
Ascites	–	2	3	2	1	1	3	7	–	3	–	–	–	–	–	–	–	1
Ulceration of Intestines	–	2	–	–	–	1	7	19	3	26	–	1	–	1	3	3	1	1
Hernia	–	–	–	1	–	1	4	7	–	4	1	–	–	–	7	2	2	1
Ileus	1	4	4	4	–	3	6	36	3	13	3	3	–	–	3	5	–	–
Intussusception	1	–	1	3	–	–	1	3	–	3	–	1	–	–	–	2	–	–
Stricture of Intestines	–	–	–	2	–	3	–	1	–	2	–	–	–	–	–	–	–	–
Stomach Disease	–	19	10	12	4	10	21	78	4	48	4	9	3	3	8	8	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hepatitis	–	3	1	1	1	7	8	12	1	9	–	–	–	1	1	6	1	2
Jaundice	–	5	2	1	–	1	3	16	–	6	1	5	–	–	2	2	–	1
Liver Disease	2	7	10	11	6	24	13	74	5	62	1	1	4	3	8	8	4	1
Spleen Disease	–	1	–	–	–	–	2	2	–	2	–	2	–	–	–	–	–	–
Nephritis	–	1	–	–	–	3	3	7	1	3	–	1	–	–	1	3	–	–
Nephria	1	2	3	2	1	8	8	22	2	15	1	1	–	–	–	5	2	–
Addison's Disease	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	3	4	4	–	–	–	–	–	1	–	–	–	–
Diabetes	–	1	1	–	1	3	3	11	–	7	1	2	–	1	–	4	–	1
Stone	–	–	–	2	–	–	1	4	–	2	–	–	–	–	–	–	–	1
Cystitis	1	3	3	5	–	7	8	21	–	21	1	2	–	–	3	6	1	4
Stricture of Urethra	–	–	–	–	–	–	–	3	–	3	1	–	–	–	–	1	–	–
Kidney Disease	2	5	2	1	1	7	8	35	1	29	4	1	–	–	1	5	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	1	–	1	4	5	14	–	9	–	1	–	–	–	4	1	–
Rheumatism	–	3	3	5	–	4	4	26	2	4	1	1	–	–	2	2	–	–
Joint Disease	1	1	–	5	–	5	6	20	3	12	–	2	–	–	–	2	1	3
Carbuncle	–	1	–	–	–	3	2	1	–	2	–	4	–	–	1	–	1	1
Phlegmon	–	1	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	–	3	1	–	4	–	2	1	2	–	–	–	1	1	2	–	–
Intemperance	–	–	–	–	–	3	4	24	1	9	–	1	–	–	–	–	–	–
Privation	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	–	3	31	–	22	–	–	–	–	1	8	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	1	–	2	2	2	1	2	–	–	–	–	–	1	–	–
Poison	1	1	1	1	–	3	3	11	–	3	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	12	1	3	–	11	10	43	3	16	–	2	1	–	3	2	–	–
Hanging, etc.	–	–	–	3	–	1	3	11	–	3	2	–	–	–	1	2	–	–
Suffocation	–	2	–	–	–	2	3	21	–	5	2	–	–	–	1	2	–	–
Drowning	3	5	22	20	6	36	14	82	6	28	10	12	1	2	3	7	3	13
Fracture and Contusion	1	18	15	13	–	38	74	242	8	91	10	7	2	–	17	21	6	4
Gunshot Wounds	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Cuts and Stabs	1	3	–	–	–	4	4	16	–	5	–	2	–	–	1	1	–	–
Other Violent Causes	–	–	3	–	–	3	3	26	4	20	1	–	2	–	1	2	3	–
Not Specified	20	87	41	80	9	96	93	238	26	52	16	21	1	–	17	51	28	15

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	...
ALL CAUSES	35701	279	243	400	169	703	651	85	372	441	2245	290	2726	1368	1685	
SPECIFIED CAUSES	34213	225	214	369	145	594	572	83	340	419	2164	279	2602	1286	1605	
I. Zymotic Class	8545	25	32	132	32	150	98	15	67	85	508	46	685	299	433	
II. Diseases of Uncer. Seat	1447	9	12	31	7	31	25	5	13	17	108	15	104	66	81	
III. Tubercular Class	5866	31	23	38	16	52	81	9	42	61	323	55	415	193	196	
IV. Brain and Nervous Sys.	2566	7	9	18	9	45	36	9	44	26	189	17	213	122	123	
V. Organs of Circulation	1532	3	6	4	4	11	15	3	15	23	127	16	159	82	82	
VI. Respiratory Organs	4527	17	14	35	12	52	58	5	27	49	239	34	314	126	184	
VII. Organs of Digestion	2502	6	14	19	6	26	39	1	28	37	174	13	190	90	117	
VIII. Urinary Organs	313	–	1	5	–	4	6	1	3	9	31	2	19	9	14	
IX. Organs of Generation	587	3	8	2	3	11	17	2	8	11	35	5	49	20	29	
X. Organs of Locomotion	205	1	1	3	2	5	6	1	1	7	11	1	7	11	7	
XI. Skin, etc.	39	–	–	–	–	1	–	–	–	1	–	1	1	3	2	
XII. Malformation	108	–	1	1	–	–	–	–	1	–	8	2	12	3	4	
XIII. Premature Debility	1376	5	6	10	3	14	26	1	13	17	88	8	139	40	51	
XIV. Atrophy	260	1	3	2	–	6	2	–	2	1	15	1	19	7	10	
XV. Age	3688	108	82	64	49	182	152	30	71	69	262	58	230	195	234	
XVI. Sudden Deaths	69	1	–	–	–	1	2	–	–	–	3	1	9	2	11	
XVII. Violent Deaths	583	7	2	5	2	3	9	1	5	6	43	4	37	18	27	
I. Small Pox	175	–	–	21	–	4	9	4	–	–	6	1	7	4	–	
Measles	583	–	–	–	–	7	–	–	–	1	6	–	110	42	33	
Scarlatina	1066	2	8	26	8	37	4	–	9	3	116	6	33	26	54	
Diphtheria	525	5	1	10	11	11	8	1	10	15	75	8	73	23	44	
Hooping Cough	1268	8	2	8	–	31	21	–	14	6	14	3	56	34	58	
Croup	459	2	1	6	6	17	12	–	10	12	20	5	44	17	29	
Thrush	9	–	–	–	–	–	1	–	–	–	2	–	–	–	1	
Diarrhœa	865	–	3	3	3	3	5	1	5	6	64	1	66	29	33	
Dysentery	173	1	–	2	–	1	–	2	1	5	18	2	23	8	10	
Cholera	91	–	–	1	–	2	–	–	–	–	5	–	6	2	4	
Influenza	91	–	3	–	–	4	5	–	–	5	16	2	8	4	4	
Purpura	16	–	1	–	–	–	1	–	–	–	2	–	2	–	1	
Ague	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	
Worms	16	–	–	–	–	2	1	–	–	–	–	–	1	1	–	
Typhus	1547	6	10	39	2	16	6	6	8	10	92	6	133	59	72	
Enteric Fever	578	–	2	1	1	8	4	2	3	13	20	3	50	20	27	
Relapsing Fever	25	–	–	–	–	–	1	–	–	–	3	–	6	1	2	
Simple Cont. Fever	450	–	–	3	–	–	5	–	1	4	16	2	19	27	24	
Infantile Remittent	81	–	–	2	–	1	–	–	1	–	2	3	8	1	5	
Metria	213	–	1	4	1	2	2	–	1	3	13	3	15	13	18	
Rheumatic Fever	65	–	–	2	–	–	3	–	1	1	4	–	8	2	3	
Erysipelas	154	1	–	2	–	4	9	–	2	–	9	1	12	6	6	
Pyæmia	12	–	–	–	–	–	–	–	–	1	–	–	2	–	2	
Syphilis	72	–	–	2	–	–	1	–	1	–	4	–	7	–	2	
Noma	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
II. Hæmorrhage	59	1	–	–	–	2	–	–	–	–	2	–	3	4	2	
Dropsy	392	5	6	11	3	8	15	–	7	–	23	2	29	24	21	
Abscess	73	–	–	–	–	3	1	–	–	–	6	2	4	2	4	
Ulcer	26	–	1	–	–	1	1	–	–	–	2	–	3	–	1	
Fistula	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
Mortification	63	–	–	3	–	1	–	–	–	–	2	–	4	2	6	
Cancer	846	2	5	17	4	16	8	5	6	17	72	11	61	33	47	
Gout	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–	
III. Scrofula	277	3	1	2	2	1	4	–	–	6	22	2	18	11	10	
Tabes Mesenterica	386	1	–	–	–	2	2	–	2	3	18	4	8	2	14	
Phthisis	4373	26	22	30	14	48	70	7	35	46	231	43	324	158	147	
Hydrocephalus	830	1	–	6	–	1	5	2	5	6	52	6	65	22	25	

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	204	910	596	639	177	2404	2036	9912	414	3650	379	328	102	104	491	759	452	394
SPECIFIED CAUSES	191	851	568	571	167	2320	1978	9695	394	3596	365	319	99	103	479	720	431	382
Zymotic Class	40	193	172	95	28	645	526	2758	96	793	78	74	29	26	86	145	67	64
Uncertain Seat	9	46	31	20	5	82	89	310	16	155	17	20	8	3	26	40	31	16
Tubercular Class	38	151	110	84	35	461	437	1889	69	551	50	40	14	21	96	115	83	78
Brain, etc.	16	71	46	56	16	149	141	603	20	340	26	31	5	7	49	62	32	23
Heart, etc.	10	34	14	16	10	74	61	318	24	235	28	28	7	7	37	34	26	16
Respiratory Organs	16	97	52	76	21	301	189	1652	60	548	48	26	13	12	49	94	59	41
Digestive Organs	12	83	50	44	13	175	169	700	24	239	17	26	6	9	29	67	40	30
Urinary Organs	2	6	6		3	14	13	83	4	49	2	2	–	1	2	10	2	4
Generative Organs	3	12	12	5	3	35	34	150	10	59	12	9	4	2	10	8	4	10
Locomotive Organs	2	7	–	4	–	11	10	57	2	29	2	1	–	2	2	7	1	3
Skin	–	3	2	1	–	2	4	4	1	9	–	–	–	–	–	1	1	2
Malformation	3	3	1	–	1	4	6	22	3	18	–	4	–	2	3	2	3	1
Premature Debility	3	29	19	14	2	108	78	394	20	170	15	9	3	6	32	21	12	13
Atrophy	3	8	4	1	–	21	15	86	1	28	6	3	3	1	4	5	2	–
Age	27	90	43	139	28	190	169	499	32	277	56	38	9	3	47	103	62	74
Sudden Deaths	–	4	–	–	–	4	7	19	–	1	1	–	1	–	–	1	1	–
Violent Deaths	2	14	6	13	2	44	30	151	12	95	7	8	2	1	7	5	5	7
Small Pox	–	19	–	4	–	8	20	27	7	8	1	10	–	2	3	7	3	–
Measles	2	6	3	3	–	42	32	229	2	56	3	1	2	–	–	1	1	1
Scarlatina	6	26	13	7	1	87	49	332	15	112	5	1	4	3	20	36	12	5
Diphtheria	4	7	8	8	5	19	26	74	2	35	7	5	–	4	5	5	8	2
Hooping Cough	1	22	37	10	3	136	60	596	10	101	4	1	1	4	15	8	3	–
Croup	11	14	5	7	–	30	41	85	11	26	5	7	2	1	3	17	4	7
Thrush	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–
Diarrhœa	1	29	17	5	3	67	53	280	9	123	9	7	2	2	7	13	4	7
Dysentery	–	2	3	1	3	5	17	22	3	16	3	2	1	2	–	8	4	1
Cholera	–	3	–	–	1	1	11	26	3	16	1	3	1	1	2	2	–	–
Influenza	–	2	2	–	1	–	9	9	1	5	–	2	1	–	3	–	–	5
Purpura	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	1	2	1
Ague	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	–	1	3	–	1	–	–	1	–	1	1	1	–
Typhus	2	19	47	14	7	156	71	657	5	99	5	1	–	–	4	7	4	3
Enteric Fever	3	3	15	9	–	17	48	130	10	74	22	22	12	5	9	25	8	9
Relapsing Fever	–	–	–	1	–	2	1	6	1	–	–	–	–	1	–	–	–	–
Simple Cont. Fever	6	27	7	7	3	30	43	142	7	41	3	4	–	–	8	7	1	13
Infantile Remittent	1	3	–	–	–	12	6	18	1	11	2	–	–	–	1	2	2	4
Metria	–	6	8	8	1	16	14	43	4	21	4	2	2	–	2	2	1	3
Rheumatic Fever	1	1	2	6	–	4	3	10	–	9	–	3	–	–	–	1	3	2
Erysipelas	2	1	3	1	–	8	12	38	2	22	4	1	–	–	1	1	4	1
Pyæmia	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–	2	–
Syphilis	–	1	2	3	–	3	7	20	3	13	–	1	–	1	1	–	–	–
Noma	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	2	6	9	–	5	–	–	–	–	2	–	–	–
Dropsy	3	20	13	6	1	33	23	88	1	11	3	5	–	1	7	9	6	8
Abscess	–	2	2	–	–	4	7	20	–	12	–	–	–	–	–	2	1	–
Ulcer	–	–	–	2	–	1	1	3	1	5	–	1	–	–	1	–	1	1
Fistula	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	2	3	2	–	6	1	13	1	5	1	3	1	–	2	1	4	–
Cancer	5	22	13	10	4	35	50	177	13	115	13	11	2	2	14	28	18	7
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Scrofula	1	8	3	6	–	15	28	76	8	32	1	3	–	–	4	5	4	1
Tabes Mesenterica	–	10	6	3	2	28	44	139	12	49	6	5	–	2	5	4	6	8
Phthisis	34	107	85	69	24	362	301	1387	33	381	35	25	12	16	72	94	67	61
Hydrocephalus	3	26	16	6	9	5	64	287	16	89	8	7	2	3	15	12	6	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	178	1	2	1	–	7	6	1	1	3	12	1	10	3	10	–
	Apoplexy	559	1	2	7	1	5	9	2	9	7	43	5	52	36	24	–
	Paralysis	898	3	2	3	6	14	10	5	14	11	47	6	76	57	56	2
	Delirium Tremens	16	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–
	Chorea	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Epilepsy	121	1	1	3	1	6	1	–	2	1	4	3	7	6	5	–
	Tetanus	11	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–
	Insanity	17	2	–	1	–	2	1	–	1	–	5	–	1	1	–	–
	Convulsions	403	–	1	1	–	3	4	1	12	2	48	–	39	9	11	1
	Brain Disease	356	–	1	2	1	5	5	–	5	2	28	2	25	9	16	2
V.	Pericarditis	37	–	–	–	–	1	–	–	–	–	5	–	3	–	3	–
	Aneurism	23	–	–	1	–	–	–	–	–	–	5	–	1	–	–	–
	Heart Disease	1472	3	6	3	4	10	15	3	15	23	117	16	155	82	79	6
VI.	Laryngitis	52	1	–	1	–	–	–	–	1	1	4	–	4	2	2	–
	Bronchitis	3178	8	8	21	6	23	28	4	18	32	160	30	218	96	120	3
	Pleurisy	103	2	–	–	–	1	7	1	1	4	10	–	4	4	12	–
	Pneumonia	812	1	3	10	2	6	3	–	3	9	52	3	52	17	34	3
	Asthma	255	4	2	3	4	20	19	–	2	2	10	–	24	4	14	1
	Lung Disease	127	1	1	–	–	2	1	–	2	1	3	1	12	3	2	–
VII.	Teething	495	1	–	1	–	5	6	–	2	5	36	2	50	13	28	1
	Quinsey	29	1	1	–	–	–	–	–	2	1	2	–	6	2	2	–
	Gastritis	86	–	–	2	–	–	2	–	3	1	9	1	1	6	3	–
	Enteritis	448	–	2	3	–	5	4	–	7	6	14	2	20	14	7	2
	Peritonitis	193	1	–	2	–	1	3	–	3	–	17	1	9	8	7	1
	Ascites	56	–	1	–	1	–	2	1	–	1	5	–	6	2	2	–
	Ulceration of Intestines	99	1	–	2	–	–	1	–	–	3	10	1	9	2	7	1
	Hernia	55	–	–	–	1	1	2	–	1	–	6	–	4	2	4	1
	Ileus	129	–	1	–	–	1	5	–	1	5	20	1	9	5	8	1
	Intussusception	16	–	–	1	–	–	–	–	–	–	–	–	2	–	2	–
	Stricture of Intestines	9	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Stomach Disease	396	1	7	4	2	9	7	–	4	8	21	2	33	16	15	1
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	68	–	–	1	–	–	–	–	–	–	5	–	8	1	3	–
	Jaundice	90	1	–	1	1	1	1	–	2	1	14	1	11	3	6	–
	Liver Disease	318	–	2	2	1	2	5	–	3	5	13	2	21	14	25	1
	Spleen Disease	14	–	–	–	–	1	–	–	–	1	1	–	1	2	–	–
VIII.	Nephritis	28	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	Nephria	110	–	–	1	–	2	1	–	–	4	5	–	11	6	4	3
	Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	8	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Diabetes	26	–	–	–	–	–	2	–	–	1	2	1	1	1	–	–
	Stone	3	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–
	Cystitis	22	–	–	–	–	1	–	–	–	2	3	–	1	–	3	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	114	–	1	2	–	–	3	1	3	2	19	1	6	2	5	–
IX.	Paramenia	25	–	–	–	–	2	–	–	–	2	–	2	2	–	1	–
	Ovarian Dropsy	74	–	2	–	–	–	2	–	3	3	10	1	2	2	5	–
	Childbirth	422	3	6	–	3	7	15	2	5	3	21	2	42	14	19	2
	Organs of Generation	66	–	–	2	–	2	–	–	–	3	4	–	3	4	4	–
X.	Arthritis	37	–	–	–	–	–	1	–	1	–	2	–	2	1	3	1
	Rheumatism	105	1	1	3	–	4	4	1	–	6	6	–	1	6	3	–
	Joint and Bone Disease	63	–	–	–	2	1	1	–	–	1	3	1	4	4	1	–
XI.	Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
	Phlegmon	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Skin Disease	27	–	–	–	–	1	–	–	–	1	–	1	–	2	–	–
XVII.	Intemperance	32	–	–	–	–	–	–	–	1	–	2	1	2	1	1	–
	Privation	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	65	–	–	–	–	–	–	–	–	–	5	–	3	1	2	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	14	–	–	1	1	–	1	–	–	1	2	–	–	1	–	–
	Poison	21	–	–	–	–	–	1	–	–	–	1	–	2	–	1	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	129	5	–	3	–	1	1	–	2	–	14	1	5	4	3	1
	Hanging, etc.	17	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–
	Suffocation	41	–	–	–	–	–	–	–	–	–	2	1	11	–	1	–
	Drowning	70	1	1	–	–	–	1	–	1	1	5	–	2	4	6	2
	Fracture and Contusion	135	1	1	1	1	2	4	1	1	3	10	1	9	4	5	–
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	15	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
	Other Violent Causes	38	–	–	–	–	–	1	–	–	–	2	–	1	2	4	–
	Not Specified	1488	54	29	31	24	109	79	2	32	22	81	11	124	82	80	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	–	4	5	1	10	9	42	1	27	3	1	1	3	–	4	3	3
Apoplexy	4	17	12	18	4	28	39	116	4	61	6	6	1	1	6	14	15	4
Paralysis	5	32	10	22	6	61	58	150	11	137	11	14	–	2	27	25	6	9
Delirium Tremens	–	–	1	1	–	1	1	3	–	2	1	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	2	2	–	–	–	–	–	–	1	–	1	–
Epilepsy	1	2	3	1	–	5	2	37	1	17	1	1	–	–	2	5	1	1
Tetanus	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	1	–	–
Insanity	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	2	5	8	5	1	19	15	147	1	43	3	3	2	1	5	5	3	3
Brain Disease	1	15	7	4	4	24	15	102	2	50	1	6	1	–	8	8	2	3
Pericarditis	1	1	1	2	–	1	–	10	1	4	–	–	–	–	1	1	2	–
Aneurism	–	–	–	–	–	–	3	4	–	6	–	–	–	1	1	–	1	–
Heart Disease	9	33	13	14	10	73	58	304	23	225	28	28	7	6	35	33	23	16
Laryngitis	–	1	–	1	–	3	4	16	–	9	1	–	–	–	–	1	–	–
Bronchitis	11	57	39	43	16	238	127	1192	49	403	33	15	9	10	34	72	36	24
Pleurisy	1	2	2	–	–	2	13	14	1	12	–	2	–	–	3	–	5	–
Pneumonia	4	25	8	15	5	46	26	322	8	82	11	7	2	2	10	17	14	10
Asthma	–	4	1	16	–	10	15	57	1	25	3	–	1	–	1	4	4	4
Lung Disease	–	8	2	1	–	7	4	51	1	17	–	2	1	–	1	–	–	3
Teething	2	17	9	6	–	50	22	175	5	34	–	1	–	–	4	12	4	4
Quinsey	–	–	1	–	–	4	–	8	1	1	1	–	–	–	–	1	–	–
Gastritis	–	1	2	4	1	7	4	32	1	1	–	–	–	–	–	2	3	1
Enteritis	4	17	9	2	4	36	46	161	6	32	5	3	1	–	5	13	10	8
Peritonitis	–	7	1	2	1	11	10	56	4	28	–	4	–	4	2	5	4	1
Ascites	1	–	–	3	–	3	2	20	–	4	–	–	–	–	–	2	–	–
Ulceration of Intestines	–	1	4	2	1	5	7	19	1	9	–	–	1	3	3	3	–	3
Hernia	–	3	–	–	–	3	4	10	–	8	–	1	–	–	–	2	2	–
Ileus	–	3	3	3	–	4	8	26	–	16	1	2	–	–	2	3	1	–
Intussusception	–	–	–	2	–	–	2	4	–	2	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	3	–	1	–	–	–	–	1	–	1	–
Stomach Disease	2	19	13	9	4	22	24	79	2	51	3	8	3	2	4	10	6	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hepatitis	–	3	2	1	1	3	15	16	–	1	2	1	1	–	–	2	1	1
Jaundice	1	2	3	3	–	2	2	21	1	6	2	1	–	–	–	1	1	1
Liver Disease	2	10	3	6	1	24	22	74	3	43	2	5	–	–	8	10	5	6
Spleen Disease	–	–	–	1	–	1	–	1	1	2	–	–	–	–	–	–	2	–
Nephritis	1	1	3	–	1	2	1	12	–	4	–	–	–	–	–	1	–	–
Nephria	1	1	1	2	1	8	5	22	3	22	1	1	–	–	1	2	–	2
Addison's Disease	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	1	9	–	2	–	1	–	–	–	3	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	5	1	1	–	–	1	–	1	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	1	1	–	3	5	32	–	17	1	–	–	–	1	3	–	2
Paramenia	–	1	1	2	–	2	3	4	–	–	1	–	–	1	1	–	–	–
Ovarian Dropsy	–	2	–	–	1	4	3	13	2	12	1	2	2	–	1	–	–	1
Childbirth	3	8	11	3	2	27	23	115	7	41	10	4	1	1	7	6	3	6
Organs of Generation	–	1	–	–	–	2	5	18	1	6	–	3	1	–	1	2	1	3
Arthritis	–	–	–	3	–	–	2	7	1	11	1	–	–	–	1	–	–	–
Rheumatism	1	4	–	1	–	11	5	28	1	8	1	1	–	1	1	4	1	1
Joint Disease	1	3	–	–	–	–	3	22	–	10	–	–	–	1	–	3	–	2
Carbuncle	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–
Phlegmon	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1
Skin Disease	–	3	1	1	–	2	4	3	–	6	–	–	–	–	–	–	1	1
Intemperance	–	–	1	1	1	5	–	7	2	6	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	1
Want of Breast Milk	1	1	–	4	–	6	2	27	–	9	–	–	–	–	2	2	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	1	1	4	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	3	10	–	2	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	–	6	2	2	–	10	10	28	5	17	2	3	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	3	–	4	–	3	1	1	–	–	1	2	1	–
Suffocation	–	1	–	–	–	1	2	9	–	11	–	1	–	–	–	–	–	–
Drowning	–	4	3	1	1	7	4	13	2	6	1	–	1	–	–	–	–	1
Fracture and Contusion	–	2	–	2	–	11	4	29	2	27	2	3	1	1	1	1	2	2
Gunshot Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	3
Cuts and Stabs	1	–	–	2	–	–	3	5	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	13	1	12	–	–	–	–	1	–	1	–
Not Specified	13	59	28	68	10	84	58	217	20	54	14	9	3	1	12	39	21	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	13914	968	910	4858	3000	1981	1410	1675	948	729
SPECIFIED CAUSES	13727	920	899	4829	2872	1969	1374	1638	941	719
I. Zymotic Class	4090	272	238	1047	860	525	420	506	213	212
II. Diseases of Uncertain Seat	296	21	25	185	82	81	51	34	24	16
III. Tubercular Class	2527	165	185	818	473	286	233	278	139	106
IV. Brain and Nervous System	938	46	78	470	207	208	102	124	77	54
V. Organs of Circulation	474	31	25	294	150	111	36	63	68	50
VI. Respiratory Organs	2574	150	134	784	391	260	173	245	146	81
VII. Organs of Digestion	877	58	65	343	184	148	113	108	63	42
VIII. Urinary Organs	134	10	9	82	31	38	7	18	16	7
IX. Organs of Generation	92	11	13	40	26	22	11	12	8	6
X. Organs of Locomotion	77	8	6	46	5	11	10	7	1	4
XI. Skin, etc.	5	–	–	8	4	1	3	5	1	–
XII. Malformation	27	1	3	23	9	6	5	1	3	–
XIII. Premature Debility	649	38	45	224	181	75	51	89	62	42
XIV. Atrophy	97	10	5	34	19	17	7	16	13	5
XV. Age	402	77	30	249	131	123	117	71	44	68
XVI. Sudden Deaths	55	1	1	4	13	6	2	5	1	1
XVII. Violent Deaths	413	21	37	178	106	51	28	56	62	25
I. Small Pox	26	4	1	13	6	9	3	4	–	9
Measles	330	14	28	110	166	3	69	12	21	39
Scarlatina	513	27	37	115	69	184	86	52	26	29
Diphtheria	69	6	9	30	25	20	7	8	14	5
Hooping Cough	879	44	33	155	94	6	43	114	26	20
Croup	110	6	15	43	45	13	11	34	12	10
Thrush	2	–	–	–	4	2	–	–	–	–
Diarrhœa	389	31	34	152	78	70	34	49	27	22
Dysentery	38	2	1	21	33	11	7	4	3	1
Cholera	39	2	4	16	21	3	1	4	6	4
Influenza	12	1	–	2	7	7	–	2	–	–
Purpura	3	1	–	3	3	1	–	2	–	1
Ague	1	–	–	–	3	1	1	–	–	–
Worms	2	–	1	–	2	–	–	–	1	–
Typhus	1177	118	37	166	210	125	93	169	34	47
Enteric Fever	166	1	14	79	24	17	12	13	19	8
Relasing Fever	3	–	1	2	9	3	1	–	–	–
Simple Continued Fever	168	5	12	54	31	22	26	17	4	11
Infantile Remittent	26	1	–	11	5	2	8	2	5	1
Metria	26	2	3	14	6	7	3	7	5	–
Rheumatic Fever	14	–	2	11	3	6	3	2	4	1
Erysipelas	47	4	3	24	6	8	9	4	5	3
Pyæmia	6	1	1	4	–	–	–	–	1	–
Syphilis	40	2	2	22	10	5	3	7	–	1
Noma	4	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	1	2	8	3	3	–	1	1	–
Dropsy	100	5	5	20	32	20	26	8	7	2
Abscess	35	–	3	16	2	4	5	2	1	–
Ulcer	4	1	1	4	1	2	1	3	1	–
Fistula	–	–	1	2	–	1	–	1	–	–
Mortification	11	1	1	11	4	4	3	4	–	3
Cancer	134	13	12	122	40	47	16	15	14	11
Gout	–	–	–	2	–	–	–	–	–	–
III. Scrofula	89	24	4	54	14	18	12	15	3	7
Tabes Mesenterica	200	16	25	77	16	27	18	15	16	8
Phthisis	1770	106	110	539	368	187	171	209	85	76
Hydrocephalus	468	19	46	148	75	54	32	39	35	20

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	423	467	271	338	313	243	392	433	508	359	325	422	524
SPECIFIED CAUSES	423	461	258	330	296	236	386	420	505	335	309	414	509
Zymotic Class	116	115	64	67	81	66	100	112	131	94	66	109	113
Uncertain Seat	21	21	11	15	12	4	16	15	15	5	17	13	26
Tubercular Class	57	70	42	58	41	36	55	71	115	58	62	65	94
Brain, etc.	39	54	18	39	32	20	39	31	50	21	33	15	42
Heart, etc.	13	24	22	30	15	13	18	13	20	19	4	10	21
Respiratory Organs	31	46	27	34	37	41	51	54	69	44	47	82	74
Digestive Organs	47	37	15	29	25	8	42	31	27	23	28	37	38
Urinary Organs	9	5	6	8	1	–	6	6	3	5	4	1	8
Generative Organs	3	2	3	2	1	1	2	6	5	6	2	4	4
Locomotive Organs	2	2	1	2	2	2	3	3	5	2	2	4	2
Skin	–	3	–	–	–	–	1	–	1	–	–	1	3
Malformation	–	2	3	–	1	–	–	1	2	1	–	5	2
Premature Debility	20	37	16	9	12	13	18	13	29	17	12	26	19
Atrophy	1	–	3	–	3	–	3	4	2	1	3	4	2
Age	48	33	21	28	20	22	23	45	16	32	16	15	42
Sudden Deaths	1	1	–	–	3	1	–	–	1	–	3	–	–
Violent Deaths	15	9	6	9	10	9	9	15	14	7	10	23	19
Small Pox	27	–	–	–	–	–	15	12	2	15	–	1	1
Measles	–	27	6	1	–	6	5	7	3	5	7	27	3
Scarlatina	5	–	1	–	16	2	21	25	7	5	9	10	54
Diphtheria	7	18	11	3	5	10	2	2	6	4	4	1	6
Hooping Cough	32	3	6	2	9	4	10	–	26	13	7	4	–
Croup	14	13	8	13	7	5	–	9	13	13	4	6	7
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	11	9	16	4	13	17	7	21	6	11	19	12
Dysentery	–	2	5	1	–	–	–	3	7	–	1	4	2
Cholera	1	–	1	–	–	–	2	–	–	3	–	–	–
Influenza	–	2	–	–	1	1	1	–	1	–	–	–	–
Purpura	–	1	–	1	–	–	–	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	15	7	8	26	13	6	27	14	23	12	7	4
Enteric Fever	6	2	3	11	1	4	3	6	12	3	2	10	18
Relapsing Fever	–	–	–	–	1	–	1	–	–	–	–	2	–
Simple Cont. Fever	3	8	3	3	6	2	11	4	6	2	6	10	2
Infantile Remittent	–	–	–	–	3	3	4	–	5	–	–	4	–
Metria	–	1	–	5	1	2	2	6	–	1	1	1	–
Rheumatic Fever	–	1	–	1	–	–	–	1	2	–	–	–	–
Erysipelas	3	4	2	1	1	1	–	1	2	–	–	2	1
Pyæmia	–	1	–	–	–	–	–	–	1	–	–	–	–
Syphilis	1	5	1	1	–	–	–	2	2	–	2	–	2
Noma	–	1	–	–	–	–	–	–	1	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	2	–	1	1	–	–	–	–	1
Dropsy	8	3	2	3	3	–	6	2	2	1	6	6	7
Abscess	1	2	–	1	2	–	1	–	1	–	–	–	1
Ulcer	1	1	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	1	2	–	1	1	–	1	–	–	–	–	–	1
Cancer	8	12	9	9	3	4	7	10	12	4	11	7	16
Gout	1	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	1	2	1	1	5	2	9	4	1	3	6	2
Tabes Mesenterica	2	2	–	2	3	1	2	9	7	1	18	9	7
Phthisis	48	55	24	45	23	26	46	44	82	44	37	42	75
Hydrocephalus	7	12	16	10	14	4	5	9	22	12	4	8	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	65	6	3	31	11	15	8	9	7	–
	Apoplexy	189	5	16	86	37	31	21	18	18	22
	Paralysis	180	12	24	150	65	58	39	35	24	12
	Delirium Tremens	18	–	1	14	2	4	2	3	–	4
	Chorea	1	–	1	–	1	–	1	–	–	–
	Epilepsy	40	1	5	26	12	3	7	5	1	3
	Tetanus	10	–	–	3	–	–	1	1	1	–
	Insanity	3	1	–	3	–	4	1	2	–	–
	Convulsions	251	12	18	68	63	61	16	13	20	6
	Brain Disease	181	9	10	89	16	32	6	38	6	7
V.	Pericarditis	12	1	–	5	4	–	1	1	1	–
	Aneurism	9	–	1	25	2	8	–	–	1	1
	Heart Disease	453	30	24	264	144	103	35	62	66	49
VI.	Laryngitis	28	2	2	14	7	5	2	1	2	3
	Bronchitis	1778	88	90	562	245	180	117	195	99	63
	Pleurisy	18	1	1	25	3	6	–	5	1	1
	Pneumonia	581	44	28	111	89	54	38	34	40	7
	Asthma	87	9	10	34	37	9	11	3	4	5
	Lung Disease	82	6	3	38	10	6	5	7	–	2
VII.	Teething	267	20	17	38	65	53	38	59	10	13
	Quinsey	10	–	1	3	5	3	2	2	–	–
	Gastritis	34	1	4	6	1	4	1	4	2	1
	Enteritis	193	9	21	43	18	9	34	15	9	–
	Peritonitis	42	4	1	30	6	7	3	6	6	2
	Ascites	15	2	–	5	8	2	2	1	–	1
	Ulceration of Intestines	18	2	2	26	2	9	3	–	5	1
	Hernia	13	–	–	9	2	7	1	1	2	1
	Ileus	40	4	3	12	10	15	5	–	8	5
	Intussusception	4	–	1	3	2	–	–	–	–	–
	Stricture of Intestines	4	–	–	2	–	2	–	1	1	–
	Stomach Disease	101	5	10	75	27	12	9	7	8	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	17	–	–	5	4	3	4	1	1	3
	Jaundice	23	1	–	9	12	10	–	–	–	1
	Liver Disease	96	9	5	75	21	12	16	11	10	9
	Spleen Disease	–	1	–	2	1	–	–	–	1	2
VIII.	Nephritis	16	–	1	6	–	1	–	2	–	2
	Nephria	37	1	2	29	16	6	3	8	3	3
	Addison's Disease	1	–	2	–	1	–	–	–	–	–
	Ischuria	2	–	–	1	2	1	–	2	–	–
	Diabetes	12	1	–	6	–	2	–	2	–	1
	Stone	2	–	1	2	1	4	–	–	–	1
	Cystitis	14	–	3	9	2	6	2	1	6	–
	Stricture of Urethra	1	–	–	3	–	–	–	–	–	–
	Kidney Disease	49	8	–	26	9	18	2	3	7	–
IX.	Paramenia	4	–	–	–	1	–	–	1	–	–
	Ovarian Dropsy	7	1	1	10	–	5	2	–	–	–
	Childbirth	71	8	11	25	25	15	9	11	7	5
	Organs of Generation	10	2	1	5	–	2	–	–	1	1
X.	Arthritis	17	1	1	17	2	2	–	2	–	1
	Rheumatism	35	5	1	7	–	5	8	4	1	1
	Joint and Bone Disease	25	2	4	22	3	4	2	1	–	2
XI.	Carbuncle	–	–	–	4	3	–	–	2	–	–
	Phlegmon	3	–	–	–	–	–	–	–	–	–
	Skin Disease	2	–	–	4	1	1	3	3	1	–
XVII.	Intemperance	27	–	2	10	4	3	3	2	1	3
	Privation	1	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	42	–	4	23	4	11	–	6	2	2
	Neglect	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	1	–	–	1	–	–	–
	Poison	17	1	1	2	1	–	2	1	3	2
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	45	2	3	22	5	9	7	7	6	2
	Hanging, etc.	10	–	–	4	3	1	1	1	2	–
	Suffocation	21	–	2	9	23	2	–	2	1	–
	Drowning	57	7	8	4	9	8	4	13	18	3
	Fracture and Contusion	151	10	14	70	38	10	10	18	25	12
	Gunshot Wounds	–	–	–	2	–	–	–	–	–	–
	Cuts and Stabs	15	1	–	5	9	2	–	4	–	–
	Other Violent Causes	25	–	3	25	10	5	–	2	4	1
	Not Specified	187	48	11	29	128	12	36	37	7	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	1	1	2	2	2	3	–	2	1	2	2	3
Apoplexy	5	14	4	10	12	4	2	6	9	2	11	4	14
Paralysis	15	14	4	14	18	7	17	19	20	8	10	1	15
Delirium Tremens	2	3	–	–	–	1	1	1	1	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	2	–	–	1	–	2	2	–	–	6
Tetanus	–	–	–	1	–	–	1	1	–	–	–	–	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	7	2	2	4	–	3	2	5	4	7	4	3
Brain Disease	3	14	7	8	1	6	11	1	11	4	2	4	–
Pericarditis	–	1	–	–	2	–	–	–	–	–	–	2	–
Aneurism	–	–	–	2	–	–	1	1	–	1	–	–	–
Heart Disease	13	23	22	28	13	13	17	12	20	18	4	8	21
Laryngitis	1	–	–	1	–	–	–	1	1	–	–	2	–
Bronchitis	15	35	21	27	28	35	32	30	61	33	34	58	49
Pleurisy	2	1	–	1	1	–	–	1	1	1	1	5	2
Pneumonia	5	5	4	4	4	4	14	10	2	6	7	14	21
Asthma	7	2	1	–	3	2	1	11	4	2	3	2	1
Lung Disease	1	3	1	1	1	–	4	1	–	2	2	1	1
Teething	15	15	3	2	4	1	14	4	1	1	3	11	3
Quinsey	–	1	2	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	2	1	–	–	3	–	1	8	1	1
Enteritis	9	10	–	7	4	–	10	3	12	5	5	9	7
Peritonitis	2	1	1	1	–	2	1	2	–	3	–	5	1
Ascites	–	1	–	–	–	–	–	2	–	–	1	–	1
Ulceration of Intestines	–	1	2	8	1	–	1	–	1	–	3	3	2
Hernia	–	2	–	1	1	–	–	1	–	–	–	–	2
Ileus	2	1	–	1	3	–	1	2	1	1	1	1	3
Intussusception	–	1	–	–	1	–	–	1	1	–	–	–	2
Stricture of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	10	–	1	2	6	2	10	6	3	2	5	4	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	1
Hepatitis	1	1	–	1	–	–	2	3	1	5	–	–	–
Jaundice	1	–	–	1	–	–	1	–	1	2	–	1	2
Liver Disease	5	3	5	3	4	3	2	4	4	3	2	2	9
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	1
Nephritis	–	–	–	–	–	–	–	–	–	–	1	–	1
Nephria	1	–	–	6	–	–	3	3	–	1	–	–	4
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	1	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	2	1	–	–	–	1	1	2	4	1	–	1
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	1
Kidney Disease	1	2	4	1	1	–	2	2	–	–	2	1	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	1	–	1	1	–	–	–	–
Childbirth	1	1	3	2	1	–	1	4	3	6	2	3	3
Organs of Generation	–	1	–	–	–	–	1	1	1	–	–	1	1
Arthritis	–	–	–	1	–	–	–	–	1	1	–	–	–
Rheumatism	2	–	1	–	–	2	3	2	–	–	1	2	–
Joint Disease	–	2	–	1	2	–	–	1	4	1	1	2	2
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	1	2
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	3	–	–	–	–	1	–	–	–	–	–	1
Intemperance	2	3	1	–	–	–	–	2	–	1	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	2	–	–	–	–	1	1	4
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	1	–	–	2	1	–	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	3	1	2	3	1	1	2	2	1
Hanging, etc.	–	–	1	–	2	–	–	–	1	–	–	–	1
Suffocation	–	2	–	1	–	–	–	–	3	–	–	–	–
Drowning	2	2	2	2	–	3	3	4	1	1	1	6	3
Fracture and Contusion	6	1	2	5	4	3	4	4	7	2	3	13	10
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	2	2	–	–
Not Specified	–	6	13	8	17	7	6	13	3	24	16	8	15

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	7017	498	466	2412	1492	947	689	861	477	368
SPECIFIED CAUSES	6925	473	458	2397	1431	943	673	839	476	367
I. Zymotic Class	2055	149	125	508	458	250	215	269	115	110
II. Diseases of Uncertain Seat	111	9	7	77	27	34	19	13	9	6
III. Tubercular Class	1211	69	92	437	241	146	99	119	65	50
IV. Brain and Nervous System	518	26	46	239	99	107	57	73	38	26
V. Organs of Circulation	243	16	14	143	64	50	22	32	30	20
VI. Respiratory Organs	1320	86	71	390	192	132	97	134	70	42
VII. Organs of Digestion	425	34	30	186	79	73	60	57	33	22
VIII. Urinary Organs	74	4	5	53	21	23	6	10	9	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	41	3	2	24	4	8	4	4	–	2
XI. Skin, etc.	3	–	–	2	3	1	2	4	1	–
XII. Malformation	17	1	2	11	4	3	2	1	–	–
XIII. Premature Debility	381	25	26	117	94	43	30	53	33	23
XIV. Atrophy	42	3	1	15	8	6	1	8	5	3
XV. Age	132	29	8	79	51	30	38	18	16	31
XVI. Sudden Deaths	39	1	1	4	7	3	1	4	1	1
XVII. Violent Deaths	313	18	28	112	79	34	20	40	51	20
I. Small Pox	14	4	1	7	1	3	–	2	–	8
Measles	160	9	11	65	89	2	38	9	12	10
Scarlatina	274	17	19	62	37	86	50	24	11	18
Diphtheria	37	3	5	10	10	9	3	3	11	2
Hooping Cough	402	18	14	76	50	2	20	52	12	8
Croup	57	5	13	27	27	5	6	21	8	7
Thrush	–	–	–	–	4	2	–	–	–	–
Diarrhœa	200	11	15	71	43	31	16	23	14	13
Dysentery	21	1	–	8	17	5	4	2	1	–
Cholera	21	1	4	5	15	3	1	3	4	3
Influenza	5	1	–	–	3	3	–	2	–	–
Purpura	3	1	–	1	1	–	–	1	–	1
Ague	1	–	–	–	2	–	–	–	–	–
Worms	–	–	1	–	1	–	–	–	–	–
Typhus	633	68	22	88	109	63	44	100	20	26
Enteric Fever	78	1	9	31	11	8	5	9	11	6
Relapsing Fever	1	–	–	2	4	2	–	–	–	–
Simple Continued Fever	77	3	8	19	22	15	13	9	2	6
Infantile Remittent	13	1	–	7	3	–	5	–	2	1
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	4	2	3	2	1	3	–
Erysipelas	24	3	1	10	3	4	5	4	3	–
Pyæmia	4	1	–	3	–	–	–	–	1	–
Syphilis	23	1	2	12	4	4	3	4	–	1
Noma	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	1	4	2	1	–	–	1	–
Dropsy	49	3	2	13	14	6	10	3	5	–
Abscess	18	–	1	7	–	1	2	2	1	–
Ulcer	3	–	–	2	1	1	1	2	–	–
Fistula	–	–	1	1	–	1	–	–	–	–
Mortification	4	–	–	6	2	3	1	1	–	2
Cancer	29	6	2	43	8	21	5	5	2	4
Gout	–	–	–	1	–	–	–	–	–	–
III. Scrofula	52	6	2	30	7	12	7	10	1	2
Tabes Mesenterica	124	9	17	43	13	16	8	7	9	3
Phthisis	786	40	48	279	179	92	66	81	38	36
Hydrocephalus	249	14	25	85	42	26	18	21	17	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES	208	217	123	145	151	108	190	198	234	185	150	225	254
SPECIFIED CAUSES	208	215	116	142	141	105	185	188	231	171	143	221	247
Zymotic Class	57	51	33	28	37	23	48	50	56	47	20	63	47
Uncertain Seat	8	8	4	5	5	–	5	2	3	2	5	3	12
Tubercular Class	29	28	18	20	25	14	26	40	56	29	32	33	52
Brain, etc.	25	26	11	16	15	9	22	14	22	15	21	7	21
Heart, etc.	6	11	9	16	7	7	11	7	6	8	2	6	10
Respiratory Organs	18	18	7	15	17	16	25	25	33	23	24	48	34
Digestive Organs	27	21	8	15	10	5	20	11	10	13	14	21	19
Urinary Organs	6	4	5	6	1	–	3	4	3	4	3	1	4
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	–	2	–	1	1	3	2	1	1	1
Skin	–	3	–	–	–	–	–	–	1	–	–	1	2
Malformation	–	1	2	–	–	–	–	–	1	1	–	–	–
Premature Debility	10	23	9	4	4	8	9	8	17	10	7	13	9
Atrophy	1	–	1	–	1	–	1	2	2	1	1	2	1
Age	10	12	5	9	9	13	9	13	7	11	5	3	18
Sudden Deaths	–	1	–	–	1	1	–	–	–	–	2	–	–
Violent Deaths	10	7	4	8	7	9	5	11	11	5	6	19	17
Small Pox	18	–	–	–	–	–	8	6	2	7	–	–	1
Measles	–	11	2	1	–	5	2	5	1	5	1	18	1
Scarlatina	2	–	1	–	4	–	15	14	5	2	2	3	22
Diphtheria	1	9	4	1	1	2	–	1	4	2	3	1	3
Hooping Cough	16	1	3	1	4	1	3	–	13	3	1	2	–
Croup	8	5	4	7	6	3	–	5	3	6	3	5	3
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	3	7	5	2	4	7	2	8	3	3	8	3
Dysentery	–	1	1	–	–	–	–	2	2	–	1	4	–
Cholera	1	–	1	–	–	–	–	–	–	3	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	1	–	1	–	–	–	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	5	5	7	12	4	3	10	7	11	2	6	–
Enteric Fever	3	1	1	3	–	–	2	2	2	3	1	7	9
Relapsing Fever	–	–	–	–	1	–	1	–	–	–	–	1	–
Simple Cont. Fever	1	5	1	1	4	1	5	2	2	1	2	5	1
Infantile Remittent	–	–	–	–	1	3	2	–	4	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	–	4	1	–	1	–	–	–	–	–	–	2	1
Pyœmia	–	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	–	4	1	1	–	–	–	1	1	–	1	–	2
Noma	–	1	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	–	2	–	1	–	–	–	–	–	1
Dropsy	3	–	1	–	2	–	1	–	1	1	2	2	2
Abscess	–	1	–	1	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	1	–	–	–	–	–	–	–	–	1
Cancer	2	5	3	3	–	–	2	2	2	1	3	1	8
Gout	1	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	1	–	6	3	1	3	3	2
Tabes Mesenterica	1	1	–	–	2	–	–	4	4	–	11	6	5
Phthisis	23	24	10	16	13	11	22	26	36	23	17	17	41
Hydrocephalus	5	2	8	3	10	2	4	4	13	5	1	7	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	37	3	3	15	4	12	6	6	4	–
Apoplexy	105	3	9	45	18	11	12	10	9	8
Paralysis	94	7	12	61	24	30	18	19	9	7
Delirium Tremens	15	–	1	12	2	2	2	2	–	3
Chorea	1	–	–	–	–	–	1	–	–	–
Epilepsy	12	1	1	15	6	2	3	5	1	–
Tetanus	7	–	–	1	–	–	1	1	–	–
Insanity	2	1	–	3	–	1	–	2	–	–
Convulsions	139	5	11	39	34	29	9	5	12	4
Brain Disease	106	6	9	48	11	20	5	24	3	4
V. Pericarditis	5	1	–	2	1	–	1	–	–	–
Aneurism	7	–	1	20	2	6	–	–	1	1
Heart Disease	231	15	18	121	61	44	21	32	29	19
VI. Laryngitis	14	1	1	8	5	3	1	–	1	3
Bronchitis	878	46	45	267	112	85	61	105	47	31
Pleurisy	15	1	–	17	2	2	–	3	1	1
Pneumonia	329	29	18	59	50	35	26	19	20	4
Asthma	44	5	5	16	18	3	7	1	1	2
Lung Disease	40	4	2	23	5	4	2	6	–	1
VII. Teething	129	10	10	17	30	28	24	35	6	8
Quinsey	9	–	–	2	1	1	–	1	–	–
Gastritis	13	1	3	5	1	3	1	2	2	–
Enteritis	102	3	8	23	8	6	17	7	4	–
Peritonitis	11	3	–	12	3	–	1	2	3	2
Ascites	3	1	–	2	2	–	–	1	–	–
Ulceration of Intestines	8	2	1	20	1	6	1	–	3	–
Hernia	7	–	–	3	1	4	1	–	–	–
Ileus	25	1	2	6	5	5	2	–	4	3
Intussusception	2	–	–	2	–	–	–	–	–	–
Stricture of Intestines	1	–	–	2	–	1	–	1	–	–
Stomach Disease	49	4	4	37	11	6	5	1	4	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	4	1	1	2	1	1	2
Jaundice	12	–	–	4	6	4	–	–	–	–
Liver Disease	47	8	2	46	9	8	6	6	6	5
Spleen Disease	–	1	–	1	–	–	–	–	–	1
VIII. Nephritis	5	–	1	3	–	1	–	1	–	2
Nephria	19	1	–	14	8	4	2	2	–	3
Addison's Disease	1	–	1	–	1	–	–	–	–	–
Ischuria	1	–	–	–	2	1	–	2	–	–
Diabetes	8	–	–	4	–	–	–	2	–	1
Stone	2	–	1	2	1	4	–	–	–	1
Cystitis	12	–	2	9	2	5	2	1	5	–
Stricture of Urethra	1	–	–	3	–	–	–	–	–	–
Kidney Disease	25	3	–	18	7	8	2	2	4	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Arthritis	12	1	–	8	2	2	–	2	–	1
Rheumatism	17	2	1	4	–	2	2	1	–	–
Joint and Bone Disease	12	–	1	12	2	4	2	1	–	1
XI. Carbuncle	–	–	–	1	2	–	–	2	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	1	1	2	2	1	–
XVII. Intemperance	20	–	2	6	3	1	1	1	1	2
Privation	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	27	–	2	17	1	6	–	–	2	2
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–
Poison	10	1	–	1	1	–	2	1	2	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	1	2	10	1	3	6	3	3	1
Hanging, etc.	8	–	–	1	2	1	–	–	2	–
Suffocation	14	–	1	2	14	–	–	2	1	–
Drowning	48	6	6	2	9	8	3	13	16	1
Fracture and Contusion	130	9	14	51	30	9	8	14	21	12
Gunshot Wounds	–	–	–	2	–	–	–	–	–	–
Cuts and Stabs	11	1	–	4	9	2	–	4	–	–
Other Violent Causes	15	–	1	15	9	4	–	2	3	–
Not Specified	92	25	8	15	61	4	16	22	1	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
Cephalitis	1	1	1	1	1	–	3	–	1	1	2	–	2
Apoplexy	3	5	4	3	6	3	1	2	3	–	7	1	7
Paralysis	11	8	2	5	6	3	7	8	9	6	6	–	8
Delirium Tremens	2	1	–	–	–	1	1	1	1	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	2	–	–	–	–	1	2	–	–	2
Tetanus	–	–	–	1	–	–	1	1	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	2	–	1	1	–	2	1	3	4	4	4	2
Brain Disease	1	9	4	3	1	2	7	1	4	2	2	2	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	1	–	–	1	–	–	–	–	–	–
Heart Disease	6	10	9	15	7	7	10	7	6	8	2	5	10
Laryngitis	1	–	–	–	–	–	–	1	–	–	–	2	–
Bronchitis	8	11	4	12	11	14	15	11	30	16	16	31	21
Pleurisy	2	1	–	–	1	–	–	–	–	–	–	2	1
Pneumonia	3	4	2	3	2	1	7	7	1	4	4	11	11
Asthma	3	–	1	–	2	1	–	5	2	2	2	2	–
Lung Disease	1	2	–	–	1	–	3	1	–	1	2	–	1
Teething	10	9	2	1	–	1	7	1	–	1	2	7	–
Quinsey	–	–	1	–	–	–	–	–	–	–	1	–	–
Gastritis	1	–	1	2	–	–	–	2	–	1	4	1	–
Enteritis	6	7	–	4	3	–	5	1	5	4	3	5	6
Peritonitis	1	–	–	–	–	1	–	1	–	1	–	2	–
Ascites	–	1	–	–	–	–	–	1	–	–	1	–	–
Ulceration of Intestines	–	–	–	5	–	–	1	–	–	–	2	2	1
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	–	1	–	1	2	–	1	1	1	–	–	1	1
Intussusception	–	1	–	–	–	–	–	–	1	–	–	–	2
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	1	1	3	2	3	3	1	1	2	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	1	–	3	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	1	–	–	2
Liver Disease	3	1	3	1	2	1	1	–	1	1	–	2	4
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	4	–	–	2	1	–	–	–	–	2
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	1	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	1
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	2	1	–	–	–	1	1	2	4	1	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	1
Kidney Disease	1	1	3	1	1	–	–	2	–	–	2	1	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	1	–	–	–
Rheumatism	1	–	–	–	–	–	1	–	–	–	–	1	–
Joint Disease	–	1	–	–	2	–	–	1	2	1	1	–	1
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	1	1
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	3	–	–	–	–	–	–	–	–	–	–	1
Intemperance	2	2	1	–	–	–	–	2	–	1	–	1	–
Privation	–	–	–	–	–	2	–	–	–	–	–	–	3
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	1	–	–	–	2	1	1	1	1	–	1	2	1
Burns and Scalds	–	–	–	–	1	–	–	–	1	–	–	–	1
Hanging, etc.	–	2	–	–	–	–	–	–	1	–	–	–	–
Suffocation	2	2	1	2	–	3	1	3	1	1	1	5	3
Drowning	4	1	2	5	3	3	3	4	7	2	2	11	9
Fracture and Contusion	–	–	–	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	1	2	–	–
Other Violent Causes													
Not Specified	–	2	7	3	10	3	5	10	3	14	7	4	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6897	470	444	2446	1508	1034	721	814	471	361
SPECIFIED CAUSES . .	6802	447	441	2432	1441	1026	701	799	465	356
I. Zymotic Class . . .	2035	128	113	539	402	275	205	237	98	102
II. Diseases of Uncertain Seat	185	12	18	108	55	47	32	21	15	10
III. Tubercular Class . .	1316	96	93	381	232	140	134	159	74	56
IV. Brain and Nervous System	420	20	32	231	108	101	45	51	39	28
V. Organs of Circulation .	231	15	11	151	86	61	14	31	38	30
VI. Respiratory Organs . .	1254	64	63	394	199	128	76	111	76	39
VII. Organs of Digestion .	452	24	35	157	105	75	58	51	30	20
VIII. Urinary Organs . .	60	6	4	29	10	15	1	8	7	–
IX. Organs of Generation .	92	11	13	40	26	22	11	12	8	6
X. Organs of Locomotion .	36	5	4	22	1	3	6	3	1	2
XI. Skin, etc.	2	–	–	6	1	–	1	1	–	–
XII. Malformation . . .	10	–	1	12	5	3	3	–	3	–
XIII. Premature Debility . .	268	13	19	107	87	32	21	36	29	19
XIV. Atrophy	55	7	4	19	11	11	6	8	8	2
XV. Age	270	48	22	170	80	93	79	53	28	37
XVI. Sudden Deaths . .	16	–	–	–	6	3	1	1	–	–
XVII. Violent Deaths . .	100	3	9	66	27	17	8	16	11	5
I. Small Pox	12	–	–	6	5	6	3	2	–	1
Measles	170	5	17	45	77	1	31	3	9	29
Scarlatina	239	10	18	53	32	98	36	28	15	11
Diphtheria	32	3	4	20	15	11	4	5	3	3
Hooping Cough . . .	477	26	19	79	44	4	23	62	14	12
Croup	53	1	2	16	18	8	5	13	4	3
Thrush	2	–	–	–	–	–	–	–	–	–
Diarrhœa	189	20	19	81	35	39	18	26	13	9
Dysentery	17	1	1	13	16	6	3	2	2	1
Cholera	18	1	–	11	6	–	–	1	2	1
Influenza	7	–	–	2	4	4	–	–	–	–
Purpura	–	–	–	2	2	1	–	1	–	–
Ague	–	–	–	–	1	1	1	–	–	–
Worms	2	–	–	–	1	–	–	–	1	–
Typhus	544	50	15	78	101	62	49	69	14	21
Enteric Fever . . .	88	–	5	48	13	9	7	4	8	2
Relapsing Fever . .	2	–	1	–	5	1	1	–	–	–
Simple Continued Fever .	91	2	4	35	9	7	13	8	2	5
Infantile Remittent . .	13	–	–	4	2	2	3	2	3	–
Metria	26	2	3	14	6	7	3	7	5	–
Rheumatic Fever . .	7	–	2	7	1	3	1	1	1	1
Erysipelas	23	1	2	14	3	4	4	–	2	3
Pyæmia	2	–	1	1	–	–	–	–	–	–
Syphilis	17	1	–	10	6	1	–	3	–	–
Noma	4	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	4	1	1	4	1	2	–	1	–	–
Dropsy	51	2	3	7	18	14	16	5	2	2
Abscess	17	–	2	9	2	3	3	–	–	–
Ulcer	1	1	1	2	–	1	–	1	1	–
Fistula	–	–	–	1	–	–	–	1	–	–
Mortification . . .	7	1	1	5	2	1	2	3	–	1
Cancer	105	7	10	79	32	26	11	10	12	7
Gout	–	–	–	1	–	–	–	–	–	–
III. Scrofula	37	18	2	24	7	6	5	5	2	5
Tabes Mesenterica . .	76	7	8	34	3	11	10	8	7	–
Phthisis	984	66	62	260	189	95	105	128	47	40
Hydrocephalus . . .	219	5	21	63	33	28	14	18	18	11

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	215	250	148	193	162	135	202	235	274	174	175	197	270
SPECIFIED CAUSES	215	246	142	188	155	131	201	232	274	164	166	193	262
Zymotic Class	59	64	31	39	44	43	52	62	75	47	46	46	66
Uncertain Seat	13	13	7	10	7	4	11	13	12	3	12	10	14
Tubercular Class	28	42	24	38	16	22	29	31	59	29	30	32	42
Brain, etc.	14	28	7	23	17	11	17	17	28	6	12	8	21
Heart, etc.	7	13	13	14	8	6	7	6	14	11	2	4	11
Respiratory Organs	13	28	20	19	20	25	26	29	36	21	23	34	40
Digestive Organs	20	16	7	14	15	3	22	20	17	10	14	16	19
Urinary Organs	3	1	1	2	–	–	3	2	–	1	1	–	4
Generative Organs	3	2	3	2	1	1	2	6	5	6	2	4	4
Locomotive Organs	1	1	1	2	–	2	2	2	2	–	1	3	1
Skin	–	–	–	–	–	–	1	–	–	–	–	–	1
Malformation	–	1	1	–	1	–	–	1	1	–	–	5	2
Premature Debility	10	14	7	5	8	5	9	5	12	7	5	13	10
Atrophy	–	–	2	–	2	–	2	2	–	–	2	2	1
Age	38	21	16	19	11	9	14	32	9	21	11	12	24
Sudden Deaths	1	–	–	–	2	–	–	–	1	–	1	–	–
Violent Deaths	5	2	2	1	3	–	4	4	3	2	4	4	2
Small Pox	9	–	–	–	–	–	7	6	–	8	–	1	–
Measles	–	16	4	–	–	1	3	2	2	–	6	9	2
Scarlatina	3	–	–	–	12	2	6	11	2	3	7	7	32
Diphtheria	6	9	7	2	4	8	2	1	2	2	1	–	3
Hooping Cough	16	2	3	1	5	3	7	–	15	10	6	2	–
Croup	6	8	4	6	1	2	–	4	10	7	1	1	4
Thrush	1	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	8	2	11	2	9	10	5	13	3	8	11	9
Dysentery	–	1	4	1	–	–	–	1	5	–	–	–	2
Cholera	–	–	–	–	–	–	2	–	–	–	–	–	–
Influenza	–	2	–	–	–	1	1	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	10	2	1	14	9	3	17	7	12	10	1	4
Enteric Fever	3	1	2	8	1	4	1	4	10	–	1	3	9
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	1	–
Simple Cont. Fever	2	3	2	2	2	1	6	2	4	1	4	5	1
Infantile Remittent	–	–	–	–	2	–	2	–	1	–	–	4	–
Metria	–	1	–	5	1	2	2	6	–	1	1	1	–
Rheumatic Fever	–	1	–	1	–	–	–	1	1	–	–	–	–
Erysipelas	3	–	1	1	–	1	–	1	2	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	1	1	–	1	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	1	–	–	–	–	–
Dropsy	5	3	1	3	1	–	5	2	1	–	4	4	5
Abscess	1	1	–	–	2	–	–	–	1	–	–	–	1
Ulcer	1	1	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	–	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	6	7	6	6	3	4	5	8	10	3	8	6	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	–	1	4	2	3	1	–	–	3	–
Tabes Mesenterica	1	1	–	2	1	1	2	5	3	1	7	3	2
Phthisis	25	31	14	29	10	15	24	18	46	21	20	25	34
Hydrocephalus	2	10	8	7	4	2	1	5	9	7	3	1	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	28	3	–	16	7	3	2	4	3	–
	Apoplexy	84	2	7	41	19	20	9	8	9	14
	Paralysis	86	5	12	89	41	28	21	16	15	5
	Delirium Tremens	3	–	–	2	–	2	–	1	–	1
	Chorea	–	–	1	–	1	–	–	–	–	–
	Epilepsy	28	–	4	11	6	1	4	–	–	3
	Tetanus	3	–	–	2	–	–	–	–	1	–
	Insanity	1	–	–	–	–	3	1	–	–	–
	Convulsions	112	7	7	29	29	32	7	8	8	2
	Brain Disease	75	3	1	41	5	12	1	14	3	3
V.	Pericarditis	7	–	–	3	3	–	–	1	1	–
	Aneurism	2	–	–	5	–	2	–	–	–	–
	Heart Disease	222	15	11	143	83	59	14	30	37	30
VI.	Laryngitis	14	1	1	6	2	2	1	1	1	–
	Bronchitis	900	42	45	295	133	95	56	90	52	32
	Pleurisy	3	–	1	8	1	4	–	2	–	–
	Pneumonia	252	15	10	52	39	19	12	15	20	3
	Asthma	43	4	5	18	19	6	4	2	3	3
	Lung Disease	42	2	1	15	5	2	3	1	–	1
VII.	Teething	138	10	7	21	35	25	14	24	4	5
	Quinsey	1	–	1	1	4	2	2	1	–	–
	Gastritis	21	–	1	1	–	1	–	2	–	1
	Enteritis	91	6	13	20	10	3	17	8	5	–
	Peritonitis	31	1	1	18	3	7	2	4	3	–
	Ascites	12	1	–	3	6	2	2	–	–	1
	Ulceration of Intestines	10	–	1	6	1	3	2	–	2	1
	Hernia	6	–	–	6	1	3	–	1	2	1
	Ileus	15	3	1	6	5	10	3	–	4	2
	Intussusception	2	–	1	1	2	–	–	–	–	–
	Stricture of Intestines	3	–	–	–	–	1	–	–	1	–
	Stomach Disease	52	1	6	38	16	6	4	6	4	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	10	–	–	1	3	2	2	–	–	1
	Jaundice	11	1	–	5	6	6	–	–	–	1
	Liver Disease	49	1	3	29	12	4	10	5	4	4
	Spleen Disease	–	–	–	1	1	–	–	–	1	1
VIII.	Nephritis	11	–	–	3	–	–	–	1	–	–
	Nephria	18	–	2	15	8	2	1	6	3	–
	Addison's Disease	–	–	1	–	–	–	–	–	–	–
	Ischuria	1	–	–	1	–	–	–	–	–	–
	Diabetes	4	1	–	2	–	2	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–
	Cystitis	2	–	1	–	–	1	–	–	1	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	24	5	–	8	2	10	–	1	3	–
IX.	Paramenia	4	–	–	–	1	–	–	1	–	–
	Ovarian Dropsy	7	1	1	10	–	5	2	–	–	–
	Childbirth	71	8	11	25	25	15	9	11	7	5
	Organs of Generation	10	2	1	5	–	2	–	–	1	1
X.	Arthritis	5	–	1	9	–	–	–	–	–	–
	Rheumatism	18	3	–	3	–	3	6	3	1	1
	Joint and Bone Disease	13	2	3	10	1	–	–	–	–	1
XI.	Carbuncle	–	–	–	3	1	–	–	–	–	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	–	3	–	–	1	1	–	–
XVII.	Intemperance	7	–	–	4	1	2	2	1	–	1
	Privation	–	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	15	–	2	6	3	5	–	6	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–
	Cold	1	–	–	–	–	–	1	–	–	–
	Poison	7	–	1	1	–	–	–	–	1	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	17	1	1	12	4	6	1	4	3	1
	Hanging, etc.	2	–	–	3	1	–	1	1	–	–
	Suffocation	7	–	1	7	9	2	–	–	–	–
	Drowning	9	1	2	2	–	–	1	–	2	2
	Fracture and Contusion	21	1	–	19	8	1	2	4	4	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	4	–	–	1	–	–	–	–	–	–
	Other Violent Causes	10	–	2	10	1	1	–	–	1	1
	Not Specified	95	23	3	14	67	8	20	15	6	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	–	–	1	1	2	–	–	1	–	1	2	1
Apoplexy	2	9	–	7	6	1	1	4	–	2	4	3	7
Paralysis	4	6	2	9	7	4	10	11	12	2	4	1	7
Delirium Tremens	–	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	1	–	1	–	–	–	4
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	5	2	1	3	–	1	1	2	–	3	–	1
Brain Disease	2	5	3	5	–	4	4	–	7	2	–	2	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	1	–
Aneurism	–	–	–	1	–	–	–	1	–	1	–	–	–
Heart Disease	7	13	13	13	6	6	7	5	14	10	2	3	11
Laryngitis	–	–	–	1	–	–	–	–	1	–	–	–	–
Bronchitis	7	24	17	15	17	21	17	19	31	17	18	27	28
Pleurisy	–	–	–	1	–	–	–	1	1	1	1	3	1
Pneumonia	2	1	2	1	2	3	7	3	1	2	3	3	10
Asthma	4	2	–	–	1	1	1	6	2	–	1	–	1
Lung Disease	–	1	1	1	–	–	1	–	–	1	–	1	–
Teething	5	6	1	1	4	–	7	3	1	–	1	4	3
Quinsey	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	1	–	–	4	–	1
Enteritis	3	3	–	3	1	–	5	2	7	1	2	4	1
Peritonitis	1	1	1	1	–	1	1	1	–	2	–	3	1
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	1
Ulceration of Intestines	–	1	2	3	1	–	–	–	1	–	1	1	1
Hernia	–	1	–	1	1	–	–	1	–	–	–	–	1
Ileus	2	–	–	–	1	–	–	1	–	1	1	–	2
Intussusception	–	–	–	–	1	–	–	1	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	5	–	–	1	3	–	7	3	2	1	3	3	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	1
Hepatitis	–	1	–	1	–	–	1	2	1	2	–	–	–
Jaundice	1	–	–	1	–	–	–	–	1	1	–	1	–
Liver Disease	2	2	2	2	2	2	1	4	3	2	2	–	5
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	1
Nephritis	–	–	–	–	–	–	–	–	–	–	1	–	1
Nephria	1	–	–	2	–	–	1	2	–	1	–	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	–	–	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	1	–	1	1	–	–	–	–
Childbirth	1	1	3	2	1	–	1	4	3	6	2	3	3
Organs of Generation	–	1	–	–	–	–	1	1	1	–	–	1	1
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	–	2	2	2	–	–	1	1	–
Joint Disease	–	1	–	1	–	–	–	–	2	–	–	2	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	1	1	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	1	1	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	1	2	–	1	1	–	–
Hanging, etc.	–	–	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	2	–	–	–	–
Drowning	–	–	1	–	–	–	2	1	–	–	–	1	–
Fracture and Contusion	2	–	–	–	1	–	1	–	–	–	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	–	4	6	5	7	4	1	3	–	10	9	4	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	70891	6317	2512	4770	6145	2801	1914	1378	3545	1801	2366	2813	2578
Specified Causes	67727	5817	2253	4513	5876	2697	1823	1328	3226	1724	2282	2741	2503
I. Zymotic Class	16866	772	638	1510	2630	1475	1090	794	1730	599	568	590	515
II. Diseases of Uncertain Seat	2355	49	10	17	36	19	15	9	48	36	36	27	41
III. Tubercular Class	11417	157	282	751	977	406	269	228	671	577	1037	1342	1065
IV. Brain and Nervous System	5387	457	165	223	204	104	83	57	177	98	87	98	130
V. Organs of Circulation	3049	10	3	8	5	3	6	4	48	49	75	76	83
VI. Respiratory Organs	9362	682	577	1156	1103	429	228	143	239	85	122	153	155
VII. Organs of Digestion	5056	537	276	616	680	119	48	27	88	79	83	134	142
VIII. Urinary Organs	949	5	2	3	5	9	9	8	33	18	19	50	60
IX. Organs of Generation	588	–	–	1	–	1	–	–	–	–	28	58	114
X. Organs of Locomotion	430	1	2	4	3	1	2	4	34	42	43	25	20
XI. Skin, etc.	105	19	11	9	11	3	1	–	1	2	2	2	1
XII. Malformation	211	168	13	13	4	2	2	3	2	–	1	2	–
XIII. Premature Debility	3116	2753	197	166	–	–	–	–	–	–	–	–	–
XIV. Atrophy	465	–	–	–	130	53	22	11	31	13	7	11	14
XV. Age	5818	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	174	26	19	5	2	3	1	–	2	2	1	5	3
XVII. Violent Deaths	2382	181	58	31	86	70	47	40	122	124	173	168	160
I. Small Pox	383	46	37	19	30	32	17	18	37	29	16	25	18
Measles	1195	18	20	215	498	199	88	62	77	9	4	2	–
Scarlatina	2244	20	28	136	340	337	333	262	590	106	24	25	16
Diphtheria	995	26	23	65	155	137	103	86	222	74	30	23	4
Hooping Cough	2318	135	156	531	744	330	197	100	120	3	–	2	–
Croup	1015	40	36	115	294	189	144	90	104	2	–	–	–
Thrush	23	16	3	2	1	1	–	–	–	–	–	–	–
Diarrhœa	1707	258	218	264	328	51	23	14	26	16	11	11	16
Dysentery	316	9	14	20	24	7	5	7	3	3	4	4	5
Cholera	214	19	21	28	35	11	5	4	11	4	2	1	3
Influenza	160	11	5	6	7	5	1	1	4	1	2	–	–
Purpura	39	2	1	–	1	1	2	1	4	2	–	1	2
Ague	9	–	–	–	–	1	–	1	1	2	–	1	1
Worms	28	–	–	1	5	5	6	3	8	–	–	–	–
Typhus	3272	7	8	14	32	32	56	39	170	170	277	302	266
Enteric Fever	1048	6	9	23	48	56	45	51	161	92	92	79	52
Relapsing Fever	62	–	1	–	3	1	2	2	8	9	6	1	2
Simple Continued Fever	339	6	4	15	32	41	30	31	124	54	60	41	41
Infantile Remittent	164	11	2	18	31	28	26	16	31	1	–	–	–
Metria	213	–	–	–	–	–	–	–	–	–	9	54	66
Rheumatic Fever	119	–	–	–	–	–	1	2	15	16	20	6	10
Erysipelas	300	84	17	17	10	6	3	1	10	6	9	8	6
Pyæmia	27	3	2	1	1	–	1	1	2	–	1	–	3
Syphilis	158	55	33	18	10	3	1	–	–	–	1	4	4
Noma	15	–	–	2	1	2	1	2	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	82	16	2	1	–	–	–	–	4	1	6	6	3
Dropsy	688	6	1	2	21	13	10	5	27	18	13	9	12
Abscess	132	14	5	8	9	2	4	2	9	8	6	4	6
Ulcer	47	4	–	3	3	1	1	–	1	1	–	1	1
Fistula	13	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	124	7	1	2	1	1	–	–	3	1	3	2	–
Cancer	1257	2	1	1	2	2	–	2	4	7	8	4	18
Gout	12	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	609	19	23	40	53	31	25	21	71	60	54	46	43
Tabes Mesenterica	885	47	71	136	243	81	49	42	102	36	21	14	12
Phthisis	8089	19	42	107	190	121	71	59	320	428	945	1279	1010
Hydrocephalus	1834	72	146	468	491	173	124	106	178	53	17	3	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	2382	2419	2438	2444	2511	2469	3079	3058	3259	2970	2492	1378	490	136	37	94
SPECIFIED CAUSES	2319	2363	2381	2363	2428	2354	2923	3011	3246	2970	2492	1373	490	136	37	58
Zymotic Class	448	443	501	461	409	353	352	308	271	210	99	72	17	5	–	8
Uncertain Seat	68	102	167	171	203	208	263	271	238	164	98	41	14	2	–	2
Tubercular Class	837	719	574	459	377	249	213	132	52	18	11	5	1	–	–	8
Brain, etc.	164	192	182	223	250	284	415	454	524	417	263	110	19	5	–	2
Heart, etc.	135	160	206	252	244	273	338	328	322	250	129	34	7	–	1	–
Respiratory Organs	195	232	269	333	421	447	575	544	517	371	249	103	25	6	–	3
Digestive Organs	119	166	193	208	232	266	278	281	220	157	73	30	1	1	–	5
Urinary Organs	53	55	45	58	59	65	79	73	84	81	45	28	2	–	–	1
Generative Organs	105	125	56	24	28	15	15	9	8	1	–	–	–	–	–	–
Locomotive Organs	15	20	14	17	23	22	33	42	28	21	10	3	–	1	–	–
Skin	2	3	4	3	2	6	3	4	7	4	3	2	–	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	15	11	19	12	59	57	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	238	480	906	1224	1483	929	401	116	36	4
Sudden Deaths	5	9	4	13	16	14	17	14	11	2	–	–	–	–	–	–
Violent Deaths	158	129	146	129	105	94	104	71	58	50	29	16	3	–	–	30
Small Pox	10	13	11	7	6	6	2	2	–	1	1	–	–	–	–	–
Measles	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	10	4	4	–	4	3	2	–	–	–	–	–	–	–	–	–
Diphtheria	8	2	7	5	3	4	6	7	2	2	–	–	–	–	–	1
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	14	19	26	28	36	41	54	72	82	36	35	9	3	–	–
Dysentery	8	4	7	12	16	22	20	23	30	40	18	10	1	–	–	–
Cholera	3	4	7	8	5	10	10	11	5	2	4	–	1	–	–	–
Influenza	2	–	1	6	6	2	13	18	24	22	9	10	2	2	–	–
Purpura	4	4	1	–	3	1	3	1	2	1	2	–	–	–	–	–
Ague	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	244	278	320	302	236	169	152	102	63	20	6	4	1	–	–	2
Enteric Fever	33	37	38	32	31	38	37	38	22	16	9	3	–	–	–	–
Relapsing Fever	2	4	4	–	5	1	4	2	2	2	1	–	–	–	–	–
Simple Cont. Fever	35	39	43	43	38	37	42	30	27	12	10	3	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	49	20	14	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	9	10	9	2	8	2	2	2	3	2	–	–	–	–	–	–
Erysipelas	6	5	5	11	14	16	15	14	18	7	3	7	2	–	–	–
Pyæmia	–	3	3	–	2	–	1	3	–	–	–	–	–	–	–	–
Syphilis	8	1	7	3	3	5	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	2	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	6	6	2	2	4	3	7	4	3	–	–	–	–	–	–
Dropsy	20	27	36	36	39	40	70	83	79	60	48	11	2	–	–	–
Abscess	9	9	8	3	2	6	4	7	2	2	–	1	1	–	–	1
Ulcer	1	1	4	2	–	2	5	8	2	1	4	1	–	–	–	–
Fistula	1	1	1	1	2	2	1	1	1	–	–	–	–	–	–	–
Mortification	2	–	5	5	5	5	6	9	19	18	13	12	3	1	–	–
Cancer	28	58	107	120	153	148	173	155	128	78	33	15	8	1	–	1
Gout	1	–	–	2	–	1	1	1	3	2	–	1	–	–	–	–
Scrofula	18	13	24	15	11	11	9	14	3	2	–	1	–	–	–	2
Tabes Mesenterica	6	1	4	5	2	3	4	1	2	3	–	–	–	–	–	–
Phthisis	812	703	546	439	364	235	200	117	47	13	11	4	1	–	–	6
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	397	14	22	32	27	20	25	13	62	27	19	23	17
Apoplexy	1180	27	11	23	18	15	8	5	20	13	11	12	30
Paralysis	1683	–	–	–	2	–	1	1	7	3	7	7	12
Delirium Tremens	74	–	–	–	–	–	–	–	–	–	–	2	4
Chorea	12	–	–	–	–	1	–	–	1	3	4	–	–
Epilepsy	229	–	–	–	–	–	–	–	1	8	16	14	27
Tetanus	41	20	–	1	–	–	–	–	3	2	1	3	1
Insanity	34	–	–	–	–	–	–	–	–	1	1	2	5
Convulsions	888	381	115	127	131	49	31	20	34	–	–	–	–
Brain Disease	849	15	17	40	26	19	18	18	49	41	28	35	34
V. Pericarditis	64	–	1	–	–	–	–	–	8	4	6	4	5
Aneurism	80	–	–	–	–	–	–	–	1	–	–	–	2
Heart Disease	2905	10	2	8	5	3	6	4	39	45	69	72	76
VI. Laryngitis	141	1	7	19	21	11	7	6	7	4	2	7	4
Bronchitis	6194	517	457	908	819	304	141	96	137	36	48	50	56
Pleurisy	238	7	2	8	9	5	7	3	9	3	11	9	11
Pneumonia	1969	135	101	212	237	102	68	34	75	32	60	70	65
Asthma	515	–	–	1	–	–	1	–	–	2	–	3	5
Lung Disease	305	22	10	8	14	7	4	4	11	8	6	14	14
VII. Teething	1047	9	64	415	507	51	1	–	–	–	–	–	–
Quinsey	58	10	3	9	6	3	3	2	4	3	2	1	3
Gastritis	189	13	9	19	5	2	3	3	–	4	3	8	4
Enteritis	943	274	120	97	88	34	18	11	19	22	16	20	27
Peritonitis	314	26	9	9	6	4	4	1	18	15	27	34	27
Ascites	92	2	–	1	1	3	1	–	6	2	1	5	2
Ulceration of Intestines	206	10	2	4	9	3	1	1	1	6	7	7	9
Hernia	93	5	2	3	–	1	1	–	1	1	–	2	2
Ileus	275	28	13	6	1	5	2	1	4	6	9	11	14
Intussusception	36	1	4	6	–	1	1	–	1	1	–	–	1
Stricture of Intestines	22	2	–	1	1	–	–	–	1	–	–	–	1
Stomach Disease	761	72	40	33	40	9	4	2	17	11	8	13	18
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	146	7	1	5	1	–	–	1	–	–	2	6	8
Jaundice	174	62	6	2	6	1	4	1	3	1	1	5	1
Liver Disease	668	15	3	6	7	2	4	4	13	7	6	19	24
Spleen Disease	30	1	–	–	2	–	1	–	–	–	1	3	1
VIII. Nephritis	58	–	–	1	2	4	2	1	10	1	1	4	1
Nephria	229	1	1	–	1	2	3	6	6	5	10	17	19
Addison's Disease	8	–	–	–	–	–	1	–	–	–	–	–	1
Ischuria	42	3	1	–	–	–	–	–	1	–	1	1	2
Diabetes	80	–	–	–	–	–	–	–	3	6	3	13	12
Stone	55	–	–	–	–	–	–	–	1	1	–	3	–
Cystitis	170	–	–	1	1	–	–	–	1	3	–	3	5
Stricture of Urethra	10	–	–	–	–	–	–	–	–	–	–	1	–
Kidney Disease	297	1	–	1	1	3	3	1	11	2	4	8	20
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	7	3	5
Ovarian Dropsy	74	–	–	–	–	–	–	–	–	–	4	3	4
Childbirth	422	–	–	–	–	–	–	–	–	–	15	50	100
Organs of Generation	67	–	–	1	–	1	–	–	–	–	2	2	5
X. Arthritis	94	–	1	3	2	1	1	3	6	10	18	6	5
Rheumatism	187	–	–	–	–	–	–	–	4	7	8	5	6
Joint and Bone Disease	149	1	1	1	1	–	1	1	24	25	17	14	9
XI. Carbuncle	35	4	1	1	–	–	–	–	–	–	–	–	–
Phlegmon	14	1	1	–	2	–	1	–	1	–	2	–	–
Skin Disease	56	14	9	8	9	3	–	–	–	2	–	2	1
XVII. Intemperance	88	–	–	–	–	–	–	–	–	–	1	–	4
Privation	8	–	–	1	1	2	1	1	–	–	–	–	–
Want of Breast Milk	144	102	31	11	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	38	–	1	–	–	–	–	–	1	–	2	1	2
Poison	52	5	1	4	1	1	3	–	1	1	1	1	1
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	276	3	1	9	42	42	28	19	37	7	9	6	7
Hanging, etc.	58	–	–	–	–	–	–	–	–	1	1	1	5
Suffocation	107	28	21	5	4	–	1	–	4	11	6	1	2
Drowning	519	1	1	–	20	14	4	5	27	34	62	58	42
Fracture and Contusion	877	4	2	1	14	10	10	13	41	61	73	87	78
Gunshot Wounds	10	–	–	–	–	–	–	–	1	3	1	–	2
Cuts and Stabs	73	–	–	–	–	1	1	–	2	2	9	3	6
Other Violent Causes	130	38	–	–	4	–	–	2	8	4	8	10	11
Not Specified	3164	1000	259	257	269	104	91	50	119	77	84	72	75

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	21	12	10	17	3	8	8	9	2	3	2	1	–	–	–	–
Apoplexy	29	49	41	62	79	82	116	141	162	110	75	33	5	1	–	2
Paralysis	37	39	48	66	101	124	207	228	288	254	166	69	12	4	–	–
Delirium Tremens	13	12	16	11	5	4	3	3	–	–	1	–	–	–	–	–
Chorea	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	25	28	21	10	9	16	14	16	10	12	1	1	–	–	–	–
Tetanus	1	1	–	2	2	1	1	–	2	–	–	–	–	–	–	–
Insanity	2	2	1	2	4	4	5	3	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	36	48	44	53	47	45	61	54	58	37	18	6	2	–	–	–
Pericarditis	4	4	4	8	6	–	4	1	2	2	–	1	–	–	–	–
Aneurism	7	13	6	11	8	13	10	2	4	2	1	–	–	–	–	–
Heart Disease	124	143	196	233	230	260	324	325	316	246	128	33	7	–	1	–
Laryngitis	9	6	6	3	3	3	6	4	2	–	–	–	–	–	–	–
Bronchitis	87	101	127	184	255	252	364	346	343	271	188	82	23	5	–	2
Pleurisy	8	11	11	12	16	12	21	19	13	15	10	4	1	1	–	–
Pneumonia	64	77	65	83	75	92	88	74	74	44	33	8	–	–	–	1
Asthma	9	16	29	32	53	77	72	81	74	37	15	7	1	–	–	–
Lung Disease	18	21	31	19	19	11	24	20	11	4	3	2	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	2	1	2	–	–	–	1	1	1	–	–	–	–	–	–
Gastritis	7	10	8	13	14	13	9	17	8	10	5	2	–	–	–	–
Enteritis	20	16	18	20	17	18	17	22	23	17	8	1	–	–	–	–
Peritonitis	3	19	13	21	14	10	21	16	5	5	6	1	–	–	–	–
Ascites	2	4	6	15	8	9	10	5	3	3	2	1	–	–	–	–
Ulceration of Intestines	15	11	10	14	23	18	14	16	13	7	3	2	–	–	–	–
Hernia	2	5	5	7	7	10	7	8	9	5	7	3	–	–	–	–
Ileus	14	11	16	9	10	13	21	27	20	19	11	4	–	–	–	–
Intussusception	1	1	2	1	1	5	1	4	1	1	1	1	–	–	–	–
Stricture of Intestines	–	1	2	3	3	2	2	–	2	1	–	–	–	–	–	–
Stomach Disease	15	25	38	40	50	58	71	66	62	49	10	6	1	–	–	3
Pancreas Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	8	11	17	6	18	12	13	13	9	3	3	1	–	1	–	–
Jaundice	3	2	5	5	10	8	10	11	11	9	4	3	–	–	–	–
Liver Disease	26	42	49	50	55	87	78	73	52	26	13	5	–	–	–	2
Spleen Disease	2	3	2	2	2	3	4	1	1	1	–	–	–	–	–	–
Nephritis	4	2	3	2	3	4	3	3	3	1	3	–	–	–	–	–
Nephria	21	20	22	18	16	11	16	12	10	9	2	–	–	–	–	1
Addison's Disease	1	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	3	–	4	2	3	9	5	5	1	1	–	–	–
Diabetes	7	7	2	6	1	6	4	6	3	1	–	–	–	–	–	–
Stone	2	–	1	3	1	1	5	5	10	11	5	6	–	–	–	–
Cystitis	3	4	3	4	9	11	16	21	20	31	20	13	1	–	–	–
Stricture of Urethra	1	–	3	1	–	1	1	2	–	–	–	–	–	–	–	–
Kidney Disease	14	21	10	21	28	26	32	21	28	23	10	8	–	–	–	–
Paramenia	3	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	9	5	8	15	6	10	5	3	–	–	–	–	–	–	–
Childbirth	95	108	47	7	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	6	2	7	12	9	5	4	5	1	–	–	–	–	–	–
Arthritis	4	3	2	5	6	3	7	2	3	3	–	–	–	1	–	–
Rheumatism	2	6	5	10	14	12	22	35	23	16	9	3	–	–	–	–
Joint Disease	9	11	7	2	4	7	4	5	2	2	1	–	–	–	–	–
Carbuncle	1	1	2	2	2	5	2	4	4	2	2	2	–	–	–	–
Phlegmon	1	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Skin Disease	–	1	2	1	–	–	–	–	2	1	1	–	–	–	–	–
Intemperance	14	14	12	9	8	12	10	8	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	7	1	7	1	3	4	5	–	–	–	–	–	–	2
Poison	7	3	3	2	7	3	2	1	4	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	5	6	6	3	2	4	11	6	7	7	4	4	1	–	–	–
Hanging, etc.	3	3	9	10	7	8	3	3	3	1	–	–	–	–	–	–
Suffocation	2	3	1	7	3	–	4	1	2	–	–	–	–	–	–	1
Drowning	49	38	34	26	22	18	12	10	9	6	2	–	–	–	–	25
Fracture and Contusion	70	50	59	58	37	39	48	37	24	27	20	10	2	–	–	2
Gunshot Wounds	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	7	7	4	7	5	7	4	1	3	2	–	–	–	–	–
Other Violent Causes	5	4	7	8	3	3	4	2	2	4	1	2	–	–	–	–
Not Specified	63	56	57	81	83	115	156	47	13	–	–	–	–	–	–	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35190	3854	1414	2540	3150	1432	960	699	1705	876	1220	1430	1240
SPECIFIED CAUSES	33514	3288	1273	2396	3027	1384	909	678	1637	830	1173	1392	1203
I. Zymotic Class	8318	428	359	761	1305	742	538	399	828	261	275	285	226
II. Diseases of Uncertain Seat	908	31	3	5	20	10	7	5	26	16	20	10	18
III. Tubercular Class	5551	87	178	416	527	220	129	117	359	253	473	667	493
IV. Brain and Nervous System	2821	272	85	119	112	49	46	32	97	52	47	52	76
V. Organs of Circulation	1517	3	1	3	3	1	3	2	27	20	41	37	37
VI. Respiratory Organs	4835	390	331	626	588	227	121	73	113	37	73	80	91
VII. Organs of Digestion	2554	304	163	345	344	52	25	12	43	42	40	58	62
VIII. Urinary Organs	636	3	2	2	2	4	5	3	21	10	10	28	35
IX. Organs of Generation	1	–	–	–	–	1	–	–	–	–	–	–	–
X. Organs of Locomotion	225	–	–	2	1	1	1	2	18	26	32	15	11
XI. Skin, etc.	66	13	4	7	7	–	1	–	1	2	2	–	–
XII. Malformation	103	81	6	7	2	–	–	2	2	–	1	1	–
XIII. Premature Debility	1740	1551	104	85	–	–	–	–	–	–	–	–	–
XIV. Atrophy	205	–	–	–	61	37	7	3	17	7	2	5	6
XV. Age	2130	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	105	16	10	3	2	3	–	–	2	2	–	3	3
XVII. Violent Deaths	1799	109	27	15	55	37	31	28	83	102	157	151	145
I. Small Pox	208	25	22	11	14	18	9	11	20	15	8	12	8
Measles	612	7	10	111	255	102	49	31	41	4	1	–	–
Scarlatina	1178	16	13	71	181	179	168	136	322	55	11	3	12
Diphtheria	470	17	14	35	79	61	48	46	84	29	19	10	2
Hooping Cough	1050	71	77	246	334	143	78	48	52	1	–	–	–
Croup	556	26	21	67	166	101	80	43	51	1	–	–	–
Thrush	14	11	1	2	–	–	–	–	–	–	–	–	–
Diarrhœa	842	146	126	134	155	24	12	7	11	5	5	8	7
Dysentery	143	7	8	14	13	4	3	4	–	1	3	1	3
Cholera	123	9	12	13	21	5	4	3	5	3	2	–	1
Influenza	69	7	4	2	5	3	–	1	1	–	1	–	–
Purpura	23	2	1	–	1	1	1	–	3	–	–	–	1
Ague	5	–	–	–	–	–	–	1	1	1	–	1	1
Worms	12	–	–	1	2	3	2	1	3	–	–	–	–
Typhus	1725	4	7	6	16	22	27	14	70	72	148	180	144
Enteric Fever	470	2	5	12	22	32	20	24	71	40	86	38	17
Relapsing Fever	37	–	1	–	2	–	–	1	7	5	2	1	2
Simple Continued Fever	389	2	2	7	14	25	12	19	56	20	25	20	17
Infantile Remittent	83	5	1	10	18	13	17	8	11	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	54	–	–	–	–	–	–	–	10	6	10	4	4
Erysipelas	146	39	10	8	2	3	2	–	7	3	3	5	2
Pyæmia	15	1	1	–	1	–	–	1	1	–	1	–	3
Syphilis	86	31	23	10	4	1	–	–	–	–	–	2	2
Noma	8	–	–	1	–	2	1	–	1	–	–	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	43	10	2	–	–	–	–	–	1	–	4	2	1
Dropsy	296	4	–	1	14	10	5	3	15	10	8	2	8
Abscess	59	9	1	2	5	–	1	–	5	1	2	2	3
Ulcer	21	3	–	1	–	–	1	–	1	1	–	1	–
Fistula	9	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	61	5	–	1	–	–	–	–	2	–	2	1	–
Cancer	411	–	–	–	1	–	–	2	2	4	4	1	6
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	332	11	13	19	28	16	14	11	46	34	33	20	25
Tabes Mesenterica	499	27	46	85	137	53	20	25	54	21	9	5	5
Phthisis	3716	5	30	56	93	59	36	33	156	164	423	641	463
Hydrocephalus	1004	44	89	256	269	92	59	48	103	34	8	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1122	1144	1199	1217	1279	1232	1483	1423	1466	1231	1031	558	173	44	10	58
SPECIFIED CAUSES	1093	1115	1182	1178	1235	1164	1411	1402	1458	1231	1031	558	173	44	10	39
Zymotic Class	210	228	246	225	224	189	181	137	115	84	42	27	5	1	–	2
Uncertain Seat	19	24	47	59	62	86	96	113	104	66	40	14	5	1	–	1
Tubercular Class	360	296	265	198	185	124	97	61	25	10	6	2	–	–	–	8
Brain, etc.	90	118	107	121	126	133	217	228	272	182	122	59	5	1	–	1
Heart, etc.	63	99	102	141	120	130	158	160	156	129	62	17	2	–	–	–
Respiratory Organs	95	122	147	191	225	229	281	258	225	156	99	42	10	3	–	2
Digestive Organs	64	70	102	100	112	119	141	144	98	69	33	12	–	–	–	–
Urinary Organs	34	34	27	27	45	42	46	59	65	66	37	27	2	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	8	7	8	6	14	12	16	21	10	5	7	1	–	1	–	–
Skin	1	2	2	2	2	4	2	2	6	3	2	1	–	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	4	8	2	27	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	85	162	339	432	566	352	144	37	10	2
Sudden Deaths	2	4	3	10	12	11	9	7	3	–	–	–	–	–	–	–
Violent Deaths	142	107	117	96	81	70	82	50	40	29	15	4	–	–	–	28
Small Pox	6	6	6	6	4	2	2	2	–	1	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	1	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	4	2	4	2	2	3	2	4	1	1	–	–	–	–	–	1
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	7	10	7	15	19	17	20	32	30	14	15	4	1	–	–
Dysentery	2	2	4	5	7	15	8	10	7	13	4	5	–	–	–	–
Cholera	1	3	3	7	3	8	5	5	5	1	3	–	1	–	–	–
Influenza	1	–	1	2	3	1	6	3	11	11	3	3	–	–	–	–
Purpura	3	2	–	–	2	1	2	1	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	134	153	166	146	134	98	84	54	33	10	2	–	–	–	–	1
Enteric Fever	18	13	18	21	14	15	21	17	6	4	4	–	–	–	–	–
Relapsing Fever	–	3	2	–	3	–	3	2	1	1	1	–	–	–	–	–
Simple Cont. Fever	14	25	19	20	21	12	22	12	13	5	7	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	6	5	1	1	2	1	1	2	–	–	–	–	–	–	–
Erysipelas	4	3	2	8	9	10	6	4	4	5	3	4	–	–	–	–
Pyæmia	–	1	1	–	1	–	1	2	–	–	–	–	–	–	–	–
Syphilis	5	1	3	–	3	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	4	2	1	4	2	3	2	2	–	–	–	–	–	–
Dropsy	5	9	14	15	13	16	28	29	39	24	19	4	1	–	–	–
Abscess	3	3	5	2	1	2	2	5	2	1	–	1	–	–	–	1
Ulcer	1	–	1	–	–	1	–	5	1	1	2	1	–	–	–	–
Fistula	1	–	–	1	2	1	1	1	1	–	–	–	–	–	–	–
Mortification	1	–	3	3	2	3	3	5	5	8	9	6	2	–	–	–
Cancer	7	10	20	34	43	59	59	64	52	28	10	2	2	1	–	–
Gout	–	–	–	2	–	–	1	1	2	2	–	–	–	–	–	–
Scrofula	12	8	11	7	6	3	6	7	1	–	–	–	–	–	–	1
Tabes Mesenterica	1	1	1	1	–	2	2	–	2	2	–	–	–	–	–	–
Phthisis	347	286	253	190	179	119	89	54	22	8	6	2	–	–	–	2
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	219	9	14	16	17	11	12	8	32	13	11	11	7
	Apoplexy	621	20	3	14	7	10	6	4	10	7	7	7	17
	Paralysis	785	–	–	–	–	–	1	–	3	1	5	4	10
	Delirium Tremens	58	–	–	–	–	–	–	–	–	–	–	1	8
	Chorea	5	–	–	–	–	1	–	–	1	1	–	–	–
	Epilepsy	108	–	–	–	–	–	–	–	1	5	6	4	18
	Tetanus	30	13	–	1	–	–	–	–	3	1	1	2	1
	Insanity	17	–	–	–	–	–	–	–	–	1	–	2	1
	Convulsions	485	220	56	68	74	23	17	10	17	–	–	–	–
	Brain Disease	493	10	12	20	14	4	10	10	30	23	17	21	24
V.	Pericarditis	27	–	–	–	–	–	–	–	4	3	2	1	2
	Aneurism	57	–	–	–	–	–	–	–	1	–	–	–	2
	Heart Disease	1433	3	1	3	3	1	3	2	22	17	39	36	33
VI.	Laryngitis	89	1	7	14	17	3	4	2	5	3	2	4	3
	Bronchitis	3016	297	253	487	434	164	75	49	55	14	23	18	31
	Pleurisy	135	4	2	3	7	1	4	3	3	1	8	7	7
	Pneumonia	1157	77	60	116	124	56	37	17	45	15	36	42	40
	Asthma	260	–	–	–	–	–	–	–	–	1	–	2	2
	Lung Disease	178	11	9	6	6	3	1	2	5	3	4	7	8
VII.	Teething	552	5	43	237	251	16	–	–	–	–	–	–	–
	Quinsey	29	3	1	4	3	2	2	2	2	2	1	1	1
	Gastritis	103	12	4	12	3	1	1	1	–	2	1	4	–
	Enteritis	495	152	72	50	50	18	9	4	6	13	8	12	11
	Peritonitis	121	12	3	3	3	1	2	–	8	8	12	8	5
	Ascites	36	2	–	1	–	1	–	–	3	2	1	2	2
	Ulceration of Intestines	107	7	2	3	4	–	1	–	–	3	1	3	3
	Hernia	38	2	2	3	–	1	1	–	1	1	–	1	1
	Ileus	146	18	10	2	1	2	1	1	3	2	7	8	7
	Intussusception	20	–	2	6	–	1	1	–	1	–	–	–	–
	Stricture of Intestines	13	2	–	1	1	–	–	–	–	–	–	–	–
	Stomach Disease	365	39	18	17	21	7	3	–	11	5	3	2	7
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	78	3	1	3	1	–	–	–	–	–	2	4	5
	Jaundice	84	36	4	–	4	–	1	1	2	–	–	1	1
	Liver Disease	350	10	1	3	1	2	3	3	6	4	3	11	18
	Spleen Disease	16	1	–	–	1	–	–	–	–	–	1	1	1
VIII.	Nephritis	30	–	–	1	1	2	1	–	5	1	–	2	1
	Nephria	119	–	1	–	1	–	2	2	3	1	5	8	9
	Addison's Disease	6	–	–	–	–	–	1	–	–	–	–	–	1
	Ischuria	34	2	1	–	–	–	–	–	1	–	1	–	1
	Diabetes	54	–	–	–	–	–	–	–	2	3	2	9	8
	Stone	52	–	–	–	–	–	–	–	1	1	–	3	–
	Cystitis	148	–	–	1	–	–	–	–	1	3	–	3	3
	Stricture of Urethra	10	–	–	–	–	–	–	–	–	–	–	1	–
	Kidney Disease	183	1	–	–	–	2	1	1	8	1	2	2	12
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	–	–	1	–	–	–	–	–	–	–
X.	Arthritis	57	–	–	2	1	1	1	1	2	7	14	4	3
	Rheumatism	82	–	–	–	–	–	–	–	2	4	4	3	2
	Joint and Bone Disease	86	–	–	–	–	–	–	1	14	15	14	8	6
XI.	Carbuncle	28	3	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	9	1	–	–	1	–	1	–	1	–	2	–	–
	Skin Disease	29	9	4	7	6	–	–	–	–	2	–	–	–
XVII.	Intemperance	56	–	–	–	–	–	–	–	–	–	1	–	3
	Privation	3	–	–	–	1	–	1	–	–	–	–	–	–
	Want of Breast Milk	79	64	10	5	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	24	–	–	–	–	–	–	–	1	–	2	–	1
	Poison	31	5	–	2	1	–	2	–	1	1	–	–	–
	Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	147	2	1	4	23	23	18	12	17	6	4	6	5
	Hanging, etc.	41	–	–	–	–	–	–	–	–	1	1	–	5
	Suffocation	66	13	15	3	3	–	1	–	3	4	4	1	2
	Drowning	449	–	–	–	12	8	3	3	23	29	59	54	39
	Fracture and Contusion	742	–	1	1	11	6	6	11	29	52	69	80	76
	Gunshot Wounds	9	–	–	–	–	–	–	–	1	3	1	–	1
	Cuts and Stabs	58	–	–	–	–	–	–	–	2	2	9	3	4
	Other Violent Causes	92	25	–	–	2	–	–	2	6	4	7	7	9
	Not Specified	1676	566	141	144	123	48	51	21	68	46	47	38	37

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
Cephalitis	12	7	6	11	1	5	4	7	1	1	2	1	–	–	–	–
Apoplexy	14	30	25	35	33	36	60	78	84	56	42	18	2	–	–	1
Paralysis	15	21	27	32	52	57	105	102	146	99	65	37	2	1	–	–
Delirium Tremens	11	11	12	9	3	2	2	3	–	–	1	–	–	–	–	–
Chorea	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	14	12	2	5	6	7	8	7	4	3	–	–	–	–	–
Tetanus	1	–	–	2	2	1	1	–	1	–	–	–	–	–	–	–
Insanity	–	1	1	–	2	3	4	2	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	23	33	23	30	28	23	34	33	33	22	12	3	1	–	–	–
Pericarditis	3	1	1	3	3	–	–	1	1	2	–	–	–	–	–	–
Aneurism	5	11	5	8	5	10	5	1	2	1	1	–	–	–	–	–
Heart Disease	55	87	96	130	112	120	153	158	153	126	61	17	2	–	–	–
Laryngitis	4	3	4	3	1	1	5	1	2	–	–	–	–	–	–	–
Bronchitis	31	40	61	94	121	112	159	146	136	102	69	34	8	2	–	1
Pleurisy	5	6	5	6	11	5	12	13	9	5	5	1	1	1	–	–
Pneumonia	43	52	39	54	53	64	56	44	40	27	16	3	–	–	–	1
Asthma	4	10	16	21	28	41	35	37	32	19	8	3	1	–	–	–
Lung Disease	8	11	22	13	11	6	14	17	6	3	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	2	–	–	–	1	1	1	–	–	–	–	–	–
Gastritis	4	2	6	5	9	8	5	12	3	6	2	–	–	–	–	–
Enteritis	9	7	9	10	7	8	12	7	10	10	1	–	–	–	–	–
Peritonitis	–	8	4	8	8	6	10	7	2	3	–	–	–	–	–	–
Ascites	1	2	2	4	1	3	2	3	1	2	1	–	–	–	–	–
Ulceration of Intestines	7	5	5	11	11	9	7	12	7	3	2	1	–	–	–	–
Hernia	2	1	1	1	1	3	2	3	3	2	5	1	–	–	–	–
Ileus	10	6	8	5	4	4	12	14	5	6	6	4	–	–	–	–
Intussusception	–	1	1	1	–	3	–	2	–	–	–	1	–	–	–	–
Stricture of Intestines	–	1	1	1	–	2	2	–	2	–	–	–	–	–	–	–
Stomach Disease	8	9	22	20	26	25	29	40	30	17	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	3	4	10	5	10	3	11	5	6	2	–	–	–	–	–	–
Jaundice	1	–	2	1	2	5	7	4	3	5	3	1	–	–	–	–
Liver Disease	18	24	29	25	33	38	40	32	24	11	8	3	–	–	–	–
Spleen Disease	1	–	2	1	–	2	2	1	1	1	–	–	–	–	–	–
Nephritis	2	1	1	1	1	4	1	2	1	–	2	–	–	–	–	–
Nephria	14	11	9	4	14	4	8	8	8	5	2	–	–	–	–	–
Addison's Disease	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	4	1	2	9	4	4	1	1	–	–	–
Diabetes	5	6	2	4	1	3	1	5	2	1	–	–	–	–	–	–
Stone	2	–	–	2	1	1	5	5	9	11	5	6	–	–	–	–
Cystitis	1	2	3	3	8	9	11	21	19	30	17	12	1	–	–	–
Stricture of Urethra	1	–	3	1	–	1	1	2	–	–	–	–	–	–	–	–
Kidney Disease	8	13	9	10	19	15	18	14	17	15	7	8	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	2	1	4	3	4	1	2	2	–	–	–	1	–	–
Rheumatism	2	2	2	4	8	4	11	16	8	3	6	1	–	–	–	–
Joint Disease	6	4	4	1	2	5	1	4	–	–	1	–	–	–	–	–
Carbuncle	1	1	2	2	2	4	2	2	4	2	2	1	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	11	8	6	5	4	7	8	3	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	6	1	4	1	1	1	4	–	–	–	–	–	–	2
Poisoned Wounds	3	–	3	1	3	1	2	1	4	1	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	3	5	4	1	1	–	5	2	2	2	1	–	–	–	–	–
Hanging, etc.	2	2	8	5	3	7	3	3	1	–	–	–	–	–	–	–
Suffocation	2	2	–	3	3	–	4	–	2	–	–	–	–	–	–	1
Drowning	46	34	29	20	19	15	8	9	7	6	2	–	–	–	–	24
Fracture and Contusion	68	46	52	53	32	31	43	26	18	16	11	3	–	–	–	1
Gunshot Wounds	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	6	2	4	7	4	5	4	1	3	–	–	–	–	–	–
Other Violent Causes	5	3	6	3	3	3	3	1	1	–	1	1	–	–	–	–
Not specified	29	29	17	39	44	68	72	21	8	–	–	–	–	–	–	19

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35701	2963	1098	2230	2995	1369	954	679	1640	925	1146	1383	1338
SPECIFIED CAUSES	34213	2529	980	2117	2849	1313	914	650	1589	894	1109	1349	1300
I. Zymotic Class	8545	344	279	749	1325	733	557	395	902	338	293	305	289
II. Diseases of Uncertain Seat	1447	18	7	12	16	9	8	4	22	20	16	17	23
III. Tubercular Class	5866	70	104	335	450	186	140	111	312	324	564	675	572
IV. Brain and Nervous System	2566	185	80	104	92	55	37	25	80	46	40	46	54
V. Organs of Circulation	1532	7	2	5	2	2	3	2	21	29	34	39	46
VI. Respiratory Organs	4527	292	246	530	515	202	107	70	126	48	49	73	64
VII. Organs of Digestion	2502	283	113	271	336	67	23	15	45	37	43	76	80
VIII. Urinary Organs	313	2	–	1	3	5	4	5	12	8	9	22	25
IX. Organs of Generation	587	–	–	1	–	–	–	–	–	–	28	58	114
X. Organs of Locomotion	205	1	2	2	2	–	1	2	16	16	11	10	9
XI. Skin, etc.	39	0	7	2	4	3	–	–	–	–	–	2	1
XII. Malformation	108	87	7	6	2	2	2	1	–	–	–	1	–
XIII. Premature Debility	1376	1202	93	81	–	–	–	–	–	–	–	–	–
XIV. Atrophy	260	–	–	–	69	16	15	8	14	6	5	6	8
XV. Age	3688	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	69	10	9	2	–	–	1	–	–	–	1	2	–
XVII. Violent Deaths	583	72	31	16	33	33	16	12	39	22	16	17	15
I. Small Pox	175	21	15	8	16	14	8	7	17	14	8	13	10
Measles	583	11	10	104	243	97	39	31	36	5	3	2	–
Scarlatina	1066	4	15	65	159	158	165	126	268	51	13	22	4
Diphtheria	525	9	9	30	76	76	55	40	138	45	11	13	2
Hooping Cough	1268	64	79	285	410	187	119	52	68	2	–	2	–
Croup	459	14	15	48	128	88	64	47	53	1	–	–	–
Thrush	9	5	2	–	1	1	–	–	–	–	–	–	–
Diarrhœa	865	112	92	130	173	27	11	7	15	11	6	3	9
Dysentery	173	2	6	6	11	3	2	3	3	2	1	3	2
Cholera	91	10	9	15	14	6	1	1	6	1	–	1	2
Influenza	91	4	1	4	2	2	1	–	3	1	1	–	–
Purpura	16	–	–	–	–	–	1	1	1	2	–	1	1
Ague	4	–	–	–	–	1	–	–	–	1	–	–	–
Worms	16	–	–	–	3	2	4	2	5	–	–	–	–
Typhus	1547	3	1	8	16	10	29	25	100	98	129	122	122
Enteric Fever	578	4	4	11	26	24	25	27	90	52	56	41	35
Relapsing Fever	25	–	–	–	1	1	2	1	1	4	4	–	–
Simple Continued Fever	450	4	2	8	18	16	18	12	68	34	35	21	24
Infantile Remittent	81	6	1	8	13	15	9	8	20	1	–	–	–
Metria	213	–	–	–	–	–	–	–	–	–	9	54	66
Rheumatic Fever	65	–	–	–	–	–	1	2	5	10	10	2	6
Erysipelas	154	45	7	9	8	3	1	1	3	3	6	3	4
Pyæmia	12	2	1	1	–	–	1	–	1	–	–	–	–
Syphilis	72	24	10	8	6	2	1	–	–	–	1	2	2
Noma	7	–	–	1	1	–	–	2	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	39	6	–	1	–	–	–	–	3	1	2	4	2
Dropsy	392	2	1	1	7	3	5	2	12	8	5	7	4
Abscess	73	5	4	6	4	2	3	2	4	7	4	2	3
Ulcer	26	1	–	2	3	1	–	–	–	–	–	–	1
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	63	2	1	1	1	1	–	–	1	1	1	1	–
Cancer	846	2	1	1	1	2	–	–	2	3	4	3	12
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	277	8	10	21	25	15	11	10	25	26	21	26	18
Tabes Mesenterica	386	20	25	51	106	28	29	17	48	15	12	9	7
Phthisis	4378	14	12	51	97	62	35	26	164	264	522	638	547
Hydrocephalus	830	28	57	212	222	81	65	58	75	19	9	2	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1260	1275	1239	1227	1232	1237	1596	1635	1793	1739	1461	815	317	92	27	36
SPECIFIED CAUSES	1226	1248	1199	1185	1193	1190	1512	1609	1788	1739	1461	815	317	92	27	19
Zymotic Class	238	215	255	236	185	164	171	171	156	126	57	45	12	4	–	1
Uncertain Seat	49	78	120	112	141	122	167	158	134	98	58	27	9	1	–	1
Tubercular Class	477	423	309	261	192	125	116	71	27	8	5	3	1	–	–	5
Brain, etc.	74	74	75	102	124	151	198	226	252	235	141	51	14	4	–	1
Heart, etc.	72	61	104	111	124	143	180	168	166	121	67	17	5	–	1	–
Respiratory Organs	100	110	122	142	196	218	294	286	292	215	150	61	15	3	–	1
Digestive Organs	55	93	91	108	120	147	137	137	122	88	40	18	1	1	–	5
Urinary Organs	19	21	18	31	14	23	33	14	19	15	8	1	–	–	–	1
Generative Organs	105	125	56	24	28	15	15	9	8	1	–	–	–	–	–	–
Locomotive Organs	7	13	6	11	9	10	17	21	18	16	3	2	–	–	–	–
Skin	1	1	2	1	–	2	1	2	1	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	7	11	10	32	43	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	153	318	567	792	917	577	257	79	26	2
Sudden Deaths	3	5	1	3	4	3	8	7	8	2	–	–	–	–	–	–
Violent Deaths	16	22	29	33	24	24	22	21	18	21	14	12	3	–	–	2
Small Pox	4	7	5	1	2	4	–	–	–	–	1	–	–	–	–	–
Measles	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	3	2	–	3	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	4	–	3	3	1	1	4	3	1	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	7	9	19	13	17	24	34	40	52	22	20	5	2	–	–
Dysentery	6	2	3	7	9	7	12	13	23	27	14	5	1	–	–	–
Cholera	2	1	4	1	2	2	5	6	–	1	1	–	–	–	–	–
Influenza	1	–	–	4	3	1	7	15	13	11	6	7	2	2	–	–
Purpura	1	2	1	–	1	–	1	–	2	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	110	125	154	156	102	71	68	48	30	10	4	4	1	–	–	1
Enteric Fever	15	24	20	11	17	23	16	21	16	12	5	3	–	–	–	–
Relapsing Fever	2	1	2	–	2	1	1	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	21	14	24	23	17	25	20	18	14	7	3	3	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	49	20	14	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	8	4	4	1	7	–	1	1	1	2	–	–	–	–	–	–
Erysipelas	2	2	3	3	5	6	9	10	14	2	–	3	2	–	–	–
Pyæmia	–	2	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Syphilis	3	–	4	3	–	4	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	5	4	2	–	1	–	1	4	2	1	–	–	–	–	–	–
Dropsy	15	18	22	21	26	24	42	54	40	36	29	7	1	–	–	–
Abscess	6	6	3	1	1	4	2	2	–	1	–	–	1	–	–	–
Ulcer	–	1	3	2	–	1	5	3	1	–	2	–	–	–	–	–
Fistula	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	2	2	3	2	3	4	14	10	4	6	1	1	–	–
Cancer	21	48	87	86	110	89	114	91	76	50	23	13	6	–	–	1
Gout	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
Scrofula	6	5	13	8	5	8	3	7	2	2	–	1	–	–	–	1
Tabes Mesenterica	5	–	3	4	2	1	2	1	–	1	–	–	–	–	–	–
Phthisis	465	417	293	249	185	116	111	63	25	5	5	2	1	–	–	4
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	178	5	8	16	10	9	13	5	30	14	8	12	10
	Apoplexy	559	7	8	9	11	5	2	1	10	6	4	5	13
	Paralysis	898	–	–	–	2	–	–	1	4	2	2	3	2
	Delirium Tremens	16	–	–	–	–	–	–	–	–	–	1	1	
	Chorea	7	–	–	–	–	–	–	–	–	2	4	–	–
	Epilepsy	121	–	–	–	–	–	–	–	–	3	10	10	14
	Tetanus	11	7	–	–	–	–	–	–	–	1	–	1	–
	Insanity	17	–	–	–	–	–	–	–	–	–	1	–	4
	Convulsions	403	161	59	59	57	26	14	10	17	–	–	–	–
	Brain Disease	356	5	5	20	12	15	8	8	19	18	11	14	10
V.	Pericarditis	37	–	1	–	–	–	–	–	4	1	4	3	3
	Aneurism	23	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	1472	7	1	5	2	2	3	2	17	28	30	36	43
VI.	Laryngitis	52	–	–	5	7	8	3	4	2	1	–	3	1
	Bronchitis	3178	220	204	421	385	140	66	47	82	22	20	32	25
	Pleurisy	103	3	–	5	2	4	3	–	6	2	3	2	4
	Pneumonia	812	58	41	96	113	46	31	17	30	17	24	28	25
	Asthma	255	–	–	1	–	–	1	–	–	1	–	1	8
	Lung Disease	127	11	1	2	8	4	3	2	6	5	2	7	6
VII.	Teething	495	4	21	178	256	35	1	–	–	–	–	–	–
	Quinsey	29	7	2	5	3	1	1	–	2	1	1	–	2
	Gastritis	86	1	5	7	2	1	2	2	–	2	2	4	4
	Enteritis	448	122	48	47	38	16	9	7	13	9	8	8	16
	Peritonitis	193	14	6	6	3	3	2	1	10	7	15	26	22
	Ascites	56	–	–	–	1	2	1	–	3	–	–	3	–
	Ulceration of Intestines	99	3	–	1	5	3	–	1	1	3	6	4	6
	Hernia	55	3	–	–	–	–	–	–	–	–	–	1	1
	Ileus	129	10	3	4	–	3	1	–	1	4	2	3	7
	Intussusception	16	1	2	–	–	–	–	–	–	1	–	–	1
	Stricture of Intestines	9	–	–	–	–	–	–	–	1	–	–	–	1
	Stomach Disease	896	33	22	16	19	2	1	2	6	6	5	11	11
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	68	4	–	2	–	–	–	1	–	–	–	2	3
	Jaundice	90	26	2	2	2	1	3	–	1	1	1	4	–
	Liver Disease	318	5	2	3	6	–	1	1	7	3	3	8	6
	Spleen Disease	14	–	–	–	1	–	1	–	–	–	–	2	–
VIII.	Nephritis	28	–	–	–	1	2	1	1	5	–	1	2	–
	Nephria	110	1	–	–	–	2	1	4	3	4	5	9	10
	Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	8	1	–	–	–	–	–	–	–	–	–	1	1
	Diabetes	26	–	–	–	–	–	–	–	1	3	1	4	4
	Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	22	–	–	–	1	–	–	–	–	–	–	–	2
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	114	–	–	1	1	1	2	–	3	1	2	6	8
IX.	Paramenia	25	–	–	–	–	–	–	–	–	–	7	3	5
	Ovarian Dropsy	74	–	–	–	–	–	–	–	–	–	4	3	4
	Childbirth	422	–	–	–	–	–	–	–	–	–	15	50	100
	Organs of Generation	66	–	–	1	–	–	–	–	–	–	2	2	5
X.	Arthritis	37	–	1	1	1	–	–	2	4	3	4	2	2
	Rheumatism	105	–	–	–	–	–	–	–	2	3	4	2	4
	Joint and Bone Disease	63	1	1	1	1	–	1	–	10	10	3	6	3
XI.	Carbuncle	7	1	1	1	–	–	–	–	–	–	–	–	–
	Phlegmon	5	–	1	–	1	–	–	–	–	–	–	–	–
	Skin Disease	27	5	5	1	3	3	–	–	–	–	–	2	1
XVII.	Intemperance	32	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	5	–	–	1	–	2	–	1	–	–	–	–	–
	Want of Breast Milk	65	38	21	6	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	14	–	1	–	–	–	–	–	–	–	–	1	1
	Poison	21	–	1	2	–	1	–	–	–	–	1	1	1
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	129	1	–	5	19	19	10	7	20	1	5	–	2
	Hanging, etc.	17	–	–	–	–	–	–	–	–	–	1	–	–
	Suffocation	41	15	6	2	1	–	–	–	1	7	2	–	–
	Drowning	70	1	1	–	8	6	1	2	4	5	8	4	3
	Fracture and Contusion	135	4	1	–	3	4	4	2	12	9	4	7	2
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
	Cuts and Stabs	15	–	–	–	–	1	1	–	–	–	–	–	2
	Other Violent Causes	38	13	–	–	2	–	–	–	2	–	1	3	2
	Not Specified	1488	434	118	113	146	56	40	29	51	31	37	34	38

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	5	4	6	2	3	4	2	1	2	–	–	–	–	–	–
Apoplexy	15	19	16	27	46	46	56	68	78	54	33	15	3	1	–	1
Paralysis	22	18	21	34	49	67	102	126	142	155	101	32	10	3	–	–
Delirium Tremens	2	1	4	2	2	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	11	14	9	8	4	10	7	8	3	8	2	1	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	2	1	–	2	2	1	1	1	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	15	21	23	19	22	27	21	25	15	6	3	1	–	–	–
Pericarditis	1	3	3	5	3	–	4	–	1	–	–	1	–	–	–	–
Aneurism	2	2	1	3	3	3	5	1	2	1	–	–	–	–	–	–
Heart Disease	69	56	100	103	118	140	171	167	168	120	67	16	5	–	1	–
Laryngitis	5	3	2	–	2	2	1	3	–	–	–	–	–	–	–	–
Bronchitis	56	61	66	90	134	140	205	200	207	169	119	48	15	3	–	1
Pleurisy	3	5	6	6	5	7	9	6	4	10	5	3	–	–	–	–
Pneumonia	21	25	26	29	22	28	32	30	34	17	17	5	–	–	–	–
Asthma	5	6	13	11	25	36	37	44	42	18	7	4	–	–	–	–
Lung Disease	10	10	9	6	8	5	10	3	5	1	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	3	2	8	5	5	4	5	5	4	3	2	–	–	–	–
Enteritis	11	9	9	10	10	10	5	15	13	7	7	1	–	–	–	–
Peritonitis	3	11	9	13	6	4	11	9	3	2	6	1	–	–	–	–
Ascites	1	2	4	11	7	6	8	2	2	1	1	1	–	–	–	–
Ulceration of Intestines	8	6	5	3	12	9	7	4	6	4	1	1	–	–	–	–
Hernia	–	4	4	6	6	7	5	5	6	3	2	2	–	–	–	–
Ileus	4	5	8	4	6	9	9	13	15	13	5	–	–	–	–	–
Intussusception	1	–	1	–	1	2	1	2	1	1	1	–	–	–	–	–
Stricture of Intestines	–	–	1	2	3	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	7	16	16	20	24	33	42	26	32	32	5	5	1	–	–	3
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	7	7	1	8	9	2	8	3	1	3	1	–	1	–	–
Jaundice	2	2	3	4	3	3	3	7	8	4	1	2	–	–	–	–
Liver Disease	8	18	20	25	22	49	38	41	28	15	5	2	–	–	–	2
Spleen Disease	1	3	–	1	2	1	2	–	–	–	–	–	–	–	–	–
Nephritis	2	1	2	1	2	–	2	1	2	1	1	–	–	–	–	–
Nephria	7	9	13	14	2	7	8	4	2	4	–	–	–	–	–	1
Addison's Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	1	1	–	1	1	–	–	–	–	–
Diabetes	2	1	–	2	–	3	3	1	1	–	–	–	–	–	–	–
Stone	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	2	2	–	1	1	2	5	–	1	1	3	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	8	1	11	9	11	14	7	11	8	3	–	–	–	–	–
Paramenia	3	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	9	5	8	15	6	10	5	3	–	–	–	–	–	–	–
Childbirth	95	108	47	7	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	6	2	7	12	9	5	4	5	1	–	–	–	–	–	–
Arthritis	4	2	–	4	1	–	3	1	1	1	–	–	–	–	–	–
Rheumatism	–	4	3	6	6	8	11	19	15	13	3	2	–	–	–	–
Joint Disease	3	7	3	1	2	2	3	1	2	2	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–
Phlegmon	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	2	1	–	–	–	–	1	1	1	–	–	–	–	–
Intemperance	3	6	6	4	4	5	2	–	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	3	–	2	3	1	–	–	–	–	–	–	–
Poison	4	3	–	1	4	2	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	2	2	1	4	6	4	5	5	3	4	1	–	–	–
Hanging, etc.	1	1	1	5	4	1	–	–	2	1	–	–	–	–	–	–
Suffocation	–	1	1	4	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	3	4	5	6	3	3	4	1	2	–	–	–	–	–	–	1
Fracture and Contusion	2	4	7	5	5	8	5	11	6	11	9	7	2	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	5	–	–	1	2	–	–	–	2	–	–	–	–	–
Other Violent Causes	–	1	1	5	–	–	1	1	1	4	–	1	–	–	–	–
Not Specified	34	27	40	42	39	47	84	26	5	–	–	–	–	–	–	17

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2488	228	78	101	137	73	47	33	70	55	78	107	91
SPECIFIED CAUSES	2083	120	45	73	97	56	33	22	55	44	68	92	78
I. Zymotic Class	378	25	23	29	50	36	20	14	27	21	16	20	10
II. Diseases of Uncertain Seat	83	–	–	–	2	2	–	–	–	1	3	–	1
III. Tubercular Class	301	–	3	16	17	6	2	3	13	12	21	43	37
IV. Brain and Nervous System	149	11	2	4	4	4	3	1	5	2	4	4	6
V. Organs of Circulation	55	–	–	–	–	–	1	–	–	–	1	1	3
VI. Respiratory Organs	214	14	8	19	11	5	1	3	3	1	5	5	7
VII. Organs of Digestion	128	4	6	3	8	2	1	1	1	–	3	6	3
VIII. Urinary Organs	24	–	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	25	–	–	–	–	–	–	–	–	–	–	2	5
X. Organs of Locomotion	15	–	–	–	1	–	–	–	1	–	1	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	4	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	65	62	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	1	–	–	–	–	3	–	–	–
XV. Age	535	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	93	–	–	–	3	1	5	–	5	4	14	10	5
I. Small Pox	7	1	2	1	1	–	–	–	1	–	1	–	–
Measles	5	–	–	2	–	1	–	–	–	1	1	–	–
Scarlatina	30	1	–	–	5	7	5	4	2	3	–	–	1
Diphtheria	44	2	2	3	6	4	3	2	10	3	1	1	1
Hooping Cough	66	3	9	14	16	10	6	1	6	–	–	1	–
Croup	52	8	2	9	16	7	6	4	–	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	2	5	–	1	–	–	–	–	1	1	–	2
Dysentery	6	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	6	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	15	–	1	–	2	2	–	–	–	1	1	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	62	1	–	–	1	2	–	1	4	8	6	10	4
Enteric Fever	9	–	–	–	–	–	–	2	1	1	–	1	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	19	1	–	–	–	1	–	–	2	2	2	4	–
Infantile Remittent	1	1	–	–	–	–	–	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	2	2
Rheumatic Fever	7	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	10	1	1	–	–	1	–	–	1	1	3	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	35	–	–	–	–	–	–	–	–	1	2	–	1
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	4	–	–	–	2	1	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	35	–	–	–	–	1	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	21	–	–	–	3	2	–	2	1	4	–	1	4
Tabes Mesenterica	11	–	1	3	3	1	1	–	1	1	–	–	–
Phthisis	240	–	–	2	2	1	–	1	8	6	21	42	33
Hydrocephalus	29	–	2	11	9	2	1	–	3	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	91	72	72	53	74	73	111	132	176	169	163	112	52	19	7	14
Specified Causes	80	67	64	42	64	61	87	132	176	169	163	112	52	19	7	5
Zymotic Class	11	12	7	2	11	5	7	9	10	8	5	8	2	–	–	–
Uncertain Seat	5	5	5	5	–	6	8	9	21	6	4	2	–	–	–	–
Tubercular Class	30	24	14	10	16	13	11	4	4	–	1	–	–	–	–	1
Brain, etc.	7	4	2	6	10	6	7	10	12	16	11	6	2	–	–	–
Heart, etc.	2	1	6	3	3	2	5	7	10	8	2	–	–	–	–	–
Respiratory Organs	5	6	10	3	9	12	18	17	25	10	11	4	2	–	–	–
Digestive Organs	6	8	4	4	10	8	16	13	10	8	1	1	–	–	–	1
Urinary Organs	2	–	–	2	1	–	1	3	5	3	4	1	–	–	–	–
Generative Organs	7	4	3	2	1	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	–	1	–	1	3	2	1	1	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	53	76	110	122	93	46	19	7	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	4	4	11	5	1	6	2	3	1	4	1	1	–	–	–	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	–	–	1	–	1	2	–	1	–	1	–	–	–
Dysentery	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–
Cholera	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–
Influenza	–	–	–	1	–	1	–	1	1	1	1	2	–	–	–	–
Purpura	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	2	–	7	1	3	2	1	1	–	–	1	–	–	–
Enteric Fever	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Relapsing Fever	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	2	2	–	2	3	3	8	3	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Cancer	1	–	3	3	–	3	5	5	10	2	1	1	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	24	14	10	16	11	11	4	4	–	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	17	1	1	1	1	2	–	–	1	1	3	2	1
Apoplexy	36	–	–	1	–	1	–	–	1	–	1	–	1
Paralysis	49	–	–	–	1	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	7	7	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	9	3	1	1	1	–	2	–	1	–	–	–	–
Brain Disease	20	–	–	1	1	1	1	1	2	1	–	1	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	1	–	–	–	1	1	3
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	1	–
Bronchitis	98	6	4	8	6	4	–	2	2	–	3	1	1
Pleurisy	22	6	1	2	4	–	–	1	–	1	–	–	2
Pneumonia	46	2	2	6	–	1	1	–	1	–	2	2	4
Asthma	35	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	11	–	1	2	1	–	–	–	–	–	–	–	–
VII. Teething	14	–	3	2	8	1	–	–	–	–	–	–	–
Quinsey	3	–	–	1	–	–	–	1	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	13	3	1	–	–	1	–	–	–	–	–	1	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	1	1	–
Ascites	8	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	3	1	–	–	–	–	1	–	–	–	–	–	–
Ileus	9	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	–	–	–	–	–	–	–	–	–	1	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	21	–	1	–	–	–	–	–	1	–	1	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	8	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	22	–	–	–	–	–	–	–	–	–	–	1	5
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	4	–	–	–	1	–	–	–	1	–	1	–	–
Rheumatism	10	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	1	–
Poison	2	–	–	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	–	2	–	4	–	2	–	–	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	51	–	–	–	–	1	–	–	2	1	12	6	3
Fracture and Contusion	16	–	–	–	–	–	1	–	–	3	1	3	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	105	108	33	28	40	17	14	11	15	11	10	15	18

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	–	2	3	2	4	4	4	5	3	1	–	–	–	–
Paralysis	1	–	–	3	4	4	3	5	5	10	7	4	2	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	–	–	–	–	1	2	1	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	6	3	3	2	5	7	10	8	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	6	2	3	3	9	6	9	6	3	1	2	–	–	–
Pleurisy	–	–	1	–	1	–	–	1	1	1	–	–	–	–	–	–
Pneumonia	1	2	–	1	1	5	3	1	8	–	2	1	–	–	–	–
Asthma	1	1	2	–	3	3	5	6	7	3	1	2	–	–	–	–
Lung Disease	–	–	1	–	1	1	1	3	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
Enteritis	1	–	–	–	1	–	1	1	–	1	–	1	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	1	1	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	4	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	3	–	1	3	5	4	2	5	2	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Jaundice	–	1	–	2	1	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	2	–	1	1	1	3	4	3	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	1	2	1	2	1	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Childbirth	7	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	–	1	2	2	1	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	1	–	–	2	–	1	–	–	–	–
Hanging, etc.	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	3	5	4	–	5	–	1	–	–	1	–	–	–	–	3
Fracture and Contusion	–	–	2	1	1	–	–	2	–	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	5	8	11	10	12	24	–	–	–	–	–	–	–	–	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1236	125	50	51	78	37	23	16	39	33	46	58	49
SPECIFIED CAUSES	1025	63	30	37	57	29	15	10	30	24	38	51	44
I. Zymotic Class	201	20	14	15	27	16	11	5	15	9	8	13	6
II. Diseases of Uncertain Seat	36	–	–	–	–	–	–	–	–	–	2	–	1
III. Tubercular Class	146	–	3	9	10	5	–	1	6	8	8	24	20
IV. Brain and Nervous System	87	6	1	1	3	2	–	1	2	2	1	2	4
V. Organs of Circulation	29	–	–	–	–	–	1	–	–	–	1	1	1
VI. Respiratory Organs	112	6	7	9	9	4	–	2	1	1	3	1	6
VII. Organs of Digestion	71	2	4	2	5	1	1	1	1	–	1	2	1
VIII. Urinary Organs	17	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	1	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	26	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	–	2	–	–	–
XV. Age	208	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	74	–	–	–	2	1	2	–	5	2	13	8	5
I. Small Pox	3	1	1	–	–	–	–	–	1	–	–	–	–
Measles	5	–	–	2	–	1	–	–	–	1	1	–	–
Scarlatina	15	1	–	–	2	4	3	1	1	2	–	–	1
Diphtheria	23	2	1	–	4	1	1	2	4	2	1	1	–
Hooping Cough	31	1	5	5	9	4	4	–	3	–	–	–	–
Croup	31	6	1	8	10	2	3	1	–	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	2	3	–	1	–	–	–	–	1	–	–	2
Dysentery	2	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	7	–	1	–	1	1	–	–	–	–	1	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	1	–	–	–	1	–	–	2	2	4	7	3
Enteric Fever	4	–	–	–	–	–	–	1	1	–	–	1	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	12	1	–	–	–	1	–	–	2	1	–	3	–
Infantile Remittent	1	1	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	1	–	–	1	–	–	1	–	1	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	–	–	–	–	–	1	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	–	3	2	–	1	–	4	–	–	1
Tabes Mesenterica	8	–	1	3	2	1	–	–	–	1	–	–	–
Phthisis	107	–	–	1	–	–	–	–	4	2	8	24	19
Hydrocephalus	17	–	2	5	5	2	–	–	2	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	27	34	27	40	46	45	65	84	72	72	50	19	6	1	8
SPECIFIED CAUSES	30	25	32	22	36	41	38	65	84	72	72	50	19	6	1	4
Zymotic Class	2	5	3	2	3	3	3	5	5	1	3	1	1	–	–	–
Uncertain Seat	–	1	2	3	–	4	3	5	11	3	–	1	–	–	–	–
Tubercular Class	11	6	3	3	3	3	3	2	2	–	–	–	–	–	–	1
Brain, etc.	3	3	2	2	3	5	4	7	7	9	7	4	1	–	–	–
Heart, etc.	1	1	3	–	2	–	2	3	6	6	1	–	–	–	–	–
Respiratory Organs	3	4	3	3	4	3	5	3	14	5	4	2	–	–	–	–
Digestive Organs	5	1	3	3	6	5	3	9	6	4	–	–	–	–	–	–
Urinary Organs	1	–	–	1	–	–	1	3	4	3	3	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	19	27	41	52	40	17	6	1	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	4	3	3	5	–	6	2	3	1	–	1	–	–	–	–	3
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Dysentery	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	–	–	5	1	1	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	1	–	1	–	2	3	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	–	–	1	2	–	3	3	3	6	1	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	6	8	3	8	7	8	2	2	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	–	–	–	1	1	–	–	1	1	1	–	1
Apoplexy	24	–	–	1	–	1	–	–	–	–	–	–	–
Paralysis	30	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	2	1	–	1	–	–	–	1	–	–	–	–
Brain Disease	12	–	–	–	1	–	–	1	–	1	–	1	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	29	–	–	–	–	–	1	–	–	–	1	1	1
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	47	3	4	5	5	3	–	1	1	–	1	–	1
Pleurisy	14	3	1	–	3	–	–	1	–	1	–	–	2
Pneumonia	31	–	1	2	–	1	–	–	–	–	2	–	3
Asthma	11	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	8	–	1	1	1	–	–	–	–	–	–	–	–
VII. Teething	10	–	2	2	5	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	–	–	–	–	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	16	–	1	–	–	–	–	–	1	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	8	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	1	–	–	–	–	–	1	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	–	2	–	2	–	–	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	48	–	–	–	–	1	–	–	2	1	11	5	3
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	1	3	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	211	62	20	14	21	8	8	6	9	9	8	7	5

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	8	–	2	2	2	2	3	3	8	2	–	–	–	–	–
Paralysis	1	–	–	–	4	8	2	8	8	5	5	3	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	3	–	2	–	2	3	6	6	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	2	2	2	1	1	2	2	4	3	–	–	–	–	–
Pleurisy	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	1	1	–	1	1	4	3	1	8	–	1	1	–	–	–	–
Asthma	–	1	–	–	–	2	1	1	3	1	–	1	–	–	–	–
Lung Disease	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	2	3	–	1	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–
Liver Disease	2	–	1	1	1	2	2	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	1	2	1	2	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	3	4	4	–	5	–	1	–	–	1	–	–	–	–	3
Fracture and Contusion	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	2	2	5	4	5	7	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1252	103	28	50	59	36	24	17	31	22	32	49	42
SPECIFIED CAUSES	1058	57	15	36	40	27	18	12	25	20	30	41	34
I. Zymotic Class	177	5	9	14	23	20	9	9	12	12	8	7	4
II. Diseases of Uncertain Seat	47	–	–	–	2	2	–	–	–	1	1	–	–
III. Tubercular Class	155	–	–	7	7	1	2	2	7	4	13	19	17
IV. Brain and Nervous System	62	5	1	3	1	2	3	–	3	–	3	2	2
V. Organs of Circulation	26	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	102	8	1	10	2	1	1	1	2	–	2	4	1
VII. Organs of Digestion	57	2	2	1	3	1	–	–	–	–	2	4	2
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	25	–	–	–	–	–	–	–	–	–	–	2	5
X. Organs of Locomotion	8	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	37	36	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	–	–	–	1	–	–	–
XV. Age	327	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	19	–	–	–	1	–	3	–	–	2	1	2	–
I. Small Pox	4	–	1	1	1	–	–	–	–	–	1	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	15	–	–	–	3	3	2	8	1	1	–	–	–
Diphtheria	21	–	1	3	2	3	2	–	6	1	–	–	1
Hooping Cough	35	2	4	9	7	6	2	1	3	–	–	1	–
Croup	21	2	1	1	6	5	3	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	–	2	–	–	–	–	–	–	–	1	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	8	–	–	–	1	1	–	–	–	1	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	31	–	–	–	1	1	–	1	2	6	2	3	1
Enteric Fever	5	–	–	–	–	–	–	1	–	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	7	–	–	–	–	–	–	–	–	1	2	1	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	2	2
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	1	2	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	23	–	–	–	–	–	–	–	–	1	1	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	4	–	–	–	2	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	–	1	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	–	–	–	1	1	–	–	1	3
Tabes Mesenterica	3	–	–	–	1	–	1	–	1	–	–	–	–
Phthisis	133	–	–	1	2	1	–	1	4	4	13	18	14
Hydrocephalus	12	–	–	6	4	–	1	–	1	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	56	45	38	26	34	27	66	67	92	97	91	62	33	13	6	6
SPECIFIED CAUSES	50	42	32	20	28	20	49	67	92	97	91	62	33	13	6	1
Zymotic Class	9	7	4	–	3	2	4	4	5	2	2	1	1	–	–	–
Uncertain Seat	5	2	3	2	–	2	5	4	10	3	4	1	–	–	–	–
Tubercular Class	19	18	6	7	8	5	8	2	2	–	1	–	–	–	–	–
Brain, etc.	4	1	–	4	2	1	3	3	5	7	4	2	1	–	–	–
Heart, etc.	1	–	3	3	1	2	3	4	4	2	1	–	–	–	–	–
Respiratory Organs	2	2	7	–	5	4	13	9	11	5	7	2	2	–	–	–
Digestive Organs	1	7	1	1	4	3	8	4	4	4	1	1	–	–	–	1
Urinary Organs	1	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Generative Organs	7	4	8	2	1	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	–	1	–	–	2	1	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	34	49	69	70	53	29	13	6	–
Sudden Deaths	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	–	1	3	–	1	–	–	–	–	4	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	–	–	1	–	1	2	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	2	–	2	–	2	1	1	1	–	–	1	–	–	–
Enteric Fever	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	2	1	1	–	1	3	1	5	2	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	1	–	2	1	–	–	2	2	4	1	1	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	19	18	6	7	8	4	8	2	2	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	1	1	1	–	1	–	–	–	–	2	2	–
Apoplexy	12	–	–	–	–	–	–	–	1	–	1	–	1
Paralysis	19	–	–	–	1	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	3	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	4	1	–	1	–	–	2	–	–	–	–	–	–
Brain Disease	8	–	–	1	–	1	1	–	2	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Bronchitis	51	3	–	3	1	1	–	1	1	–	2	1	–
Pleurisy	8	3	–	2	1	–	–	–	–	–	–	–	–
Pneumonia	15	2	1	4	–	–	1	–	1	–	–	2	1
Asthma	24	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	1	–	3	–	–	–	–	–	–	–	–
Quinsey	2	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	1	1	–	–	1	–	–	–	–	–	–	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	1	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	–	–	–	–	–	–	–	–	–	–	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	22	–	–	–	–	–	–	–	–	–	–	1	5
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	1	–	2	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	1	1	–
Fracture and Contusion	6	–	–	–	–	–	1	–	–	2	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	191	46	13	14	19	9	6	5	6	2	2	8	8

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	–	2	1	1	2	1	1	–	–	–	–
Paralysis	–	–	–	3	–	1	1	2	2	5	2	1	1	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	3	3	1	2	3	4	4	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	4	–	1	2	8	4	7	2	5	1	2	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Asthma	1	–	2	–	3	1	4	5	4	2	1	1	–	–	–	–
Lung Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	–	–	1	2	4	1	2	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Childbirth	7	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	–	–	2	1	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	8	6	6	6	7	17	–	–	–	–	–	–	–	–	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	32992	3183	1002	1902	2258	1102	766	582	1603	912	1156	1286	1126
SPECIFIED CAUSES	30874	2494	844	1722	2093	1035	704	549	1528	863	1097	1240	1079
I. Zymotic Class	6868	332	235	554	932	602	456	350	878	320	252	246	185
II. Diseases of Uncertain Seat	1266	25	5	6	14	6	6	2	27	22	19	12	15
III. Tubercular Class	5082	80	113	304	360	139	87	82	278	287	490	638	494
IV. Brain and Nervous System	2501	154	53	81	64	39	33	19	76	50	46	48	55
V. Organs of Circulation	1470	8	2	3	3	2	3	3	26	24	31	32	33
VI. Respiratory Organs	3573	245	200	386	333	130	61	45	102	37	61	52	58
VII. Organs of Digestion	2535	265	124	282	258	40	24	15	15	40	44	56	67
VIII. Urinary Organs	511	3	1	1	2	6	2	3	14	10	12	18	27
IX. Organs of Generation	281	–	–	1	–	1	–	–	–	–	17	26	46
X. Organs of Locomotion	208	–	–	3	1	1	1	–	14	12	21	16	12
XI. Skin, etc.	68	9	6	8	7	2	–	–	1	1	2	2	1
XII. Malformation	111	85	8	8	2	2	1	1	1	–	1	1	–
XIII. Premature Debility	1354	1216	68	70	–	–	–	–	–	–	–	–	–
XIV. Atrophy	206	–	–	–	59	21	8	6	15	3	3	7	7
XV. Age	3610	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	73	11	8	3	1	2	–	–	–	–	1	2	1
XVII. Violent Deaths	1157	61	21	12	57	42	22	23	45	57	97	84	78
I. Small Pox	228	25	12	10	14	21	7	7	27	23	11	13	13
Measles	301	7	4	55	107	52	20	24	27	2	1	–	–
Scarlatina	921	12	13	59	126	145	125	100	241	53	11	14	11
Diphtheria	679	16	14	34	91	82	79	64	163	58	25	16	3
Hooping Cough	722	67	57	166	223	84	52	29	43	–	–	1	–
Croup	552	11	22	49	153	105	81	52	76	2	–	–	–
Thrush	9	4	1	2	1	1	–	–	–	–	–	–	–
Diarrhœa	645	87	67	88	113	19	7	8	11	8	2	5	7
Dysentery	164	3	8	8	14	2	3	1	1	2	1	3	3
Cholera	101	6	13	12	15	6	3	1	5	2	–	1	2
Influenza	108	11	3	5	5	2	–	–	2	–	1	–	–
Purpura	18	1	–	–	1	–	1	1	1	1	–	1	–
Ague	3	–	–	–	–	–	–	–	–	1	–	–	1
Worms	21	–	–	1	3	4	6	1	6	–	–	–	–
Typhus	864	–	2	6	12	15	20	9	80	68	84	87	63
Enteric Fever	605	4	5	14	17	26	19	28	95	51	57	46	28
Relapsing Fever	36	–	1	–	2	–	1	2	4	6	5	–	–
Simple Continued Fever	404	4	1	13	16	19	16	15	59	29	36	14	18
Infantile Remittent	83	8	–	12	14	14	10	6	18	1	–	–	–
Metria	115	–	–	–	–	–	–	–	–	–	5	33	27
Rheumatic Fever	61	–	–	–	–	–	1	–	11	11	12	5	5
Erysipelas	159	49	4	12	3	3	3	1	6	2	1	5	2
Pyæmia	12	2	2	1	–	–	1	1	2	–	–	–	–
Syphilis	49	15	6	6	1	1	–	–	–	–	–	2	2
Noma	8	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	42	7	1	–	–	–	–	–	3	–	5	3	1
Dropsy	379	3	–	1	8	3	4	1	14	11	6	4	8
Abscess	54	10	3	2	4	2	2	1	5	4	3	–	–
Ulcer	22	1	–	1	1	–	–	–	–	1	–	1	1
Fistula	6	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	70	3	–	1	–	1	–	–	1	–	–	2	–
Cancer	686	1	1	1	1	–	–	–	4	6	5	1	5
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	311	13	9	17	16	5	13	8	29	32	37	20	30
Tabes Mesenterica	398	28	27	72	104	34	15	17	32	16	15	5	7
Phthisis	3637	11	15	30	47	35	22	18	130	211	429	612	457
Hydrocephalus	736	28	62	185	193	65	37	9	87	28	9	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	974	987	941	975	1037	1183	1506	1659	1870	1860	1671	940	342	86	26	57
Specified Causes	935	919	901	918	983	1100	1398	1615	1860	1860	1671	940	342	86	26	42
Zymotic Class	136	139	154	126	128	134	140	147	151	138	63	51	12	5	–	2
Uncertain Seat	20	38	63	82	99	115	143	174	153	114	74	24	8	1	–	–
Tubercular Class	389	312	263	199	165	126	121	85	34	15	7	3	1	–	–	7
Brain, etc.	68	71	76	84	98	128	188	245	306	254	171	75	15	2	–	2
Heart, etc.	42	61	63	90	114	131	158	165	192	153	98	29	3	–	1	–
Respiratory Organs	63	84	70	113	134	181	238	250	264	213	159	70	18	5	–	1
Digestive Organs	56	75	98	103	116	157	170	174	139	101	55	21	1	1	–	2
Urinary Organs	22	29	16	28	28	25	40	55	55	60	33	19	2	–	–	–
Generative Organs	48	63	23	10	12	11	7	8	7	1	–	–	–	–	–	–
Locomotive Organs	8	6	6	7	10	12	18	23	15	12	7	2	–	1	–	–
Skin	1	3	2	3	–	4	2	3	5	3	2	1	–	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	7	5	8	6	28	23	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	111	238	496	769	982	635	279	71	25	4
Sudden Deaths	2	3	2	4	6	4	8	7	7	1	–	–	–	–	–	–
Violent Deaths	73	60	57	63	45	49	51	41	56	26	20	10	3	–	–	24
Small Pox	9	7	11	5	3	5	2	2	–	1	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	3	2	–	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	6	1	6	4	3	2	3	5	1	2	–	–	–	–	–	1
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	5	7	8	9	10	15	17	42	51	19	27	5	3	–	–
Dysentery	3	2	3	6	7	10	10	13	16	24	15	5	1	–	–	–
Cholera	–	1	2	3	3	7	5	6	3	1	3	–	1	–	–	–
Influenza	1	–	1	2	2	1	10	11	18	16	7	6	2	2	–	–
Purpura	2	2	1	–	1	–	1	1	1	–	2	–	–	–	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	53	60	53	46	44	47	35	24	11	4	3	–	–	–	1
Enteric Fever	23	24	26	21	20	21	20	28	14	11	5	2	–	–	–	–
Relapsing Fever	1	1	3	–	2	1	3	–	1	2	1	–	–	–	–	–
Simple Cont. Fever	10	16	14	13	19	20	17	18	18	10	6	2	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	25	15	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	3	–	2	1	–	1	–	2	–	–	–	–	–	–
Erysipelas	2	4	2	6	6	6	7	8	12	6	1	6	2	–	–	–
Pyœmia	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	5	–	3	2	2	3	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	8	8	1	1	2	2	5	1	2	–	–	–	–	–	–
Dropsy	4	9	12	16	17	21	38	59	49	44	39	7	1	–	–	–
Abscess	3	5	1	1	–	3	1	1	1	1	–	1	–	–	–	–
Ulcer	1	–	1	1	–	1	3	5	1	1	2	–	–	–	–	–
Fistula	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	4	3	3	5	7	14	10	7	6	2	–	–	–
Cancer	9	21	44	56	77	83	93	97	86	54	26	9	5	1	–	–
Gout	1	–	–	2	–	–	–	–	1	2	–	1	–	–	–	–
Scrofula	9	9	18	11	6	5	5	12	2	2	–	1	–	–	–	2
Tabes Mesenterica	5	–	3	5	2	3	2	1	2	3	–	–	–	–	–	–
Phthisis	375	301	242	183	157	118	117	72	30	10	7	2	1	–	–	5
Hydrocephalus	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	201	8	8	17	9	11	13	5	32	12	12	13	10
Apoplexy	604	17	6	4	4	5	3	2	10	9	6	5	9
Paralysis	878	–	–	–	1	–	1	1	1	1	4	6	6
Delirium Tremens	16	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	6	–	–	–	–	1	–	–	–	1	2	–	–
Epilepsy	103	–	–	–	–	–	–	–	–	5	7	6	13
Tetanus	14	7	–	–	–	–	–	–	–	1	1	1	1
Insanity	15	–	–	–	–	–	–	–	–	1	1	–	2
Convulsions	301	119	41	51	42	20	11	6	11	–	–	–	–
Brain Disease	363	3	3	9	8	2	5	5	22	20	13	17	13
V. Pericarditis	34	–	1	–	–	–	–	–	1	2	3	2	3
Aneurism	28	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1408	8	1	3	3	2	3	3	25	22	28	30	30
VI. Laryngitis	67	–	3	8	7	8	4	2	6	3	1	2	3
Bronchitis	2221	182	162	293	245	87	84	27	66	12	22	17	16
Pleurisy	139	1	1	4	3	4	4	1	6	2	6	5	5
Pneumonia	797	56	31	77	74	28	16	12	19	17	31	22	29
Asthma	232	–	–	1	–	–	1	–	–	–	–	2	1
Lung Disease	117	6	3	3	4	3	2	3	5	3	1	4	4
VII. Teething	376	3	24	163	176	9	1	–	–	–	–	–	–
Quinsey	26	4	3	3	2	1	1	1	3	2	1	–	–
Gastritis	109	7	5	11	1	1	1	–	–	3	1	3	2
Enteritis	498	132	54	57	43	15	10	6	11	11	10	16	14
Peritonitis	184	18	7	7	5	2	2	1	14	9	15	9	9
Ascites	43	2	–	–	1	3	1	–	2	2	–	3	1
Ulceration of Intestines	110	6	2	1	4	1	–	1	1	2	3	2	3
Hernia	47	3	–	1	–	–	–	–	–	1	–	–	1
Ileus	147	7	5	5	–	2	2	1	2	5	6	4	7
Intussusception	19	1	2	3	–	–	–	–	1	–	–	–	–
Stricture of Intestines	10	2	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	420	34	20	22	16	4	2	1	9	3	4	2	12
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	88	5	–	3	1	–	–	1	–	–	1	6	4
Jaundice	102	35	2	2	4	1	3	1	2	–	1	3	1
Liver Disease	334	5	–	4	3	1	1	2	6	2	2	6	12
Spleen Disease	21	1	–	–	1	–	–	–	–	–	–	2	1
VIII. Nephritis	26	–	–	–	–	3	1	–	3	–	1	1	1
Nephria	99	–	–	–	1	1	–	2	4	1	7	3	6
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	29	2	1	–	–	–	–	–	–	–	–	–	2
Diabetes	52	–	–	–	–	–	–	–	3	4	2	8	9
Stone	34	–	–	–	–	–	–	–	1	1	–	1	–
Cystitis	111	–	–	–	1	–	–	–	–	3	–	1	2
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	154	1	–	1	–	2	1	1	3	1	2	4	7
IX. Paramenia	19	–	–	–	–	–	–	–	–	–	6	3	3
Ovarian Dropsy	40	–	–	–	–	–	–	–	–	–	3	1	2
Childbirth	183	–	–	–	–	–	–	–	–	–	7	20	39
Organs of Generation	39	–	–	1	–	1	–	–	–	–	1	2	2
X. Arthritis	44	–	–	2	1	1	–	–	2	3	9	2	3
Rheumatism	97	–	–	–	–	–	–	–	2	3	1	3	4
Joint and Bone Disease	67	–	–	1	–	–	1	–	10	6	11	11	5
XI. Carbuncle	22	2	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	11	1	–	–	1	–	–	–	1	–	2	–	–
Skin Disease	35	6	6	7	6	2	–	–	–	1	–	2	1
XVII. Intemperance	22	–	–	–	–	–	–	–	–	–	1	–	–
Privation	6	–	–	–	1	2	–	1	–	–	–	–	–
Want of Breast Milk	42	34	7	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	32	–	1	–	–	–	–	–	1	–	2	–	2
Poison	13	–	–	3	–	–	–	–	1	1	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	138	1	–	6	30	22	14	10	13	2	4	2	6
Hanging, etc.	26	–	–	–	–	–	–	–	–	1	–	–	2
Suffocation	41	11	12	2	2	–	1	–	–	–	2	–	2
Drowning	307	1	–	–	16	12	3	4	13	20	34	33	24
Fracture and Contusion	439	2	1	–	6	5	8	6	15	30	45	42	35
Gunshot Wounds	7	–	–	–	–	–	–	–	1	1	1	–	2
Cuts and Stabs	84	–	–	–	–	1	1	–	–	–	8	2	4
Other Violent Causes	49	12	–	–	2	–	–	2	1	2	5	5	1
Not Specified	2118	689	158	180	165	67	62	33	75	49	59	46	47

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	11	8	1	10	2	6	6	6	2	2	1	1	–	–	–	–
Apoplexy	10	20	26	26	31	37	50	78	93	68	53	25	5	–	–	2
Paralysis	11	16	17	25	36	58	90	121	169	156	102	46	8	2	–	–
Delirium Tremens	2	3	5	3	1	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	12	9	8	4	3	7	10	9	4	6	–	–	–	–	–	–
Tetanus	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	2	1	3	1	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	22	13	18	15	23	18	28	29	36	21	15	3	2	–	–	–
Pericarditis	2	3	3	2	5	–	2	1	1	2	–	1	–	–	–	–
Aneurism	2	4	–	5	4	5	3	1	2	1	1	–	–	–	–	–
Heart Disease	58	51	60	83	105	126	153	163	189	150	97	28	3	–	1	–
Laryngitis	5	–	4	1	1	2	4	2	1	–	–	–	–	–	–	–
Bronchitis	23	29	29	50	68	83	151	140	161	150	115	57	17	4	–	1
Pleurisy	6	5	6	5	9	9	14	13	8	8	10	2	1	1	–	–
Pneumonia	28	32	18	33	31	45	52	43	46	30	26	6	–	–	–	–
Asthma	1	9	6	17	18	37	24	39	44	21	7	4	–	–	–	–
Lung Disease	5	9	7	7	7	5	13	13	4	4	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Gastritis	3	8	4	7	6	9	5	10	8	8	4	2	–	–	–	–
Enteritis	13	9	9	11	8	15	11	14	15	9	5	–	–	–	–	–
Peritonitis	1	9	8	9	8	8	16	11	5	5	6	–	–	–	–	–
Ascites	–	1	1	5	3	4	5	2	2	3	1	1	–	–	–	–
Ulceration of Intestines	7	5	4	8	14	9	8	9	10	6	2	2	–	–	–	–
Hernia	1	2	2	5	1	5	4	5	5	3	6	2	–	–	–	–
Ileus	8	4	8	5	8	10	14	13	10	10	7	4	–	–	–	–
Intussusception	–	–	1	1	–	4	–	4	1	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	1	2	–	2	–	2	–	–	–	–	–	–	–
Stomach Disease	8	11	19	25	22	33	47	45	39	29	8	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	4	4	10	2	9	9	8	10	4	3	3	–	–	1	–	–
Jaundice	–	1	4	1	6	5	8	8	8	6	3	2	–	–	–	–
Liver Disease	9	18	27	20	28	43	43	42	28	17	9	5	–	–	–	1
Spleen Disease	1	2	1	2	1	3	4	–	1	1	–	–	–	–	–	–
Nephritis	–	2	–	1	1	3	2	3	1	–	3	–	–	–	–	–
Nephria	11	10	6	7	12	5	3	10	4	5	1	–	–	–	–	–
Addison's Disease	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	1	2	3	7	4	3	1	1	–	–	–
Diabetes	5	4	2	4	–	2	2	5	2	–	–	–	–	–	–	–
Stone	–	–	1	2	–	–	3	2	8	9	2	4	–	–	–	–
Cystitis	1	3	1	2	3	4	10	17	13	22	17	10	1	–	–	–
Stricture of Urethra	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	9	4	10	12	10	18	14	19	20	7	4	–	–	–	–
Paramenia	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	5	2	3	7	5	5	5	2	–	–	–	–	–	–	–
Childbirth	42	52	20	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	4	–	3	4	6	2	3	5	1	–	–	–	–	–	–
Arthritis	3	1	–	2	2	3	5	–	1	3	–	–	–	1	–	–
Rheumatism	2	1	2	5	8	6	10	20	13	8	7	2	–	–	–	–
Joint Disease	3	4	4	–	–	3	3	3	1	1	–	–	–	–	–	–
Carbuncle	–	1	2	2	–	3	1	3	3	1	2	1	–	–	–	–
Phlegmon	1	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Skin Disease	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Intemperance	4	2	3	1	2	4	2	2	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	6	1	5	1	3	3	4	–	–	–	–	–	–	2
Poison	–	2	–	–	1	1	1	–	3	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	2	6	2	2	–	2	1	4	2	3	2	1	1	–	–	–
Hanging, etc.	–	2	3	4	4	4	2	2	2	–	–	–	–	–	–	–
Suffocation	1	1	–	4	1	–	1	–	–	–	–	–	–	–	–	1
Drowning	31	20	18	14	11	10	7	5	7	4	1	–	–	–	–	19
Fracture and Contusion	32	23	20	33	18	21	26	21	17	13	14	7	2	–	–	2
Gunshot Wounds	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	1	2	2	3	6	3	–	3	2	–	–	–	–	–
Other Violent Causes	2	2	3	1	1	2	2	1	–	2	1	2	–	–	–	–
Not Specified	39	38	40	57	54	83	108	44	10	–	–	–	–	–	–	15

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16339	1780	558	1020	1167	568	381	287	801	452	602	670	560
SPECIFIED CAUSES	15198	1378	470	919	1090	536	347	275	757	424	572	646	538
I. Zymotic Class	3303	165	132	287	462	306	222	178	413	141	115	96	77
II. Diseases of Uncertain Seat	498	12	2	3	11	2	3	1	12	12	12	4	7
III. Tubercular Class	2474	42	66	169	204	74	36	40	150	130	224	337	239
IV. Brain and Nervous System	1281	95	23	49	36	19	19	8	40	28	26	27	33
V. Organs of Circulation	748	3	–	1	1	–	2	1	15	8	17	22	15
VI. Respiratory Organs	1886	142	120	199	180	72	35	19	44	16	37	29	33
VII. Organs of Digestion	1290	152	73	153	126	19	12	7	21	25	27	27	38
VIII. Urinary Organs	363	2	1	–	1	3	1	2	10	6	7	11	14
IX. Organs of Generation	1	–	–	–	–	1	–	–	–	–	–	–	–
X. Organs of Locomotion	112	–	–	1	–	1	–	–	11	7	15	9	6
XI. Skin, etc.	43	5	3	6	4	–	–	–	1	1	2	–	–
XII. Malformation	54	40	5	4	1	–	–	–	1	–	1	1	–
XIII. Premature Debility	756	682	33	41	–	–	–	–	–	–	–	–	–
XIV. Atrophy	95	–	–	–	31	17	2	3	7	1	–	3	3
XV. Age	1366	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	37	6	4	2	1	2	–	–	–	–	–	1	1
XVII. Violent Deaths	891	32	8	4	32	20	15	16	32	49	89	79	72
I. Small Pox	123	14	6	6	5	12	4	4	15	11	7	8	4
Measles	150	2	3	24	48	27	9	15	19	2	–	–	–
Scarlatina	495	11	8	31	73	78	63	52	129	29	6	2	8
Diphtheria	322	10	8	20	46	37	38	33	65	24	14	6	2
Hooping Cough	317	32	27	80	96	31	20	12	19	–	–	–	–
Croup	291	6	11	27	82	59	47	24	34	1	–	–	–
Thrush	3	1	–	2	–	–	–	–	–	–	–	–	–
Diarrhœa	333	46	41	49	62	9	2	3	7	2	1	3	2
Dysentery	71	2	4	6	8	1	3	1	–	1	–	–	2
Cholera	55	–	8	6	7	3	3	1	2	1	–	–	1
Influenza	47	7	2	1	4	2	–	–	–	–	–	–	–
Purpura	9	1	–	–	1	–	–	–	–	–	–	–	–
Ague	2	–	–	–	–	–	–	–	–	1	–	–	1
Worms	10	–	–	1	1	3	2	1	2	–	–	–	–
Typhus	446	–	2	2	6	11	9	5	29	32	46	46	37
Enteric Fever	263	1	4	8	8	14	8	15	42	19	21	21	8
Relapsing Fever	22	–	1	–	2	–	–	1	3	4	2	–	–
Simple Continued Fever	172	1	–	6	6	10	6	8	26	11	13	4	7
Infantile Remittent	40	2	–	8	7	8	5	2	8	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	27	–	–	–	–	–	–	–	8	3	5	3	3
Erysipelas	74	22	3	6	–	–	2	–	4	–	–	3	1
Pyæmia	5	1	1	–	–	–	–	1	1	–	–	–	–
Syphilis	20	6	3	3	–	–	–	–	–	–	–	–	1
Noma	6	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	3	1	–	–	–	–	–	1	–	3	–	–
Dropsy	164	1	–	1	8	2	3	1	6	6	5	1	5
Abscess	24	6	1	1	2	–	–	–	2	1	1	–	–
Ulcer	11	1	–	–	–	–	–	–	–	1	–	1	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	35	1	–	1	–	–	–	–	1	–	–	1	–
Cancer	234	–	–	–	1	–	–	–	2	4	3	–	2
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	168	6	5	7	8	3	6	4	18	19	25	11	18
Tabes Mesenterica	208	16	16	44	55	22	3	9	15	9	6	2	2
Phthisis	1685	3	12	16	29	15	10	9	62	84	187	324	219
Hydrocephalus	413	17	33	102	112	34	17	18	55	18	6	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	472	431	440	497	534	605	733	801	857	798	717	403	126	33	7	89
SPECIFIED CAUSES	451	409	429	468	504	554	685	781	851	798	717	403	126	33	7	30
Zymotic Class	60	56	69	58	67	70	76	73	60	65	26	24	3	1	–	1
Uncertain Seat	8	9	12	31	31	47	54	70	66	46	32	6	4	1	–	–
Tubercular Class	175	125	119	85	81	58	49	38	18	8	5	–	–	–	–	2
Brain, etc.	40	39	38	46	46	59	95	123	158	104	80	44	4	1	–	1
Heart, etc.	14	31	31	56	60	67	78	83	94	84	50	14	1	–	–	–
Respiratory Organs	33	45	38	70	86	107	127	127	117	96	72	30	8	3	–	1
Digestive Organs	31	27	52	49	57	70	86	90	64	48	26	10	–	–	–	–
Urinary Organs	15	17	9	13	21	18	25	45	42	52	28	18	2	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	1	4	4	5	8	9	13	5	3	5	–	–	1	–	–
Skin	–	2	2	2	–	3	1	2	4	2	2	1	–	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	2	3	1	12	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	39	84	198	273	380	253	104	26	7	2
Sudden Deaths	–	2	2	1	4	4	4	3	–	–	–	–	–	–	–	–
Violent Deaths	68	53	49	52	34	36	42	30	25	17	11	3	–	–	–	23
Small Pox	5	2	6	4	3	2	2	2	–	1	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	1	3	2	2	1	2	2	–	1	–	–	–	–	–	1
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	3	2	6	6	7	7	20	24	8	15	2	1	–	–
Dysentery	–	1	2	3	2	7	3	5	3	10	4	3	–	–	–	–
Cholera	–	–	1	2	1	7	2	3	3	1	2	–	1	–	–	–
Influenza	1	–	1	–	1	1	6	2	6	8	3	2	–	–	–	–
Purpura	1	2	–	–	1	–	1	1	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	24	30	22	24	26	28	25	14	6	1	–	–	–	–	–
Enteric Fever	14	9	11	13	7	8	10	14	3	3	2	–	–	–	–	–
Relapsing Fever	–	1	2	–	2	–	2	–	–	1	1	–	–	–	–	–
Simple Cont. Fever	4	8	7	6	10	6	9	8	8	5	3	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	–	4	5	2	4	3	3	4	1	4	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	4	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	1	2	1	2	1	2	–	–	–	–	–	–
Dropsy	2	2	3	9	6	8	15	21	25	17	16	1	–	–	–	–
Abscess	2	3	1	1	–	–	–	1	1	–	–	1	–	–	–	–
Ulcer	1	–	–	–	–	1	–	3	1	1	1	–	–	–	–	–
Fistula	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	2	1	3	3	4	3	4	6	3	2	–	–	–
Cancer	3	3	7	15	22	32	34	39	34	20	9	1	2	1	–	–
Gout	–	–	–	2	–	–	–	–	1	2	–	–	–	–	–	–
Scrofula	5	6	8	4	3	2	2	6	1	–	–	–	–	–	–	1
Tabes Mesenterica	1	–	1	1	–	2	–	–	2	2	–	–	–	–	–	–
Phthisis	169	118	110	80	78	54	47	32	15	6	5	–	–	–	–	1
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER: MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	108	6	2	8	4	5	5	2	18	6	6	7	4
Apoplexy	322	12	1	4	3	4	2	1	5	5	4	4	6
Paralysis	395	–	–	–	–	–	1	–	–	–	3	4	5
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	50	–	–	–	–	–	–	–	–	3	4	3	8
Tetanus	13	6	–	–	–	–	–	–	–	1	1	1	1
Insanity	7	–	–	–	–	–	–	–	–	1	–	–	1
Convulsions	165	69	18	30	25	8	8	3	4	–	–	–	–
Brain Disease	207	2	2	7	4	1	3	2	13	12	8	8	7
V. Pericarditis	15	–	–	–	–	–	–	–	1	2	1	1	1
Aneurism	17	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	716	3	–	1	1	–	2	1	14	6	16	21	14
VI. Laryngitis	47	–	3	3	5	3	3	1	4	2	1	2	2
Bronchitis	1092	105	92	148	127	54	18	10	25	5	12	7	8
Pleurisy	72	1	1	2	3	1	3	1	2	–	4	4	3
Pneumonia	477	33	21	39	43	13	10	5	11	8	19	12	19
Asthma	127	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	71	3	3	2	2	1	1	2	2	1	1	3	1
VII. Teething	204	1	17	97	87	2	–	–	–	–	–	–	–
Quinsey	13	2	1	–	1	–	1	1	2	1	1	–	–
Gastritis	59	6	4	7	–	1	–	–	–	2	1	–	–
Enteritis	263	76	32	27	26	9	5	3	1	7	6	9	6
Peritonitis	76	6	3	2	2	1	1	–	6	5	9	4	1
Ascites	19	2	–	–	–	1	–	–	2	2	–	1	1
Ulceration of Intestines	53	5	2	–	1	–	–	–	–	–	1	–	2
Hernia	18	1	–	1	–	–	–	–	–	1	–	–	1
Ileus	79	4	3	1	–	1	1	1	1	2	6	3	5
Intussusception	11	–	1	3	–	–	–	–	1	–	–	–	–
Stricture of Intestines	8	2	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	204	19	9	10	5	3	2	–	6	3	1	–	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	49	2	–	2	1	–	–	–	–	–	1	4	3
Jaundice	50	23	1	–	2	–	1	1	1	–	–	1	1
Liver Disease	171	2	–	3	–	1	1	1	1	2	1	4	11
Spleen Disease	12	1	–	–	–	–	–	–	–	–	–	1	1
VIII. Nephritis	17	–	–	–	–	2	1	–	2	–	–	1	1
Nephria	55	–	–	–	1	–	–	1	3	1	4	1	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	23	1	1	–	–	–	–	–	–	–	–	–	1
Diabetes	37	–	–	–	–	–	–	–	2	1	2	5	6
Stone	31	–	–	–	–	–	–	–	1	1	–	1	–
Cystitis	96	–	–	–	–	–	–	–	–	3	–	1	1
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	99	1	–	–	–	1	–	1	2	–	1	2	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	1	–	–	–	–	–	–	–
X. Arthritis	25	–	–	1	–	1	–	–	2	2	6	–	2
Rheumatism	46	–	–	–	–	–	–	–	2	1	–	2	1
Joint and Bone Disease	41	–	–	–	–	–	–	–	7	4	9	7	3
XI. Carbuncle	20	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	7	1	–	–	–	–	–	–	1	–	2	–	–
Skin Disease	16	2	3	6	4	–	–	–	–	1	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	1	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	17	17	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	21	–	–	–	–	–	–	–	1	–	2	–	1
Poison	7	–	–	1	–	–	–	–	1	1	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	73	–	–	2	16	11	9	7	7	2	1	2	5
Hanging, etc.	19	–	–	–	–	–	–	–	–	1	–	–	2
Suffocation	29	6	8	1	2	–	1	–	–	–	2	–	2
Drowning	264	–	–	–	8	6	2	2	10	16	32	32	22
Fracture and Contusion	378	–	–	–	4	3	3	5	11	26	43	39	35
Gunshot Wounds	6	–	–	–	–	–	–	–	1	1	1	–	1
Cuts and Stabs	25	–	–	–	–	–	–	–	–	–	3	2	3
Other Violent Causes	39	9	–	–	1	–	–	2	1	2	4	4	1
Not Specified	1141	402	88	101	77	32	34	12	44	28	30	24	22

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
Cephalitis	7	5	–	7	–	5	3	5	1	–	1	1	–	–	–	–
Apoplexy	6	13	17	16	13	16	23	39	46	36	30	13	2	–	–	1
Paralysis	3	7	8	13	16	26	45	55	84	55	40	28	1	1	–	–
Delirium Tremens	2	3	2	3	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	3	4	–	2	1	4	6	2	1	–	–	–	–	–	–
Tetanus	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	7	6	6	14	9	17	17	25	12	9	2	1	–	–	–
Pericarditis	1	1	–	1	2	–	–	1	1	2	–	–	–	–	–	–
Aneurism	–	3	–	3	3	4	–	1	1	1	1	–	–	–	–	–
Heart Disease	13	27	31	52	55	63	78	81	92	81	49	14	1	–	–	–
Laryngitis	2	–	3	1	–	1	4	1	1	–	–	–	–	–	–	–
Bronchitis	8	13	15	29	37	48	64	60	65	60	47	25	7	2	–	1
Pleurisy	3	1	2	2	7	2	6	9	5	3	5	–	1	1	–	–
Pneumonia	19	21	9	21	22	32	32	28	24	20	14	2	–	–	–	–
Asthma	–	5	4	11	15	21	14	19	20	10	5	2	–	–	–	–
Lung Disease	1	5	5	6	5	3	7	10	2	3	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Gastritis	2	2	4	3	3	6	3	6	3	4	2	–	–	–	–	–
Enteritis	6	5	3	4	3	7	8	6	7	6	1	–	–	–	–	–
Peritonitis	–	4	2	4	5	5	8	3	2	3	–	–	–	–	–	–
Ascites	–	–	–	3	–	1	1	1	1	2	1	–	–	–	–	–
Ulceration of Intestines	4	3	2	5	5	3	4	6	5	2	2	1	–	–	–	–
Hernia	1	–	–	1	–	2	1	2	1	–	5	1	–	–	–	–
Ileus	5	2	3	2	3	3	8	9	4	4	4	4	–	–	–	–
Intussusception	–	–	–	1	–	3	–	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–
Stomach Disease	2	4	13	12	12	13	20	27	19	14	4	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	2	1	6	2	7	2	7	5	2	2	–	–	–	–	–	–
Jaundice	–	–	2	–	1	3	2	2	2	4	2	1	–	–	–	–
Liver Disease	8	6	16	9	18	20	20	20	14	5	5	3	–	–	–	–
Spleen Disease	1	–	1	1	–	2	2	–	1	1	–	–	–	–	–	–
Nephritis	–	1	–	–	1	3	1	2	–	–	2	–	–	–	–	–
Nephria	7	5	1	1	11	2	1	6	3	4	1	–	–	–	–	–
Addison's Disease	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	1	1	2	7	3	2	1	1	–	–	–
Diabetes	4	3	2	3	–	2	1	5	1	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	3	2	7	9	2	4	–	–	–	–
Cystitis	1	1	1	1	2	2	6	17	12	22	16	9	1	–	–	–
Stricture of Urethra	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	6	3	5	7	8	12	10	12	14	5	4	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	3	3	–	1	2	–	–	–	1	–	–
Rheumatism	2	–	1	4	4	2	6	11	4	1	5	–	–	–	–	–
Joint Disease	2	1	3	–	–	3	–	2	–	–	–	–	–	–	–	–
Carbuncle	–	1	2	2	–	3	1	2	3	1	2	1	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	1	1	–	1	–	2	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	5	1	3	1	1	1	3	–	–	–	–	–	–	2
Poison	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	2	5	2	–	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	–	2	3	3	1	3	2	2	–	–	–	–	–	–	–	–
Suffocation	1	1	–	2	1	–	1	–	–	–	–	–	–	–	–	1
Drowning	29	19	17	11	10	9	5	5	5	4	1	–	–	–	–	19
Fracture and Contusion	32	21	17	32	15	18	24	16	14	8	9	2	–	–	–	1
Gunshot Wounds	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	2	2	2	4	3	–	3	–	–	–	–	–	–
Other Violent Causes	2	2	3	1	1	2	2	–	–	–	1	1	–	–	–	–
Not Specified	21	22	11	29	30	51	48	20	6	–	–	–	–	–	–	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16653	1403	444	882	1091	534	385	295	802	460	554	616	566
SPECIFIED CAUSES	15676	1116	374	803	1003	499	357	274	771	439	522	594	541
I. Zymotic Class	3565	167	103	267	470	296	234	172	465	179	137	150	108
II. Diseases of Uncertain Seat	768	13	3	3	3	4	3	1	15	10	7	8	8
III. Tubercular Class	2608	38	47	135	156	65	51	42	128	157	266	301	255
IV. Brain and Nervous System	1220	59	30	32	28	20	14	11	36	22	20	21	22
V. Organs of Circulation	722	5	2	2	2	2	1	2	11	16	14	10	18
VI. Respiratory Organs	1687	103	80	187	153	58	26	26	58	21	24	23	25
VII. Organs of Digestion	1245	113	51	129	132	21	12	8	30	15	17	29	29
VIII. Urinary Organs	148	1	–	1	1	3	1	1	4	4	5	7	13
IX. Organs of Generation	280	–	–	1	–	–	–	–	–	–	17	26	46
X. Organs of Locomotion	96	–	–	2	1	–	1	–	3	5	6	7	6
XI. Skin, etc.	25	4	3	2	3	2	–	–	–	–	–	2	1
XII. Malformation	57	45	3	4	1	2	1	1	–	–	–	–	–
XIII. Premature Debility	598	534	35	29	–	–	–	–	–	–	–	–	–
XIV. Atrophy	111	–	–	–	28	4	6	3	8	2	3	4	4
XV. Age	2244	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	36	5	4	1	–	–	–	–	–	–	1	1	–
XVII. Violent Deaths	266	29	13	8	25	22	7	7	13	8	8	5	6
I. Small Pox	105	11	6	4	9	9	3	3	12	12	4	5	9
Measles	151	5	1	31	59	25	11	9	8	–	1	–	–
Scarlatina	426	1	5	28	53	67	62	48	112	24	5	12	3
Diphtheria	357	6	6	14	45	45	41	31	98	34	11	10	1
Hooping Cough	405	35	30	86	127	53	32	17	24	–	–	1	–
Croup	261	5	11	22	71	46	34	28	42	1	–	–	–
Thrush	6	3	1	–	1	1	–	–	–	–	–	–	–
Diarrhœa	312	41	26	39	51	10	5	5	4	6	1	2	5
Dysentery	93	1	4	2	6	1	–	–	1	1	1	3	1
Cholera	46	6	5	6	8	3	–	–	3	1	–	1	1
Influenza	61	4	1	4	1	–	–	–	2	–	1	–	–
Purpura	9	–	–	–	–	–	1	1	1	1	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	2	1	4	–	4	–	–	–	–
Typhus	418	–	–	4	6	4	11	4	51	36	38	41	26
Enteric Fever	342	3	1	6	9	12	11	13	53	32	36	25	20
Relapsing Fever	14	–	–	–	–	–	1	1	1	2	3	–	–
Simple Continued Fever	232	3	1	7	10	9	10	7	33	18	23	10	11
Infantile Remittent	43	6	–	4	7	6	5	4	10	1	–	–	–
Metria	115	–	–	–	–	–	–	–	–	–	5	33	27
Rheumatic Fever	34	–	–	–	–	–	1	–	3	8	7	2	2
Erysipelas	85	27	1	6	3	3	1	1	2	2	1	2	1
Pyæmia	7	1	1	1	–	–	1	–	1	–	–	–	–
Syphilis	29	9	3	3	1	1	–	–	–	–	–	2	1
Noma	2	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	22	4	–	–	–	–	–	–	2	–	2	3	1
Dropsy	215	2	–	–	–	1	1	–	8	5	1	3	3
Abscess	80	4	2	1	2	2	2	1	3	3	2	–	–
Ulcer	11	–	–	1	1	–	–	–	–	–	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	35	2	–	–	–	1	–	–	–	–	–	1	–
Cancer	452	1	1	1	–	–	–	–	2	2	2	1	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	143	7	4	10	8	2	7	4	11	13	12	9	12
Tabes Mesenterica	190	12	11	28	49	12	12	8	17	7	9	8	5
Phthisis	1952	8	3	14	18	20	12	9	68	127	242	288	238
Hydrocephalus	323	11	29	83	81	31	20	21	32	10	3	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	502	556	501	478	503	578	778	858	1013	1062	954	537	216	53	19	18
SPECIFIED CAUSES	484	540	472	450	479	546	713	834	1009	1062	954	537	216	53	19	12
Zymotic Class	76	83	85	68	61	64	64	74	91	73	37	27	9	4	–	1
Uncertain Seat	12	29	50	51	68	68	89	104	87	68	42	18	4	–	–	–
Tubercular Class	214	187	144	114	84	68	75	47	16	7	2	3	1	–	–	5
Brain, etc.	28	32	38	38	52	69	93	122	148	150	91	31	11	1	–	1
Heart, etc.	28	30	32	34	54	64	80	82	98	69	48	15	2	–	1	–
Respiratory Organs	30	39	32	43	48	74	111	123	147	117	87	40	10	2	–	–
Digestive Organs	25	48	46	54	59	87	84	84	75	53	29	11	1	1	–	2
Urinary Organs	7	12	7	15	7	7	15	10	13	8	5	1	–	–	–	–
Generative Organs	48	63	23	10	12	11	7	8	7	1	–	–	–	–	–	–
Locomotive Organs	4	5	2	3	5	4	9	10	10	9	2	2	–	–	–	–
Skin	1	1	–	1	–	1	1	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	3	5	5	16	16	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	154	298	496	602	382	175	45	18	2
Sudden Deaths	2	1	–	3	2	–	4	4	7	1	–	–	–	–	–	–
Violent Deaths	5	7	8	11	11	13	9	11	11	9	9	7	3	–	–	1
Small Pox	4	5	5	1	–	3	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	–	3	2	1	1	1	3	1	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	2	4	6	3	4	8	10	22	27	11	12	3	2	–	–
Dysentery	3	1	1	3	5	3	7	8	13	14	11	2	1	–	–	–
Cholera	–	1	1	1	2	–	3	3	–	–	1	–	–	–	–	–
Influenza	–	–	–	2	1	–	4	9	12	8	4	4	2	2	–	–
Purpura	1	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	29	30	31	22	18	19	10	10	5	3	3	–	–	–	1
Enteric Fever	9	15	15	8	13	13	10	14	11	8	3	2	–	–	–	–
Relapsing Fever	1	–	1	–	–	1	1	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	6	8	7	7	9	14	8	10	10	5	3	2	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	25	15	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	1	1	–	2	–	–	1	–	2	–	–	–	–	–	–
Erysipelas	1	2	2	2	1	4	3	5	9	2	–	2	2	–	–	–
Pyæmia	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	3	2	–	2	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	2	–	–	–	1	3	–	–	–	–	–	–	–	–
Dropsy	2	7	9	7	11	13	23	38	24	27	23	6	1	–	–	–
Abscess	1	2	–	–	–	3	1	–	–	1	–	–	–	–	–	–
Ulcer	–	–	1	1	–	–	3	2	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	2	2	–	2	3	11	6	1	3	–	–	–	–
Cancer	6	18	37	41	55	51	59	58	52	34	17	8	3	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Scrofula	4	3	10	7	3	3	3	6	1	2	–	1	–	–	–	1
Tabes Mesenterica	4	–	2	4	2	1	2	1	–	1	–	–	–	–	–	–
Phthisis	206	183	132	103	79	64	70	40	15	4	2	2	1	–	–	4
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	93	2	1	9	5	6	8	3	14	6	6	6	6
Apoplexy	282	5	5	–	1	1	1	1	5	4	2	1	3
Paralysis	483	–	–	–	1	–	–	1	1	1	1	2	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	4	–	–	–	–	–	–	–	–	1	2	–	–
Epilepsy	53	–	–	–	–	–	–	–	–	2	3	3	5
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	8	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	136	50	23	21	17	12	3	3	7	–	–	–	–
Brain Disease	156	1	1	2	4	1	2	3	9	8	5	9	6
V. Pericarditis	19	–	1	–	–	–	–	–	–	–	2	1	2
Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	692	5	1	2	2	2	1	2	11	16	12	9	16
VI. Laryngitis	20	–	–	–	2	5	1	1	2	1	–	–	1
Bronchitis	1129	77	70	145	118	33	16	17	41	7	10	10	8
Pleurisy	67	–	–	2	–	3	1	–	4	2	2	1	2
Pneumonia	820	23	10	38	31	15	6	7	8	9	12	10	10
Asthma	105	–	–	1	–	–	1	–	–	–	–	1	1
Lung Disease	46	3	–	1	2	2	1	1	3	2	–	1	3
VII. Teething	172	2	7	66	89	7	1	–	–	–	–	–	–
Quinsey	13	2	2	3	1	1	–	–	1	1	–	–	–
Gastritis	50	1	1	4	1	–	1	–	–	1	–	3	2
Enteritis	235	56	22	30	17	6	5	3	10	4	4	7	8
Peritonitis	108	12	4	5	3	1	1	1	8	4	6	5	8
Ascites	24	–	–	–	1	2	1	–	–	–	–	2	–
Ulceration of Intestines	57	1	–	1	3	1	–	1	1	2	2	2	1
Hernia	29	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	68	3	2	4	–	1	1	–	1	3	–	1	2
Intussusception	8	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	216	15	11	12	11	1	–	1	3	–	3	2	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	39	3	–	1	–	–	–	1	–	–	–	2	1
Jaundice	52	12	1	2	2	1	2	–	1	–	1	2	–
Liver Disease	163	3	–	1	3	–	–	1	5	–	1	2	1
Spleen Disease	9	–	–	–	1	–	–	–	–	–	–	1	–
VIII. Nephritis	9	–	–	–	–	1	–	–	1	–	1	–	–
Nephria	44	–	–	–	–	1	–	1	1	–	3	2	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	6	1	–	–	–	–	–	–	–	–	–	–	1
Diabetes	15	–	–	–	–	–	–	–	1	3	–	3	3
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	15	–	–	–	1	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	55	–	–	1	–	1	1	–	1	1	1	2	4
IX. Paramenia	19	–	–	–	–	–	–	–	–	–	6	3	3
Ovarian Dropsy	40	–	–	–	–	–	–	–	–	–	3	1	2
Childbirth	183	–	–	–	–	–	–	–	–	–	7	20	30
Organs of Generation	38	–	–	1	–	–	–	–	–	–	1	2	2
X. Arthritis	19	–	–	1	1	–	–	–	–	1	3	2	1
Rheumatism	51	–	–	–	–	–	–	–	–	2	1	1	3
Joint and Bone Disease	26	–	–	1	–	–	1	–	3	2	2	4	2
XI. Carbuncle	2	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	19	4	3	1	2	2	–	–	–	–	–	2	1
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	–
Privation	4	–	–	–	–	2	–	1	–	–	–	–	–
Want of Breast Milk	25	17	7	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	1	–	–	–	–	–	–	–	–	–	1
Poison	6	–	–	2	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	1	–	4	14	11	5	3	6	–	3	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	12	5	4	1	–	–	–	–	–	–	–	–	–
Drowning	43	1	–	–	8	6	1	2	3	4	2	1	2
Fracture and Contusion	61	2	1	–	2	2	–	1	4	4	2	3	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	9	–	–	–	–	1	1	–	–	–	–	–	1
Other Violent Causes	10	3	–	–	1	–	–	–	–	–	1	1	–
Not Specified	977	287	70	79	88	55	28	21	31	21	29	22	25

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	1	3	2	1	3	1	1	2	–	–	–	–	–	–
Apoplexy	4	7	9	10	18	21	27	39	47	32	23	12	3	–	–	1
Paralysis	8	9	9	12	20	32	45	66	85	101	62	18	7	1	–	–
Delirium Tremens	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	3	6	4	4	1	6	6	3	2	5	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	6	12	9	9	9	11	12	11	9	6	1	1	–	–	–
Pericarditis	1	2	3	1	3	–	2	–	–	–	–	1	–	–	–	–
Aneurism	2	1	–	2	1	1	3	–	1	–	–	–	–	–	–	–
Heart Disease	25	27	29	31	50	63	75	82	97	69	48	14	2	–	1	–
Laryngitis	3	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	15	16	14	21	31	35	67	80	96	90	68	32	10	2	–	–
Pleurisy	3	4	4	3	2	7	8	4	3	5	5	2	–	–	–	–
Pneumonia	4	11	9	12	9	13	20	15	22	10	12	4	–	–	–	–
Asthma	1	4	2	6	3	16	10	20	24	11	2	2	–	–	–	–
Lung Disease	4	4	2	1	2	2	6	3	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	6	–	4	3	3	2	4	5	4	2	2	–	–	–	–
Enteritis	7	4	6	7	5	8	3	8	8	3	4	–	–	–	–	–
Peritonitis	1	5	6	5	3	3	8	8	3	2	6	–	–	–	–	–
Ascites	–	1	1	2	3	3	4	1	1	1	–	1	–	–	–	–
Ulceration of Intestines	3	2	2	3	9	6	4	3	5	4	–	1	–	–	–	–
Hernia	–	2	2	4	1	3	3	3	4	3	1	1	–	–	–	–
Ileus	3	2	5	3	5	7	6	4	6	6	3	–	–	–	–	–
Intussusception	–	–	1	–	–	1	–	2	1	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	7	6	13	10	20	27	18	20	15	4	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	3	4	–	2	7	1	5	2	1	3	–	–	1	–	–
Jaundice	–	1	2	1	5	2	1	6	6	2	1	1	–	–	–	–
Liver Disease	1	12	11	11	10	23	23	22	14	12	4	2	–	–	–	1
Spleen Disease	–	2	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	1	–	–	1	1	1	–	1	–	–	–	–	–
Nephria	4	5	5	6	1	3	2	4	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
Diabetes	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Stone	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	2	–	1	1	2	4	–	1	–	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	3	1	5	5	2	6	4	7	6	2	–	–	–	–	–
Paramenia	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	5	2	3	7	5	5	5	2	–	–	–	–	–	–	–
Childbirth	42	52	20	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	4	–	3	4	6	2	3	5	1	–	–	–	–	–	–
Arthritis	3	1	–	2	1	–	2	–	–	1	–	–	–	–	–	–
Rheumatism	–	1	1	1	4	4	4	9	9	7	2	2	–	–	–	–
Joint Disease	1	3	1	–	–	–	3	1	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Intemperance	2	1	2	1	1	4	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	2	–	2	2	1	–	–	–	–	–	–	–
Poison	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	2	–	2	1	3	2	2	2	1	1	–	–	–
Hanging, etc.	–	–	–	1	3	1	–	–	2	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	3	1	1	2	–	2	–	–	–	–	–	–	–
Fracture and Contusion	–	2	3	1	3	3	2	5	3	5	5	5	2	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	1	2	–	–	–	2	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
Not Specified	18	16	29	28	24	32	60	24	4	–	–	–	–	–	–	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35411	3406	1432	2767	3750	1626	1101	763	1672	834	1132	1420	1361
SPECIFIED CAUSES	34770	3203	1364	2718	3686	1606	1086	757	1643	817	1117	1409	1346
I. Zymotic Class	9617	415	380	927	1648	837	614	430	825	258	300	324	320
II. Diseases of Uncertain Seat	1006	24	5	11	20	11	9	7	21	13	14	15	25
III. Tubercular Class	6034	77	166	431	600	261	180	143	380	278	526	661	534
IV. Brain and Nervous System	2737	292	110	138	136	61	47	37	96	46	37	46	69
V. Organs of Circulation	1524	2	1	5	2	1	2	1	22	25	43	43	47
VI. Respiratory Organs	5575	423	369	751	759	294	166	95	134	47	56	96	90
VII. Organs of Digestion	2393	268	146	331	414	77	23	11	36	39	36	72	72
VIII. Urinary Organs	414	2	1	2	3	3	7	5	19	8	7	31	32
IX. Organs of Generation	282	–	–	–	–	–	–	–	–	–	11	30	63
X. Organs of Locomotion	207	1	2	1	1	–	1	4	19	30	21	9	8
XI. Skin, etc.	36	10	4	1	4	1	1	–	–	1	–	–	–
XII. Malformation	95	79	4	5	2	–	1	2	1	–	–	1	–
XIII. Premature Debility	1697	1475	128	94	–	–	–	–	–	–	–	–	–
XIV. Atrophy	249	–	–	–	70	32	14	5	16	7	4	4	7
XV. Age	1673	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	99	15	11	2	1	1	1	–	2	2	–	8	2
XVII. Violent Deaths	1132	120	37	19	26	27	20	17	72	63	62	74	77
I. Small Pox	148	20	23	8	15	11	10	11	9	6	4	12	5
Measles	889	11	16	158	391	146	68	38	50	6	2	2	–
Scarlatina	1293	7	15	77	209	185	203	158	347	50	18	11	4
Diphtheria	272	8	7	28	58	51	21	20	49	13	4	6	–
Hooping Cough	1530	65	90	351	505	236	139	70	71	3	–	–	–
Croup	411	21	12	57	125	77	57	34	28	–	–	–	–
Thrush	10	8	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1040	169	146	176	214	32	16	6	15	7	8	6	7
Dysentery	146	6	6	12	10	5	2	6	2	1	3	–	2
Cholera	107	13	8	16	18	5	2	3	6	2	2	–	1
Influenza	37	–	1	1	–	1	1	1	2	–	–	–	–
Purpura	18	1	1	–	–	1	1	–	3	1	–	–	2
Ague	6	–	–	–	–	1	–	1	1	1	–	1	–
Worms	6	–	–	–	2	–	–	2	2	–	–	–	–
Typhus	2346	6	6	8	19	15	36	29	86	94	187	205	199
Enteric Fever	434	2	4	9	31	30	26	21	65	40	35	32	24
Relapsing Fever	23	–	–	–	1	1	1	–	4	3	1	1	2
Simple Continued Fever	416	1	3	2	16	21	14	16	63	23	22	23	23
Infantile Remittent	80	2	2	6	17	14	16	10	13	–	–	–	–
Metria	93	–	–	–	–	–	–	–	–	–	4	19	37
Rheumatic Fever	51	–	–	–	–	–	–	2	4	5	8	1	5
Erysipelas	131	34	12	5	7	2	–	–	3	3	5	3	4
Pyæmia	15	1	–	–	1	–	–	–	–	–	1	–	3
Syphilis	108	40	26	12	9	2	1	–	–	–	1	2	2
Noma	7	–	–	1	–	1	–	2	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	39	9	1	1	–	–	–	–	1	1	1	3	2
Dropsy	274	3	1	1	13	10	6	4	13	6	5	5	3
Abscess	77	4	2	6	5	–	2	1	4	4	3	4	6
Ulcer	21	3	–	2	–	–	1	–	1	–	–	–	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	49	4	1	1	1	–	–	–	2	1	2	–	–
Cancer	536	1	–	–	1	1	–	2	–	1	3	3	13
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	277	6	14	23	34	24	12	11	41	24	17	25	9
Tabes Mesenterica	476	19	43	61	136	46	33	25	69	19	6	9	5
Phthisis	4212	8	27	75	141	85	49	40	182	211	495	625	520
Hydrocephalus	1069	44	82	272	289	106	86	67	88	24	8	2	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1317	1360	1425	1416	1400	1213	1462	1267	1213	941	658	321	96	31	4	23
SPECIFIED CAUSES	1304	1347	1416	1403	1381	1193	1438	1264	1210	941	658	321	96	31	4	11
Zymotic Class	301	292	340	333	270	214	205	152	110	69	31	18	3	–	–	1
Uncertain Seat	43	61	100	84	104	87	112	88	64	44	20	15	6	1	–	2
Tubercular Class	418	383	297	250	196	110	78	43	14	3	3	2	–	–	–	–
Brain, etc.	89	117	104	133	142	150	220	199	206	147	81	29	2	3	–	–
Heart, etc.	91	98	137	159	127	140	175	156	120	89	29	5	4	–	–	–
Respiratory Organs	127	142	189	217	278	254	319	277	228	148	79	29	5	1	–	2
Digestive Organs	57	80	91	101	106	101	92	94	71	48	17	8	–	–	–	2
Urinary Organs	29	26	29	28	30	40	38	15	24	18	8	8	–	–	–	1
Generative Organs	50	58	30	12	15	4	7	1	1	–	–	–	–	–	–	–
Locomotive Organs	6	14	7	10	12	10	14	16	11	8	2	–	–	–	–	–
Skin	1	–	2	–	2	2	1	1	2	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	5	10	6	30	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	118	189	334	345	379	201	76	26	4	–
Sudden Deaths	3	6	2	9	10	10	8	6	4	1	–	–	–	–	–	–
Violent Deaths	81	65	78	61	59	39	51	27	21	20	8	5	–	–	–	3
Small Pox	1	6	–	2	3	1	–	–	–	–	1	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	1	1	–	2	1	2	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	6	11	18	19	25	26	36	28	31	16	8	3	–	–	–
Dysentery	5	2	4	6	8	11	10	9	13	16	3	4	–	–	–	–
Cholera	3	3	4	5	2	3	4	4	2	1	–	–	–	–	–	–
Influenza	1	–	–	3	4	–	3	6	5	5	1	2	–	–	–	–
Purpura	2	1	–	–	1	1	2	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	203	222	258	249	183	124	102	65	38	8	2	1	–	–	–	1
Enteric Fever	10	12	12	10	11	17	17	10	7	5	3	1	–	–	–	–
Relapsing Fever	1	1	1	–	3	–	1	2	–	–	–	–	–	–	–	–
Simple Cont. Fever	23	23	28	30	17	16	24	12	9	2	4	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	24	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	6	6	2	6	1	1	1	1	–	–	–	–	–	–	–
Erysipelas	4	1	3	5	8	10	8	5	6	1	1	1	–	–	–	–
Pyæmia	–	2	2	–	2	–	1	2	–	–	–	–	–	–	–	–
Syphilis	3	1	4	1	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	3	1	1	2	1	2	3	1	–	–	–	–	–	–
Dropsy	13	15	22	18	22	17	29	21	22	13	8	3	1	–	–	–
Abscess	6	4	7	2	2	3	3	5	1	1	–	–	1	–	–	1
Ulcer	–	1	3	1	–	1	2	3	1	–	1	1	–	–	–	–
Fistula	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	2	–	4	1	2	2	1	2	3	7	5	6	1	1	–	–
Cancer	18	37	60	61	76	62	75	53	32	22	6	5	3	–	–	1
Gout	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Scrofula	7	4	6	4	5	4	4	2	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Phthisis	409	378	290	246	191	106	72	41	13	3	3	2	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER: MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	179	5	18	14	17	7	12	8	29	14	4	8	6
Apoplexy	540	10	5	18	14	9	5	3	9	4	4	7	20
Paralysis	756	–	–	–	–	–	–	–	6	2	3	1	6
Delirium Tremens	57	–	–	–	–	–	–	–	–	–	–	2	3
Chorea	6	–	–	–	–	–	–	–	1	2	2	–	–
Epilepsy	119	–	–	–	–	–	–	–	1	3	9	7	18
Tetanus	20	6	–	1	–	–	–	–	3	1	–	2	–
Insanity	16	–	–	–	–	–	–	–	–	–	–	2	2
Convulsions	578	259	78	75	88	29	18	14	22	–	–	–	–
Brain Disease	466	12	14	30	17	16	12	12	25	20	15	17	19
V. Pericarditis	30	–	–	–	–	–	–	–	7	2	3	2	2
Aneurism	52	–	–	–	–	–	–	–	1	–	–	–	2
Heart Disease	1442	2	1	5	2	1	2	1	14	23	40	41	43
VI. Laryngitis	72	1	4	10	17	3	3	4	1	1	1	4	1
Bronchitis	3875	329	291	607	568	213	107	67	69	24	18	32	39
Pleurisy	77	–	–	2	2	1	3	1	3	–	5	4	4
Pneumonia	1126	77	68	129	163	73	51	22	55	15	27	46	32
Asthma	248	–	–	–	–	–	–	–	–	2	–	–	1
Lung Disease	177	16	6	3	9	4	2	1	6	5	5	10	10
VII. Teething	657	6	37	250	323	41	–	–	–	–	–	–	–
Quinsey	29	6	–	5	4	2	2	–	1	1	1	1	3
Gastritis	77	6	4	8	4	1	2	3	–	1	2	5	2
Enteritis	432	139	65	40	45	18	8	5	8	11	6	3	12
Peritonitis	126	8	2	2	1	2	2	–	4	6	11	24	18
Ascites	41	–	–	1	–	–	–	–	4	–	1	2	1
Ulceration of Intestines	90	4	–	3	5	2	1	–	–	4	4	5	5
Hernia	43	1	2	2	–	1	–	–	1	–	–	2	1
Ileus	119	21	8	1	1	3	–	–	2	1	3	6	7
Intussusception	16	–	1	3	–	1	1	–	–	1	–	–	1
Stricture of Intestines	12	–	–	1	–	–	–	–	1	–	–	–	1
Stomach Disease	311	38	20	11	24	5	2	1	8	8	3	9	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	52	2	1	2	–	–	–	–	–	–	1	–	4
Jaundice	65	27	4	–	2	–	1	–	1	1	–	2	–
Liver Disease	313	10	2	2	4	1	3	2	6	5	3	12	11
Spleen Disease	9	–	–	–	1	–	1	–	–	–	1	1	–
VIII. Nephritis	30	–	–	1	2	1	1	1	7	1	–	3	–
Nephria	126	1	1	–	–	1	3	4	2	4	3	13	18
Addison's Disease	5	–	–	–	–	–	1	–	–	–	–	–	1
Ischuria	12	1	–	–	–	–	–	–	1	–	1	1	–
Diabetes	27	–	–	–	–	–	–	–	–	2	1	5	3
Stone	13	–	–	–	–	–	–	–	–	–	–	2	–
Cystitis	57	–	–	1	–	–	–	–	1	–	–	2	3
Stricture of Urethra	6	–	–	–	–	–	–	–	–	–	–	1	–
Kidney Disease	138	–	–	–	1	1	2	–	8	1	2	4	12
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	1	–	2
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	1	1	2
Childbirth	217	–	–	–	–	–	–	–	–	–	8	29	56
Organs of Generation	28	–	–	–	–	–	–	–	–	–	1	–	3
X. Arthritis	46	–	1	1	–	–	1	3	3	7	8	4	2
Rheumatism	80	–	–	–	–	–	–	–	2	4	7	2	2
Joint and Bone Disease	81	1	1	–	1	–	–	1	14	19	6	3	4
XI. Carbuncle	13	2	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	1	–	1	–	1	–	–	–	–	–	–
Skin Disease	20	8	2	1	3	1	–	–	–	1	–	–	–
XVII. Intemperance	65	–	–	–	–	–	–	–	–	–	–	–	4
Privation	2	–	–	1	–	–	1	–	–	–	–	–	–
Want of Breast Milk	102	68	24	10	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	37	5	1	1	–	1	2	–	–	–	1	1	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	125	2	1	3	10	20	10	9	22	5	5	4	1
Hanging, etc.	27	–	–	–	–	–	–	–	–	–	1	1	1
Suffocation	66	17	9	3	2	–	–	–	4	11	4	1	–
Drowning	161	–	1	–	4	1	1	1	12	13	16	19	15
Fracture and Contusion	422	2	1	1	8	5	6	7	26	28	27	42	48
Gunshot Wounds	3	–	–	–	–	–	–	–	–	2	–	–	–
Cuts and Stabs	37	–	–	–	–	–	–	–	2	2	5	1	2
Other Violent Causes	80	26	–	–	2	–	–	–	6	2	3	5	10
Not Specified	641	203	68	49	61	20	15	6	29	17	15	11	15

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	4	8	7	–	2	2	3	–	1	1	–	–	–	–	–
Apoplexy	19	26	15	34	45	43	62	59	65	37	19	7	–	1	–	–
Paralysis	25	23	31	38	61	62	114	102	114	88	57	19	2	2	–	–
Delirium Tremens	10	9	11	8	4	4	3	2	–	–	1	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	19	13	6	5	9	4	7	5	6	–	1	–	–	–	–
Tetanus	1	1	–	1	2	–	–	–	2	–	–	–	–	–	–	–
Insanity	2	1	–	1	1	3	2	2	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	34	25	38	24	27	33	24	20	15	3	2	–	–	–	–
Pericarditis	2	1	1	6	1	–	2	–	1	–	–	–	–	–	–	–
Aneurism	5	9	6	6	4	8	7	1	2	1	–	–	–	–	–	–
Heart Disease	84	88	130	147	122	132	166	155	117	88	29	5	4	–	–	–
Laryngitis	4	6	2	2	2	1	2	2	1	–	–	–	–	–	–	–
Bronchitis	61	69	92	132	184	166	224	200	173	115	65	24	4	1	–	1
Pleurisy	2	6	4	7	6	3	7	5	4	6	–	2	–	–	–	–
Pneumonia	40	43	47	49	43	42	33	30	20	14	5	1	–	–	–	1
Asthma	7	6	21	15	32	37	43	36	23	13	7	1	1	–	–	–
Lung Disease	13	12	23	12	11	5	10	4	7	–	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	4	2	4	6	8	4	2	–	–	2	–	–	–	–	–	–
Enteritis	6	7	9	9	8	3	5	7	8	7	3	–	–	–	–	–
Peritonitis	2	10	5	12	6	2	4	4	–	–	–	1	–	–	–	–
Ascites	1	2	2	10	4	5	4	2	1	–	1	–	–	–	–	–
Ulceration of Intestines	8	5	6	6	7	9	5	7	2	1	1	–	–	–	–	–
Hernia	1	3	3	2	6	5	3	3	3	2	1	1	–	–	–	–
Ileus	6	7	8	4	2	3	6	10	9	7	4	–	–	–	–	–
Intussusception	1	1	1	–	1	1	1	–	–	1	–	1	–	–	–	–
Stricture of Intestines	–	1	2	2	1	2	–	–	–	1	–	–	–	–	–	–
Stomach Disease	6	11	19	14	25	20	20	19	18	18	2	3	–	–	–	1
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	6	7	4	8	3	4	3	3	–	–	1	–	–	–	–
Jaundice	3	–	1	2	3	3	7	2	3	1	1	1	–	–	–	–
Liver Disease	15	24	21	29	26	41	31	28	24	8	4	–	–	–	–	1
Spleen Disease	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	4	–	3	1	1	1	1	–	1	1	–	–	–	–	–	–
Nephria	10	10	16	10	4	6	13	1	5	4	1	–	–	–	–	1
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	3	–	–	2	1	1	–	–	–	–	–
Diabetes	2	3	–	1	1	4	2	1	1	1	–	–	–	–	–	–
Stone	1	–	–	1	1	1	2	2	–	1	1	1	–	–	–	–
Cystitis	1	1	2	2	6	7	6	4	7	3	3	3	–	–	–	–
Stricture of Urethra	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	10	12	6	11	16	16	14	6	3	2	2	4	–	–	–	–
Parumenia	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	4	3	5	7	1	4	–	1	–	–	–	–	–	–	–
Childbirth	46	52	24	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	2	4	3	3	3	1	–	–	–	–	–	–	–	–
Arthritis	–	2	2	3	3	–	2	2	2	–	–	–	–	–	–	–
Rheumatism	–	5	2	5	5	6	11	13	8	7	1	–	–	–	–	–
Joint Disease	6	7	3	2	4	4	1	1	1	1	1	–	–	–	–	–
Carbuncle	1	–	–	–	2	2	1	1	1	1	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Intemperance	10	11	9	8	6	8	8	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Poison	7	1	3	2	6	2	–	1	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	3	1	2	2	9	2	5	2	2	2	–	–	–	–
Hanging, etc.	3	1	4	6	3	3	1	1	1	1	–	–	–	–	–	–
Suffocation	1	2	1	3	2	–	3	1	2	–	–	–	–	–	–	–
Drowning	14	15	11	8	11	3	5	4	2	2	–	–	–	–	–	3
Fracture and Contusion	38	27	37	24	18	18	22	14	7	12	6	3	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	6	5	2	6	2	1	1	1	–	–	–	–	–	–	–
Other Violent Causes	3	2	4	7	2	1	2	1	2	2	–	–	–	–	–	–
Not Specified	13	13	9	13	19	20	24	3	3	–	–	–	–	–	–	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17615	1949	806	1469	1905	827	556	396	865	391	572	702	631
SPECIFIED CAUSES	17291	1847	773	1440	1880	819	547	393	850	382	563	695	621
I. Zymotic Class	4814	243	213	459	816	420	300	216	400	111	152	176	143
II. Diseases of Uncertain Seat	374	19	1	2	9	8	4	4	14	4	6	6	10
III. Tubercular Class	2931	45	109	238	313	141	93	76	203	115	241	306	234
IV. Brain and Nervous System	1453	171	61	69	73	28	27	23	55	22	20	23	39
V. Organs of Circulation	740	–	1	2	2	1	–	1	12	12	23	14	21
VI. Respiratory Organs	2837	242	204	418	399	151	86	52	68	20	33	50	52
VII. Organs of Digestion	1193	150	86	190	213	82	12	4	21	17	12	29	28
VIII. Urinary Organs	256	1	1	2	1	1	4	1	11	4	3	17	21
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	106	–	–	1	–	–	1	2	7	19	16	6	5
XI. Skin, etc.	23	8	1	1	3	–	1	–	–	1	–	–	–
XII. Malformation	46	38	1	3	1	–	–	2	1	–	–	–	–
XIII. Premature Debility	956	843	70	43	–	–	–	–	–	–	–	–	–
XIV. Atrophy	105	–	–	–	30	20	5	–	10	4	2	2	3
XV. Age	556	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	67	10	6	1	1	1	–	–	2	2	–	2	2
XVII. Violent Deaths	834	77	19	11	19	16	14	12	46	51	55	64	68
I. Small Pox	82	10	15	5	9	6	5	7	4	4	1	4	4
Measles	457	5	7	85	207	74	40	16	22	1	–	–	–
Scarlatina	668	4	5	40	106	97	102	83	192	24	5	1	3
Diphtheria	125	5	5	15	29	23	9	11	15	3	4	3	–
Hooping Cough	702	38	45	161	229	108	54	36	30	1	–	–	–
Croup	234	14	9	32	74	40	30	18	17	–	–	–	–
Thrush	7	6	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	496	98	82	85	92	15	10	4	4	2	4	5	3
Dysentery	70	5	4	8	5	3	–	3	–	–	3	–	1
Cholera	65	9	4	7	14	2	1	2	3	2	2	–	–
Influenza	15	–	1	1	–	–	–	1	1	–	–	–	–
Purpura	12	1	1	–	–	1	1	–	3	–	–	–	1
Ague	3	–	–	–	–	–	–	1	1	–	–	1	–
Worms	2	–	–	–	1	–	–	–	1	–	–	–	–
Typhus	1248	3	5	4	10	10	18	9	39	38	98	127	104
Enteric Fever	203	1	1	4	14	18	12	8	28	21	15	16	9
Relapsing Fever	12	–	–	–	–	–	–	–	4	1	–	1	2
Simple Continued Fever	205	–	2	1	8	14	6	11	28	8	12	13	10
Infantile Remittent	42	2	1	2	11	5	12	6	3	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	23	–	–	–	–	–	–	–	2	3	5	1	1
Erysipelas	66	17	6	2	2	2	–	–	2	3	2	2	1
Pyæmia	10	–	–	–	1	–	–	–	–	–	1	–	3
Syphilis	65	25	19	7	4	1	–	–	–	–	–	2	1
Noma	2	–	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	23	7	1	–	–	–	–	–	–	–	1	2	1
Dropsy	120	3	–	–	6	8	2	2	9	4	2	1	2
Abscess	35	3	–	1	3	–	1	–	3	–	1	2	3
Ulcer	10	2	–	1	–	–	1	–	1	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	23	4	–	–	–	–	–	–	1	–	1	–	–
Cancer	157	–	–	–	–	–	–	2	–	–	1	1	4
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	150	5	8	12	17	11	8	6	28	11	8	9	6
Tabes Mesenterica	283	11	29	38	80	30	17	16	39	11	3	3	3
Phthisis	1924	2	18	39	64	44	26	24	90	78	228	298	225
Hydrocephalus	574	27	54	149	152	56	42	30	46	15	2	1	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	615	686	725	693	705	581	705	557	525	361	242	105	28	5	2	11
SPECIFIED CAUSES	612	681	721	688	695	569	688	556	523	361	242	105	28	5	2	5
Zymotic Class	148	167	174	165	149	116	102	59	50	18	13	2	1	–	–	1
Uncertain Seat	11	14	33	25	31	35	39	38	27	17	8	7	1	–	–	1
Tubercular Class	174	165	138	110	96	58	45	21	5	2	1	2	–	–	–	–
Brain, etc.	47	76	67	73	72	69	118	98	107	69	35	11	–	–	–	–
Heart, etc.	48	67	68	85	58	63	78	74	56	39	11	3	1	–	–	–
Respiratory Organs	59	73	106	118	135	114	149	123	94	55	23	10	2	–	–	1
Digestive Organs	28	42	47	48	49	44	47	45	28	17	7	2	–	–	–	–
Urinary Organs	18	17	18	13	24	24	20	11	19	11	6	8	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	6	4	2	9	4	6	7	4	2	1	–	–	–	–	–
Skin	1	–	–	–	2	1	1	–	2	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	5	1	15	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	41	59	114	118	134	59	23	5	2	–
Sudden Deaths	2	2	1	9	8	7	4	4	3	–	–	–	–	–	–	–
Violent Deaths	70	51	60	39	47	28	38	17	14	12	3	1	–	–	–	2
Small Pox	1	4	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	3	6	5	9	13	10	13	12	6	5	–	1	–	–	–
Dysentery	2	1	2	2	5	7	5	5	4	3	–	2	–	–	–	–
Cholera	1	3	2	5	2	1	2	1	2	–	–	–	–	–	–	–
Influenza	–	–	–	1	2	–	–	1	4	3	–	–	–	–	–	–
Purpura	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	111	128	136	124	105	71	55	28	19	4	1	–	–	–	–	1
Enteric Fever	4	4	7	7	7	7	11	3	3	1	2	–	–	–	–	–
Relapsing Fever	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Simple Cont. Fever	10	17	11	14	9	5	13	4	5	–	4	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	3	1	1	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	3	1	2	4	4	8	2	–	1	1	1	–	–	–	–	–
Pyæmia	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Syphilis	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	3	1	–	2	1	1	1	–	–	–	–	–	–	–
Dropsy	3	6	10	5	7	7	13	6	11	6	3	3	1	–	–	–
Abscess	1	–	4	1	1	2	2	4	1	1	–	–	–	–	–	1
Ulcer	–	–	1	–	–	–	–	2	–	–	1	1	–	–	–	–
Fistula	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	–	3	1	1	–	–	1	1	3	3	3	–	–	–	–
Cancer	4	7	12	17	21	24	22	22	12	7	1	–	–	–	–	–
Gout	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Scrofula	5	2	3	3	3	–	4	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Phthisis	169	162	135	107	93	58	39	20	5	2	1	2	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

108183

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	103	3	12	8	12	5	7	6	13	6	4	4	2
	Apoplexy	275	8	2	9	4	5	4	3	5	2	3	3	11
	Paralysis	360	–	–	–	–	–	–	–	3	1	2	–	5
	Delirium Tremens	46	–	–	–	–	–	–	–	–	–	–	1	2
	Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
	Epilepsy	54	–	–	–	–	–	–	–	1	2	2	–	4
	Tetanus	13	3	–	1	–	–	–	–	3	–	–	1	–
	Insanity	10	–	–	–	–	–	–	–	–	–	–	2	–
	Convulsions	315	149	37	38	48	15	9	7	12	–	–	–	–
	Brain Disease	274	8	10	13	9	3	7	7	17	10	9	12	15
V.	Pericarditis	12	–	–	–	–	–	–	–	3	1	1	–	1
	Aneurism	40	–	–	–	–	–	–	–	1	–	–	–	2
	Heart Disease	688	–	1	2	2	1	–	1	8	11	22	14	18
VI.	Laryngitis	41	1	4	5	12	–	1	1	1	1	1	2	1
	Bronchitis	1877	189	157	334	302	107	57	38	29	9	10	11	22
	Pleurisy	49	–	–	1	1	–	1	1	1	–	4	3	2
	Pneumonia	649	44	38	75	81	42	27	12	34	7	15	30	18
	Asthma	122	–	–	–	–	–	–	–	–	1	–	–	2
	Lung Disease	99	8	5	3	3	2	–	–	3	2	3	4	7
VII.	Teething	338	4	24	138	159	13	–	–	–	–	–	–	–
	Quinsey	15	1	–	4	2	2	1	–	–	1	–	1	1
	Gastritis	43	6	–	5	3	–	1	1	–	–	–	4	–
	Enteritis	227	74	40	23	24	9	4	1	5	6	2	2	5
	Peritonitis	43	6	–	1	1	–	1	–	2	3	3	4	4
	Ascites	12	–	–	1	–	–	–	–	1	–	1	1	1
	Ulceration of Intestines	53	2	–	3	3	–	1	–	–	3	–	3	1
	Hernia	18	1	2	2	–	1	–	–	1	–	–	1	–
	Ileus	62	14	7	1	1	1	–	–	2	–	1	5	2
	Intussusception	8	–	–	3	–	1	1	–	–	–	–	–	–
	Stricture of Intestines	5	–	–	1	–	–	–	–	–	–	–	–	–
	Stomach Disease	147	20	9	7	16	4	1	–	5	2	1	2	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	25	1	1	1	–	–	–	–	–	–	1	–	2
	Jaundice	30	13	3	–	2	–	–	–	1	–	–	–	–
	Liver Disease	163	8	–	–	1	1	2	2	4	2	2	6	6
	Spleen Disease	4	–	–	–	1	–	–	–	–	–	1	–	–
VIII.	Nephritis	13	–	–	1	1	–	–	–	3	1	–	1	–
	Nephria	62	–	1	–	–	–	2	1	–	–	1	7	7
	Addison's Disease	4	–	–	–	–	–	1	–	–	–	–	–	1
	Ischuria	10	1	–	–	–	–	–	–	1	–	1	–	–
	Diabetes	16	–	–	–	–	–	–	–	–	2	–	4	2
	Stone	13	–	–	–	–	–	–	–	–	–	–	2	–
	Cystitis	51	–	–	1	–	–	–	–	1	–	–	2	2
	Stricture of Urethra	6	–	–	–	–	–	–	–	–	–	–	1	–
	Kidney Disease	81	–	–	–	–	1	1	–	6	1	1	–	9
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	30	–	–	1	–	–	1	1	–	5	7	4	1
	Rheumatism	32	–	–	–	–	–	–	–	–	3	4	1	1
	Joint and Bone Disease	44	–	–	–	–	–	–	1	7	11	5	1	3
XI.	Carbuncle	8	1	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	2	–	–	–	1	–	1	–	–	–	–	–	–
	Skin Disease	13	7	1	1	2	–	–	–	–	1	–	–	–
XVII.	Intemperance	46	–	–	–	–	–	–	–	–	–	–	–	8
	Privation	1	–	–	–	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	62	47	10	5	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	22	5	–	1	–	–	2	–	–	–	–	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	68	2	1	2	6	12	7	5	8	4	3	4	1
	Hanging, etc.	17	–	–	–	–	–	–	–	–	–	1	–	–
	Suffocation	37	7	7	2	1	–	–	–	3	4	2	1	–
	Drowning	137	–	–	–	4	1	1	1	11	12	16	17	14
	Fracture and Contusion	354	–	1	1	7	3	3	6	18	25	25	38	41
	Gunshot Wounds	3	–	–	–	–	–	–	–	–	2	–	–	–
	Cuts and Stabs	32	–	–	–	–	–	–	–	2	2	5	1	1
	Other Violent Causes	52	16	–	–	1	–	–	–	4	2	3	3	8
	Not Specified	324	102	33	29	25	8	9	3	15	9	9	7	10

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	2	5	4	–	–	1	2	–	1	1	–	–	–	–	–
Apoplexy	8	14	8	17	18	18	35	31	35	17	10	5	–	–	–	–
Paralysis	11	14	19	19	32	28	58	44	59	39	20	6	–	–	–	–
Delirium Tremens	9	8	10	6	3	2	2	2	–	–	1	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	11	8	2	2	5	3	2	4	3	–	–	–	–	–	–
Tetanus	1	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	1	–	–	1	2	2	2	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	26	16	24	14	14	17	15	8	9	3	–	–	–	–	–
Pericarditis	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	3	5	5	2	6	5	–	1	–	–	–	–	–	–	–
Heart Disease	41	59	62	78	55	57	73	74	55	39	11	3	1	–	–	–
Laryngitis	2	3	1	2	1	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	21	25	44	63	82	63	94	84	69	38	19	9	1	–	–	–
Pleurisy	2	5	3	4	3	3	6	3	3	2	–	1	–	–	–	–
Pneumonia	23	30	30	32	30	28	21	15	8	7	1	–	–	–	–	1
Asthma	4	4	12	10	13	18	20	17	9	3	3	–	1	–	–	–
Lung Disease	7	6	16	7	6	2	7	4	4	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	2	–	2	2	6	2	1	6	–	2	–	–	–	–	–	–
Enteritis	3	2	6	6	3	1	3	1	3	4	–	–	–	–	–	–
Peritonitis	–	4	2	4	3	1	1	3	–	–	–	–	–	–	–	–
Ascites	–	1	–	1	1	2	–	2	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	2	3	6	5	6	3	6	2	1	–	–	–	–	–	–
Hernia	1	1	1	–	1	1	1	1	1	2	–	–	–	–	–	–
Ileus	5	4	5	3	1	1	3	1	1	2	2	–	–	–	–	–
Intussusception	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	5	9	7	12	9	9	12	8	1	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	4	3	3	1	3	–	2	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	2	5	1	1	–	1	–	–	–	–	–
Liver Disease	8	18	12	15	14	16	18	10	10	5	3	–	–	–	–	–
Spleen Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	2	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–
Nephria	7	6	8	3	3	2	7	1	4	1	1	–	–	–	–	–
Addison's Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	3	–	–	2	1	1	–	–	–	–	–
Diabetes	1	3	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Stone	1	–	–	1	1	1	2	2	–	1	1	1	–	–	–	–
Cystitis	–	1	2	2	6	7	5	4	7	7	1	3	–	–	–	–
Stricture of Urethra	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	6	7	6	5	12	7	6	3	4	–	2	4	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	2	1	3	–	1	1	1	–	–	–	–	–	–	–
Rheumatism	–	2	1	–	4	2	4	5	3	2	–	–	–	–	–	–
Joint Disease	4	3	1	1	2	2	1	1	–	–	1	–	–	–	–	–
Carbuncle	1	–	–	–	2	1	1	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	9	7	5	5	3	7	6	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	3	1	3	1	–	1	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	2	1	1	–	4	1	2	1	1	–	–	–	–	–
Hanging, etc.	2	–	3	2	2	3	1	1	1	–	–	–	–	–	–	–
Suffocation	1	1	–	1	2	–	3	3	2	–	–	–	–	–	–	–
Drowning	13	12	8	5	9	1	3	8	2	2	–	–	–	–	–	2
Fracture and Contusion	36	25	33	20	17	13	19	–	4	3	2	1	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	5	2	2	5	2	1	1	1	–	–	–	–	–	–	–
Other Violent Causes	3	1	3	2	2	1	1	1	1	–	–	–	–	–	–	–
Not Specified	3	5	4	5	10	12	17	1	2	–	–	–	–	–	–	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17796	1457	626	1298	1845	799	545	367	807	443	560	718	730
SPECIFIED CAUSES	17479	1356	591	1278	1806	787	539	364	793	435	554	714	725
I. Zymotic Class	4803	172	167	468	832	417	314	214	425	147	148	148	177
II. Diseases of Uncertain Seat	632	5	4	9	11	3	5	3	7	9	8	9	15
III. Tubercular Class	3103	32	57	193	287	120	87	67	177	163	285	355	300
IV. Brain and Nervous System	1284	121	49	69	63	33	20	14	41	24	17	23	30
V. Organs of Circulation	784	2	–	3	–	–	2	–	10	13	20	29	26
VI. Respiratory Organs	2738	181	165	333	360	143	80	43	66	27	23	46	38
VII. Organs of Digestion	1200	118	60	141	201	45	11	7	15	22	24	43	49
VIII. Urinary Organs	158	1	–	–	2	2	3	4	8	4	4	14	11
IX. Organs of Generation	282	–	–	–	–	–	–	–	–	–	11	30	68
X. Organs of Locomotion	101	1	2	–	1	–	–	2	12	11	5	3	3
XI. Skin, etc.	13	2	3	–	1	1	–	–	–	–	–	–	–
XII. Malformation	49	41	3	2	1	–	1	–	–	–	–	1	–
XIII. Premature Debility	741	632	58	51	–	–	–	–	–	–	–	–	–
XIV. Atrophy	144	–	–	–	40	12	9	5	6	3	2	2	4
XV. Age	1117	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	5	5	1	–	–	1	–	–	–	–	1	–
XVII. Violent Deaths	298	43	18	8	7	11	6	5	26	12	7	10	9
I. Small Pox	66	10	8	3	6	5	5	4	5	2	3	8	1
Measles	432	6	9	73	184	72	28	22	28	5	2	2	–
Scarlatina	625	3	10	37	103	88	101	75	155	26	8	10	1
Diphtheria	147	3	2	13	29	28	12	9	34	10	–	3	–
Hooping Cough	828	27	45	190	276	128	85	34	41	2	–	–	–
Croup	177	7	3	25	51	37	27	16	11	–	–	–	–
Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	544	71	64	91	122	17	6	2	11	5	4	1	4
Dysentery	76	1	2	4	5	2	2	3	2	1	–	–	1
Cholera	42	4	4	9	4	3	1	1	3	–	–	–	1
Influenza	22	–	–	–	–	1	1	–	1	–	–	–	–
Purpura	6	–	–	–	–	–	–	–	–	1	–	–	1
Ague	3	–	–	–	–	1	–	–	–	1	–	–	–
Worms	4	–	–	–	1	–	–	2	1	–	–	–	–
Typhus	1098	3	1	4	9	5	18	20	47	56	89	78	95
Enteric Fever	231	1	3	5	17	12	14	13	37	19	20	16	15
Relapsing Fever	11	–	–	–	1	1	1	–	–	2	1	–	–
Simple Continued Fever	211	1	1	1	8	7	8	5	35	15	10	10	13
Infantile Remittent	38	–	1	4	6	9	4	4	10	–	–	–	–
Metria	93	–	–	–	–	–	–	–	–	–	4	19	37
Rheumatic Fever	28	–	–	–	–	–	–	2	2	2	3	–	4
Erysipelas	65	17	6	3	5	–	–	–	1	–	3	1	3
Pyæmia	5	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	43	15	7	5	5	1	1	–	–	–	1	–	1
Noma	5	–	–	1	–	–	–	2	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	2	–	1	–	–	–	–	1	1	–	1	1
Dropsy	154	–	1	1	7	2	4	2	4	2	3	4	1
Abscess	42	1	2	5	2	–	1	1	1	4	2	2	3
Ulcer	11	1	–	1	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	26	–	1	1	1	–	–	–	1	1	1	–	–
Cancer	379	1	–	–	1	1	–	–	–	1	2	2	9
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	127	1	6	11	17	13	4	5	13	13	9	16	8
Tabes Mesenterica	193	8	14	23	56	16	16	9	30	8	3	6	2
Phthisis	2288	6	9	36	77	41	23	16	92	133	267	332	295
Hydrocephalus	495	17	28	123	137	50	44	37	42	9	6	1	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	702	674	700	723	695	632	757	710	688	580	416	216	68	26	2	12
SPECIFIED CAUSES	692	666	695	715	686	624	750	708	687	580	416	216	68	26	2	6
Zymotic Class	153	125	166	168	121	98	103	93	60	51	18	16	2	–	–	–
Uncertain Seat	32	47	67	59	73	52	73	50	37	27	12	8	5	1	–	1
Tubercular Class	244	218	159	140	100	52	33	22	9	1	2	–	–	–	–	–
Brain, etc.	42	41	37	60	70	81	102	101	99	78	46	18	2	3	–	–
Heart, etc.	43	31	69	74	69	77	97	82	64	50	18	2	3	–	–	–
Respiratory Organs	68	69	83	99	143	140	170	154	131	93	56	19	3	1	–	1
Digestive Organs	29	38	44	53	57	57	45	49	43	31	10	6	–	–	–	2
Urinary Organs	11	9	11	15	6	16	18	4	5	7	2	–	–	–	–	1
Generative Organs	50	58	30	12	15	4	7	1	1	–	–	–	–	–	–	–
Locomotive Organs	2	8	3	8	3	6	8	9	7	6	1	–	–	–	–	–
Skin	–	–	2	–	–	1	–	1	–	–	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	4	5	5	15	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	77	130	220	227	245	142	53	21	2	–
Sudden Deaths	1	4	1	–	2	3	4	2	1	1	–	–	–	–	–	–
Violent Deaths	11	14	18	22	12	11	13	10	7	8	5	4	–	–	–	1
Small Pox	–	2	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	5	13	10	12	16	23	16	25	11	8	2	–	–	–
Dysentery	3	1	2	4	3	4	5	4	9	13	3	2	–	–	–	–
Cholera	2	–	2	–	–	2	2	3	–	1	–	–	–	–	–	–
Influenza	1	–	–	2	2	–	3	5	1	2	1	2	–	–	–	–
Purpura	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	92	94	122	125	78	53	47	37	19	4	1	1	–	–	–	–
Enteric Fever	6	8	5	3	4	10	6	7	4	4	1	1	–	–	–	–
Relapsing Fever	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	13	6	17	16	8	11	11	8	4	2	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	24	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	3	1	5	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	1	–	1	1	4	2	6	5	5	–	–	1	–	–	–	–
Pyæmia	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Syphilis	2	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	–	–	1	–	–	1	2	1	–	–	–	–	–	–
Dropsy	10	9	12	13	15	10	16	15	11	7	5	–	–	–	–	–
Abscess	5	4	3	1	1	1	1	1	–	–	–	–	1	–	–	–
Ulcer	–	1	2	1	–	1	2	1	1	–	–	–	–	–	–	–
Fistula	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	1	2	1	1	2	4	2	3	1	1	–	–
Cancer	14	30	48	44	55	38	53	31	20	15	5	5	3	–	–	1
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	2	2	3	1	2	4	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	240	216	155	139	98	48	33	21	8	1	2	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	76	2	6	6	5	2	5	2	16	8	–	4	4
	Apoplexy	265	2	3	9	10	4	1	–	4	2	1	4	9
	Paralysis	396	–	–	–	–	–	–	–	3	1	1	1	1
	Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	1	1
	Chorea	3	–	–	–	–	–	–	–	–	1	2	–	–
	Epilepsy	65	–	–	–	–	–	–	–	–	1	7	7	9
	Tetanus	7	3	–	–	–	–	–	–	–	1	–	1	–
	Insanity	6	–	–	–	–	–	–	–	–	–	–	–	2
	Convulsions	263	110	36	37	40	14	9	7	10	–	–	–	–
	Brain Disease	192	4	4	17	8	13	5	5	8	10	6	5	4
V.	Pericarditis	18	–	–	–	–	–	–	–	4	1	2	2	1
	Aneurism	12	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	754	2	–	3	–	–	2	–	6	12	18	27	25
VI.	Laryngitis	31	–	–	5	5	3	2	3	–	–	–	2	–
	Bronchitis	1998	140	134	278	266	106	50	29	40	15	8	21	17
	Pleurisy	28	–	–	1	1	1	2	–	2	–	1	1	2
	Pneumonia	477	83	30	54	82	31	24	10	21	8	12	16	14
	Asthma	126	–	–	–	–	–	–	–	–	1	–	–	2
	Lung Disease	78	8	1	–	6	2	2	1	3	3	2	6	3
VII.	Teething	319	2	13	112	164	28	–	–	–	–	–	–	–
	Quinsey	14	5	–	1	2	–	1	–	1	–	1	–	2
	Gastritis	34	–	4	3	1	1	1	2	–	1	2	1	2
	Enteritis	205	65	25	17	21	9	4	4	3	5	4	1	7
	Peritonitis	83	2	2	1	–	2	1	–	2	3	8	20	14
	Ascites	29	–	–	–	–	–	–	–	3	–	–	1	–
	Ulceration of Intestines	37	2	–	–	2	2	–	–	–	1	4	2	4
	Hernia	25	–	–	–	–	–	–	–	–	–	1	1	1
	Ileus	57	7	1	–	–	2	–	–	–	1	2	1	5
	Intussusception	8	–	1	–	–	–	–	–	–	1	–	–	1
	Stricture of Intestines	7	–	–	–	–	–	–	–	1	–	–	–	1
	Stomach Disease	164	18	11	4	8	1	1	1	3	6	2	7	5
	Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	27	1	–	1	–	–	–	–	–	–	–	–	2
	Jaundice	35	14	1	–	–	–	1	–	–	1	–	2	–
	Liver Disease	150	2	2	2	3	–	1	–	2	3	1	6	5
	Spleen Disease	5	–	–	–	–	–	1	–	–	–	–	1	–
VIII.	Nephritis	17	–	–	–	1	1	1	1	4	–	–	2	–
	Nephria	64	1	–	–	–	1	1	3	2	4	2	6	6
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
	Diabetes	11	–	–	–	–	–	–	–	–	–	1	1	1
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	1
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	57	–	–	–	1	–	1	–	2	–	1	4	3
IX.	Paramenia	6	–	–	–	–	–	–	–	–	–	1	–	2
	Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	1	1	2
	Childbirth	217	–	–	–	–	–	–	–	–	–	8	29	56
	Organs of Generation	28	–	–	–	–	–	–	–	–	–	1	–	3
X.	Arthritis	16	–	1	–	–	–	–	2	3	2	1	–	1
	Rheumatism	48	–	–	–	–	–	–	–	2	1	3	1	1
	Joint and Bone Disease	37	1	1	–	1	–	–	–	7	8	1	2	1
XI.	Carbuncle	5	1	1	–	–	–	–	–	–	–	–	–	–
	Phlegmon	1	–	1	–	–	–	–	–	–	–	–	–	–
	Skin Disease	7	1	1	–	1	1	–	–	–	–	–	–	–
XVII.	Intemperance	19	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	40	21	14	5	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	15	–	1	–	–	1	–	–	–	–	1	1	1
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	57	–	–	1	4	8	3	4	14	1	2	–	1
	Hanging, etc.	10	–	–	–	–	–	–	–	–	–	–	1	–
	Suffocation	29	10	2	1	1	–	–	–	1	7	2	–	–
	Drowning	24	–	1	–	–	–	–	–	1	1	–	2	1
	Fracture and Contusion	68	2	–	–	1	2	3	1	8	3	2	4	2
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	2	1
	Other Violent Causes	28	10	–	–	1	–	–	–	2	–	–	–	2
	Not Specified	317	101	85	20	39	12	6	3	14	8	6	4	5

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	2	3	3	–	2	1	1	–	–	–	–	–	–	–	–
Apoplexy	11	12	7	17	27	25	27	28	30	20	9	2	–	1	–	–
Paralysis	14	9	12	19	29	34	56	58	55	49	37	13	2	2	–	–
Delirium Tremens	1	1	1	2	1	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	8	5	4	3	4	1	5	1	3	–	1	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	8	9	14	10	13	16	9	12	6	–	2	–	–	–	–
Pericarditis	–	1	–	4	–	–	2	–	1	–	–	–	–	–	–	–
Aneurism	–	1	1	1	2	2	2	1	1	1	–	–	–	–	–	–
Heart Disease	43	29	68	69	67	75	93	81	62	49	18	2	3	–	–	–
Laryngitis	2	3	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Bronchitis	40	44	48	69	102	103	130	116	104	77	46	15	3	1	–	1
Pleurisy	–	1	1	3	3	–	1	2	1	4	–	1	–	–	–	–
Pneumonia	17	13	17	17	13	14	12	15	12	7	4	1	–	–	–	–
Asthma	3	2	9	5	19	19	23	19	14	5	4	1	–	–	–	–
Lung Disease	6	6	7	5	5	3	3	–	3	–	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	2	2	4	2	2	1	1	–	–	–	–	–	–	–	–
Enteritis	3	5	3	3	5	2	2	6	5	3	3	–	–	–	–	–
Peritonitis	2	6	3	8	3	1	3	1	–	–	–	1	–	–	–	–
Ascites	1	1	2	9	3	3	4	–	1	–	1	–	–	–	–	–
Ulceration of Intestines	5	3	3	–	2	3	2	1	–	–	1	–	–	–	–	–
Hernia	–	2	2	2	5	4	2	2	2	–	1	1	–	–	–	–
Ileus	1	3	3	1	1	2	3	9	8	5	2	–	–	–	–	–
Intussusception	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	1	6	10	7	13	11	11	7	10	17	1	2	–	–	–	1
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	3	3	1	5	2	1	3	1	–	–	1	–	–	–	–
Jaundice	2	–	1	2	3	1	2	1	2	1	–	1	–	–	–	–
Liver Disease	7	6	9	14	12	25	13	18	14	3	1	–	–	–	–	1
Spleen Disease	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	2	–	1	–	1	–	–	1	–	–	–	–	–	–
Nephria	3	4	8	7	1	4	6	–	1	3	–	–	–	–	–	1
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	1	–	3	2	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	5	–	6	4	9	8	3	4	2	–	–	–	–	–	–
Paramenia	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	4	3	5	7	1	4	–	1	–	–	–	–	–	–	–
Childbirth	46	52	24	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	2	4	8	3	3	1	–	–	–	–	–	–	–	–
Arthritis	–	1	–	2	–	–	1	1	1	–	–	–	–	–	–	–
Rheumatism	–	3	1	5	1	4	7	8	5	5	1	–	–	–	–	–
Joint Disease	2	4	2	1	2	2	–	–	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Intemperance	1	4	4	3	3	1	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Poison	4	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	–	1	2	5	1	3	1	1	2	–	–	–	–
Hanging, etc.	1	1	1	4	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	1	3	3	3	2	2	2	1	–	–	–	–	–	–	–	1
Fracture and Contusion	2	2	4	4	1	5	3	6	3	4	4	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	5	–	–	1	–	1	2	–	–	–	–	–	–
Not Specified	10	8	5	8	9	8	7	2	1	–	–	–	–	–	–	6

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	13914	1279	574	1244	1756	740	490	345	705	332	473	608	562
Specified Causes	13727	1228	552	1229	1742	732	484	342	698	324	465	603	559
I. Zymotic Class	4090	156	142	401	732	351	261	178	328	99	137	159	143
II. Diseases of Uncertain Seat	296	8	–	3	4	5	4	4	11	5	4	8	8
III. Tubercular Class	2527	37	59	201	286	130	83	68	181	121	214	285	205
IV. Brain and Nervous System	938	120	54	58	69	24	19	17	29	22	15	15	32
V. Organs of Circulation	474	–	–	–	–	1	1	–	9	13	14	13	20
VI. Respiratory Organs	2574	159	165	385	417	168	89	55	76	17	28	45	41
VII. Organs of Digestion	877	110	49	131	191	28	8	4	17	14	12	27	33
VIII. Urinary Organs	134	–	–	–	2	–	3	2	9	5	2	10	10
IX. Organs of Generation	92	–	–	–	–	–	–	–	–	–	2	10	28
X. Organs of Locomotion	77	1	1	–	–	–	–	1	4	11	8	6	3
XI. Skin, etc.	5	1	2	–	1	–	1	–	–	–	–	–	–
XII. Malformation	27	25	–	1	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	649	554	59	36	–	–	–	–	–	–	–	–	–
XIV. Atrophy	97	–	–	–	33	16	6	3	7	5	2	1	1
XV. Age	402	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	55	8	4	1	1	–	1	–	1	1	–	1	1
XVII. Violent Deaths	413	49	17	12	6	9	8	9	26	11	27	23	34
I. Small Pox	26	2	8	3	2	3	–	4	1	1	–	2	–
Measles	330	1	8	70	138	49	29	16	14	3	2	–	–
Scarlatina	513	3	2	27	85	68	75	63	155	24	7	2	1
Diphtheria	69	3	2	8	20	11	5	1	11	3	2	2	–
Hooping Cough	879	37	39	181	315	145	83	37	40	2	–	–	–
Croup	110	4	2	21	35	15	15	12	6	–	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	389	67	52	64	83	17	9	4	8	4	3	2	4
Dysentery	38	–	3	1	3	1	–	1	–	–	1	–	1
Cholera	39	3	2	4	5	3	1	1	4	1	–	–	1
Influenza	12	–	–	1	–	1	1	–	2	–	–	–	–
Purpura	3	–	1	–	–	–	1	–	–	–	–	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus	1177	4	4	6	10	6	16	14	31	41	95	115	102
Enteric Fever	166	1	2	6	22	18	14	10	23	10	12	11	7
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	168	–	1	1	5	9	7	7	24	7	8	13	10
Infantile Remittent	26	2	–	2	5	3	5	4	5	–	–	–	–
Metria	26	–	–	–	–	–	–	–	–	–	1	6	11
Rheumatic Fever	14	–	–	–	–	–	–	1	1	1	3	1	1
Erysipelas	47	13	5	3	2	1	–	–	1	2	1	2	2
Pyæmia	6	–	–	–	–	–	–	–	–	–	1	–	2
Syphilis	40	15	10	2	2	1	–	–	–	–	1	2	1
Noma	4	–	–	1	–	–	–	2	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	4	–	–	–	–	–	–	–	–	–	3	–
Dropsy	100	1	–	–	2	4	1	3	9	3	1	1	2
Abscess	35	2	–	2	2	–	2	1	2	2	2	2	4
Ulcer	4	1	–	1	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	134	–	–	–	–	1	–	–	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	89	4	3	9	11	8	5	3	19	6	5	4	2
Tabes Mesenterica	200	10	17	25	51	19	13	14	37	4	2	5	–
Phthisis	1770	6	10	47	82	55	24	24	91	103	205	276	208
Hydrocephalus	468	17	29	120	142	48	41	27	34	8	2	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	550	543	551	574	531	443	488	397	319	209	116	61	16	4	2	2
Specified Causes	544	539	549	567	525	439	481	396	319	209	116	61	16	4	2	2
Zymotic Class	134	134	156	161	116	102	76	56	45	15	4	3	–	–	–	1
Uncertain Seat	25	20	34	24	29	23	32	20	12	7	1	3	1	–	–	1
Tubercular Class	163	154	107	86	67	36	22	18	1	2	1	–	–	–	–	–
Brain, etc.	42	42	34	41	45	48	66	53	51	27	9	6	–	–	–	–
Heart, etc.	33	30	44	60	40	38	47	54	30	19	4	1	3	–	–	–
Respiratory Organs	65	64	96	107	134	114	121	93	73	43	11	7	1	–	–	–
Digestive Organs	20	25	25	40	42	28	31	23	10	5	3	1	–	–	–	–
Urinary Organs	13	15	9	8	9	12	12	3	5	2	1	2	–	–	–	–
Generative Organs	14	20	11	3	3	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	3	3	5	4	8	5	4	4	3	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	1	1	7	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	45	62	83	81	77	37	11	4	2	–
Sudden Deaths	3	2	1	8	6	7	5	3	1	–	–	–	–	–	–	–
Violent Deaths	29	27	28	23	23	12	19	7	4	5	4	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	2	4	8	8	8	9	11	7	8	2	–	–	–	–	–
Dysentery	2	–	1	3	4	5	1	3	5	2	–	1	–	–	–	–
Cholera	–	2	2	2	–	3	1	3	–	1	–	–	–	–	–	–
Influenza	–	–	–	2	1	–	–	2	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	104	112	127	127	90	74	48	28	20	2	–	–	–	–	–	1
Enteric Fever	4	3	2	1	1	1	5	4	5	1	2	1	–	–	–	–
Relapsing Fever	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	8	12	12	17	7	6	7	2	5	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	1	–	2	1	3	2	3	–	2	–	–	1	–	–	–	–
Pyæmia	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	1	–	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Dropsy	10	6	12	6	9	7	10	6	4	2	1	–	–	–	–	–
Abscess	3	2	2	1	1	1	1	2	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	1	–	1	1	1	–	–	3	–	1	–	–	–	–
Cancer	9	11	18	17	18	14	20	10	7	2	–	2	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	2	–	1	2	1	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	161	152	105	86	66	34	20	16	1	2	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—Both Sexes. *(Continued.)*

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	65	1	10	3	11	3	3	4	7	8	1	2	1
	Apoplexy	189	8	4	9	8	5	2	2	2	2	3	1	12
	Paralysis	180	–	–	–	–	–	–	–	1	–	–	–	1
	Delirium Tremens	18	–	–	–	–	–	–	–	–	–	–	1	–
	Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
	Epilepsy	40	–	–	–	–	–	–	–	–	1	5	2	5
	Tetanus	10	3	–	1	–	–	–	–	1	1	–	1	–
	Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
	Convulsions	251	104	33	34	43	14	8	7	8	–	–	–	–
	Brain Disease	181	4	7	11	7	2	6	4	9	10	6	8	12
V.	Pericarditis	12	–	–	–	–	–	–	–	2	1	1	–	1
	Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	1
	Heart Disease	453	–	–	–	–	1	1	–	7	12	13	13	18
VI.	Laryngitis	28	–	–	3	13	2	1	1	–	–	1	1	1
	Bronchitis	1778	113	126	301	298	111	54	40	40	7	10	14	18
	Pleurisy	18	–	–	–	–	–	–	1	–	–	4	2	2
	Pneumonia	581	41	36	79	98	52	33	12	32	7	13	22	14
	Asthma	87	–	–	–	–	–	–	–	–	1	–	–	1
	Lung Disease	82	5	3	2	8	3	1	1	4	2	–	6	5
VII.	Teething	267	–	12	96	147	12	–	–	–	–	–	–	–
	Quinsey	10	1	–	3	2	1	–	–	–	1	–	1	1
	Gastritis	34	1	2	5	1	1	2	2	–	1	–	3	1
	Enteritis	193	68	24	20	28	8	4	1	2	6	3	1	6
	Peritonitis	42	1	1	–	–	–	–	–	3	3	6	7	8
	Ascites	15	–	–	1	–	–	–	–	4	–	–	–	–
	Ulceration of Intestines	18	1	–	–	1	1	–	–	–	–	2	2	2
	Hernia	13	–	1	1	–	–	–	–	–	–	–	–	–
	Ileus	40	12	2	1	–	2	–	–	2	–	–	3	3
	Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	4	–	–	1	–	–	–	–	1	–	–	–	1
	Stomach Disease	101	14	3	3	10	3	–	–	2	2	–	4	3
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	17	1	1	–	–	–	–	–	–	–	–	–	4
	Jaundice	23	7	2	–	1	–	–	–	1	–	–	1	–
	Liver Disease	96	4	1	–	1	–	2	1	2	1	1	5	4
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	16	–	–	–	1	–	1	1	4	1	–	–	–
	Nephria	37	–	–	–	–	–	–	1	2	2	1	4	4
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	12	–	–	–	–	–	–	–	–	1	–	3	2
	Stone	2	–	–	–	–	–	–	–	–	–	–	2	–
	Cystitis	14	–	–	–	–	–	–	–	–	–	–	–	2
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	49	–	–	–	1	–	2	–	3	1	1	1	2
IX.	Paramenia	4	–	–	–	–	–	–	–	–	–	–	–	2
	Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	2
	Childbirth	71	–	–	–	–	–	–	–	–	–	2	10	21
	Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	–	3
X.	Arthritis	17	–	1	–	–	–	–	–	1	3	2	4	–
	Rheumatism	35	–	–	–	–	–	–	–	–	1	4	2	1
	Joint and Bone Disease	25	1	–	–	–	–	–	1	3	7	2	–	2
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	3	–	1	–	1	–	1	–	–	–	–	–	–
	Skin Disease	2	1	1	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	27	–	–	–	–	–	–	–	–	–	–	–	2
	Privation	1	–	–	–	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	42	24	11	7	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	1
	Poison	17	4	–	1	–	1	1	–	–	–	1	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	45	–	–	–	1	7	4	5	10	3	1	2	–
	Hanging, etc.	10	–	–	–	–	–	–	–	–	–	–	–	1
	Suffocation	21	9	5	3	–	–	–	–	1	–	–	–	–
	Drowning	57	–	–	–	1	–	–	–	4	3	8	3	6
	Fracture and Contusion	151	–	1	1	4	1	2	4	8	5	12	17	19
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	15	–	–	–	–	–	–	–	1	–	5	–	2
	Other Violent Causes	25	12	–	–	–	–	–	–	2	–	–	1	3
	Not Specified	187	51	22	15	14	8	6	3	7	8	8	5	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	1	1	3	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	12	12	6	12	14	14	19	18	16	8	4	1	–	–	–	–
Paralysis	10	6	12	9	18	18	33	27	23	14	4	4	–	–	–	–
Delirium Tremens	2	2	4	2	1	3	–	2	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	7	5	2	2	2	–	–	1	–	–	1	–	–	–	–
Tetanus	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	14	6	12	9	9	14	9	11	5	–	–	–	–	–	–
Pericarditis	1	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	31	25	43	55	39	37	47	54	30	19	4	1	3	–	–	–
Laryngitis	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	37	35	57	71	98	78	92	75	54	35	9	4	1	–	–	–
Pleurisy	–	3	1	–	–	2	–	1	1	–	–	1	–	–	–	–
Pneumonia	17	19	17	24	18	16	9	8	3	4	1	1	–	–	–	–
Asthma	3	2	3	5	14	17	16	8	6	4	1	1	–	–	–	–
Lung Disease	8	4	12	7	3	1	3	–	4	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	2	3	3	–	–	2	–	1	–	–	–	–	–	–
Enteritis	2	3	3	5	4	1	3	–	1	–	–	–	–	–	–	–
Peritonitis	–	4	2	4	1	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	1	4	1	–	3	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	1	2	1	1	2	–	–	–	–	–	–	–	–	–
Hernia	–	1	1	–	5	1	1	2	–	–	–	–	–	–	–	–
Ileus	2	2	1	1	–	–	3	2	2	1	1	–	–	–	–	–
Intussusception	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	6	7	12	10	7	5	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	1	2	1	2	1	–	–	–	–	–	–	–	–
Jaundice	1	–	–	1	1	–	4	2	1	–	1	–	–	–	–	–
Liver Disease	5	8	7	11	11	12	6	8	4	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	3	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Nephria	4	6	5	2	–	2	4	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	1	1	–	–	–	–	2	–	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	1	3	1	1	1	1	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	5	7	1	4	6	6	4	1	3	–	–	1	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	18	7	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	2	2	1	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	2	1	3	2	4	5	4	3	2	1	–	–	–	–	–
Joint Disease	2	1	–	–	1	4	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	5	4	2	4	3	2	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	1	1	6	–	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	2	3	1	–	1	1	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	6	11	5	1	6	–	2	–	1	–	–	–	–	–	–	–
Fracture and Contusion	11	8	12	11	7	7	6	5	2	4	3	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	4	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	3	–	1	–	–	–	1	–	–	–	–	–	–
Not Specified	6	4	2	7	6	4	7	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7017	759	330	671	877	364	240	174	358	144	265	307	261
SPECIFIED CAUSES	6925	732	321	660	874	361	238	172	355	141	262	304	259
I. Zymotic Class	2055	93	81	201	339	169	127	85	162	42	82	98	59
II. Diseases of Uncertain Seat	111	7	–	2	4	3	3	1	7	1	1	4	3
III. Tubercular Class	1211	18	38	119	148	67	42	37	98	49	110	121	92
IV. Brain and Nervous System	518	73	27	33	41	14	10	8	15	11	7	7	18
V. Organs of Circulation	243	–	–	–	–	1	–	–	4	5	9	7	11
VI. Respiratory Organs	1320	86	97	211	230	87	43	31	36	6	17	24	27
VII. Organs of Digestion	425	64	31	74	91	5	3	1	10	4	3	8	10
VIII. Urinary Organs	74	–	–	–	–	–	1	1	3	3	–	9	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	41	–	–	–	–	–	–	1	1	6	6	5	3
XI. Skin, etc.	3	1	–	–	1	–	1	–	–	–	–	–	–
XII. Malformation	17	15	–	1	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	381	335	33	13	–	–	–	–	–	–	–	–	–
XIV. Atrophy	42	–	–	–	14	10	3	–	3	3	1	–	1
XV. Age	132	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	39	5	3	–	1	–	–	–	1	1	–	1	1
XVII. Violent Deaths	313	35	11	6	5	5	5	6	15	10	26	20	29
I. Small Pox	14	–	5	2	1	2	–	2	–	1	–	1	–
Measles	160	1	4	38	67	23	15	5	7	–	–	–	1
Scarlatina	274	2	2	14	43	34	42	32	38	11	4	1	–
Diphtheria	37	2	1	5	13	5	3	1	3	1	2	1	–
Hooping Cough	402	25	21	31	141	67	32	18	16	1	–	–	–
Croup	57	3	2	12	16	7	7	7	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	200	39	32	35	36	9	7	3	3	2	2	1	1
Dysentery	21	–	2	1	1	1	–	–	–	–	1	–	–
Cholera	21	1	–	2	4	1	–	1	2	1	–	–	–
Influenza	5	–	–	1	–	–	–	–	1	–	–	–	–
Purpura	3	–	1	–	–	–	1	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	633	2	3	3	4	4	6	5	16	16	57	75	48
Enteric Fever	78	1	–	3	9	10	9	4	12	5	7	7	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	77	–	–	–	1	4	2	4	9	2	5	7	4
Infantile Remittent	13	2	–	1	3	–	3	3	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	–	–	–	–	–	–	–	2	1	–
Erysipelas	24	5	2	2	–	1	–	–	1	2	1	1	1
Pyæmia	4	–	–	–	–	–	–	–	–	–	1	–	2
Syphilis	23	10	6	1	–	1	–	–	–	–	–	2	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	4	–	–	–	–	–	–	–	–	–	2	–
Dropsy	49	1	–	–	2	3	1	1	6	1	–	1	1
Abscess	18	1	–	1	2	–	1	–	1	–	1	1	2
Ulcer	3	1	–	1	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	29	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	52	4	2	6	8	3	3	1	14	2	2	1	2
Tabes Mesenterica	124	4	11	17	32	11	8	8	24	2	2	8	–
Phthisis	786	2	7	28	35	30	13	14	40	39	105	117	90
Hydrocephalus	249	8	18	68	73	23	18	14	20	6	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	247	276	276	277	267	213	227	195	135	82	41	22	6	–	1	2
SPECIFIED CAUSES	245	274	274	274	264	209	222	195	135	82	41	22	6	–	1	2
Zymotic Class	70	79	76	80	62	50	41	30	20	6	1	1	–	–	–	1
Uncertain Seat	7	4	13	6	6	13	9	10	3	3	–	–	–	–	–	1
Tubercular Class	60	62	47	34	29	16	14	8	1	1	–	–	–	–	–	–
Brain, etc.	20	23	20	22	23	25	40	29	30	14	6	2	–	–	–	–
Heart, etc.	19	21	25	31	20	23	17	27	12	6	3	1	1	–	–	–
Respiratory Organs	25	35	50	56	66	47	49	42	33	15	3	4	–	–	–	–
Digestive Organs	11	16	13	17	20	9	15	12	2	2	3	1	–	–	–	–
Urinary Organs	6	10	5	3	6	8	5	2	3	2	–	2	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	3	1	3	3	1	2	3	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	5	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	15	25	24	30	22	10	5	–	1	–
Sudden Deaths	2	1	1	3	4	5	2	2	1	–	–	–	–	–	–	–
Violent Deaths	24	21	21	16	20	9	14	6	3	2	3	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	2	3	4	3	4	4	2	3	–	–	–	–	–	–
Dysentery	1	–	1	1	2	5	–	1	2	1	–	1	–	–	–	–
Cholera	–	2	2	2	–	1	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	55	66	61	64	50	37	29	19	11	1	–	–	–	–	–	1
Enteric Fever	1	–	1	1	–	–	2	1	2	–	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	5	9	5	8	4	1	4	1	2	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	1	2	2	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	3	2	6	2	2	5	5	4	2	1	–	–	–	–	–	–
Abscess	1	–	1	–	1	1	1	2	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Cancer	2	2	4	4	3	7	3	3	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	59	60	47	34	29	16	12	7	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES. *(Continued.)*

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	37	1	6	3	7	2	1	3	3	4	1	–	–
Apoplexy	105	6	1	6	3	3	2	2	1	2	3	1	6
Paralysis	94	–	–	–	–	–	–	–	1	–	–	–	1
Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	–	1	–	2
Tetanus	7	2	–	1	–	–	–	–	1	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	139	60	16	19	26	9	4	2	3	–	–	–	–
Brain Disease	106	4	4	4	5	–	3	1	5	5	2	5	9
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	1	–	1
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	231	–	–	–	–	1	–	–	4	5	8	7	9
VI. Laryngitis	14	–	–	1	9	–	–	–	–	–	1	–	1
Bronchitis	878	61	72	164	170	58	26	25	14	2	5	6	12
Pleurisy	15	–	–	–	–	–	–	1	–	–	3	2	1
Pneumonia	329	23	22	44	48	28	17	5	19	3	8	14	9
Asthma	44	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	40	2	3	2	3	1	–	–	3	1	–	2	3
VII. Teething	129	–	9	53	67	–	–	–	–	–	–	–	–
Quinsey	9	1	–	3	1	1	–	–	–	1	–	1	1
Gastritis	13	1	–	2	–	–	1	–	–	–	–	2	–
Enteritis	102	38	16	10	17	2	1	–	2	3	1	–	2
Peritonitis	11	1	–	–	–	–	–	–	2	–	2	–	1
Ascites	3	–	–	1	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	8	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	7	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	25	6	2	1	–	–	–	–	2	–	–	2	2
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	49	7	1	2	5	2	–	–	1	–	–	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	12	4	1	–	1	–	–	–	1	–	–	1	1
Liver Disease	47	4	–	–	–	–	1	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	5	–	–	–	–	–	–	–	1	1	–	–	–
Nephria	19	–	–	–	–	–	–	1	–	–	–	4	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	–	1	–	3	1
Stone	2	–	–	–	–	–	–	–	–	–	–	2	–
Cystitis	12	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	25	–	–	–	–	–	1	–	2	1	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	12	–	–	–	–	–	–	–	–	2	1	4	–
Rheumatism	17	–	–	–	–	–	–	–	–	1	3	1	1
Joint and Bone Disease	12	–	–	–	–	–	–	1	1	3	2	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	1	–	1	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	27	19	6	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	10	4	–	1	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	–	–	1	5	2	3	3	3	1	2	1
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	4	4	2	–	–	–	–	1	–	–	–	6
Drowning	48	–	–	–	1	–	–	–	4	2	8	2	18
Fracture and Contusion	130	–	1	1	3	–	1	3	5	5	12	16	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	11	–	–	–	–	–	–	–	1	–	5	–	2
Other Violent Causes	15	8	–	–	–	–	–	–	1	–	–	–	–
Not Specified	92	27	9	11	3	3	2	2	3	3	3	3	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	4	5	2	5	7	8	13	8	9	5	2	1	–	–	–	–
Paralysis	4	1	8	5	6	11	19	12	15	7	3	1	–	–	–	–
Delirium Tremens	2	2	3	2	1	1	–	2	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	11	3	8	8	4	8	5	6	2	–	–	–	–	–	–
Pericarditis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	18	24	29	20	22	17	27	12	6	3	1	1	–	–	–
Laryngitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	11	13	27	36	47	25	32	33	23	11	2	3	–	–	–	–
Pleurisy	–	2	1	–	–	2	–	1	1	–	–	1	–	–	–	–
Pneumonia	8	17	10	14	13	11	6	4	5	1	–	–	–	–	–	–
Asthma	1	2	5	4	5	8	7	4	3	3	1	–	–	–	–	–
Lung Disease	5	1	6	2	1	1	3	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	3	–	–	2	–	1	–	–	–	–	–	–
Enteritis	1	1	2	2	1	1	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–
Hernia	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Ileus	2	2	1	1	–	–	2	–	1	–	1	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	1	3	3	3	3	3	3	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–
Liver Disease	3	7	3	7	6	3	3	4	–	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	4	2	1	–	1	2	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	1	3	1	1	1	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	3	4	1	1	4	3	2	–	1	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	1	1	–	2	1	1	2	2	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	3	3	1	3	3	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Poison	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	1	–	4	–	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	2	1	1	–	1	1	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	5	9	3	1	5	–	1	–	1	–	–	–	–	–	–	–
Fracture and Contusion	11	7	11	9	7	5	5	4	1	2	2	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	2	3	3	4	5	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6897	520	244	573	879	376	250	171	347	188	208	301	301
SPECIFIED CAUSES	6802	496	231	569	868	371	246	170	343	183	203	299	300
I. Zymotic Class	2035	63	61	200	393	182	134	93	166	57	55	61	84
II. Diseases of Uncertain Seat	185	1	–	1	–	2	1	3	4	4	3	4	5
III. Tubercular Class	1316	19	21	82	138	63	41	31	83	72	104	164	113
IV. Brain and Nervous System	420	47	27	25	28	10	9	9	14	11	8	8	14
V. Organs of Circulation	231	–	–	–	–	–	1	–	5	8	5	6	9
VI. Respiratory Organs	1254	73	68	174	187	81	46	24	40	11	11	21	14
VII. Organs of Digestion	452	46	18	57	100	23	5	3	7	10	9	19	23
VIII. Urinary Organs	60	–	–	–	2	–	2	1	6	2	2	1	5
IX. Organs of Generation	92	–	–	–	–	–	–	–	–	–	2	10	28
X. Organs of Locomotion	36	1	1	–	–	–	–	–	3	5	2	1	–
XI. Skin, etc.	2	–	2	–	–	–	–	–	–	–	–	–	–
XII. Malformation	10	10	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	268	219	26	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	55	–	–	–	19	6	3	3	4	2	1	1	–
XV. Age	270	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	3	1	1	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	100	14	6	6	1	4	3	3	11	1	1	3	5
I. Small Pox	12	2	3	1	1	1	–	2	1	–	–	1	–
Measles	170	–	4	32	71	26	14	11	7	3	2	–	–
Scarlatina	239	1	–	13	42	34	33	31	67	13	3	1	–
Diphtheria	32	1	1	3	7	6	2	–	8	2	–	1	–
Hooping Cough	477	12	18	100	174	78	51	19	24	1	–	–	–
Croup	53	1	–	9	19	8	8	5	3	–	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	189	28	20	29	47	8	2	1	5	2	1	1	3
Dysentery	17	–	1	–	2	–	–	1	–	–	–	–	1
Cholera	18	2	2	2	1	2	1	–	2	–	–	–	1
Influenza	7	–	–	–	–	1	1	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus	544	2	1	3	6	2	10	9	15	25	38	40	54
Enteric Fever	88	–	2	3	13	8	5	6	11	5	5	4	5
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	91	–	1	1	4	5	5	3	15	5	3	6	6
Infantile Remittent	13	–	–	1	2	3	2	1	4	–	1	6	11
Metria	26	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	7	–	–	–	–	–	–	1	1	1	1	1	1
Erysipelas	23	8	3	1	2	–	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	17	5	4	1	2	–	–	–	–	–	–	–	–
Noma	4	–	–	1	–	–	–	2	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	51	–	–	–	–	1	–	2	3	2	1	–	1
Abscess	17	1	–	1	–	–	1	1	1	2	1	1	2
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	105	–	–	–	–	1	–	–	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	37	–	1	3	3	5	2	2	5	4	3	3	–
Tabes Mesenterica	76	6	6	8	19	8	5	6	13	2	–	2	–
Phthisis	984	4	8	19	47	25	11	10	51	64	100	159	113
Hydrocephalus	219	9	11	52	69	25	23	13	14	2	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	303	267	275	297	264	250	261	202	184	127	75	39	10	4	1	–
SPECIFIED CAUSES	299	265	275	293	261	230	259	201	184	127	75	39	10	4	1	–
Zymotic Class	64	55	80	81	54	52	35	26	25	9	3	2	–	–	–	–
Uncertain Seat	18	16	21	18	23	10	23	10	9	4	1	3	1	–	–	–
Tubercular Class	103	92	60	52	38	20	8	10	–	1	1	–	–	–	–	–
Brain, etc.	22	19	14	19	22	23	26	24	21	13	3	4	–	–	–	–
Heart, etc.	14	9	19	29	20	15	30	27	18	13	1	–	2	–	–	–
Respiratory Organs	40	29	46	51	68	67	72	51	40	28	8	3	1	–	–	–
Digestive Organs	9	9	12	23	22	19	16	11	8	3	–	–	–	–	–	–
Urinary Organs	7	5	4	5	3	4	7	1	2	–	1	–	–	–	–	–
Generative Organs	14	20	11	3	3	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	4	1	5	4	2	1	2	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	2	1	1	2	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	30	37	59	51	55	27	6	4	1	–
Sudden Deaths	1	1	–	–	2	2	3	1	–	–	–	–	–	–	–	–
Violent Deaths	5	6	7	7	3	3	5	1	1	3	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	5	4	5	5	7	5	5	2	–	–	–	–	–
Dysentery	1	–	–	2	2	–	1	2	3	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	2	–	2	–	1	–	–	–	–	–	–
Influenza	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	46	66	63	40	37	19	9	9	1	–	–	–	–	–	–
Enteric Fever	3	3	1	–	1	1	3	3	3	1	1	1	–	–	–	–
Relapsing Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	3	3	7	9	3	5	3	1	3	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	–	–	1	–	1	–	2	–	2	–	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	7	4	6	4	7	2	5	2	2	1	1	–	–	–	–	–
Abscess	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–
Cancer	7	9	14	13	15	7	17	7	6	2	–	2	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	–	1	2	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	102	92	58	62	37	18	8	9	–	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	28	–	4	–	4	1	2	1	4	4	–	2	1
Apoplexy	84	2	3	3	5	2	–	–	1	–	–	–	6
Paralysis	86	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	28	–	–	–	–	–	–	–	–	1	4	2	3
Tetanus	3	1	–	–	–	–	–	–	–	1	–	1	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	112	44	17	15	17	5	4	5	5	–	–	–	–
Brain Disease	75	–	3	7	2	2	3	3	4	5	4	3	3
V. Pericarditis	7	–	–	–	–	–	–	–	2	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	222	–	–	–	–	–	1	–	3	7	5	6	9
VI. Laryngitis	14	–	–	2	4	2	1	1	–	–	–	1	–
Bronchitis	900	52	54	137	128	53	28	15	26	5	5	8	6
Pleurisy	3	–	–	–	–	–	–	–	–	–	1	–	1
Pneumonia	252	18	14	35	50	24	16	7	13	4	5	8	5
Asthma	43	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	42	3	–	–	5	2	1	1	1	1	–	4	2
VII. Teething	138	–	3	43	80	12	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	21	–	2	3	1	1	1	2	–	1	–	1	1
Enteritis	91	30	8	10	11	6	3	1	–	3	2	1	4
Peritonitis	31	–	1	–	–	–	–	–	1	3	4	7	7
Ascites	12	–	–	–	–	–	–	–	3	–	–	–	–
Ulceration of Intestines	10	–	–	–	1	1	–	–	–	–	2	2	2
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	15	6	–	–	–	2	–	–	–	–	–	1	1
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	1	–	–	–	1
Stomach Disease	52	7	2	1	5	1	–	–	1	2	–	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	–	–	–	–	–	–	–	–	–	2
Jaundice	11	3	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	49	–	1	–	1	–	1	–	1	1	1	1	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	4	–
VIII. Nephritis	11	–	–	–	1	–	1	1	3	–	–	–	–
Nephria	18	–	–	–	–	–	–	–	2	2	1	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	24	–	–	–	1	–	1	–	1	–	1	1	1
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	–	–	2
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	71	–	–	–	–	–	–	–	–	–	2	10	21
Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	–	3
X. Arthritis	5	–	1	–	–	–	–	–	1	1	1	–	–
Rheumatism	18	–	–	–	–	–	–	–	–	–	1	1	–
Joint and Bone Disease	13	1	–	–	–	–	–	–	2	4	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	1
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	15	5	5	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
Poison	7	–	–	–	–	1	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	17	–	–	–	–	2	2	2	7	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	5	1	1	–	–	–	–	–	–	–	1	–
Drowning	9	–	–	–	–	–	–	–	–	1	–	1	1
Fracture and Contusion	21	–	–	–	1	1	1	1	3	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	10	4	–	–	–	–	–	–	1	–	–	–	–
Not Specified	95	24	13	4	11	5	4	1	4	5	5	2	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	8	7	4	7	7	6	6	5	7	3	2	–	–	–	–	–
Paralysis	6	5	4	4	12	7	14	15	8	7	1	3	–	–	–	–
Delirium Tremens	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	3	2	2	2	2	–	–	1	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	3	4	1	5	6	4	5	3	–	–	–	–	–	–
Pericarditis	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	7	19	26	19	15	30	27	18	13	1	–	2	–	–	–
Laryngitis	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	26	22	30	35	51	53	60	42	31	24	7	1	1	–	–	–
Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	9	2	7	10	5	5	3	4	3	3	1	1	–	–	–	–
Asthma	2	–	3	1	9	9	9	4	3	1	–	1	–	–	–	–
Lung Disease	3	3	6	5	2	–	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	2	1	3	3	–	1	–	1	–	–	–	–	–	–	–
Peritonitis	–	2	1	3	1	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	1	3	1	–	3	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	4	–	1	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	3	4	4	7	4	2	1	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	1	2	1	1	1	–	–	–	–	–	–	–	–
Jaundice	1	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	2	1	4	4	5	9	3	4	4	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	3	1	–	1	2	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	3	–	3	2	3	2	1	2	–	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	18	7	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	3	–	3	4	2	1	1	1	–	–	–	–	–
Joint Disease	1	1	–	–	1	2	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	1	2	–	2	1	1	1	2	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	4	2	–	4	6	–	2	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS:			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1878	185	89	143	215	96	56	32	87	60	64	64	81
Specified Causes	1819	170	83	135	201	95	53	32	86	59	63	63	80
I. Zymotic Class	510	24	22	32	95	47	29	16	47	15	18	11	22
II. Diseases of Uncertain Seat	46	1	–	–	2	–	–	1	2	1	1	–	–
III. Tubercular Class	350	5	16	30	38	22	9	6	19	19	31	29	31
IV. Brain and Nervous System	124	17	4	5	4	3	2	1	3	4	3	2	3
V. Organs of Circulation	56	–	–	–	–	–	–	–	2	3	1	4	1
VI. Respiratory Organs	284	22	23	45	37	14	9	6	7	3	2	8	4
VII. Organs of Digestion	123	19	10	18	20	7	3	–	2	3	2	2	4
VIII. Urinary Organs	19	1	–	–	–	–	1	–	1	–	–	–	1
IX. Organs of Generation	24	–	–	–	–	–	–	–	–	–	1	1	6
X. Organs of Locomotion	14	–	–	–	–	–	–	1	1	3	1	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	83	72	6	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	3	1	–	–	–	–	–	1	2
XV. Age	107	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	58	5	2	–	2	1	–	1	2	8	8	5	4
I. Small Pox	5	1	–	–	1	1	–	1	1	–	–	–	–
Measles	42	1	–	5	16	11	3	1	5	–	–	–	–
Scarlatina	64	1	–	6	12	7	14	6	17	1	–	–	–
Diphtheria	15	–	–	1	6	4	–	2	–	2	–	–	–
Hooping Cough	77	3	10	11	26	10	8	3	6	–	–	–	–
Croup	21	–	–	1	11	6	–	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	65	13	9	7	16	2	–	1	2	–	1	1	1
Dysentery	3	–	–	1	–	–	–	–	–	–	1	–	–
Cholera	6	1	1	–	1	–	1	–	–	–	1	–	–
Influenza	1	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	155	–	–	–	1	–	–	–	4	8	11	9	16
Enteric Fever	15	–	–	–	2	2	2	1	5	2	1	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	17	–	–	–	1	–	1	–	5	2	1	1	1
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	1	–	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	7	1	1	–	1	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	3	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	10	–	–	–	1	–	–	–	–	–	1	–	–
Abscess	3	–	–	–	1	–	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	25	1	–	–	–	–	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	1	1
III. Scrofula	28	1	3	3	3	6	1	3	1	3	–	–	–
Tabes Mesenterica	41	1	8	7	14	4	2	–	5	8	2	28	30
Phthisis	216	–	–	5	4	4	2	–	8	13	29	–	–
Hydrocephalus	65	8	10	15	17	8	4	3	5	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	76	65	85	61	81	51	74	59	67	48	23	11	2	2	–	1
SPECIFIED CAUSES	74	63	85	61	81	50	73	59	67	48	23	11	2	2	–	–
Zymotic Class	20	21	24	18	21	6	10	7	3	2	–	–	–	–	–	–
Uncertain Seat	3	6	7	4	4	3	3	4	1	3	–	–	–	–	–	–
Tubercular Class	20	13	19	11	13	10	6	1	2	–	–	–	–	–	–	–
Brain, etc.	4	6	5	5	10	6	13	7	7	5	4	1	–	–	–	–
Heart, etc.	4	1	5	1	6	7	7	2	8	4	–	–	–	–	–	–
Respiratory Organs	6	6	11	12	12	12	9	15	13	7	1	–	–	–	–	–
Digestive Organs	2	4	2	4	4	2	4	4	5	2	–	–	–	–	–	–
Urinary Organs	2	–	2	2	–	1	4	3	–	–	1	–	–	–	–	–
Generative Organs	5	3	4	–	2	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	–	–	1	2	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	13	13	27	24	17	9	2	2	–	–
Sudden Deaths	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	7	2	4	2	5	1	2	–	–	1	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	1	1	3	1	1	2	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	18	20	14	18	5	7	5	2	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	2	1	1	–	–	1	1	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	5	4	2	2	2	3	3	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	13	19	11	13	10	5	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	2	–	1	–	–	1	2	–	1	–
Apoplexy	21	–	–	–	–	–	1	–	–	–	–	–	1
Paralysis	36	–	–	–	–	–	–	–	1	1	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	2	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	30	17	3	2	4	2	1	–	1	–	–	–	–
Brain Disease	19	–	1	1	–	–	–	1	–	1	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	54	–	–	–	–	–	–	–	2	3	1	4	1
VI. Laryngitis	4	–	–	2	–	–	1	–	–	–	–	–	–
Bronchitis	178	17	18	84	25	7	8	5	5	1	–	1	1
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	72	5	5	9	12	7	–	1	2	2	2	6	3
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	9	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	37	2	3	15	14	3	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	1
Gastritis	5	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	30	8	4	2	3	3	2	–	1	1	–	–	1
Peritonitis	5	2	–	1	–	1	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	1	1	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	1	1	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	4	2	–	2	–	–	–	–	2	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	1	–	–	–	–	–	1
Liver Disease	14	1	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	1
Nephria	3	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	1	6
Childbirth	19	–	–	–	–	–	–	–	–	–	1	–	–
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	1	–	1	1	–	1
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	2	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	1	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	2	–	–	–	–	–	–	1	4	2	1	2
Drowning	15	–	–	–	–	–	–	–	1	4	1	2	–
Fracture and Contusion	24	–	–	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	1	1
Not Specified	59	15	6	8	14	1	8	–	1	1	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	3	4	1	4	3	2	1	–	–	–	–	–
Paralysis	3	2	2	1	4	–	9	2	4	3	3	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	3	2	2	2	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	5	1	5	6	7	2	8	4	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	2	5	10	7	6	8	9	5	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pneumonia	3	2	3	3	2	1	1	1	1	1	–	–	–	–	–	–
Asthma	–	1	4	3	–	2	1	5	3	–	–	–	–	–	–	–
Lung Disease	1	2	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Enteritis	–	1	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	2	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	2	1	–	2	3	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	1	1	–	–	3	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Childbirth	5	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Joint Disease	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	1	2	1	3	–	2	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	–	–	–	1	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	964	117	43	69	121	53	36	15	49	31	28	28	25
SPECIFIED CAUSES	931	107	39	65	114	53	34	15	49	31	27	27	24
I. Zymotic Class	274	13	8	12	54	27	19	8	28	6	9	6	5
II. Diseases of Uncertain Seat	16	–	–	–	1	–	–	1	–	–	1	–	–
III. Tubercular Class	161	4	9	14	23	11	5	2	10	8	11	12	10
IV. Brain and Nervous System	72	9	2	3	1	2	2	1	1	3	–	2	–
V. Organs of Circulation	30	–	–	–	–	–	–	–	1	1	1	1	–
VI. Respiratory Organs	157	14	15	25	20	8	6	2	5	1	1	3	3
VII. Organs of Digestion	64	12	3	10	12	3	1	–	1	3	1	–	1
VIII. Urinary Organs	9	–	–	–	–	–	1	–	1	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	1	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	51	48	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	1	1	–	–	–	–	–	–	–
XV. Age	37	–	–	–	–	–	–	–	–	–	–	–	1
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	46	4	–	–	2	1	–	–	2	8	3	3	4
I. Small Pox	5	1	–	–	1	1	–	1	1	–	–	–	–
Measles	20	–	–	2	7	6	3	–	2	–	–	–	–
Scarlatina	36	–	–	3	8	3	9	3	10	–	–	–	–
Diphtheria	8	–	–	–	4	3	–	1	–	–	–	–	–
Hooping Cough	32	2	4	3	12	3	3	1	4	–	–	–	–
Croup	18	–	–	1	9	5	–	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	5	2	3	6	2	–	–	–	–	1	1	–
Dysentery	1	–	–	–	–	–	–	–	–	–	1	–	–
Cholera	5	1	–	–	1	–	1	–	–	–	1	–	–
Influenza	1	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	90	–	–	–	1	–	–	–	2	3	6	5	5
Enteric Fever	10	–	–	–	2	1	2	1	3	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	11	–	–	–	1	–	1	–	4	2	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	1	–	1	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	3	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	5	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	1	–	1	2	1	–	1	1	–	–	–
Tabes Mesenterica	26	1	1	4	10	2	1	–	5	1	1	12	10
Phthisis	88	–	–	1	2	2	2	–	2	6	10	–	–
Hydrocephalus	39	3	7	9	10	5	1	2	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	41	36	40	37	43	26	36	25	33	16	10	3	1	1	–	1
SPECIFIED CAUSES	41	35	40	37	43	26	35	25	33	16	10	3	1	1	–	–
Zymotic Class	13	14	14	11	12	5	5	4	1	–	–	–	–	–	–	–
Uncertain Seat	2	1	2	2	1	1	1	2	1	–	–	–	–	–	–	–
Tubercular Class	6	5	7	7	7	6	2	1	1	–	–	–	–	–	–	–
Brain, etc.	3	6	3	3	7	3	7	3	6	3	2	–	–	–	–	–
Heart, etc.	2	1	2	1	3	3	4	1	7	2	–	–	–	–	–	–
Respiratory Organs	4	3	6	10	5	6	6	7	5	2	–	–	–	–	–	–
Digestive Organs	1	2	2	2	2	1	1	3	3	–	–	–	–	–	–	–
Urinary Organs	2	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	2	9	8	8	3	1	1	–	–
Sudden Deaths	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	7	2	3	–	4	–	2	–	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	1	1	1	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	14	11	10	11	4	4	2	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Contd. Fever	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	5	7	7	7	6	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	1	–	–	1	2	–	1	–
Apoplexy	12	–	–	–	–	–	1	–	–	–	–	–	–
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	9	2	2	1	1	1	–	–	–	–	–	–
Brain Disease	15	–	–	1	–	–	–	1	–	1	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	28	–	–	–	–	–	–	–	1	1	1	1	–
VI. Laryngitis	2	–	–	2	–	–	–	–	–	–	–	–	–
Bronchitis	91	11	12	17	13	3	6	1	3	1	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	47	3	3	6	7	5	–	1	2	–	1	3	3
Asthma	10	–	–	–	–	–	–	1	–	–	–	–	–
Lung Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	20	1	1	8	8	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	3	1	1	1	1	1	–	–	1	–	–	–
Peritonitis	3	2	–	1	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	3	–	–	2	–	–	–	–	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	10	1	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	1	2
Drowning	12	–	–	–	–	–	–	–	1	4	2	1	2
Fracture and Contusion	23	–	–	–	1	–	–	–	1	4	1	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	33	10	4	4	7	–	2	–	–	–	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	2	1	2	3	1	1	–	–	–	–	–
Paralysis	2	2	1	1	4	–	3	–	3	2	1	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	2	1	1	2	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	2	1	2	2	4	1	7	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	2	3	4	4	4	2	3	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	1	3	1	1	1	1	1	1	–	–	–	–	–	–
Asthma	–	1	1	3	–	1	–	3	1	–	–	–	–	–	–	–
Lung Disease	1	1	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	1	–	–	1	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	1	2	–	3	–	2	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	914	68	46	74	94	43	20	17	38	29	36	36	56
SPECIFIED CAUSES	888	63	44	70	87	42	19	17	37	28	36	36	56
I. Zymotic Class	236	11	14	20	41	20	10	8	19	9	9	5	17
II. Diseases of Uncertain Seat	30	1	–	–	1	–	–	–	2	1	–	–	–
III. Tubercular Class	189	1	7	16	15	11	4	4	9	11	20	17	21
IV. Brain and Nervous System	52	8	2	2	3	1	–	–	2	1	3	–	3
V. Organs of Circulation	26	–	–	–	–	–	–	–	1	2	–	3	1
VI. Respiratory Organs	127	8	8	20	17	6	3	4	2	2	1	5	1
VII. Organs of Digestion	59	7	7	8	8	4	2	–	1	–	1	2	8
VIII. Urinary Organs	10	1	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	24	–	–	–	–	–	–	–	–	–	1	1	6
X. Organs of Locomotion	9	–	–	–	–	–	–	–	1	2	1	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	24	4	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	2	–	–	–	–	–	–	1	2
XV. Age	70	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	1	2	–	–	–	–	1	–	–	–	2	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	22	1	–	3	9	5	–	1	3	–	–	–	–
Scarlatina	28	1	–	3	4	4	5	3	7	1	–	–	–
Diphtheria	7	–	–	1	2	1	–	1	–	2	–	–	–
Hooping Cough	45	1	6	8	14	7	5	2	2	–	–	–	–
Croup	3	–	–	–	2	1	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	39	8	7	4	10	–	–	1	2	–	–	–	–
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	4	11
Typhus	65	–	–	–	–	–	–	–	2	5	5	–	–
Enteric Fever	5	–	–	–	–	1	–	–	2	1	1	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	6	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	2
Metria	5	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	2
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyœmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	2	–	–	–	1	–	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	17	1	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	1	1
III. Scrofula	20	1	2	3	2	1	–	3	–	2	1	–	–
Tabes Mesenterica	15	–	2	3	4	2	1	–	–	2	19	16	20
Phthisis	128	–	–	4	2	2	–	–	6	7	–	–	–
Hydrocephalus	26	–	3	6	7	3	3	1	3	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	29	45	21	38	25	38	34	34	32	13	8	1	1	–	–
SPECIFIED CAUSES	33	28	45	24	38	24	38	34	34	32	13	8	1	1	–	–
Zymotic Class	7	7	10	7	9	1	5	3	2	2	–	–	–	–	–	–
Uncertain Seat	1	5	5	2	3	2	2	2	–	3	–	–	–	–	–	–
Tubercular Class	14	8	12	4	6	4	4	–	1	–	–	–	–	–	–	–
Brain, etc.	1	–	2	2	3	3	6	4	1	2	2	1	–	–	–	–
Heart, etc.	2	–	3	–	3	4	3	1	1	2	–	–	–	–	–	–
Respiratory Organs	2	3	5	2	7	6	3	8	8	5	1	–	–	–	–	–
Digestive Organs	1	2	–	2	2	1	3	1	2	2	–	–	–	–	–	–
Urinary Organs	–	–	1	1	–	–	3	2	–	–	1	–	–	–	–	–
Generative Organs	5	6	4	–	2	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	11	18	16	9	6	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	2	1	1	–	–	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	2	–	–	2	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	9	4	7	1	3	3	2	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification	1	4	3	1	2	1	2	1	–	1	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	14	8	12	4	6	4	4	–	–	–	–	–	–	–	–	–
Phthisis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	90
IV. Cephalitis	3	–	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	17	–	–	–	–	–	–	–	1	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	2	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	8	1	–	3	1	–	–	1	–	–	–	–
Brain Disease	4	–	1	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	–	–	–	–	–	–	–	1	2	–	3	1
VI. Laryngitis	2	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	87	6	6	17	12	4	2	4	2	–	–	1	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	25	2	2	3	5	2	–	–	–	2	1	3	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	17	1	2	7	6	1	–	–	–	–	–	–	1
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	19	5	3	1	2	2	1	–	1	–	–	–	–
Peritonitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	1	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	2	–	–	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	1
Nephria	2	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	1	6
Childbirth	19	–	–	–	–	–	–	–	–	–	1	–	–
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	1
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	26	5	2	4	7	1	1	–	1	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	2	–	2	–	1	–	–	–	–	–	–
Paralysis	1	–	1	–	–	–	6	2	1	1	2	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	3	–	3	4	3	1	1	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	2	6	3	2	6	6	4	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	3	–	–	1	1	2	2	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Childbirth	5	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4858	457	175	296	430	171	109	81	165	92	130	167	177
Specified Causes	4829	448	174	293	428	170	108	81	165	91	130	166	175
I. Zymotic Class	1047	47	49	108	183	91	58	43	72	25	32	23	34
II. Diseases of Uncertain Seat	185	5	–	–	1	1	–	–	1	1	3	1	6
III. Tubercular Class	818	11	25	50	82	29	23	18	45	29	54	86	77
IV. Brain and Nervous System	470	42	6	15	22	9	6	2	13	4	5	6	8
V. Organs of Circulation	294	–	1	1	–	–	–	1	4	3	7	4	8
VI. Respiratory Organs	784	59	45	78	90	25	13	9	12	6	6	14	15
VII. Organs of Digestion	343	37	18	26	36	7	1	1	4	7	9	13	6
VIII. Urinary Organs	82	–	–	1	1	–	1	3	1	2	2	5	3
IX. Organs of Generation	40	–	–	–	–	–	–	–	–	–	1	4	6
X. Organs of Locomotion	46	–	1	–	–	–	–	2	6	6	6	1	2
XI. Skin, etc.	8	3	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	23	20	1	1	–	–	–	–	1	–	–	–	–
XIII. Premature Debility	224	195	17	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	34	–	–	–	8	5	3	–	1	–	–	–	–
XV. Age	249	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	2	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	178	27	10	1	5	2	3	2	5	8	5	9	10
I. Small Pox	13	2	2	–	2	–	1	–	–	–	1	2	–
Measles	110	–	4	18	46	20	8	8	5	–	–	–	1
Scarlatina	115	–	3	7	18	14	15	14	33	6	–	–	–
Diphtheria	30	1	1	5	7	4	–	4	7	–	–	–	–
Hooping Cough	155	1	12	41	43	25	21	6	5	1	–	–	–
Croup	43	3	2	2	15	15	4	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	152	26	18	25	35	3	1	–	–	1	2	1	–
Dysentery	21	–	–	1	–	–	–	1	–	–	1	–	–
Cholera	16	2	2	3	2	1	–	–	–	1	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	12
Typhus	166	–	–	–	–	–	–	2	5	6	9	13	8
Enteric Fever	79	–	1	2	2	3	4	5	9	6	7	3	1
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	–	2
Simple Continued Fever	54	–	–	–	3	3	1	2	6	2	5	3	–
Infantile Remittent	11	–	1	–	4	3	3	–	–	–	–	–	6
Metria	14	–	–	–	–	–	–	–	–	–	3	1	1
Rheumatic Fever	11	–	–	–	–	–	–	–	1	1	2	–	–
Erysipelas	24	6	–	1	1	–	–	–	–	1	2	–	1
Pyæmia	4	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	22	6	3	3	5	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	3	–	–	–	–	–	–	–	1	–	–	–
Dropsy	20	2	–	–	1	1	–	–	–	–	–	–	2
Abscess	16	–	–	–	–	–	–	–	–	–	1	1	–
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	–	–	–	–	–	–	–	1	–	–	–	3
Cancer	122	–	–	–	–	–	–	–	–	–	2	–	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	54	–	2	3	8	5	3	1	8	5	5	4	1
Tabes Mesenterica	77	2	6	8	30	7	7	4	7	4	–	–	1
Phthisis	539	2	2	3	7	2	2	5	18	15	49	81	75
Hydrocephalus	148	7	15	36	37	15	11	8	12	5	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	209	221	210	220	221	205	261	240	227	179	146	44	15	5	–	5
Specified Causes	209	221	210	220	216	204	259	240	227	179	146	44	15	5	–	5
Zymotic Class	41	28	30	31	33	27	40	20	18	7	5	1	1	–	–	–
Uncertain Seat	6	12	14	12	18	25	13	26	16	11	6	4	2	–	–	1
Tubercular Class	69	61	51	44	27	16	12	7	1	–	–	1	–	–	–	–
Brain, etc.	12	30	23	26	22	32	37	39	46	36	23	5	1	–	–	–
Heart, etc.	14	19	23	28	32	31	35	30	22	20	10	1	–	–	–	–
Respiratory Organs	22	20	28	32	40	31	74	57	50	31	21	6	–	–	–	–
Digestive Organs	11	20	13	22	19	22	18	18	19	10	4	1	–	–	–	1
Urinary Organs	6	5	7	8	7	7	6	3	4	6	1	2	–	–	–	1
Generative Organs	6	8	6	3	2	1	3	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	6	1	2	4	–	3	1	1	2	–	–	–	–	–	–
Skin	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	2	8	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	32	46	49	73	21	11	5	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	19	11	12	10	4	6	6	6	4	7	2	2	–	–	–	2
Small Pox	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	4	4	2	8	4	4	3	5	1	1	–	–	–
Dysentery	1	1	–	–	1	4	3	–	5	3	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	13	18	17	17	12	13	4	4	–	–	–	–	–	–	–
Enteric Fever	3	4	3	4	3	3	4	3	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	6	1	3	1	2	1	5	6	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	3	2	4	1	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Dropsy	–	–	1	1	–	1	–	3	3	4	3	–	–	–	–	–
Abscess	2	1	3	1	1	1	1	2	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	–	2	1	–	1	3	1	–	–	–
Cancer	4	10	10	10	15	21	10	18	9	6	2	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Scrofula	5	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	63	61	50	43	26	16	10	7	1	–	–	1	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	31	2	2	3	2	–	1	–	5	2	1	1	3
Apoplexy	86	–	–	1	1	1	1	–	1	–	–	2	1
Paralysis	150	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	26	–	–	–	–	–	–	–	–	1	1	1	–
Tetanus	3	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	68	34	3	9	15	2	2	1	2	–	–	–	–
Brain Disease	89	4	1	2	4	6	2	1	5	1	3	–	2
V. Pericarditis	5	–	–	–	–	–	–	–	3	–	–	–	1
Aneurism	25	–	–	–	–	–	–	–	1	–	–	–	1
Heart Disease	264	–	1	1	–	–	–	1	–	8	7	4	6
VI. Laryngitis	14	1	2	3	3	–	1	–	–	–	–	1	–
Bronchitis	562	46	36	64	77	22	7	8	6	5	3	1	7
Pleurisy	25	–	–	–	–	1	1	–	–	–	1	2	1
Pneumonia	111	7	6	10	9	2	4	1	5	–	1	7	4
Asthma	34	–	–	–	–	–	–	–	–	1	–	–	1
Lung Disease	38	5	1	1	1	–	–	–	1	–	1	3	2
VII. Teething	38	–	2	12	21	3	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	–	–	–	–	–	1	–	–
Gastritis	6	–	–	1	1	–	–	–	–	–	–	–	–
Enteritis	43	13	6	5	5	1	–	–	1	1	1	1	–
Peritonitis	30	5	–	–	–	–	1	–	–	1	3	7	2
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	26	1	–	1	–	1	–	–	–	3	–	1	1
Hernia	9	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	12	2	–	–	–	1	–	–	–	1	1	–	–
Intussusception	3	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	75	8	10	6	6	–	–	–	1	–	–	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	9	4	–	–	1	–	–	–	–	–	–	1	3
Liver Disease	75	4	–	1	1	–	–	1	2	1	1	–	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	6	–	–	1	1	–	–	–	–	–	–	1	–
Nephria	29	–	–	–	–	–	1	3	–	1	1	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	6	–	–	–	–	–	–	–	–	1	1	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	2
Kidney Disease	26	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	1	1	–
Childbirth	25	–	–	–	–	–	–	–	–	–	–	3	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	17	–	–	–	–	–	–	2	2	2	3	–	2
Rheumatism	7	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	22	–	1	–	–	–	–	–	4	4	2	1	–
XI. Carbuncle	4	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	1	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	23	18	5	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	22	1	1	–	4	2	2	1	3	2	2	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	2	2	–	–	–	–	–	1	–	–	–	–
Drowning	4	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	70	–	–	–	–	–	1	1	1	2	2	8	7
Gunshot Wounds	2	–	–	–	–	–	–	–	–	2	–	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	25	6	–	–	1	–	–	–	–	2	1	1	3
Not Specified	29	9	1	8	2	1	1	–	–	1	–	1	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	2	3	–	–	1	1	–	–	–	–	–	–	–	–
Apoplexy	4	6	2	3	8	8	8	8	16	7	6	2	–	–	–	–
Paralysis	1	4	8	9	11	15	15	22	24	21	15	2	1	–	–	–
Delirium Tremens	2	4	2	2	1	–	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	4	–	1	3	1	3	2	3	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	10	5	9	1	5	9	5	4	5	2	1	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	3	4	4	2	3	5	–	–	–	–	–	–	–	–	–
Heart Disease	11	16	19	24	30	28	30	30	22	20	10	1	–	–	–	–
Laryngitis	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	10	9	13	20	22	24	53	44	38	24	18	5	–	–	–	–
Pleurisy	1	1	2	2	4	–	4	2	1	2	–	–	–	–	–	–
Pneumonia	6	4	7	7	7	5	5	5	3	4	2	–	–	–	–	–
Asthma	3	1	1	1	4	2	8	4	7	1	–	–	–	–	–	–
Lung Disease	1	5	4	2	3	–	3	2	1	–	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Enteritis	2	1	1	2	–	–	–	–	2	1	–	–	–	–	–	–
Peritonitis	1	4	1	4	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	2	2	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	4	–	2	1	4	–	6	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	2	1	–	3	–	–	1	–	–	–	–
Ileus	–	–	–	1	1	–	–	2	1	1	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	4	4	5	4	2	4	4	6	5	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	4	5	5	5	6	9	10	6	7	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	2	3	2	3	1	1	4	1	1	1	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	2	1	1	2	–	1	–	–	–	–
Stricture of Urethra	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	3	3	3	4	–	1	2	2	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Childbirth	4	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	–	2	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	2	–	–	–	–	2	–	–	–	–	–	–
Joint Disease	2	3	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Intemperance	1	3	1	2	–	1	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Fracture and Contusion	13	4	6	2	1	4	3	4	2	5	2	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	3	1	–	1	1	2	1	–	–	–	–	–	–
Not Specified	–	–	–	–	5	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2412	249	100	151	226	102	64	37	81	46	69	84	90
SPECIFIED CAUSES	2397	246	99	151	225	102	63	37	81	45	69	84	89
I. Zymotic Class	508	26	27	53	100	54	34	15	27	13	16	10	18
II. Diseases of Uncertain Seat	77	4	–	–	–	1	–	–	1	–	1	1	2
III. Tubercular Class	437	7	18	26	45	17	18	12	26	9	26	44	36
IV. Brain and Nervous System	239	26	2	11	12	3	1	1	7	2	3	1	5
V. Organs of Circulation	143	–	1	1	–	–	–	1	2	1	3	1	2
VI. Respiratory Organs	390	33	25	38	41	18	10	5	8	3	6	10	9
VII. Organs of Digestion	186	20	9	13	20	4	1	1	3	6	4	6	4
VIII. Urinary Organs	53	–	–	1	1	–	1	–	1	1	–	3	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	24	–	–	–	–	–	–	–	3	3	6	–	1
XI. Skin, etc.	2	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	11	9	–	1	–	–	–	–	1	–	–	–	–
XIII. Premature Debility	117	98	12	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	5	4	–	–	–	–	–	–	–
XV. Age	79	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	2	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	112	19	4	–	1	1	3	2	2	7	4	8	8
I. Small Pox	7	1	1	–	1	–	1	–	–	–	–	1	–
Measles	65	–	1	11	31	10	5	3	4	–	–	–	–
Scarlatina	62	–	1	3	10	8	11	6	18	4	–	–	–
Diphtheria	10	1	1	2	1	2	–	1	1	–	–	–	–
Hooping Cough	76	–	5	24	19	13	11	3	1	–	–	–	–
Croup	27	3	1	1	8	11	3	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	71	16	13	9	21	1	–	–	–	–	1	1	1
Dysentery	8	–	–	1	–	–	–	–	–	–	1	–	–
Cholera	5	1	1	–	1	1	–	–	–	1	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	88	–	–	–	–	–	–	1	1	4	7	7	9
Enteric Fever	31	–	1	–	1	3	–	–	1	2	3	–	4
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	19	–	–	–	2	3	–	1	1	1	2	1	–
Infantile Remittent	7	–	–	–	2	2	3	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	10	2	–	–	–	–	–	–	–	1	1	–	1
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	12	2	2	2	3	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	2	–	–	–	1	–	–	–	–	–	1	1
Abscess	7	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	–	–	–	1	–	–	–	1
Cancer	43	–	–	–	–	–	–	–	–	–	1	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	30	–	2	1	5	3	1	1	5	2	2	1	1
Tabes Mesenterica	48	2	4	6	15	5	4	2	2	1	–	–	1
Phthisis	279	–	1	2	4	–	1	4	11	4	24	48	86
Hydrocephalus	85	5	11	17	21	9	7	5	8	2	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
ALL CAUSES	122	115	111	118	114	93	120	102	87	58	54	15	3	–	–	1
SPECIFIED CAUSES	122	115	111	118	110	92	118	102	87	58	54	15	3	–	–	1
Zymotic Class	19	15	15	13	12	17	13	2	6	–	2	–	1	–	–	–
Uncertain Seat	1	3	4	5	7	8	5	13	9	6	3	3	–	–	–	–
Tubercular Class	41	28	25	23	15	11	8	4	–	–	–	1	–	–	–	–
Brain, etc.	8	20	18	17	15	13	15	18	18	12	9	2	–	–	–	–
Heart, etc.	9	15	10	19	12	11	18	17	7	9	3	1	–	–	–	–
Respiratory Organs	14	10	16	15	21	13	35	22	19	11	7	1	–	–	–	–
Digestive Organs	7	12	8	15	13	11	10	10	6	3	–	–	–	–	–	–
Urinary Organs	6	3	5	6	4	4	5	3	2	2	1	2	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	1	–	3	–	2	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	9	18	12	29	5	2	–	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	16	6	8	5	4	2	3	3	2	3	–	–	–	–	–	1
Small Pox	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	1	2	–	1	–	2	–	1	–	–	–
Dysentery	1	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	6	11	8	7	8	4	–	2	–	–	–	–	–	–	–
Enteric Fever	2	2	2	3	2	1	2	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	–	–	1	1	2	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	–	–	–	3	4	2	–	–	–	–	–
Abscess	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	–	1	2	–	–	–	–
Cancer	1	3	2	3	5	7	4	9	5	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	38	28	24	23	14	11	6	4	–	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER: MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	15	1	–	3	2	–	–	–	1	–	1	–	1
Apoplexy	45	–	–	1	1	–	1	–	1	–	–	–	1
Paralysis	61	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	15	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	39	22	1	5	8	1	–	–	2	–	–	–	–
Brain Disease	48	2	1	2	1	2	–	1	3	1	1	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	20	–	–	–	–	–	–	–	1	–	–	–	1
Heart Disease	121	–	1	1	–	–	–	1	–	1	3	1	1
VI. Laryngitis	8	1	2	1	3	–	1	–	–	–	–	–	–
Bronchitis	267	28	21	31	37	16	6	5	4	2	3	–	3
Pleurisy	17	–	–	–	–	–	–	–	–	–	1	1	1
Pneumonia	59	2	1	5	1	2	3	–	4	–	1	7	2
Asthma	16	–	–	–	–	–	–	–	–	1	–	–	1
Lung Disease	23	2	1	1	–	–	–	–	–	–	1	2	2
VII. Teething	17	–	1	4	10	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	5	–	–	1	1	–	–	–	–	–	–	–	–
Enteritis	23	6	2	4	1	–	–	–	1	1	–	1	–
Peritonitis	12	3	–	–	–	–	1	–	–	1	–	2	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	20	1	–	1	–	–	–	–	–	3	–	1	1
Hernia	3	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	6	2	–	–	–	1	–	–	–	–	1	–	–
Intussusception	2	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	37	3	6	3	5	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	4	2	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	46	3	–	–	1	–	–	1	1	1	1	1	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	3	–	–	1	1	–	–	–	–	–	–	–	–
Nephria	14	–	–	–	–	–	1	–	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	1	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	2
Kidney Disease	18	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	8	–	–	–	–	–	–	–	–	1	3	–	1
Rheumatism	4	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	12	–	–	–	–	–	–	–	3	2	2	–	–
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	17	15	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	1	1	–	1	1	2	1	–	1	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	–	–	–	–	–	1	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	6
Fracture and Contusion	51	–	–	–	–	–	1	1	1	2	2	7	–
Gunshot Wounds	2	–	–	–	–	1	–	–	–	2	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	2
Other Violent Causes	15	3	–	–	–	–	–	–	–	2	1	1	–
Not Specified	15	3	1	–	1	–	1	–	–	1	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	3	4	2	2	3	5	2	4	9	2	3	1	–	–	–	–
Paralysis	–	3	5	6	9	4	7	8	7	6	4	1	–	–	–	–
Delirium Tremens	2	3	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	3	–	1	2	–	1	2	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	4	5	1	1	4	4	–	3	2	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	3	3	3	2	1	4	–	–	–	–	–	–	–	–	–
Heart Disease	6	12	7	16	10	10	14	17	7	9	3	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	3	6	8	10	10	24	16	14	8	6	1	–	–	–	–
Pleurisy	1	1	2	2	2	–	3	1	1	1	–	–	–	–	–	–
Pneumonia	6	2	4	3	5	2	4	2	1	1	1	–	–	–	–	–
Asthma	2	–	1	–	2	1	4	1	2	1	–	–	–	–	–	–
Lung Disease	–	4	3	2	2	–	–	2	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	1	1	2	–	–	–	–	1	1	–	–	–	–	–	–
Peritonitis	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	2	1	3	–	5	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	2	3	2	1	3	2	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	5	3	3	5	5	5	2	2	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	2	1	2	–	–	3	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	2	1	1	2	–	1	–	–	–	–
Stricture of Urethra	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	3	3	1	2	–	1	1	–	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	12	4	5	2	1	1	1	1	1	3	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Not Specified	–	–	–	–	4	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2446	208	75	145	204	69	45	44	84	46	61	83	87
SPECIFIED CAUSES	2432	202	75	142	203	68	45	44	84	46	61	82	86
I. Zymotic Class	539	21	22	55	83	37	24	28	45	12	16	13	16
II. Diseases of Uncertain Seat	108	1	–	–	1	–	–	–	–	1	2	–	4
III. Tubercular Class	381	4	7	24	37	12	10	6	19	20	28	42	39
IV. Brain and Nervous System	231	16	4	4	10	6	5	1	6	2	2	5	3
V. Organs of Circulation	151	–	–	–	–	–	–	–	2	2	4	3	6
VI. Respiratory Organs	391	26	20	40	49	7	3	4	4	3	–	4	6
VII. Organs of Digestion	157	17	9	13	16	3	–	–	1	1	5	7	2
VIII. Urinary Organs	29	–	–	–	–	–	–	3	–	1	2	2	1
IX. Organs of Generation	40	–	–	–	–	–	–	–	–	–	1	4	6
X. Organs of Locomotion	22	–	1	–	–	–	–	2	3	3	–	1	1
XI. Skin, etc.	6	1	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	12	11	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	107	97	5	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	3	1	3	–	1	–	–	–	–
XV. Age	170	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	66	8	6	1	4	1	–	–	3	1	1	1	2
I. Small Pox	6	1	1	–	1	–	–	–	–	–	1	1	–
Measles	45	–	3	7	15	10	3	5	1	–	–	–	1
Scarlatina	53	–	2	4	8	6	4	8	15	2	–	–	–
Diphtheria	20	–	–	3	6	2	–	3	6	–	–	–	–
Hooping Cough	79	1	7	17	24	12	10	3	4	1	–	–	–
Croup	16	–	1	1	7	4	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	81	10	5	16	14	2	1	–	–	1	1	–	–
Dysentery	13	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	11	1	1	3	1	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	78	–	–	–	–	–	–	1	4	2	2	6	3
Enteric Fever	48	–	–	2	1	–	4	5	8	4	4	3	4
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	35	–	–	–	1	–	1	1	5	1	3	2	2
Infantile Remittent	4	–	1	–	2	1	–	–	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	3	1	6
Rheumatic Fever	7	–	–	–	–	–	–	–	1	1	1	–	–
Erysipelas	14	4	–	1	1	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	4	1	1	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	–	–	–	–	–	–	1	–	–	–
Dropsy	7	–	–	–	1	–	–	–	–	–	–	–	1
Abscess	9	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	2
Cancer	79	–	–	–	–	–	–	–	–	–	1	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	24	–	–	2	3	2	2	–	3	3	3	3	–
Tabes Mesenterica	34	–	2	2	15	2	3	2	5	3	–	–	39
Phthisis	260	2	1	1	3	2	1	1	7	11	25	38	–
Hydrocephalus	63	2	4	10	16	6	4	3	4	3	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	87	106	99	102	107	112	141	138	140	121	92	29	12	5	–	4
SPECIFIED CAUSES	87	106	99	102	106	112	141	138	140	121	92	29	12	5	–	4
Zymotic Class	22	13	15	18	21	10	27	18	12	7	3	1	–	–	–	–
Uncertain Seat	5	9	10	7	11	17	8	13	7	5	3	1	2	–	–	1
Tubercular Class	28	33	26	21	12	5	4	3	1	–	–	–	–	–	–	–
Brain, etc.	4	10	5	9	7	19	22	21	28	24	14	3	1	–	–	–
Heart, etc.	5	4	13	9	20	20	17	13	15	11	7	–	–	–	–	–
Respiratory Organs	8	10	12	17	19	18	39	35	31	20	14	5	–	–	–	–
Digestive Organs	4	8	5	7	6	11	8	8	13	7	4	1	–	–	–	1
Urinary Organs	–	2	2	2	3	3	1	–	2	4	–	–	–	–	–	1
Generative Organs	6	8	6	3	2	1	3	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	–	2	1	–	1	–	1	2	–	–	–	–	–	–
Skin	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	2	4	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	23	28	37	44	16	9	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	5	4	5	–	4	3	3	2	4	2	2	–	–	–	1
Small Pox	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	4	3	1	6	4	3	3	3	1	–	–	–	–
Dysentery	–	–	–	–	1	2	2	–	4	3	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	7	7	9	10	4	9	4	2	–	–	–	–	–	–	–
Enteric Fever	1	2	1	1	1	2	2	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	5	–	3	1	1	–	3	5	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	1	1	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Dropsy	–	–	1	–	–	1	–	3	–	–	1	–	–	–	–	–
Abscess	2	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	1	1	–	–	1	1	–	–	–
Cancer	3	7	8	7	10	14	6	9	4	4	2	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	25	33	26	20	12	5	4	3	1	–	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	16	1	2	–	–	–	1	–	4	2	–	1	2
Apoplexy	41	–	–	–	–	1	–	–	–	–	–	2	–
Paralysis	89	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	12	2	4	7	1	2	1	–	–	–	–	–
Brain Disease	41	2	–	–	3	4	2	–	2	–	2	–	1
V. Pericarditis	3	–	–	–	–	–	–	–	2	–	–	–	1
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	143	–	–	–	–	–	–	–	–	2	4	3	5
VI. Laryngitis	6	–	–	2	–	–	–	–	–	–	–	1	–
Bronchitis	295	18	15	33	40	6	1	3	2	3	–	1	4
Pleurisy	8	–	–	–	–	1	1	–	–	–	–	1	–
Pneumonia	52	5	5	5	8	–	1	1	1	–	–	–	2
Asthma	18	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	15	3	–	–	1	–	–	–	1	–	–	1	–
VII. Teething	21	–	1	8	11	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	1	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	20	7	4	1	4	1	–	–	–	–	1	–	–
Peritonitis	18	2	–	–	–	–	–	–	–	–	8	5	1
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	38	5	4	3	1	–	–	–	–	–	–	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	29	1	–	1	–	–	–	–	1	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	3	–	–	–	–	–	–	–	–	–	–	1	1
Nephria	15	–	–	–	–	–	–	3	–	1	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	1	1	–
Childbirth	25	–	–	–	–	–	–	–	–	–	–	3	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	9	–	–	–	–	–	–	2	2	1	–	–	1
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	10	–	1	–	–	–	–	–	1	2	–	1	–
XI. Carbuncle	3	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	3	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	–	3	1	–	–	3	1	1	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	2	1	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	–	–	–	–	–	–	1	1
Fracture and Contusion	19	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	10	3	–	–	1	–	–	–	–	–	–	–	–
Not Specified	14	6	–	3	1	1	–	–	–	–	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	–	1	5	3	6	4	7	5	3	1	–	–	–	–
Paralysis	1	1	3	3	2	11	8	14	17	15	11	1	1	–	–	–
Delirium Tremens	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	–	–	1	1	2	–	2	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	4	–	4	5	1	4	2	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Heart Disease	5	4	12	8	20	18	16	13	15	11	7	–	–	–	–	–
Laryngitis	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	5	6	7	12	12	14	29	28	24	16	12	4	–	–	–	–
Pleurisy	–	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–
Pneumonia	–	2	3	4	2	3	1	3	2	3	1	–	–	–	–	–
Asthma	1	1	–	1	2	1	4	3	5	–	–	–	–	–	–	–
Lung Disease	1	1	1	–	1	–	3	–	–	–	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	1	3	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	2	–	–	2	–	–	1	–	–	–	–
Ileus	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	2	2	2	1	1	2	4	5	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Liver Disease	1	–	2	2	1	4	5	4	5	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	1	1	1	1	1	1	–	1	1	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	2	2	–	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Childbirth	4	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
Joint Disease	1	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Intemperance	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	1	–	–	3	2	3	1	2	2	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	3	–	–	–	–	1	1	–	–	–	–	–	–
Not Specified	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	3000	342	135	254	338	120	79	57	136	78	96	128	130
SPECIFIED CAUSES	2872	321	119	242	318	117	76	56	125	74	92	122	123
I. Zymotic Class	860	55	44	102	177	64	43	32	61	24	22	32	28
II. Diseases of Uncertain Seat	82	1	4	2	5	2	1	1	1	1	–	1	3
III. Tubercular Class	473	3	10	32	46	13	14	11	23	19	44	58	53
IV. Brain and Nervous System	207	31	9	12	9	5	2	2	5	4	3	3	3
V. Organs of Circulation	150	–	–	–	–	–	–	–	3	2	4	4	3
VI. Respiratory Organs	391	40	27	45	40	25	10	6	11	4	2	5	9
VII. Organs of Digestion	184	16	8	34	33	1	3	2	2	3	1	6	4
VIII. Urinary Organs	31	1	1	–	–	1	1	–	1	–	–	1	9
IX. Organs of Generation	26	–	–	–	–	–	–	–	–	–	4	3	3
X. Organs of Locomotion	5	–	–	–	–	–	–	–	2	2	–	–	–
XI. Skin, etc.	4	1	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	9	6	1	1	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	181	158	10	13	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	5	2	–	–	1	–	1	–	–
XV. Age	131	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	13	3	3	–	–	1	–	–	–	–	–	–	–
XVII. Violent Deaths	106	6	1	1	2	3	2	1	15	15	11	9	8
I. Small Pox	6	–	2	–	–	1	2	–	–	–	–	–	1
Measles	166	6	3	29	86	23	9	2	6	1	–	1	–
Scarlatina	69	–	2	6	12	8	11	7	17	5	–	–	–
Diphtheria	25	–	2	2	3	9	2	1	4	1	–	1	–
Hooping Cough	94	6	10	27	26	9	4	7	5	–	–	–	–
Croup	45	5	4	7	13	6	4	2	4	–	–	–	–
Thrush	4	3	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	78	17	8	16	17	1	3	–	1	1	–	–	–
Dysentery	33	3	2	6	5	3	2	1	–	–	–	–	–
Cholera	21	6	3	5	3	–	–	1	1	–	–	–	–
Influenza	7	–	–	–	–	–	–	1	–	–	–	–	1
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	3	–	–	–	–	–	–	1	1	–	–	–	–
Worms	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus	210	1	2	–	5	3	4	5	8	11	18	24	18
Enteric Fever	24	–	–	–	1	–	1	1	2	5	3	4	2
Relapsing Fever	9	–	–	–	–	1	1	–	3	–	1	–	–
Simple Continued Fever	31	1	–	1	2	–	–	2	8	–	–	1	2
Infantile Remittent	5	–	–	2	3	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	6	3	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	4	4	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	1	1	–	–	–	–	–	–	–	1	1
Dropsy	32	–	1	–	5	2	1	1	1	1	–	–	–
Abscess	2	–	1	1	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	1	–	–	–	–	–	–	–	–	–	2
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	1	4	–	1	1	1	–	1	4	–
Tabes Mesenterica	16	–	1	5	2	1	1	3	2	1	–	–	–
Phthisis	368	–	4	6	19	5	6	2	18	17	43	54	53
Hydrocephalus	75	8	5	20	21	7	6	5	7	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	116	126	127	108	109	94	118	92	82	65	46	15	6	3	–	5
Specified Causes	115	125	122	107	104	90	115	92	82	65	46	15	6	3	–	–
Zymotic Class	24	32	26	24	17	17	14	9	6	4	2	1	–	–	–	–
Uncertain Seat	2	5	8	9	10	4	5	9	6	1	1	–	–	–	–	–
Tubercular Class	43	29	28	22	12	8	3	1	1	–	–	–	–	–	–	–
Brain, etc.	7	6	6	12	10	13	26	13	7	11	5	2	1	–	–	–
Heart, etc.	10	13	13	15	14	14	21	13	10	9	1	–	–	–	–	–
Respiratory Organs	13	18	18	9	21	17	23	20	14	7	6	1	–	–	–	–
Digestive Organs	6	10	9	7	9	9	6	10	2	3	–	–	–	–	–	–
Urinary Organs	1	1	3	4	–	2	1	1	–	2	1	–	–	–	–	–
Generative Organs	6	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	1	4	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	13	32	28	29	11	5	3	–	–
Sudden Deaths	–	2	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Violent Deaths	2	2	7	4	5	2	5	2	2	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	1	–	1	4	1	1	1	–	1	1	–	–	–	–
Dysentery	2	1	–	–	1	–	–	3	1	3	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	2	–	–	1	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	27	20	21	7	9	8	3	1	1	–	–	–	–	–	–
Enteric Fever	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	2	3	3	–	1	2	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	–	2	2	1	2	3	3	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	–	3	7	7	8	3	3	5	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	42	29	28	22	12	8	3	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	1	–	–	1	1	1	–	2	2	1	–	1
Apoplexy	37	–	–	–	–	1	–	–	–	–	–	–	1
Paralysis	65	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	1	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	63	30	8	11	8	3	1	–	2	–	–	–	–
Brain Disease	16	–	1	1	–	–	–	2	1	1	2	1	–
V. Pericarditis	4	–	–	–	–	–	–	–	1	–	–	1	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	144	–	–	–	1	–	–	–	2	2	4	3	3
VI. Laryngitis	7	–	2	–	–	–	–	1	1	–	–	1	–
Bronchitis	245	31	18	34	26	23	8	5	5	1	–	3	6
Pleurisy	3	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	89	7	6	11	13	2	2	–	5	2	2	1	1
Asthma	37	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	10	2	1	–	–	–	–	–	–	1	–	–	1
VII. Teething	65	–	3	32	30	–	–	–	–	–	–	–	–
Quinsey	5	3	–	–	1	–	1	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	18	5	1	2	1	1	–	2	–	1	1	–	1
Peritonitis	6	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	8	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	10	1	–	–	–	–	–	–	–	–	–	1	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	27	2	1	–	1	–	1	–	1	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	12	5	2	–	–	–	–	–	–	–	–	–	1
Liver Disease	21	–	–	–	–	–	1	–	1	–	–	2	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	16	–	1	–	–	1	1	–	–	–	–	1	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	4
Kidney Disease	9	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	25	–	–	–	–	–	–	–	–	–	3	3	3
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	2	1	–	–	–
XI. Carbuncle	3	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	5	–	–	–	–	2	–	–	1	–	–	1	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	4	1	–
Suffocation	23	1	1	–	–	–	–	–	2	10	1	3	1
Drowning	9	–	–	–	2	–	–	1	–	–	1	2	5
Fracture and Contusion	38	–	–	–	–	1	1	–	7	3	4	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	9	–	–	–	–	–	–	–	1	2	–	1	1
Other Violent Causes	10	2	–	–	–	–	–	–	4	–	2	–	–
Not Specified	128	21	16	12	20	8	8	1	11	4	4	1	7

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Apoplexy	–	1	3	5	5	4	8	6	2	1	–	–	–	–	–	–
Paralysis	5	3	1	3	4	7	16	6	4	9	4	2	1	–	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	1	–	1	1	1	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	13	12	15	14	13	19	13	10	9	1	–	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	8	5	6	10	8	10	10	11	5	5	1	–	–	–	–
Pleurisy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	4	7	9	1	4	2	5	2	1	1	1	–	–	–	–	–
Asthma	–	1	3	1	7	6	7	8	2	1	–	–	–	–	–	–
Lung Disease	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	3	–	1	–	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	2	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	5	–	2	4	2	3	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Liver Disease	1	4	1	1	2	3	2	2	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	5	2	1	–	2	1	1	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	5	1	5	4	3	–	–	–	–	–	–	–	–	5

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1492	192	72	128	178	62	44	29	76	41	48	48	63
SPECIFIED CAUSES	1431	184	64	121	170	61	42	29	69	38	44	47	59
I. Zymotic Class	458	31	26	51	98	39	22	17	31	10	8	14	13
II. Diseases of Uncertain Seat	27	1	1	–	1	2	–	1	1	1	–	–	1
III. Tubercular Class	241	3	7	19	25	5	8	6	13	12	22	21	25
IV. Brain and Nervous System	99	17	6	5	6	2	2	1	2	2	2	1	–
V. Organs of Circulation	64	–	–	–	1	–	–	–	3	2	1	–	1
VI. Respiratory Organs	192	29	13	24	20	9	6	2	5	–	2	1	4
VII. Organs of Digestion	79	8	5	16	14	1	2	–	1	–	1	2	1
VIII. Urinary Organs	21	1	1	–	–	–	1	–	1	–	–	–	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	2	–	–	–
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	94	87	2	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	3	1	–	–	–	–	–	–	–
XV. Age	51	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	1	1	–	–	1	–	–	–	–	–	–	–
XVII. Violent Deaths	79	3	1	1	2	1	1	1	11	9	8	8	7
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	89	3	1	15	47	14	6	1	1	1	–	–	–
Scarlatina	37	–	–	4	6	5	5	4	9	3	–	–	–
Diphtheria	10	–	1	–	2	5	1	1	–	–	–	–	–
Hooping Cough	50	3	5	12	14	6	3	3	4	–	–	–	–
Croup	27	2	2	3	10	4	3	–	3	–	–	–	–
Thrush	4	3	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	43	11	5	10	5	1	2	–	–	–	–	–	–
Dysentery	17	2	1	4	2	2	–	1	–	–	–	–	–
Cholera	15	5	3	2	3	–	–	–	1	–	–	–	–
Influenza	3	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	2	–	–	–	–	–	–	1	1	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	109	–	2	–	3	2	2	3	3	2	8	11	10
Enteric Fever	11	–	–	–	1	–	–	–	1	4	–	2	1
Relapsing Fever	4	–	–	–	–	–	–	–	3	–	–	–	–
Simple Continued Fever	22	–	–	1	2	–	–	2	4	–	–	1	2
Infantile Remittent	3	–	–	–	3	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	–	4	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	1	2	–	1	1	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	1	1	–	1	1	–	–	1	1	–
Tabes Mesenterica	13	–	–	5	2	1	–	3	1	1	–	–	25
Phthisis	179	–	4	3	8	3	3	–	8	10	21	20	–
Hydrocephalus	42	3	3	10	14	1	4	2	4	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	51	61	64	47	52	41	64	40	36	27	18	5	2	–	–	3
SPECIFIED CAUSES	51	61	63	47	51	39	63	40	36	27	18	5	2	–	–	–
Zymotic Class	13	18	15	12	11	8	9	6	3	2	1	–	–	–	–	–
Uncertain Seat	–	1	2	3	3	–	2	3	2	1	1	–	–	–	–	–
Tubercular Class	21	15	14	9	7	7	2	–	–	–	–	–	–	–	–	–
Brain, etc.	3	5	2	5	5	5	11	4	4	6	3	–	–	–	–	–
Heart, etc.	2	9	6	4	7	5	8	5	5	5	–	–	–	–	–	–
Respiratory Organs	5	5	13	6	10	5	15	11	3	2	1	1	–	–	–	–
Digestive Organs	3	6	3	3	2	3	3	3	1	1	–	–	–	–	–	–
Urinary Organs	1	–	3	1	–	1	–	1	–	2	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	5	14	8	11	4	2	–	–	–
Sudden Deaths	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Violent Deaths	2	2	5	4	3	2	5	1	2	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	–	1	2	1	1	–	–	1	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	15	12	10	4	5	4	1	1	1	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	2	1	2	–	–	2	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	1	–	1	1	1	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	1	2	2	–	1	1	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	15	14	9	7	7	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	1	1	1	–	–	–	–	–	–
Apoplexy	18	–	–	–	–	1	–	–	–	–	–	–	–
Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	34	17	5	5	5	–	1	–	1	–	–	–	–
Brain Disease	11	–	1	–	–	–	–	1	1	1	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	61	–	–	–	1	–	–	–	2	2	1	–	–
VI. Laryngitis	5	–	2	–	–	–	–	–	1	–	–	1	–
Bronchitis	112	23	7	19	12	9	4	2	2	–	–	–	8
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	50	5	3	5	8	–	2	–	2	–	2	–	1
Asthma	18	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	1	1	–	–	–	–	–	–	–	–	–	–
VII. Teething	30	–	2	15	13	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	4	–	1	–	1	–	–	–	–	1	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	3	2	–	–	–	–	–	–	–	–	1	–
Liver Disease	9	–	–	–	–	–	1	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	8
Nephria	8	–	1	–	–	–	1	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	8
Kidney Disease	7	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	1	1	–	–	–	–	–	1	4	2	1	1
Drowning	9	–	–	–	2	–	–	1	–	–	1	3	1
Fracture and Contusion	30	–	–	–	–	1	–	–	5	3	3	2	5
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	9	–	–	–	–	–	–	–	1	2	–	1	–
Other Violent Causes	9	2	–	–	–	–	–	–	8	–	2	1	1
Not Specified	61	8	8	7	8	1	2	–	7	8	4	1	4

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Apoplexy	–	1	1	2	3	2	3	3	1	1	–	–	–	–	–	–
Paralysis	2	3	1	–	2	1	6	1	2	4	2	–	–	–	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	9	5	4	7	4	8	5	5	5	–	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	2	4	4	3	5	6	2	1	1	1	–	–	–	–
Pleurisy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	3	8	–	3	–	5	1	–	–	–	–	–	–	–	–
Asthma	–	–	2	1	3	2	4	4	1	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	2	–	–	2	–	2	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	2	1	–	2	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1508	150	63	126	160	58	35	28	60	37	48	75	67
SPECIFIED CAUSES	1441	137	55	121	148	56	34	27	56	36	48	75	64
I. Zymotic Class	402	24	18	51	79	25	21	15	30	14	14	18	15
II. Diseases of Uncertain Seat	55	–	3	2	4	–	1	–	–	–	–	1	2
III. Tubercular Class	232	–	3	13	21	8	6	5	10	7	22	37	28
IV. Brain and Nervous System	108	14	3	7	3	3	–	1	3	2	1	2	3
V. Organs of Circulation	86	–	–	–	–	–	–	–	–	–	3	4	2
VI. Respiratory Organs	199	11	14	21	20	16	4	4	6	4	–	4	5
VII. Organs of Digestion	105	8	3	18	19	–	1	2	1	3	–	4	3
VIII. Urinary Organs	10	–	–	–	–	1	–	–	–	–	–	1	2
IX. Organs of Generation	26	–	–	–	–	–	–	–	–	–	4	3	3
X. Organs of Locomotion	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	4	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	87	71	8	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	2	1	–	–	1	–	1	–	–
XV. Age	80	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	2	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	27	3	–	–	–	2	1	–	4	6	3	1	1
I. Small Pox	5	–	1	–	–	1	2	–	–	–	–	–	1
Measles	77	3	2	14	39	9	3	1	5	–	–	1	–
Scarlatina	32	–	2	2	6	3	6	3	3	2	–	–	–
Diphtheria	15	–	1	2	1	4	1	–	4	1	–	1	–
Hooping Cough	44	3	5	15	12	3	1	4	1	–	–	–	–
Croup	18	3	2	4	3	2	1	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	35	6	3	6	12	–	1	–	1	1	–	–	–
Dysentery	16	1	1	2	3	1	2	–	–	–	–	–	–
Cholera	6	1	–	3	–	–	–	1	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	2	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	101	1	–	–	2	1	2	2	5	9	10	13	8
Enteric Fever	13	–	–	–	–	–	1	1	1	1	3	2	1
Relapsing Fever	5	–	–	–	–	1	1	–	–	–	1	–	–
Simple Continued Fever	9	1	–	–	–	–	–	–	4	–	–	–	–
Infantile Remittent	2	–	–	2	–	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	3	1	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	4	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	1	–	–	–	–	–	–	–	1	–
Dropsy	18	–	1	–	4	–	1	–	–	–	–	–	–
Abscess	2	–	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	1	–	–	–	–	–	–	–	–	–	2
Cancer	32	–	–	–	–	–	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	3	–	–	–	1	–	–	3	–
Tabes Mesenterica	8	–	1	–	–	–	1	–	1	–	–	–	–
Phthisis	189	–	–	8	11	2	3	2	5	7	22	34	28
Hydrocephalus	33	–	2	10	7	6	2	3	3	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	65	65	63	61	57	53	54	52	46	38	28	10	4	3	–	2
SPECIFIED CAUSES	64	64	59	60	53	51	52	52	46	38	28	10	4	3	–	–
Zymotic Class	11	14	11	12	6	9	5	3	3	2	1	1	–	–	–	–
Uncertain Seat	2	4	6	6	7	4	3	6	4	–	–	–	–	–	–	–
Tubercular Class	22	14	14	13	5	1	1	1	1	–	–	–	–	–	–	–
Brain, etc.	4	1	4	7	5	8	15	9	3	5	2	2	1	–	–	–
Heart, etc.	8	4	7	11	7	9	13	8	5	4	1	–	–	–	–	–
Respiratory Organs	8	13	5	3	11	12	8	9	11	5	5	–	–	–	–	–
Digestive Organs	3	4	6	4	7	6	3	7	1	2	–	–	–	–	–	–
Urinary Organs	–	1	–	3	–	1	1	–	–	–	–	–	–	–	–	–
Generative Organs	6	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	8	18	20	18	7	3	3	–	–
Sudden Deaths	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	2	–	2	–	–	1	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	2	–	–	1	–	–	1	–	–	–	–
Dysentery	2	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	12	8	11	3	4	4	2	–	–	–	–	–	–	–	–
Enteric Fever	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	1	1	1	1	2	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	3	6	5	6	3	2	4	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	14	14	13	5	1	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—FEMALES. *(Continued.)*

DISEASES.	ALL AGES.	FEMALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	1	–	–	–	–	–	–	2	2	–	–	1
Apoplexy	19	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	41	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	13	3	6	3	3	–	–	1	–	–	–	–
Brain Disease	5	–	–	1	–	–	–	1	–	–	–	–	–
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	83	–	–	–	–	–	–	–	–	–	3	3	2
VI. Laryngitis	2	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	133	8	11	15	14	14	4	3	3	1	–	3	3
Pleurisy	1	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	39	2	3	6	5	2	–	–	3	2	–	1	–
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	5	1	–	–	–	–	–	–	–	1	–	–	1
VII. Teething	35	–	1	17	17	–	–	–	–	–	–	–	–
Quinsey	4	3	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	1	1	1	1	–	–	2	–	1	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	6	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	5	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	1	–	–	–	–	1	–	1	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	1	–	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	25	–	–	–	–	–	–	–	–	–	3	3	3
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	1	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	2	–	–	–	–	–	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	9	–	–	–	–	–	–	–	1	6	2	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	8	–	–	–	–	–	1	–	2	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	67	13	8	5	12	2	1	1	4	1	–	–	8

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	3	2	2	5	3	1	–	–	–	–	–	–	–
Paralysis	3	–	–	3	2	6	10	5	2	5	2	2	1	–	–	–
Delirium Tremens.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	8	4	7	11	7	9	11	8	5	4	1	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	8	3	2	6	5	5	4	9	4	4	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	4	1	1	1	2	–	1	1	1	1	–	–	–	–	–
Asthma	–	1	1	–	4	4	3	4	1	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	3	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	3	–	2	2	2	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	1	–	2	3	–	2	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	4	1	4	2	2	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1981	196	78	116	114	68	65	35	109	37	65	82	65
Specified Causes	1969	194	76	116	114	68	65	35	108	37	64	82	64
I. Zymotic Class	525	22	22	31	48	43	50	26	67	10	19	13	12
II. Diseases of Uncertain Seat	81	5	–	–	1	–	1	–	2	1	2	1	3
III. Tubercular Class	286	5	10	26	18	9	7	1	21	13	28	33	31
IV. Brain and Nervous System	208	38	14	9	4	2	3	3	5	2	3	6	3
V. Organs of Circulation	111	1	–	–	–	–	–	–	2	1	2	1	6
VI. Respiratory Organs	260	23	15	25	15	6	2	4	1	3	3	8	2
VII. Organs of Digestion	148	15	9	21	25	6	1	1	2	1	2	3	3
VIII. Urinary Organs	38	–	–	–	–	1	–	–	1	–	–	3	2
XI. Organs of Generation	22	–	–	–	–	–	–	–	–	–	1	3	1
X. Organs of Locomotion	11	–	–	–	–	–	–	–	1	3	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	6	6	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	75	70	2	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	1	–	–	–	2	–	–	–	–
XV. Age	123	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	1	1	–	–	–	–	1	–	–	1	–
XVII. Violent Deaths	51	9	3	–	2	1	1	–	3	3	3	5	1
I. Small Pox	9	–	3	–	2	1	1	–	–	–	1	–	–
Measles	3	–	–	–	–	–	–	2	1	–	–	–	–
Scarlatina	184	2	5	10	28	31	35	17	42	3	4	2	1
Diphtheria	20	–	–	–	2	4	3	–	3	1	–	–	–
Hooping Cough	6	1	–	3	1	–	–	1	–	–	–	–	–
Croup	13	–	–	2	2	3	4	1	1	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	70	12	14	13	9	1	1	–	–	–	–	–	1
Dysentery	11	1	–	1	–	–	–	1	2	1	–	–	–
Cholera	3	–	–	1	–	–	–	–	–	–	1	–	–
Influenza	7	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	125	–	–	–	1	1	2	1	5	2	11	6	6
Enteric Fever	17	–	–	–	–	–	2	–	3	1	1	2	1
Relapsing Fever	3	–	–	–	1	–	–	–	1	–	–	–	–
Simple Continued Fever	22	–	–	–	2	1	–	1	2	–	–	2	1
Infantile Remittent	2	–	–	–	–	–	1	1	–	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	6	–	–	–	–	–	–	1	–	2	1	–	1
Erysipelas	8	2	–	–	–	–	–	–	2	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	–	1	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	20	–	–	–	–	–	1	–	2	–	1	–	–
Abscess	4	–	–	–	1	–	–	–	–	1	–	–	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	2	–	–	–	–	–	–	–	–	–	–	–
Cancer	47	–	–	–	–	–	–	–	–	–	1	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	1	3	1	1	–	–	3	2	1	3	1
Tabes Mesenterica	27	1	4	5	2	2	2	–	3	3	–	–	–
Phthisis	187	–	1	2	3	3	1	–	4	6	25	30	30
Hydrocephalus	54	4	4	16	12	3	4	1	6	2	2	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	71	71	75	78	72	84	95	77	89	101	76	46	10	4	1	1
Specified Causes	69	71	75	78	72	82	95	77	89	101	76	46	10	4	1	–
Zymotic Class	18	15	22	19	19	12	14	13	6	15	6	3	–	–	–	–
Uncertain Seat	2	4	11	8	8	4	10	4	6	5	1	1	–	1	–	–
Tubercular Class	19	18	13	10	10	9	2	2	–	1	–	–	–	–	–	–
Brain, etc.	6	7	7	8	8	12	16	8	16	16	7	5	–	–	–	–
Heart, etc.	11	9	6	11	7	12	13	13	6	8	1	1	–	–	–	–
Respiratory Organs	8	5	4	11	8	12	16	19	27	22	15	11	–	–	–	–
Digestive Organs	–	2	3	5	5	6	8	10	3	5	4	3	–	–	–	–
Urinary Organs	3	2	2	1	1	6	4	3	5	1	2	1	–	–	–	–
Generative Organs	2	8	1	2	1	–	2	–	1	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	–	–	–	1	2	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	3	1	3	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	4	14	28	38	20	10	3	1	–
Sudden Deaths	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	3	1	2	5	3	–	2	–	1	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	–	1	2	3	2	6	1	1	–	–	–	–
Dysentery	–	–	–	–	1	–	1	–	–	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	1	1	1	3	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	10	15	17	14	7	7	7	1	2	–	1	–	–	–	–
Enteric Fever	1	1	–	–	–	4	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	2	–	2	–	1	1	–	1	3	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Pyœmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	2	2	2	1	2	2	–	2	1	1	1	–	–	–	–
Abscess	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	2	2	7	5	7	2	8	2	3	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	18	12	9	10	9	2	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—BOTH SEXES. *(Continued.)*

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	15	1	2	3	–	–	1	–	4	–	–	1	–
	Apoplexy	31	–	–	–	–	–	–	–	–	–	–	1	–
	Paralysis	58	–	–	–	–	–	–	–	–	–	1	–	1
	Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	4	–	–	–	–	–	–	–	–	–	–	1	–
	Convulsions	61	36	12	5	3	2	–	3	–	–	–	–	–
	Brain Disease	32	1	–	1	1	–	2	–	1	2	2	3	1
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	103	1	–	–	–	–	–	–	2	1	2	1	6
VI.	Laryngitis	5	–	–	–	1	–	–	–	–	1	–	–	–
	Bronchitis	180	20	12	21	9	5	1	2	–	2	–	5	–
	Pleurisy	6	–	–	–	1	–	–	–	–	–	–	–	–
	Pneumonia	54	2	3	4	4	1	1	2	1	–	3	3	2
	Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	6	1	–	–	–	–	–	–	–	–	–	–	–
VII.	Teething	53	1	4	19	24	5	–	–	–	–	–	–	–
	Quinsey	3	2	–	–	–	1	–	–	–	–	–	–	1
	Gastritis	4	–	–	–	–	–	1	–	–	–	–	–	–
	Enteritis	9	1	3	–	–	–	–	–	–	1	–	1	–
	Peritonitis	7	–	–	–	–	–	–	–	–	–	–	4	1
	Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	9	–	–	–	–	–	1	–	–	–	–	–	–
	Hernia	7	1	1	1	–	–	–	–	1	–	–	–	–
	Ileus	15	2	1	–	–	–	–	–	–	–	1	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	12	3	–	1	–	–	–	–	1	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	10	5	–	–	–	–	–	–	–	–	–	1	–
	Liver Disease	12	–	–	–	1	–	–	–	–	–	1	2	1
	Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Nephria	6	–	–	–	–	–	–	–	–	–	–	1	–
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
	Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	6	–	–	–	–	–	–	–	1	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	18	–	–	–	–	1	–	–	–	–	–	1	2
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	15	–	–	–	–	–	–	–	–	–	1	3	1
	Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	2	–	–	–	–	–	–	–	–	1	1	–	–
	Rheumatism	5	–	–	–	–	–	–	–	1	1	–	–	–
	Joint and Bone Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	11	8	3	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	9	–	–	–	–	1	1	–	1	–	1	–	–
	Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	2	–	–	–	1	–	–	–	–	–	–	–	–
	Drowning	8	–	–	–	–	–	–	–	–	1	1	3	–
	Fracture and Contusion	10	–	–	–	–	–	–	–	2	1	1	2	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	1
	Other Violent Causes	5	1	–	–	1	–	–	–	–	–	–	–	–
	Not Specified	12	2	2	–	–	–	–	–	1	–	1	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Apoplexy	1	1	–	2	3	4	6	2	4	6	–	1	–	–	–	–
Paralysis	4	2	–	2	4	3	8	5	11	7	7	3	–	–	–	–
Delirium Tremens	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	3	2	1	2	2	1	–	2	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Heart Disease	9	3	6	10	7	10	12	12	6	8	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Bronchitis	1	3	1	5	5	5	10	9	21	20	13	10	–	–	–	–
Pleurisy	–	–	–	2	–	1	–	–	–	1	–	1	–	–	–	–
Pneumonia	1	1	3	3	2	4	4	6	4	–	–	–	–	–	–	–
Asthma	–	–	–	1	1	1	1	2	–	1	2	–	–	–	–	–
Lung Disease	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	1	2	1	1	–	1	–	1	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	2	1	2	–	3	2	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	2	1	1	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Jaundice	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
Liver Disease	–	1	–	2	–	–	1	2	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	1	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–
Cystitis	1	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	1	1	3	1	2	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Childbirth	2	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	947	108	41	64	55	35	30	21	60	18	31	51	32
SPECIFIED CAUSES	943	108	40	64	55	35	30	21	60	18	30	51	31
I. Zymotic Class	250	12	9	14	23	21	22	16	32	5	6	8	7
II. Diseases of Uncertain Seat	34	4	–	–	1	–	–	–	2	–	1	1	2
III. Tubercular Class	146	3	5	12	8	8	3	–	14	6	14	22	15
IV. Brain and Nervous System	107	19	8	4	–	1	3	2	3	–	2	5	2
V. Organs of Circulation	50	–	–	–	–	–	–	–	–	–	1	–	2
VI. Respiratory Organs	132	16	8	17	9	2	–	2	1	2	2	6	–
VII. Organs of Digestion	73	8	6	14	13	2	1	1	2	–	1	3	1
VIII. Urinary Organs	23	–	–	–	–	1	–	–	1	–	–	1	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	3	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	43	39	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	–	–	–	–	2	–	–	–	–
XV. Age	30	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	34	4	2	–	1	–	1	–	2	2	2	5	1
I. Small Pox	3	–	2	–	–	1	–	–	–	–	–	–	–
Measles	2	–	–	–	–	–	–	2	–	–	–	–	–
Scarlatina	86	1	1	3	14	15	15	11	23	1	–	–	1
Diphtheria	9	–	–	–	1	2	2	–	3	–	–	–	–
Hooping Cough	2	1	–	–	1	–	–	–	–	–	–	–	–
Croup	5	–	–	–	1	1	2	1	–	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	31	4	6	8	5	–	–	–	–	–	–	–	1
Dysentery	5	1	–	1	–	–	–	1	–	–	–	–	–
Cholera	3	–	–	1	–	–	–	–	–	–	1	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	63	–	–	–	–	1	2	–	2	1	4	4	4
Enteric Fever	8	–	–	–	–	–	1	–	–	1	–	2	1
Relapsing Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	15	–	–	–	1	1	–	1	2	–	–	2	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	2	1	–	–
Erysipelas	4	1	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	2	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	–	2	–	1	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	2	–	–	–	–	–	–	–	–	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	2	–	–	–	–	3	2	–	2	–
Tabes Mesenterica	16	–	3	3	1	2	1	–	4	2	–	–	–
Phthisis	92	–	–	1	2	8	–	–	2	1	14	20	15
Hydrocephalus	26	3	1	6	5	3	2	–	5	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	26	32	37	37	37	40	45	33	38	30	32	12	1	1	–	–
SPECIFIED CAUSES	25	32	37	37	37	40	45	33	38	30	32	12	1	1	–	–
Zymotic Class	5	6	12	10	13	7	6	4	4	4	4	–	–	–	–	–
Uncertain Seat	–	–	3	5	3	1	3	2	2	3	–	1	–	–	–	–
Tubercular Class	6	9	4	4	5	4	1	2	–	1	–	–	–	–	–	–
Brain, etc.	3	7	6	2	4	5	10	5	7	5	3	1	–	–	–	–
Heart, etc.	6	6	3	6	2	8	6	5	2	3	–	–	–	–	–	–
Respiratory Organs	1	3	4	4	4	5	10	8	11	4	8	2	–	–	–	–
Digestive Organs	–	–	–	3	2	4	3	4	1	1	2	1	–	–	–	–
Urinary Organs	1	1	1	–	1	2	3	2	4	1	2	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	–	2	3	12	6	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	2	1	2	4	2	–	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	1	1	1	1	2	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	5	9	9	10	4	3	1	1	–	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	–	–	–	1	1	–	–	3	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	5	3	1	3	1	1	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	9	3	3	5	4	1	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—MALES. *(Continued.)*

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	1	2	2	–	–	1	–	3	–	–	1	–
Apoplexy	11	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	30	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	29	18	6	2	–	1	–	2	–	–	–	–	–
Brain Disease	20	–	–	–	–	–	2	–	–	–	2	3	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	44	–	–	–	–	–	–	–	–	–	1	–	2
VI. Laryngitis	3	–	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	85	15	6	13	5	1	–	1	–	1	–	4	–
Pleurisy	2	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	35	1	2	4	3	1	–	1	1	–	2	2	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	28	–	2	12	13	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	6	1	2	–	–	–	–	–	–	–	–	1	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	4	1	1	1	–	–	–	–	1	–	–	–	–
Ileus	5	2	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	2	–	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	1	2	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	1	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	1	1	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	4	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	1	1	3	–
Fracture and Contusion	9	–	–	–	–	–	–	–	1	1	1	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	4	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	4	–	1	–	–	–	–	–	–	–	1	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Apoplexy	1	1	–	–	1	–	3	1	1	2	–	1	–	–	–	–
Paralysis	2	2	–	–	3	3	7	3	5	1	3	–	–	–	–	–
Delirium Tremens	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	2	2	–	2	–	1	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	5	3	5	2	6	6	5	2	3	–	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	1	2	6	3	11	4	7	2	–	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	3	3	2	2	3	3	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	1	–	1	1	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1034	88	37	52	59	33	35	14	49	19	34	31	33
SPECIFIED CAUSES	1026	86	36	52	59	33	35	14	48	19	34	31	33
I. Zymotic Class	275	10	13	17	25	22	28	10	35	5	13	5	5
II. Diseases of Uncertain Seat	47	1	–	–	–	–	1	–	–	1	1	–	1
III. Tubercular Class	140	2	5	14	10	1	4	1	7	7	14	11	16
IV. Brain and Nervous System	101	19	6	5	4	1	–	1	2	2	1	1	1
V. Organs of Circulation	61	1	–	–	–	–	–	–	2	1	1	1	4
VI. Respiratory Organs	128	7	7	8	6	4	2	2	–	1	1	2	2
VII. Organs of Digestion	75	7	3	7	12	4	–	–	–	1	1	5	2
VIII. Urinary Organs	15	–	–	–	–	–	–	–	–	–	–	2	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	1	3	1
X. Organs of Locomotion	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	31	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	93	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	17	5	1	–	1	1	–	–	1	1	1	–	–
I. Small Pox	6	–	1	–	2	–	1	–	–	–	1	–	–
Measles	1	–	–	–	–	–	–	–	1	–	–	–	–
Scarlatina	98	1	4	7	14	16	20	6	19	2	4	2	–
Diphtheria	11	–	–	–	1	2	1	–	5	1	–	–	–
Hooping Cough	4	–	–	3	–	–	–	1	–	–	–	–	–
Croup	8	–	–	2	1	2	2	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	39	8	8	5	4	1	1	–	–	–	–	–	–
Dysentery	6	–	–	–	–	–	–	–	2	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	62	–	–	–	1	–	–	1	3	1	7	2	2
Enteric Fever	9	–	–	–	–	–	1	–	3	–	1	–	–
Relapsing Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Simple Continued Fever	7	–	–	–	1	–	–	–	–	–	–	–	1
Infantile Remittent	2	–	–	–	–	–	1	1	–	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	3	–	–	–	–	–	–	1	–	–	–	–	1
Erysipelas	4	1	–	–	–	–	–	–	1	–	–	–	–
Pyœmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	–	1	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	1	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	26	–	–	–	–	–	–	–	–	–	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	1	1	–	–	–	–	1	1	1
Tabes Mesenterica	11	1	1	2	1	–	1	–	4	1	–	–	–
Phthisis	95	–	1	1	1	–	1	–	2	5	11	10	15
Hydrocephalus	28	1	3	10	7	–	2	1	1	1	2	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80
All Causes	45	39	38	41	35	44	50	44	51	71	44	34	9	3	1	1
Specified Causes	44	39	38	41	35	42	50	44	51	71	44	34	9	3	1	–
Zymotic Class	13	9	10	9	6	5	8	9	2	11	2	3	–	–	–	–
Uncertain Seat	2	4	3	3	5	3	7	2	4	2	1	–	–	1	–	–
Tubercular Class	13	9	9	6	5	5	1	–	–	–	–	–	–	–	–	–
Brain, etc.	3	–	1	6	4	7	6	3	9	11	4	4	–	–	–	–
Heart, etc.	5	3	3	5	5	4	7	8	4	5	1	1	–	–	–	–
Respiratory Organs	2	2	–	7	4	7	6	11	13	18	7	9	–	–	–	–
Digestive Organs	–	2	3	2	3	2	5	6	2	4	2	2	–	–	–	–
Urinary Organs	2	1	1	1	–	4	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	3	1	2	1	–	2	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	1	–	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	4	12	20	26	14	9	2	1	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	–	1	1	–	1	–	1	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	–	1	2	1	4	1	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	5	6	8	4	3	4	6	–	2	–	1	–	–	–	–
Enteric Fever	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	2	1	2	1	2	2	–	1	1	1	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	2	2	6	–	4	1	5	1	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	9	9	6	5	5	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	–	–	1	–	–	–	–	1	–	–	–	–
Apoplexy	20	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	28	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	32	18	6	3	3	1	–	1	–	–	–	–	–
Brain Disease	12	1	–	1	1	–	–	–	1	2	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	59	1	–	–	–	–	–	–	2	1	1	1	4
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	95	5	6	8	4	4	1	1	–	1	–	1	–
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	19	1	1	–	1	–	1	1	–	–	1	1	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	25	1	2	7	11	4	–	–	–	–	–	–	–
Quinsey	2	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	3	–	1	–	–	–	–	–	–	1	–	–	–
Peritonitis	7	–	–	–	–	–	–	–	–	–	–	4	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	–	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	3	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	4	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	–	–	–	–	–	–	–	–	–	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	3	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	4	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	–	1	–	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	1	–	–	–	–	1	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	2	1	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	2	4	3	1	3	4	–	–	–	–	–	–
Paralysis	2	–	–	2	1	–	1	2	6	6	4	3	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	1	–	2	–	–	1	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	5	3	3	5	5	4	6	7	4	5	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	1	2	–	4	4	3	4	6	10	16	6	8	–	–	–	–
Pleurisy	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–
Pneumonia	1	–	–	–	–	2	1	3	3	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	1	1	–	1	1	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	2	1	2	–	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Liver Disease	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	1	–	3	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Childbirth	2	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1410	121	53	92	143	77	41	44	73	39	59	41	43
SPECIFIED CAUSES	1374	94	50	91	142	76	41	44	72	39	59	41	43
I. Zymotic Class	420	9	16	27	71	45	29	32	41	16	15	9	10
II. Diseases of Uncertain Seat	51	1	–	1	–	1	1	–	–	1	1	2	1
III. Tubercular Class	233	3	8	14	18	9	5	5	12	14	33	22	15
IV. Brain and Nervous System	102	2	4	6	5	2	1	3	6	1	2	2	4
V. Organs of Circulation	36	–	–	–	–	–	–	–	–	1	2	1	–
VI. Respiratory Organs	173	14	11	25	21	9	2	3	4	3	3	1	2
VII Organs of Digestion	118	9	7	17	24	6	1	1	4	1	1	2	4
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	–	–	–	3
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	1	1	3
X. Organs of Locomotion	10	–	–	–	–	–	–	–	2	–	1	–	1
XI. Skin, etc.	3	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	3	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	51	48	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	2	1	1	–	–	–	–	–	–
XV. Age	117	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII Violent Deaths	28	2	–	–	1	3	1	–	3	2	–	1	–
I. Small Pox	3	–	1	–	–	–	–	1	–	1	–	–	–
Measles	69	2	–	9	31	14	5	1	6	–	–	1	–
Scarlatina	86	–	2	4	10	15	13	14	21	5	1	–	–
Diphtheria	7	–	–	–	1	1	1	1	3	–	–	–	–
Hooping Cough	43	2	2	9	16	5	4	5	–	–	–	–	–
Croup	11	–	–	1	5	2	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	34	3	8	3	7	1	–	–	1	–	1	–	–
Dysentery	7	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	93	–	–	1	–	–	1	2	3	3	9	4	9
Enteric Fever	12	–	–	–	–	1	–	1	1	2	2	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	26	–	–	–	–	4	2	2	5	3	2	1	–
Infantile Remittent	8	–	1	–	–	2	1	3	1	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	9	–	1	–	1	–	–	–	–	–	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	26	–	–	–	–	1	1	–	–	1	1	1	–
Abscess	5	1	–	1	–	–	–	–	–	–	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	1	–	–	–	1	–	–	2	3	–	1	1
Tabes Mesenterica	18	–	4	1	5	2	3	–	2	–	–	–	1
Phthisis	171	–	2	2	6	3	2	3	5	10	33	21	13
Hydrocephalus	32	2	2	11	8	3	–	2	3	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	42	49	57	57	49	49	49	67	60	51	36	21	1	4	–	1
SPECIFIED CAUSES	42	49	57	57	49	40	48	67	60	51	36	21	1	4	–	–
Zymotic Class	12	6	18	12	13	11	10	5	6	4	2	1	–	–	–	–
Uncertain Seat	–	2	6	3	3	3	6	7	8	6	1	2	–	–	–	–
Tubercular Class	17	15	8	11	11	4	6	3	–	–	–	–	–	–	–	–
Brain, etc.	1	5	3	6	2	5	9	12	9	6	5	1	–	–	–	–
Heart, etc.	4	3	4	8	4	–	1	3	2	2	1	–	–	–	–	–
Respiratory Organs	2	8	4	5	10	10	9	11	7	5	3	–	–	1	–	–
Digestive Organs	3	4	8	5	3	3	1	3	6	3	1	1	–	–	–	–
Urinary Organs	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	19	25	25	28	16	1	3	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	1	5	1	–	–	2	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	2	1	–	1	2	2	2	–	–	–	–	–
Dysentery	–	–	1	–	1	1	1	–	1	–	–	1	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	6	15	8	8	6	5	2	1	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	2	–	–	3	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	1	3	1	4	3	2	2	–	2	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	2	2	–	2	2	4	–	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	13	8	11	10	4	6	3	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	–	1	–	–	1	–	2	2	–	1	–	–
Apoplexy	21	–	–	3	1	–	–	–	1	–	–	1	–
Paralysis	39	–	–	–	–	–	–	–	1	–	1	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	16	2	3	3	4	1	1	1	1	–	–	–	–
Brain Disease	6	–	–	–	–	–	–	–	1	–	–	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	35	–	–	–	–	–	–	–	–	1	2	1	–
VI. Laryngitis	2	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	117	13	8	21	14	5	1	–	2	1	1	1	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	38	1	2	4	7	4	1	2	2	2	1	–	2
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	1	–	–	–	–	–	–	–	1	–	–
VII. Teething	38	–	1	14	20	3	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	34	9	5	3	2	2	–	1	2	–	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	1	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	5	–	–	–	1	–	–	–	–	–	–	–	2
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	–	–	–	1	–	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	16	–	1	–	1	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	9	–	–	–	–	–	–	–	–	–	1	1	3
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	1	–	1	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	1	–	–	1	3	1	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	1	2	–	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	36	27	3	1	1	1	–	–	1	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	2	1	1	1	–	3	4	3	–	–	–	–	–	–	–
Paralysis	–	–	1	4	1	4	6	5	4	5	5	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	1	–	–	–	2	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	4	7	4	–	1	3	2	2	1	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	6	2	4	6	7	6	8	5	3	2	–	–	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	1	–	2	1	1	1	1	–	–	–	–	–	–	–
Asthma	–	–	1	1	1	1	1	2	1	2	1	–	–	–	–	–
Lung Disease	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	–	–	–	–	3	1	3	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ascites	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	2	–	–	–	2	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	3	1	3	–	–	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1675	170	75	164	188	81	68	35	76	30	53	67	76
Specified Causes	1638	152	71	162	185	80	68	35	73	30	53	66	76
I. Zymotic Class	506	26	15	55	81	32	41	21	36	12	18	15	26
II. Diseases of Uncertain Seat	34	1	–	1	2	2	–	–	2	1	1	2	–
III. Tubercular Class	278	1	8	24	25	8	9	8	18	10	22	24	25
IV. Brain and Nervous System	124	5	3	14	6	4	2	3	6	2	1	2	5
V. Organs of Circulation	63	–	–	1	–	–	–	–	1	–	3	3	3
VI. Respiratory Organs	245	24	26	37	36	21	12	2	4	2	2	5	4
VII. Organs of Digestion	108	10	12	20	28	10	1	1	1	1	–	2	2
VIII. Urinary Organs	18	–	–	–	–	1	1	–	2	–	–	2	2
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	1	1	3
X. Organs of Locomotion	7	–	–	1	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	5	1	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	80	77	5	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	5	2	1	–	1	1	–	2	1
XV. Age	71	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	56	6	2	1	1	–	1	–	2	–	4	8	5
I. Small Pox	4	2	–	–	–	–	–	–	1	–	–	–	–
Measles	12	–	–	3	3	1	5	–	–	–	–	–	–
Scarlatina	52	–	–	1	11	3	11	11	13	1	–	1	–
Diphtheria	8	–	–	3	2	–	2	1	–	–	–	–	–
Hooping Cough	114	7	8	29	34	18	8	4	6	–	–	–	–
Croup	34	4	–	2	14	6	6	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	10	4	13	12	1	1	–	–	–	–	–	–
Dysentery	4	–	–	–	1	1	–	–	–	–	–	–	–
Cholera	4	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	169	–	–	1	–	1	6	1	10	5	15	12	20
Enteric Fever	13	–	–	1	1	–	–	2	3	3	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	17	–	1	–	–	1	1	–	2	2	2	–	3
Infantile Remittent	2	–	–	–	–	–	1	–	1	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	–	2	3
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	4	1	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	2	2	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	–	1	2	–	–	1	–	–	2	–
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	1	1	–	–	–	–	1	1	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	–	2	1	4	1	1	1	–	–	1	–	–
Tabes Mesenterica	15	1	1	3	2	2	–	–	5	–	–	–	1
Phthisis	209	–	2	7	9	4	5	2	10	9	21	24	24
Hydrocephalus	69	–	3	13	10	1	3	5	3	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	64	58	69	68	59	42	60	47	47	83	22	14	7	–	–	2
Specified Causes	61	57	69	68	59	40	60	47	47	83	22	14	7	–	–	–
Zymotic Class	22	17	18	28	7	6	11	10	1	3	3	1	1	–	–	–
Uncertain Seat	1	3	5	–	–	1	7	2	2	–	1	–	–	–	–	–
Tubercular Class	17	20	13	18	13	4	4	2	4	–	–	1	–	–	–	–
Brain, etc.	4	3	8	7	7	8	8	4	10	8	3	1	–	–	–	–
Heart, etc.	6	5	6	5	7	7	3	5	7	–	–	1	–	–	–	–
Respiratory Organs	3	3	6	2	13	7	18	8	4	6	–	–	–	–	–	–
Digestive Organs	1	–	3	2	4	4	3	–	–	2	–	1	–	–	–	–
Urinary Organs	–	1	3	1	2	–	1	–	1	1	–	–	–	–	–	–
Generative Organs	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Skin	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	13	15	11	15	9	6	–	–	–
Sudden Deaths	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	3	4	6	3	4	1	1	–	3	1	–	–	–	–	–	–
Small Pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	1	2	–	1	1	1	1	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	15	15	22	6	3	9	8	1	1	1	–	–	–	–	–
Enteric Fever	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	3	–	–	1	6	2	1	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	20	11	17	12	4	4	2	4	–	–	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	–	1	–	–	–	–	1	2	–	–	1	1
Apoplexy	18	1	–	–	–	–	–	–	–	–	1	1	1
Paralysis	35	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	3	–	2	2	2	1	1	2	–	–	–	–
Brain Disease	38	1	2	12	4	2	1	1	1	2	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	62	–	–	1	–	–	–	–	1	–	2	3	3
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	195	22	25	36	32	18	10	1	2	2	–	1	1
Pleurisy	5	–	–	–	–	–	1	–	1	–	–	–	–
Pneumonia	34	2	1	1	4	2	–	1	1	–	1	4	2
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	–	1	1	–	–	–	1	–	1
VII. Teething	59	2	5	17	26	9	–	–	–	–	–	–	–
Quinsey	2	–	–	1	–	–	1	–	–	–	–	–	–
Gastritis	4	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	15	7	6	2	–	–	–	–	–	–	–	–	–
Peritonitis	6	–	–	–	1	–	–	–	1	–	–	1	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	–	1	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	1	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	1	–	–	–	–
Nephria	8	–	–	–	–	–	1	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	1	1	3
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	1	–	–	–	–	–	–	1	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	1	1	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	5	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	1	–	–	–	–	2	–	1	2	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	–	1	–	–	–	–	–	–	–	–
Drowning	13	–	–	–	–	–	–	–	–	–	2	4	1
Fracture and Contusion	18	1	–	–	–	–	1	–	–	–	1	2	8
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	37	18	4	2	3	1	–	–	3	–	–	1	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	3	1	1	3	1	1	2	–	–	–	–	–	–
Paralysis	1	–	3	2	3	3	3	1	3	6	3	1	–	–	–	–
Delirium Tremens	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	2	2	3	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	5	6	5	7	7	3	5	7	–	–	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	1	1	11	3	13	5	4	4	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Pneumonia	1	1	1	1	1	4	2	3	–	1	–	–	–	–	–	–
Asthma	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	1	–	2	3	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	3	1	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	2	2	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	1	4	–	1	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	948	110	40	77	89	40	23	14	47	14	18	30	34
Specified Causes	911	106	39	76	89	40	23	14	47	14	18	30	31
I. Zymotic Class	213	11	10	20	38	24	8	7	21	8	6	7	7
II. Diseases of Uncertain Seat	24	–	–	–	1	–	–	–	–	–	–	–	–
III. Tubercular Class	139	3	3	16	13	5	3	3	9	2	7	12	10
IV. Brain and Nervous System	77	13	3	3	3	2	1	–	4	1	–	1	2
V. Organs of Circulation	68	–	–	2	–	–	–	–	–	–	2	2	–
VI. Respiratory Organs	146	18	12	20	19	5	8	2	6	1	–	–	4
VII. Organs of Digestion	63	4	3	7	9	–	–	–	–	1	1	2	2
VIII. Urinary Organs	16	–	–	1	–	–	–	–	1	–	1	2	–
IX. Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	2	3
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	62	50	6	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	4	3	1	1	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	62	5	–	1	2	1	1	1	6	1	1	2	6
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	21	–	–	3	11	3	2	–	2	–	–	–	–
Scarlatina	26	–	–	–	2	7	2	3	10	2	–	–	–
Diphtheria	14	1	–	1	2	3	1	–	3	–	1	1	–
Hooping Cough	26	1	2	9	6	5	2	1	–	–	–	–	–
Croup	12	–	–	1	4	4	–	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	4	7	5	5	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	1	–	1	2	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	34	–	–	–	–	–	–	–	–	1	2	3	5
Enteric Fever	19	–	–	–	2	1	–	–	1	3	3	2	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	–	–	–	–	2	1	–	–	–
Infantile Remittent	5	–	–	–	2	–	1	1	1	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	4	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	5	4	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	1	–	–	–	–	1	–	–	1	–
Tabes Mesenterica	16	2	2	2	3	1	–	2	1	–	1	1	–
Phthisis	85	–	–	–	1	1	1	–	3	2	6	9	10
Hydrocephalus	35	1	1	13	9	3	2	1	4	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	37	47	47	35	39	33	46	35	28	29	24	6	6	–	–	–
SPECIFIED CAUSES	37	47	47	35	39	32	46	35	28	29	24	6	6	–	–	–
Zymotic Class	5	7	8	7	8	2	3	1	3	1	1	–	–	–	–	–
Uncertain Seat	1	2	3	2	3	3	2	3	2	1	1	–	–	–	–	–
Tubercular Class	7	19	10	9	5	–	2	–	1	–	–	–	–	–	–	–
Brain, etc.	2	–	3	3	4	2	5	7	5	6	6	1	–	–	–	–
Heart, etc.	3	7	12	7	5	3	12	3	4	3	3	–	–	–	–	–
Respiratory Organs	4	3	2	1	4	12	6	13	1	3	1	1	–	–	–	–
Digestive Organs	7	2	3	2	2	3	4	4	–	6	1	–	–	–	–	–
Urinary Organs	1	1	–	1	1	1	3	–	1	2	–	–	–	–	–	–
Generative Organs	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	2	9	6	11	4	6	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	7	3	5	3	5	4	3	2	2	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	–	–	1	2	–	1	–	–	–	–	–
Dysentery	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	5	6	4	4	1	1	–	1	–	–	–	–	–	–	–
Enteric Fever	–	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	–	–	1	–	1	–	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	1	2	3	1	1	2	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	19	9	9	5	–	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	1	1	–	–	–	1	–	–	1	–
Apoplexy	18	–	–	1	–	–	–	–	1	1	–	–	1
Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	20	11	3	1	2	1	1	–	1	–	–	–	–
Brain Disease	6	1	–	–	–	1	–	–	–	–	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	66	–	–	2	–	–	–	–	–	–	1	2	–
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	99	14	8	16	13	4	3	1	4	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	40	4	4	3	6	1	5	1	2	1	–	–	3
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	–	5	5	–	–	–	–	–	–	–	–
Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	3	1	–	2	–	–	–	–	1	–	–	–
Peritonitis	6	–	–	1	–	–	–	–	–	–	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	8	1	2	–	–	–	–	–	–	–	–	1	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	–	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	1	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	3
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	1	1	–	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	18	–	–	–	–	–	1	–	2	–	–	1	3
Fracture and Contusion	25	1	–	–	1	–	–	1	3	1	1	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	2	–	–	–	–	–	–	–	–	–	–	1
Not Specified	7	4	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	2	1	2	2	2	2	2	–	–	–	–	–	–
Paralysis	–	–	1	–	3	–	2	5	3	3	6	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	7	11	7	5	3	12	3	4	3	3	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	2	–	3	9	5	10	1	3	1	1	–	–	–	–
Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	2	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	2	–	–	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	–	–	1	–	2	2	–	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	1	1	1	1	2	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	2	3	1	3	–	2	–	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	729	56	21	40	59	32	21	20	32	13	24	22	22
Specified Causes	719	54	20	40	59	32	21	20	31	13	23	22	22
I. Zymotic Class	212	8	4	18	36	20	15	12	23	7	5	6	5
II. Diseases of Uncertain Seat	16	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	106	–	4	2	3	5	2	6	6	3	12	7	9
IV. Brain and Nervous System	54	2	1	–	1	1	1	1	–	–	2	2	1
V. Organs of Circulation	50	–	–	–	–	–	–	–	–	–	1	3	3
VI. Respiratory Organs	81	8	1	9	11	4	3	1	–	2	–	2	–
VII. Organs of Digestion	42	4	3	5	6	–	–	–	–	1	–	–	1
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	42	30	7	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	1	–	–	1	–	–	–	–
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	2	–	1	–	1	–	–	–	–	2	–	–
I. Small Pox	9	1	1	–	1	–	1	1	1	–	–	1	1
Measles	39	1	–	5	17	5	2	3	4	2	–	–	–
Scarlatina	29	–	–	1	4	6	6	6	5	1	–	–	–
Diphtheria	5	–	–	–	1	–	–	1	2	1	–	–	–
Hooping Cough	20	2	–	3	6	2	2	–	5	–	–	–	–
Croup	10	1	1	2	2	3	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	2	1	4	4	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	2	–	–	–	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	–	–	–	–	–	3	–	2	3	5	5	3
Enteric Fever	8	–	–	–	–	1	1	–	1	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	11	–	–	–	1	2	–	–	2	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	1	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	–	–	–	–	2	1	1	–	1
Tabes Mesenterica	3	–	–	–	–	–	–	1	–	1	–	–	1
Phthisis	76	–	–	–	–	2	–	1	2	1	11	7	7
Hydrocephalus	20	–	4	2	3	3	2	4	2	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	26	30	29	36	32	33	42	38	41	22	22	11	5	–	–	–
Specified Causes	26	29	29	35	32	33	40	38	40	22	22	11	5	–	–	–
Zymotic Class	6	3	6	7	9	8	3	4	6	1	–	–	–	–	–	–
Uncertain Seat	–	1	2	1	2	1	3	1	2	1	2	–	–	–	–	–
Tubercular Class	9	12	6	8	6	3	1	2	–	–	–	–	–	–	–	–
Brain, etc.	1	3	1	6	5	3	4	4	7	4	3	1	–	–	–	–
Heart, etc.	2	5	3	6	3	4	6	3	4	3	2	1	1	–	–	–
Respiratory Organs	–	3	2	5	4	4	7	8	5	1	1	–	–	–	–	–
Digestive Organs	–	1	5	2	1	4	5	1	3	–	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	6	11	11	12	14	9	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	4	1	4	–	1	3	4	2	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	1	4	1	1	3	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	5	5	5	2	1	2	1	1	–	–	–	–	–	–
Enteric Fever	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Cancer	–	1	1	1	2	1	2	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	11	6	8	5	3	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10.	15	20	25	30
			3	6	12									
IV.	Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Apoplexy	22	–	–	–	–	–	1	–	–	–	–	–	1
	Paralysis	12	–	–	–	–	–	–	–	–	–	1	–	–
	Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	3	–	–	–	–	–	–	–	–	–	1	2	–
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	6	2	1	–	1	1	–	1	–	–	–	–	–
	Brain Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
V.	Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	49	–	–	–	–	–	–	–	–	–	1	3	3
VI.	Laryngitis	3	–	–	1	–	–	–	–	–	–	–	1	–
	Bronchitis	63	7	1	8	11	4	3	1	–	1	–	–	–
	Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia	7	1	–	–	–	–	–	–	–	–	–	1	–
	Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
VII.	Teething	13	1	1	5	6	–	–	–	–	–	–	–	–
	Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
	Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Peritonitis	2	–	–	–	–	–	–	–	–	1	–	–	–
	Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ilens	5	1	1	–	–	–	–	–	–	–	–	–	–
	Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	3	1	1	–	–	–	–	–	–	–	–	–	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	9	–	–	–	–	–	–	–	–	–	–	–	1
	Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	2	–	–	–	–	–	–	–	–	–	–	1	–
	Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	5	–	–	–	–	–	–	–	–	–	–	1	2
	Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
	Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	2	–	–	1	–	–	–	–	–	–	–	–	–
	Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Drowning	3	–	–	–	–	–	–	–	–	–	1	–	–
	Fracture and Contusion	12	–	–	–	–	1	–	–	–	–	1	–	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
	Not Specified	10	2	1	–	–	–	–	–	1	–	1	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	3	2	3	1	4	2	2	1	–	–	–	–
Paralysis	–	1	–	2	–	–	1	2	3	1	1	–	–	–	–	–
Delirium Tremens	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	2	2	1	–	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	4	3	6	8	4	6	3	4	3	2	1	1	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	4	1	1	6	6	5	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	–	2	3	1	1	–	–	–	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	1	2	–	–	1	2	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	–	–	2	–	1	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1865.

		Population 1865.	DEATHS in 1865. Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1865		34°·6	38°·9	37°·3	46°·5	50°·9	57°·1	58°·4	56°·1	58°·0	46°·0	41°·4	42°·9	46°·9
	SCOTLAND . .	3,136,057	6900	7000	6903	5788	5930	5351	5608	5490	4837	5371	6044	5674	70,891
	INSULAR DISTRICTS .	158,289	253	252	293	182	223	185	189	172	188	174	196	181	2,488
	MAINLAND DISTRICTS	1,785,080	3157	3234	3348	2814	2808	2527	2421	2517	2337	2431	2681	2717	32,992
	TOWN DISTRICTS .	1,192,668	3490	3514	3262	2792	2899	2639	2993	2801	2312	2766	3167	2776	35,411
	DIVISIONS.														
1	Northern . .	131,862	220	239	227	176	169	148	138	148	158	146	148	153	2,070
2	North-Western .	163,759	262	262	292	206	230	196	225	206	172	202	201	224	2,678
3	North-Eastern .	374,607	612	581	640	570	589	541	531	518	459	479	613	607	6,740
4	East-Midland .	527,161	1167	1157	1068	954	961	937	997	919	854	841	948	928	11,731
5	West-Midland .	242,957	445	464	496	373	449	356	359	371	355	371	397	348	4,784
6	South-Western .	1,062,299	2902	3000	2781	2372	2407	2116	2303	2179	1810	2220	2519	2357	28,966
7	South-Eastern .	419,901	906	884	972	781	778	752	772	832	743	795	892	776	9,883
8	Southern . .	213,511	386	413	427	356	347	305	278	317	286	317	326	281	4,039
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,921	46	53	60	35	40	38	26	42	54	41	40	40	515
2	Orkney . . .	32,791	50	48	56	45	44	35	36	26	27	21	38	31	457
3	Caithness . .	43,223	82	99	89	73	62	54	53	51	48	58	38	47	754
4	Sutherland . .	23,924	42	39	23	23	23	21	23	29	29	26	32	35	344
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	81,850	119	133	132	96	118	103	115	118	92	117	95	124	1,362
6	Inverness . . .	81,909	143	129	160	110	112	93	110	88	80	85	106	100	1,316
	III. NORTH-EASTERN.														
7	Nairn	8,461	13	11	18	17	12	14	20	13	7	10	13	9	157
8	Elgin (or Moray) .	45,782	69	69	78	57	55	51	71	60	59	52	73	79	773
9	Banff	58,001	75	83	88	76	77	76	63	67	43	57	68	89	862
10	Aberdeen . . .	227,543	389	370	402	366	392	353	351	339	313	316	409	388	4,388
11	Kincardine . . .	31,820	66	48	54	54	53	47	26	39	37	44	50	42	560
	IV. EAST-MIDLAND.														
12	Forfar	212,325	557	506	481	393	432	449	476	449	364	345	393	422	5,267
13	Perth	131,426	254	266	257	232	234	219	203	195	192	183	217	202	2,654
14	Fife	155,543	295	319	276	261	247	225	246	225	263	268	295	268	3,188
15	Kinross . . .	8,353	13	15	12	24	18	14	19	15	11	15	17	8	181
16	Clackmannan . .	19,514	48	51	42	44	30	30	53	35	24	30	26	28	441
	V. WEST-MIDLAND.														
17	Stirling	89,978	168	172	176	137	176	135	138	147	113	155	172	153	1,842
18	Dumbarton . .	57,235	108	122	133	109	116	106	81	96	92	74	97	82	1,216
19	Argyll	79,533	135	136	148	108	124	87	113	92	115	110	99	92	1,359
20	Bute	16,211	34	34	39	19	33	28	27	36	35	32	29	21	367
	VI. SOUTH-WESTERN.														
21	Renfrew	173,337	497	545	490	390	373	343	362	321	306	331	428	407	4,793
22	Ayr	202,923	400	395	405	357	369	341	296	297	235	288	318	361	4,062
23	Lanark	686,039	2005	2060	1886	1625	1665	1432	1645	1561	1269	1601	1773	1589	20,111
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	42,640	89	69	88	76	70	64	62	52	58	60	74	80	842
25	Edinburgh . . .	280,298	648	639	685	549	557	552	597	628	536	607	670	563	7,231
26	Haddington . .	38,162	67	70	97	61	58	50	50	59	60	52	59	56	739
..	Berwick	36,623	68	71	63	58	59	47	34	54	59	43	56	42	654
28	Peebles	11,508	21	16	18	16	16	16	17	21	14	16	16	16	203
29	Selkirk	10,670	13	19	21	21	18	23	12	18	16	17	17	19	214
	VIII. SOUTHERN.														
30	Roxburgh . . .	54,780	95	103	99	101	85	80	61	76	71	76	74	71	992
31	Dumfries . . .	74,952	125	140	155	125	136	126	129	112	101	106	147	108	1,510
32	Kirkcudbright .	42,231	82	81	91	70	64	64	47	71	64	71	52	58	815
33	Wigtown . . .	41,548	81	89	82	60	62	35	41	58	50	64	53	44	722

APPENDIX.

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855–1864.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	651295	61374	20513	43341	60053	30569	20113	14180	33557	16454	21496	24646	22107
Specified Causes	614267	49954	17415	40043	56646	29049	19278	13592	32085	15631	20696	23815	21306
I. Zymotic Class	149019	6439	5107	14630	26027	16357	11888	8375	17024	5085	4444	4249	3371
II. Diseases of Uncertain Seat	24066	391	110	209	355	294	257	216	589	384	398	409	562
III. Tubercular Class	105275	1374	2451	6431	9313	4480	2730	2051	6866	5161	9810	11787	9665
IV. Brain and Nervous System	48914	3615	1217	2017	2050	1073	723	571	1830	1114	1092	1143	1144
V. Organs of Circulation	24203	144	42	66	76	55	48	71	372	548	753	771	969
VI. Respiratory Organs	79929	5211	4287	8844	9275	4007	2157	1229	2362	790	1056	1565	1548
VII. Organs of Digestion	47824	4350	2118	6090	7185	1375	487	353	1027	764	908	1124	1182
VIII. Urinary Organs	7668	43	16	29	67	60	83	67	214	172	238	336	369
IX. Organs of Generation	5015	1	–	2	1	2	–	–	–	15	210	639	865
X. Organs of Locomotion	3361	14	5	11	33	32	37	40	248	346	283	210	164
XI. Skin, etc.	716	127	74	86	53	30	11	2	17	5	7	21	8
XII. Malformation	1476	1244	82	63	33	7	6	5	15	2	9	3	3
XIII. Premature Debility	28333	25735	1472	1124	2	–	–	–	–	–	–	–	–
XIV. Atrophy	5217	66	53	125	1382	494	230	139	329	130	103	85	99
XV. Age	60950	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1400	170	87	52	28	12	12	10	19	18	25	20	30
XVII. Violent Deaths	20901	1030	294	264	766	771	609	463	1173	1097	1360	1453	1313
I. Small Pox	10548	774	698	1513	1765	1132	798	514	976	272	312	519	899
Measles	13027	202	244	1971	4978	2347	1252	662	1000	125	80	45	157
Scarlatina	26465	151	292	1629	4058	4249	3769	3167	6540	1370	486	249	73
Diphtheria	6428	164	119	374	999	852	774	595	1459	429	217	109	4
Hooping Cough	20853	1243	1413	4615	6498	3009	1802	1009	1184	54	7	5	2
Croup	11663	504	337	1178	3133	2359	1729	1083	1262	60	2	3	1
Thrush	328	203	32	43	36	5	2	1	1	–	–	1	1
Diarrhœa	12966	1624	1077	1790	2287	613	234	146	276	114	111	142	140
Dysentery	4616	86	144	280	386	128	82	54	121	62	74	109	35
Cholera	1076	48	47	138	138	44	42	24	87	25	12	30	30
Influenza	3397	133	85	140	147	75	47	32	61	38	41	37	27
Purpura	464	18	12	33	34	18	10	10	41	27	31	30	1
Ague	66	–	2	2	1	6	8	7	5	5	2	3	–
Worms	338	2	3	8	31	63	69	39	97	21	2	2	1
Infantile Fever	827	99	72	167	225	116	67	41	38	2	–	–	170
Typhus	29284	120	170	487	1129	1246	1131	940	3678	2298	2757	2365	1
Metria	1802	–	–	–	–	–	–	–	–	–	91	411	1
Rheumatic Fever	807	4	–	–	4	3	6	11	79	89	102	76	1
Erysipelas	2851	679	132	139	101	57	42	25	92	91	106	76	1
Syphilis	1034	379	222	113	55	13	5	2	1	1	8	36	1
Noma	167	6	6	9	21	21	18	13	23	1	3	1	2
Hydrophobia	12	–	–	1	1	1	1	–	3	1	–	–	–
II. Hæmorrhage	987	121	14	24	13	10	10	12	24	18	49	45	23
Dropsy	9422	39	23	53	166	193	188	150	415	236	178	181	77
Abscess	1146	87	37	61	66	32	11	17	71	66	67	68	4
Ulcer	392	31	8	13	21	5	6	2	3	6	12	13	6
Fistula	127	–	–	2	1	1	–	2	2	2	2	9	2
Mortification	1381	95	20	38	69	35	22	15	33	22	28	26	10
Cancer	10499	18	8	18	19	18	18	18	40	34	66	72	1
Gout	112	–	–	–	–	–	2	–	1	–	1	–	–
III. Scrofula	5428	99	131	249	401	237	147	148	579	625	660	529	375
Tabes Mesenterica	7180	456	400	853	2000	897	456	272	783	381	198	122	74
Phthisis	74640	206	536	1137	2295	1443	855	734	3110	3625	8841	11095	9192
Hydrocephalus	18027	613	1384	4192	4617	1903	1272	897	2394	530	111	41	24

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855–1864.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	20119	19760	19443	19324	20705	21733	27501	27090	31286	29469	24799	13595	5029	1527	354	1158
SPECIFIED CAUSES	19338	19035	18645	18469	19630	20447	26051	26908	31107	29291	24655	13495	4984	1516	352	834
Zymotic Class	2692	2591	2319	2294	2205	2129	2557	2326	2548	2129	1330	586	171	44	2	100
Uncertain Seat	695	989	1415	1681	2018	2138	2710	2381	2349	1816	1097	454	102	24	5	18
Tubercular Class	7537	6170	5092	4025	3303	2597	2110	1175	641	289	103	35	7	2	1	69
Brain, etc.	1342	1545	1735	1985	2317	2850	3809	3999	4491	3722	2351	881	197	87	3	51
Heart, etc.	1088	1317	1455	1608	1856	2116	2806	2658	2478	1736	823	262	81	10	2	47
Respiratory Organs	1717	1903	2420	2727	3420	3817	5100	4790	4646	3688	2199	886	180	52	5	52
Digestive Organs	1322	1509	1643	1787	2139	2305	2744	2519	2298	1487	758	262	43	5	2	38
Urinary Organs	393	402	385	396	418	484	653	700	808	689	408	187	38	7	–	6
Generative Organs	883	926	556	266	192	138	108	85	66	35	18	3	–	–	–	4
Locomotive Organs	130	153	121	141	169	187	239	247	227	188	95	27	8	4	–	2
Skin	19	19	19	23	18	31	35	24	32	25	16	11	–	1	–	2
Malformation	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	138	159	188	283	454	648	91	5	5	3	–	1	–	–	–	7
Age	–	–	–	–	–	16	2064	5254	9900	12996	15124	9744	4153	1817	332	50
Sudden Deaths	51	79	73	78	84	99	149	121	86	56	23	8	2	–	–	2
Violent Deaths	1331	1271	1224	1175	1037	892	876	628	532	432	310	148	52	18	2	385
Small Pox	222	171	138	112	84	72	44	17	11	2	1	2	–	–	–	9
Measles	35	18	15	7	4	3	1	3	–	–	–	–	–	–	–	3
Scarlatina	113	68	51	29	23	19	10	9	3	4	2	1	–	–	–	16
Diphtheria	45	31	28	35	24	30	31	15	11	7	4	1	–	–	–	2
Hooping Cough	2	2	–	1	–	–	1	–	–	–	–	–	–	–	–	4
Croup	–	1	1	–	1	1	–	2	–	–	–	–	–	–	–	5
Thrush	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa	161	206	202	230	276	294	496	509	669	625	436	210	71	19	1	7
Dysentery	115	140	161	208	250	267	348	355	409	350	215	98	27	5	–	5
Cholera	31	39	38	50	46	50	41	29	36	23	13	2	3	–	–	6
Influenza	31	34	53	73	105	139	251	313	460	500	351	153	49	11	1	7
Purpura	17	17	19	16	15	23	20	19	14	12	4	2	–	1	–	–
Ague	5	2	1	2	–	1	5	1	2	2	3	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1361	1366	1323	1351	1222	1071	1116	886	762	459	227	75	9	5	–	30
Metria	381	315	113	21	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	49	50	51	36	31	28	47	34	24	21	7	3	–	–	–	3
Erysipelas	88	98	85	103	106	109	129	127	139	116	65	38	12	3	–	3
Syphilis	36	29	37	18	15	15	7	2	2	–	–	–	–	–	–	–
Noma	–	3	1	2	2	5	9	5	6	8	2	1	–	–	–	–
Hydrophobia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage	63	68	78	57	60	59	74	38	39	27	18	4	2	–	–	3
Dropsy	261	313	398	469	625	672	955	941	1056	877	530	209	43	5	1	11
Abscess	66	45	52	52	43	48	59	34	42	24	19	3	3	1	–	–
Ulcer	10	15	13	20	25	25	33	40	40	26	14	6	1	–	–	–
Fistula	6	9	9	14	13	8	14	8	6	9	4	–	–	–	–	–
Mortification	20	24	23	25	51	54	75	98	141	168	147	82	28	6	2	–
Cancer	261	501	836	1086	1192	1262	1487	1204	1013	672	358	146	24	12	2	4
Gout	2	4	6	8	9	10	13	18	12	13	7	4	1	–	–	–
Scrofula	239	205	160	136	132	107	89	76	49	29	14	5	2	–	–	5
Tabes Mesenterica	49	46	35	31	33	28	20	18	14	6	3	1	2	–	–	2
Phthisis	7235	5914	4891	3854	3134	2460	1996	1081	577	254	86	29	3	2	1	51
Hydrocephalus	14	5	6	4	4	2	5	–	1	–	–	–	–	–	–	8

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—BOTH SEXES. *(Continued.)*

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3489	68	116	314	351	187	175	114	481	268	260	244	170
Apoplexy	10932	106	86	169	160	104	79	60	224	125	130	171	208
Paralysis	14815	–	3	9	15	19	11	7	55	49	75	103	142
Delirium Tremens	646	–	–	–	–	–	–	–	–	–	–	13	66
Chorea	83	1	1	2	4	1	2	1	16	12	12	6	3
Epilepsy	2037	8	2	9	17	16	8	8	62	145	168	200	168
Tetanus	546	166	10	16	29	11	9	6	43	45	23	15	20
Insanity	617	–	–	–	1	–	1	–	6	6	11	24	40
Convulsions	7589	3127	854	1192	1108	514	251	168	263	20	12	11	10
Brain Disease	8160	139	145	306	374	221	187	177	680	444	401	356	327
V. Pericarditis	760	11	1	9	8	12	6	13	70	63	73	56	43
Aneurism	752	2	–	1	–	–	–	–	1	6	12	7	36
Heart Disease	22691	131	41	56	68	43	42	58	301	479	668	708	890
VI. Laryngitis	1532	52	69	158	235	145	130	72	147	36	26	33	49
Bronchitis	43876	3392	2901	5927	5845	2383	1200	646	1061	262	293	422	475
Pleurisy	3184	132	53	81	111	70	54	47	126	69	101	152	150
Pneumonia	21011	1483	1186	2523	2878	1301	686	420	879	340	467	696	609
Asthma	6652	6	6	10	14	7	6	3	6	10	19	48	83
Lung Disease	3674	146	72	145	192	101	81	41	143	103	150	214	177
VII. Teething	11115	52	507	4347	5529	623	42	11	4	–	–	–	14
Quinsey	691	58	50	74	95	70	40	36	61	26	24	16	54
Gastritis	1604	103	46	78	81	36	19	18	68	35	47	66	190
Enteritis	9040	2333	943	941	912	329	168	131	330	186	199	209	225
Peritonitis	2713	164	65	69	62	40	28	17	112	140	175	242	35
Ascites	887	10	1	5	9	7	12	7	36	37	31	23	105
Ulceration of Intestines	1714	38	23	35	52	26	16	11	49	44	55	102	12
Hernia	914	35	20	13	8	6	–	2	2	5	6	13	83
Ileus	2736	266	80	48	35	15	16	13	58	56	86	84	13
Intussusception	398	23	45	31	6	1	5	2	14	13	13	13	3
Stricture of Intestines	218	8	1	1	–	–	–	1	1	–	3	6	159
Stomach Disease	6882	589	252	360	287	123	87	63	145	79	104	136	–
Pancreas Disease	13	–	–	–	–	1	–	–	–	–	–	–	5
Hepatitis	1417	31	12	16	17	10	5	6	30	32	31	47	31
Jaundice	1872	534	32	21	45	44	19	10	27	4	23	22	177
Liver Disease	5416	106	41	51	35	38	30	23	83	102	104	140	14
Spleen Disease	194	–	–	–	12	6	–	2	7	5	7	6	21
VIII. Nephritis	487	5	3	5	16	14	27	19	50	13	13	23	126
Nephria	1623	3	1	9	10	17	11	18	59	58	78	113	5
Ischuria	440	18	4	5	5	5	2	1	4	3	4	16	65
Diabetes	674	–	1	2	10	3	5	4	8	27	50	64	4
Stone	668	4	3	2	4	3	3	4	7	8	8	4	20
Cystitis	480	1	1	1	–	1	2	2	1	4	10	15	3
Stricture of Urethra	92	–	1	–	–	–	–	1	–	–	–	–	–
Kidney Disease	3204	12	2	5	22	17	33	18	85	59	75	101	128
IX. Paramenia	231	–	–	–	–	–	–	–	–	13	73	36	18
Ovarian Dropsy	634	–	–	–	–	–	–	–	–	1	8	53	43
Childbirth	3322	–	–	–	–	–	–	–	–	–	113	521	737
Organs of Generation	828	1	–	2	1	2	–	–	–	1	16	49	67
X. Arthritis	197	3	1	3	3	2	10	3	28	27	20	11	8
Rheumatism	1388	–	–	1	1	4	4	3	22	32	42	33	40
Joint and Bone Disease	1776	11	4	7	29	26	23	31	198	287	221	166	116
XI. Carbuncle	205	11	7	6	4	6	1	–	1	2	1	5	–
Phlegmon	84	10	2	6	3	2	–	–	4	1	1	5	1
Skin Disease	427	106	65	74	46	22	10	2	12	2	5	11	1
XII. Cyanosis	488	424	23	18	9	2	–	1	5	–	2	2	–
Spina Bifida	324	257	34	18	8	–	3	–	2	1	1	–	–
Other Malformations	664	563	25	27	16	5	3	4	8	1	6	1	10
XVII. Intemperance	731	–	–	–	–	–	–	–	–	2	2	18	5
Privation	61	3	–	3	10	5	1	–	2	–	3	2	1
Want of Breast Milk	552	378	106	61	7	–	–	–	–	–	–	–	–
Neglect	32	19	4	2	3	2	–	1	–	–	–	–	2
Cold	328	31	9	3	3	6	2	2	4	9	13	12	22
Poison	472	51	6	9	14	17	16	12	17	6	13	23	65
Burns and Scalds	3121	12	19	106	456	466	391	257	398	101	70	51	29
Hanging, etc.	466	–	–	–	–	–	–	–	1	6	14	26	29
Suffocation	901	313	128	56	35	17	12	5	26	19	29	24	428
Drowning	4864	15	7	12	136	146	76	65	260	303	492	535	533
Fracture and Contusion	7403	17	11	24	93	94	95	93	383	531	575	630	71
Wounds	828	2	–	–	4	8	6	10	31	61	67	66	51
Other Violent Causes	1142	189	4	8	5	10	10	18	51	59	82	63	801
Not Specified	37028	11420	3098	3298	3407	1520	835	588	1472	823	800	881	

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855-1864.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	48	48	50	65	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	133	102	109	81	59	58	55	44	30	20	11	6	–	–	–	–
Apoplexy	271	375	438	595	769	978	1323	1233	1360	1031	631	220	59	8	1	20
Paralysis	230	299	433	575	778	1056	1731	2090	2554	2309	1511	590	127	28	2	14
Delirium Tremens	81	134	108	101	57	39	23	14	3	3	3	–	–	–	–	1
Chorea	4	1	4	–	2	2	3	2	2	1	1	–	–	–	–	–
Epilepsy	192	174	152	127	116	126	111	80	61	45	28	10	–	–	–	4
Tetanus	21	16	21	24	19	13	15	8	16	6	3	–	–	–	–	–
Insanity	39	50	59	59	62	70	56	50	39	21	16	6	1	–	–	–
Convulsions	14	8	4	8	3	7	2	5	3	1	–	–	–	–	–	4
Brain Disease	357	386	407	414	452	501	490	473	423	285	147	49	10	1	–	8
Pericarditis	29	40	45	34	36	42	36	46	39	29	16	1	–	–	–	2
Aneurism	60	95	99	94	89	76	69	41	30	24	8	–	1	–	–	1
Heart Disease	999	1182	1311	1480	1731	1998	2701	2566	2409	1683	799	261	31	9	2	44
Laryngitis	40	58	55	40	39	42	32	25	27	16	3	2	1	–	–	–
Bronchitis	564	658	959	1116	1511	1797	2570	2541	2699	2272	1523	638	146	43	2	27
Pleurisy	132	124	146	146	177	180	250	270	251	199	113	41	2	2	–	5
Pneumonia	632	669	726	737	765	820	878	795	686	487	239	101	21	2	1	14
Asthma	160	212	328	477	676	751	1078	923	823	624	275	90	8	3	–	6
Lung Disease	189	182	206	211	252	227	292	236	160	90	46	14	2	2	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	13	11	5	9	18	16	14	15	12	8	3	2	–	1	–	–
Gastritis	70	73	68	95	100	97	109	121	105	59	39	14	2	–	–	1
Enteritis	181	204	205	172	222	205	240	229	218	170	80	32	4	1	–	6
Peritonitis	195	180	149	131	109	119	132	114	108	82	36	17	1	–	–	1
Ascites	38	53	40	62	91	66	88	90	61	51	25	4	5	–	1	–
Ulceration of Intestines	99	121	119	108	132	123	142	117	105	52	26	8	2	–	–	4
Hernia	19	38	33	59	70	78	103	107	95	105	60	24	–	–	–	1
Ileus	94	113	130	122	162	191	221	236	253	198	117	41	15	2	–	1
Intussusception	10	12	18	27	26	24	31	16	24	19	7	4	1	–	–	–
Stricture of Intestines	9	5	12	19	15	23	30	25	31	11	9	2	–	–	–	1
Stomach Disease	216	274	311	329	422	524	656	644	568	336	153	46	7	1	–	11
Pancreas Disease	1	–	2	1	–	2	3	1	2	–	–	–	–	–	–	–
Hepatitis	64	96	102	116	136	154	157	106	101	56	25	5	2	–	–	3
Jaundice	43	31	49	67	82	78	163	149	152	118	79	34	3	–	1	3
Liver Disease	263	284	383	454	540	590	632	534	455	218	97	29	1	–	–	6
Spleen Disease	7	14	17	16	14	15	23	15	8	4	2	–	–	–	–	–
Nephritis	26	17	16	26	25	24	37	31	26	27	14	8	–	1	–	–
Nephria	144	166	123	126	105	107	118	86	77	41	20	5	3	–	–	–
Ischuria	14	4	14	14	12	22	34	44	63	69	47	26	4	1	–	–
Diabetes	62	58	57	57	49	42	30	41	23	13	1	2	–	–	–	2
Stone	9	6	8	12	17	34	61	90	132	131	75	30	7	1	–	1
Cystitis	17	17	16	9	23	27	40	47	77	74	46	25	3	1	–	–
Stricture of Urethra	5	5	6	10	13	8	11	13	10	1	3	1	1	–	–	–
Kidney Disease	116	129	145	142	174	220	322	348	400	336	202	90	20	3	–	3
Paramenia	19	23	22	14	11	1	–	1	–	–	–	–	–	–	–	–
Ovarian Dropsy	48	59	63	71	100	60	46	39	33	18	8	2	–	–	–	2
Childbirth	730	751	392	72	3	–	1	–	–	–	–	–	–	–	–	2
Organs of Generation	86	93	79	109	78	77	61	45	33	17	10	1	–	–	–	–
Arthritis	2	9	6	8	12	8	7	10	4	8	3	1	–	–	–	–
Rheumatism	46	50	43	71	95	124	160	189	172	145	76	22	8	3	–	2
Joint Disease	82	94	72	62	62	55	72	48	51	35	16	4	–	1	–	–
Carbuncle	2	10	8	15	9	16	27	13	23	16	11	9	–	1	–	1
Phlegmon	5	3	7	5	6	8	2	3	3	5	–	–	–	–	–	–
Skin Disease	12	6	4	3	3	7	6	8	6	4	5	2	–	–	–	1
Cyanosis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Intemperance	75	87	89	115	106	74	51	32	22	10	–	–	–	–	–	2
Privation	5	2	1	5	2	4	3	6	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	18	16	18	23	24	26	25	11	14	16	5	2	1	–	–	8
Poison	23	41	40	37	39	25	19	14	10	7	–	–	–	–	–	1
Burns and Scalds	46	57	55	57	49	36	61	67	86	73	71	47	13	4	–	4
Hanging, etc.	38	37	40	58	52	62	53	23	15	7	2	–	–	–	–	8
Suffocation	19	20	34	24	33	16	19	15	11	13	7	1	–	–	–	16
Drowning	400	362	330	275	219	161	188	98	91	35	19	8	1	–	–	207
Fracture and Contusion	568	502	490	469	403	374	361	294	250	230	188	91	32	9	2	62
Wounds	66	72	65	59	59	60	40	30	20	16	7	1	2	–	–	5
Other Violent Causes	73	75	62	58	51	53	56	38	12	25	11	3	3	–	–	72
Not Specified	781	725	798	855	1075	1286	1450	182	179	178	144	100	45	11	2	324

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855–1864.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	323541	34799	11499	23185	30858	15347	10158	7134	17843	8376	11030	12821	10495
SPECIFIED CAUSES	304372	28332	9825	21427	29112	14561	9720	6845	16574	7959	10621	12396	10110
I. Zymotic Class	72578	3480	2754	7385	13057	8012	5961	4108	8387	2278	2073	2028	1381
II. Diseases of Uncertain Seat	9327	193	58	105	193	142	134	124	339	222	193	192	212
III. Tubercular Class	52062	789	1356	3512	4959	2318	1403	1076	3652	2435	4635	6125	4550
IV. Brain and Nervous System	26192	2154	711	1170	1149	579	379	297	1028	639	622	619	641
V. Organs of Circulation	12400	87	26	80	39	29	31	43	183	223	400	868	444
VI. Respiratory Organs	41566	3063	2524	4962	4837	2016	1032	604	1189	390	572	893	814
VII. Organs of Digestion	24754	2662	1257	3342	3686	706	242	187	528	445	527	526	554
VIII. Urinary Organs	5394	31	12	22	35	41	49	47	132	101	152	188	187
IX. Organs of Generation	13	–	–	1	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	1784	11	2	5	14	18	23	19	157	206	190	128	109
XI. Skin, etc.	391	73	40	50	30	10	8	2	11	1	2	9	2
XII. Malformation	832	717	47	26	14	3	3	2	10	1	5	1	2
XIII. Premature Debility	15787	14386	809	591	1	–	–	–	–	–	–	–	–
XIV. Atrophy	2329	33	27	64	673	259	112	70	184	72	49	39	38
XV. Age	22923	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	748	92	44	29	13	5	8	5	11	10	15	11	17
XVII. Violent Deaths	15292	561	158	133	412	423	335	261	763	936	1186	1269	1127
I. Small Pox	5576	420	377	756	879	554	422	270	517	126	169	332	217
Measles	6569	108	132	1025	2515	1200	618	309	509	51	34	26	10
Scarlatina	13572	88	180	882	2128	2174	1985	1628	3349	630	229	106	49
Diphtheria	3044	87	66	192	488	424	375	293	626	195	93	45	31
Hooping Cough	9297	587	689	2122	2950	1239	775	417	485	20	5	3	1
Croup	6149	292	214	640	1708	1205	881	531	632	36	1	2	1
Thrush	183	122	16	22	19	1	1	–	1	–	–	–	–
Diarrhœa	6490	936	588	956	1197	305	131	94	144	52	56	66	62
Dysentery	2105	53	81	141	234	62	46	22	78	35	35	55	59
Cholera	583	27	27	76	72	25	21	17	42	13	7	14	20
Influenza	1442	61	45	77	77	46	26	17	31	21	19	19	15
Purpura	258	13	6	17	21	9	9	2	26	14	17	19	9
Ague	43	–	–	–	1	3	6	6	2	2	1	2	1
Worms	172	1	1	3	14	29	34	20	53	15	–	2	–
Infantile Fever	436	52	42	91	120	62	36	16	16	1	–	–	–
Typhus	14195	72	93	254	553	632	569	442	1761	980	1295	1255	820
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	392	4	–	–	2	1	2	6	47	41	59	40	21
Erysipelas	1460	348	66	64	44	28	17	12	58	43	51	83	45
Syphilis	529	206	128	60	24	7	1	2	–	1	2	17	21
Noma	77	3	3	6	11	6	6	4	9	1	2	–	–
Hydrophobia	6	–	–	1	–	–	–	–	1	1	–	–	1
II. Hæmorrhage	517	55	11	13	9	3	6	6	10	10	25	22	27
Dropsy	3910	23	12	23	98	106	105	89	241	135	80	67	76
Abscess	595	44	19	37	34	10	4	10	40	44	39	40	31
Ulcer	182	13	3	6	10	–	2	1	–	3	4	5	2
Fistula	93	–	–	2	1	1	–	2	2	1	1	6	3
Mortification	672	51	9	14	29	15	7	7	18	10	12	15	11
Cancer	3283	7	4	10	12	7	10	9	27	19	31	37	58
Gout	76	–	–	–	–	–	–	–	1	–	1	–	1
III. Scrofula	3198	49	75	121	203	129	83	85	358	404	398	337	221
Tabes Mesenterica	3818	272	210	451	1044	472	251	153	456	195	103	60	26
Phthisis	35261	117	274	665	1182	707	428	353	1521	1541	4083	5707	4292
Hydrocephalus	9872	351	797	2335	2530	1010	641	485	1317	295	51	21	11

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855–1864.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	9377	9188	9510	9823	10389	10788	13180	12767	13898	12986	10159	5394	1791	469	118	664
SPECIFIED CAUSES	9003	8857	9158	9460	9892	10227	12531	12696	13830	12918	10103	5348	1773	466	118	510
Zymotic Class	1094	1078	1124	1143	1098	1005	1209	1057	1091	873	545	235	60	11	–	51
Uncertain Seat	245	303	416	542	679	783	1015	941	917	752	418	165	33	5	2	9
Tubercular Class	3364	2652	2298	1862	1611	1298	1021	592	318	135	41	15	2	–	–	43
Brain, etc.	764	931	992	1125	1253	1512	1993	2043	2183	1781	1125	386	75	12	1	28
Heart, etc.	536	678	756	862	963	1111	1434	1375	1273	927	415	133	14	1	1	18
Respiratory Organs	903	1005	1329	1590	1851	1946	2485	2284	2135	1669	966	366	73	17	1	21
Digestive Organs	570	724	828	912	1064	1159	1278	1245	1088	701	368	121	16	3	–	15
Urinary Organs	224	220	229	252	288	337	502	526	666	592	351	168	29	7	–	6
Generative Organs	1	–	–	–	3	–	1	1	1	1	2	–	–	–	–	–
Locomotive Organs	66	91	66	72	73	81	118	95	103	83	35	13	4	–	–	2
Skin	7	10	5	13	11	24	21	15	14	15	12	6	–	–	–	–
Malformation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	38	60	66	103	166	227	89	3	4	2	–	–	–	–	–	1
Age	–	–	–	–	–	4	708	2032	3675	5145	5695	3687	1447	404	112	14
Sudden Deaths	36	39	39	42	43	54	84	66	48	28	11	6	1	–	–	1
Violent Deaths	1155	1065	1010	942	789	686	623	431	314	214	124	47	20	6	1	301
Small Pox	126	106	86	70	47	50	31	10	2	2	–	1	–	–	–	6
Measles	12	6	5	3	2	1	1	–	–	–	–	–	–	–	–	2
Scarlatina	30	28	21	15	17	10	6	8	3	2	1	1	–	–	–	8
Diphtheria	19	14	16	17	12	12	15	11	4	4	2	1	–	–	–	2
Hooping Cough	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	3
Croup	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	3
Thrush	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	63	80	83	106	133	131	232	232	294	258	185	74	25	4	–	3
Dysentery	57	61	80	80	115	101	141	135	189	136	66	31	10	–	–	4
Cholera	21	22	23	28	30	27	19	16	19	10	4	–	1	–	–	2
Influenza	17	21	20	39	41	50	101	128	167	174	140	70	16	3	–	3
Purpura	11	10	9	10	7	17	7	11	7	3	3	1	–	–	–	–
Ague	4	1	1	2	–	1	3	1	2	2	2	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	660	635	689	685	614	518	546	424	314	211	111	39	6	3	–	11
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	26	24	22	15	13	15	23	13	7	10	–	–	–	–	–	1
Erysipelas	39	52	50	67	63	58	73	64	77	57	30	17	2	1	–	1
Syphilis	8	13	17	5	2	9	5	1	2	–	–	–	–	–	–	–
Noma	–	2	–	1	2	4	6	2	4	4	1	–	–	–	–	–
Hydrophobia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hæmorrhage	29	36	41	33	36	34	41	21	21	13	10	2	1	–	–	2
Dropsy	105	100	130	172	227	258	373	393	420	379	200	76	14	–	1	7
Abscess	27	21	24	23	25	27	29	18	26	10	6	2	1	1	–	1
Ulcer	3	6	6	11	12	17	20	22	18	9	8	1	–	–	–	–
Fistula	4	6	6	13	9	5	11	7	3	7	3	–	–	–	–	–
Mortification	14	19	10	16	22	31	38	49	74	86	66	40	6	2	1	–
Cancer	62	111	104	268	342	403	494	419	315	239	116	43	11	2	–	–
Gout	1	1	5	6	6	8	9	12	10	9	4	1	–	–	–	–
Scrofula	135	110	89	76	68	64	82	30	25	8	4	1	1	–	–	2
Tubes Mesenterica	25	13	18	12	13	16	11	10	4	3	–	–	–	–	–	–
Phthisis	8197	2526	2187	1770	1539	1217	978	552	288	124	37	14	1	–	–	34
Hydrocephalus	7	3	4	4	1	1	–	–	1	–	–	–	–	–	–	7

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855–1864.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2008	49	63	172	184	118	84	74	284	147	150	128	100
Apoplexy	5745	63	46	100	86	48	41	38	114	72	64	93	93
Paralysis	7131	–	2	6	4	11	5	3	32	19	41	60	88
Delirium Tremens	545	–	–	–	–	–	–	–	–	–	–	13	56
Chorea	36	1	1	1	3	1	2	1	3	4	5	1	–
Epilepsy	1098	4	2	6	9	12	2	6	35	87	101	102	80
Tetanus	342	105	6	11	10	7	4	1	25	37	17	12	9
Insanity	258	–	–	–	1	–	1	–	3	4	6	10	21
Convulsions	4399	1853	506	712	638	273	141	85	141	7	6	5	6
Brain Disease	4630	79	85	162	214	109	99	94	394	262	232	195	181
V. Pericarditis	425	6	–	5	3	6	4	6	34	37	34	30	33
Aneurism	497	1	–	1	–	–	–	–	–	1	6	2	24
Heart Disease	11478	80	26	24	36	23	27	37	149	185	360	336	387
VI. Laryngitis	859	29	43	104	136	67	64	39	71	19	12	21	28
Bronchitis	21583	1981	1687	3279	2970	1204	558	310	509	119	143	208	208
Pleurisy	1780	67	29	42	63	29	36	25	69	38	70	99	92
Pneumonia	12141	899	718	1453	1573	657	328	205	460	155	263	422	361
Asthma	3264	2	4	7	9	4	4	3	3	5	9	28	52
Lung Disease	1939	85	43	77	86	55	42	22	77	54	75	115	103
VII. Teething	5827	23	283	2360	2827	305	19	8	2	–	–	–	–
Quinsey	373	33	30	46	52	39	18	17	29	10	17	8	5
Gastritis	833	69	28	46	42	19	11	12	31	16	22	26	22
Enteritis	4932	1391	572	533	471	171	81	68	170	198	125	112	87
Peritonitis	1189	107	45	38	32	21	14	7	50	85	85	66	82
Ascites	342	5	1	2	2	6	9	1	25	19	16	10	13
Ulceration of Intestines	898	25	15	24	28	16	11	9	27	22	24	50	50
Hernia	462	28	18	12	7	5	–	2	1	4	4	9	11
Ileus	1511	189	48	26	13	9	9	5	36	34	59	55	45
Intussusception	250	12	29	20	3	–	2	2	7	11	12	9	10
Stricture of Intestines	124	4	–	1	–	–	–	1	1	–	1	2	4
Stomach Disease	3437	354	136	187	146	64	41	37	65	44	54	60	76
Pancreas Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	720	20	8	10	9	6	3	–	18	18	18	29	32
Jaundice	944	334	17	13	22	19	9	5	13	4	16	6	13
Liver Disease	2806	68	27	24	25	24	15	13	48	67	69	80	97
Spleen Disease	99	–	–	–	7	2	–	–	5	3	5	4	7
VIII. Nephritis	315	3	2	4	9	8	20	11	34	5	11	16	11
Nephria	934	2	1	6	4	13	7	13	35	39	45	63	56
Ischuria	359	12	4	4	3	3	1	1	3	1	1	6	1
Diabetes	421	–	–	2	5	3	1	3	6	11	35	33	31
Stone	597	4	1	2	3	3	2	4	6	7	7	4	2
Cystitis	394	1	1	1	–	–	1	2	1	3	9	6	15
Stricture of Urethra	90	–	1	–	–	–	–	1	–	–	–	–	3
Kidney Disease	2284	9	2	3	11	11	17	12	47	35	44	60	65
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	13	–	–	1	–	–	–	–	–	–	–	–	2
X. Arthritis	119	2	1	2	2	1	5	1	19	19	16	8	5
Rheumatism	588	–	–	–	1	2	3	4	14	16	25	13	26
Joint and Bone Disease	1077	9	1	3	11	15	15	17	124	171	149	107	78
XI. Carbuncle	120	6	4	3	3	1	1	–	1	–	–	3	–
Phlegmon	46	7	2	5	3	–	–	–	4	1	1	–	–
Skin Disease	225	60	34	42	24	9	7	2	6	–	1	6	2
XII. Cyanosis	280	249	12	9	2	1	–	1	3	–	–	1	1
Spina Bifida	157	128	15	6	3	–	2	–	1	1	1	–	–
Other Malformations	395	340	20	11	9	2	1	1	6	–	4	–	1
XVII. Intemperance	469	–	–	–	–	–	–	–	–	2	2	14	31
Privation	25	–	–	–	2	4	–	–	–	–	2	1	2
Want of Breast Milk	301	214	57	25	5	–	–	–	–	–	–	–	–
Neglect	15	9	4	1	–	1	–	–	–	–	–	–	–
Cold	218	13	4	–	1	3	–	1	3	7	6	9	21
Poison	255	28	3	7	8	11	9	6	10	2	4	9	18
Burns and Scalds	1423	6	9	53	246	257	194	120	155	56	46	32	37
Hanging, etc.	331	–	–	–	–	–	–	–	1	6	10	18	19
Suffocation	542	158	70	19	22	11	7	1	20	11	24	20	20
Drowning	4101	10	5	7	74	93	55	49	219	271	446	462	473
Fracture and Contusion	6084	9	4	15	50	51	60	65	293	473	512	590	504
Wounds	682	1	–	–	2	5	5	6	24	55	62	58	59
Other Violent Causes	846	113	2	6	2	7	5	13	38	53	72	56	45
Not Specified	19169	6467	1674	1758	1741	786	438	289	769	417	409	425	385

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855–1864.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	73	60	73	57	42	40	38	32	15	11	7	1	–	–	–	
Apoplexy	143	227	248	301	394	523	697	663	703	528	319	102	25	1	–	14
Paralysis	142	171	235	318	401	507	851	996	1166	1061	696	253	47	10	1	
Delirium Tremens	68	112	89	88	50	32	19	12	3	2	1	–	–	–	–	
Chorea	2	1	3	–	2	–	3	1	–	–	1	–	–	–	–	
Epilepsy	104	81	80	72	64	74	59	45	31	19	13	7	–	–	–	
Tetanus	9	9	12	14	14	10	12	6	8	2	2	–	–	–	–	
Insanity	18	23	30	26	17	22	21	20	16	14	2	2	1	–	–	
Convulsions	3	1	2	5	1	6	2	2	1	1	–	–	–	–	–	
Brain Disease	202	246	220	241	268	298	291	266	240	145	84	21	2	1	–	4
Pericarditis	15	19	24	17	19	26	20	32	25	18	11	–	–	–	–	1
Aneurism	47	70	71	64	65	49	39	25	16	13	3	–	–	–	–	
Heart Disease	474	589	661	781	879	1036	1375	1318	1232	896	401	133	14	1	1	17
Laryngitis	19	34	32	25	25	26	21	16	16	9	1	2	–	–	–	
Bronchitis	225	295	457	560	741	836	1120	1103	1134	966	649	246	55	15	–	5
Pleurisy	75	65	82	90	104	98	139	143	129	110	61	21	1	–	–	3
Pneumonia	394	416	480	507	488	516	548	468	393	256	112	48	11	1	1	8
Asthma	85	99	169	288	353	346	512	430	389	288	119	46	4	1	–	5
Lung Disease	105	96	109	120	140	124	145	124	74	40	24	3	1	–	–	
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Quinsey	8	2	3	5	9	15	8	7	7	2	3	–	–	–	–	
Gastritis	28	36	34	68	49	48	52	69	50	27	23	4	1	–	–	
Enteritis	82	90	96	92	110	102	120	110	101	77	39	17	2	1	–	4
Peritonitis	48	59	50	66	67	52	51	53	45	43	19	4	–	–	–	
Ascites	18	20	18	20	32	25	24	33	17	14	8	3	1	–	–	
Ulceration of Intestines	48	60	63	60	65	70	72	72	49	23	8	4	2	–	–	1
Hernia	10	17	13	23	22	27	35	55	42	61	42	14	–	–	–	
Ileus	44	69	76	69	92	100	110	120	131	90	54	20	6	1	–	1
Intussusception	4	7	11	20	14	17	22	9	17	6	3	3	–	–	–	
Stricture of Intestines	7	3	7	10	7	17	18	17	13	4	5	1	–	–	–	1
Stomach Disease	93	125	150	145	222	272	312	317	284	164	68	16	2	1	–	2
Pancreas Disease	1	–	1	–	–	1	1	1	2	–	–	–	–	–	–	
Hepatitis	35	53	59	55	57	75	65	55	47	34	12	2	–	–	–	2
Jaundice	14	20	29	23	30	38	74	65	59	60	39	19	1	–	–	2
Liver Disease	128	160	208	217	283	291	303	254	219	91	45	14	1	–	–	2
Spleen Disease	4	3	10	9	5	9	11	8	5	2	–	–	–	–	–	
Nephritis	13	8	9	15	18	18	24	18	22	20	7	8	–	1	–	
Nephria	76	87	75	77	66	62	72	45	50	25	12	3	–	–	–	
Ischuria	9	1	11	12	10	13	30	38	56	64	45	26	3	1	–	
Diabetes	41	28	29	40	38	28	25	28	20	8	–	1	–	–	–	2
Stone	7	2	7	9	16	29	55	80	121	124	67	27	6	1	–	1
Cystitis	11	15	12	6	16	17	36	38	69	69	41	21	2	1	–	
Stricture of Urethra	5	5	6	9	13	8	11	12	10	1	3	1	1	–	–	
Kidney Disease	62	74	80	84	111	162	249	267	318	281	176	81	17	3	–	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Organs of Generation	1	–	–	–	3	–	1	1	1	1	2	–	–	–	–	
Arthritis	1	5	2	2	6	5	7	6	–	3	1	–	–	–	–	
Rheumatism	18	24	19	34	38	46	65	64	75	66	22	10	4	–	–	2
Joint Disease	47	62	45	36	39	30	46	25	28	14	12	3	–	–	–	
Carbuncle	–	7	1	9	6	13	18	8	12	11	8	5	–	–	–	
Phlegmon	3	–	2	2	4	6	1	2	1	2	–	–	–	–	–	
Skin Disease	4	3	2	2	1	5	2	5	1	2	4	1	–	–	–	
Cyanosis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Intemperance	50	52	48	72	70	50	33	24	13	6	–	–	–	–	–	2
Privation	1	1	–	2	2	3	2	2	1	–	–	–	–	–	–	
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	16	13	12	17	19	20	17	9	8	8	3	2	–	–	–	6
Poison	14	23	26	17	17	12	12	8	7	4	–	–	–	–	–	
Burns and Scalds	28	33	26	20	16	15	13	17	23	13	12	9	4	2	–	1
Hanging, etc.	25	27	30	37	39	43	35	17	12	4	2	–	–	–	–	6
Suffocation	16	14	27	17	18	12	14	12	7	8	8	1	–	–	–	10
Drowning	350	327	293	235	179	131	142	74	72	26	16	3	–	–	–	189
Fracture and Contusion	531	467	445	431	342	308	284	214	144	114	78	31	14	4	1	50
Wounds	61	54	52	46	47	51	30	23	18	12	6	–	1	–	–	4
Other Violent Causes	63	54	51	48	40	41	41	31	9	19	4	1	1	–	–	33
Not Specified	374	331	352	336	497	561	649	71	68	68	56	46	18	3	–	54

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855–1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	327754	26575	9014	20156	29200	15222	9995	7046	16214	8078	10466	11825	11612
SPECIFIED CAUSES	309895	21622	7590	18616	27534	14488	9558	6747	15511	7672	10075	11419	11196
I. Zymotic Class	76441	2959	2353	7245	12970	8315	5927	4267	8637	2807	2571	2221	1990
II. Diseases of Uncertain Seat	14739	198	52	104	162	152	123	92	250	162	205	217	350
III. Tubercular Class	53213	585	1095	2919	4354	2162	1327	975	3214	2726	5175	5662	5115
IV. Brain and Nervous System	22722	1461	506	847	901	491	344	274	802	475	470	524	513
V. Organs of Circulation	11803	57	16	36	37	26	17	28	189	325	355	403	525
VI. Respiratory Organs	38363	2148	1763	3882	4438	1991	1125	625	1173	400	484	672	702
VII. Organs of Digestion	23070	1688	861	2748	5499	669	245	166	499	319	381	598	628
VIII. Urinary Organs	2274	12	4	7	32	19	34	20	82	71	86	118	182
IX. Organs of Generation	5002	1	–	1	1	2	–	–	–	15	210	639	863
X. Organs of Locomotion	1577	3	3	6	19	14	14	21	91	140	93	82	55
XI. Skin, etc.	325	54	34	36	23	20	3	–	6	4	5	12	6
XII. Malformation	644	527	35	37	19	4	3	3	5	1	4	2	1
XIII. Premature Debility	12546	11349	665	533	1	–	–	–	–	–	–	–	–
XIV. Atrophy	2888	38	26	61	709	285	118	69	145	58	54	46	61
XV. Age	38027	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	652	78	43	23	15	7	4	5	8	8	10	9	19
XVII. Violent Deaths	5609	469	136	131	354	348	274	202	410	161	174	184	186
I. Small Pox	4972	354	321	757	886	578	376	244	459	146	143	187	173
Measles	6458	94	112	946	2469	1147	634	353	491	74	46	19	22
Scarlatina	12893	63	112	747	1930	2075	1784	1539	3191	740	257	149	108
Diphtheria	3384	77	53	182	511	428	399	302	833	234	124	64	42
Hooping Cough	11556	656	724	2493	3548	1770	1027	592	699	84	4	2	3
Croup	5514	212	123	538	1425	1154	848	552	630	24	1	1	1
Thrush	145	81	16	21	17	4	1	1	–	–	–	1	1
Diarrhœa	6176	688	489	834	1090	308	103	52	132	62	55	76	78
Dysentery	2511	93	63	139	152	66	66	32	43	27	39	56	78
Cholera	493	21	20	62	66	19	21	7	45	12	5	16	14
Influenza	1955	72	40	63	70	29	21	15	30	17	22	18	17
Purpura	206	5	6	16	13	9	1	8	15	13	14	11	12
Ague	23	–	2	2	–	3	2	1	3	3	1	1	–
Worms	166	1	2	5	17	34	35	19	44	6	2	–	–
Infantile Fever	391	47	30	76	105	54	31	25	22	1	–	–	–
Typhus	15080	48	77	233	576	614	562	498	1917	1318	1462	1110	880
Metria	1802	–	–	–	–	–	–	–	–	–	91	411	469
Rheumatic Fever	415	–	–	–	2	2	4	5	32	48	43	86	28
Erysipelas	1391	331	66	75	57	29	25	13	34	48	55	43	45
Syphilis	505	173	94	53	31	6	4	–	1	–	6	19	17
Noma	90	3	3	3	10	15	12	9	14	–	1	1	1
Hydrophobia	6	–	–	–	1	1	1	–	2	–	–	–	1
II. Hæmorrhage	470	66	3	11	4	7	4	6	14	8	24	23	30
Dropsy	5512	16	11	30	68	87	83	61	174	101	98	114	158
Abscess	551	43	18	24	32	22	7	7	31	22	28	23	43
Ulcer	210	18	5	7	11	5	4	1	3	3	8	8	2
Fistula	34	–	–	–	–	–	–	–	–	1	1	3	5
Mortification	709	44	11	24	40	20	15	8	15	12	11	11	12
Cancer	7216	11	4	8	7	11	8	9	13	15	85	95	102
Gout	37	–	–	–	–	–	2	–	–	–	–	–	–
III. Scrofula	2320	50	56	128	198	108	64	63	221	221	262	192	154
Tabes Mesenterica	3362	184	190	402	956	425	205	119	327	186	95	62	48
Phthisis	39376	89	262	532	1113	736	427	381	1589	2084	4758	5388	4900
Hydrocephalus	8165	262	587	1857	2087	893	631	412	1077	235	60	20	13

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855–1864.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	10742	10572	9933	9501	10316	10915	14321	14323	17388	16483	14640	8201	3238	1058	236	494
Specified Causes	10335	10178	9187	9009	9788	10220	13520	14212	17277	16373	14552	8147	3211	1050	234	324
Zymotic Class	1598	1513	1195	1151	1107	1124	1348	1269	1457	1256	785	351	111	33	2	49
Uncertain Seat	450	686	999	1139	1339	1355	1695	1410	1482	1061	684	289	69	19	3	1
Tubercular Class	4175	3518	2794	2163	1692	1299	1089	583	323	154	62	20	5	2	1	1
Brain, etc.	578	614	743	860	1064	1338	1816	1956	2308	1941	1226	495	122	25	2	2
Heart, etc.	552	639	699	746	893	1005	1372	1278	1205	869	408	129	17	9	1	2
Respiratory Organs	814	898	1091	1137	1569	1871	2615	2506	2511	2019	1233	520	108	35	2	3
Digestive Organs	752	785	815	875	1075	1146	1466	1274	1210	786	390	141	27	2	2	2
Urinary Organs	169	182	156	144	130	147	151	174	142	97	57	19	9	–	–	–
Generative Organs	882	926	556	266	189	138	107	84	65	34	16	3	–	–	–	1
Locomotive Organs	64	62	55	69	96	106	121	152	124	105	60	14	4	4	–	–
Skin	12	9	14	10	7	7	14	9	18	10	4	5	–	1	–	2
Malformation	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	100	99	122	180	288	421	52	2	1	1	–	1	–	–	–	0
Age	–	–	–	–	–	12	1356	3222	6225	7851	9429	6057	2706	913	220	36
Sudden Deaths	15	40	34	36	41	45	65	65	88	28	12	2	1	–	–	1
Violent Deaths	176	206	214	233	248	206	253	197	218	218	186	101	32	7	1	84
Small Pox	93	65	52	42	37	22	13	7	9	–	1	1	–	–	–	3
Measles	23	12	10	4	2	2	–	3	–	–	–	–	–	–	–	1
Scarlatina	83	40	30	11	6	9	4	1	–	2	1	–	–	–	–	2
Diphtheria	26	17	12	18	12	18	16	4	7	3	2	–	–	–	–	1
Hooping Cough	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Thrush	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	98	126	119	124	143	161	264	277	375	367	251	136	46	15	1	4
Dysentery	58	79	81	128	135	166	207	220	220	214	149	67	17	5	–	1
Cholera	10	17	15	22	16	23	22	15	17	13	9	2	2	–	–	2
Influenza	14	13	33	34	64	89	150	185	293	326	211	83	33	8	1	4
Purpura	6	7	10	6	8	6	13	8	7	9	1	1	–	1	–	–
Ague	1	1	–	–	–	–	2	–	–	–	1	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	701	731	634	666	608	553	570	462	448	248	116	36	8	2	–	10
Metria	381	315	113	21	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	23	26	29	21	18	13	21	21	17	11	7	3	–	–	–	–
Erysipelas	49	46	35	36	43	51	56	63	62	59	35	21	10	2	–	–
Syphilis	28	16	20	13	13	6	4	1	–	–	–	–	–	–	–	–
Noma	–	1	1	1	–	1	8	3	2	4	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	31	32	37	24	21	25	33	17	18	14	8	2	1	–	–	1
Dropsy	166	213	268	297	398	414	582	548	636	498	330	133	29	5	–	4
Abscess	89	24	28	29	18	21	30	16	16	14	13	1	2	–	–	–
Ulcer	7	9	7	9	13	8	13	18	22	17	6	5	1	–	–	–
Fistula	2	3	3	1	4	3	3	1	3	2	1	–	–	–	–	–
Mortification	12	15	13	9	29	23	37	49	67	82	81	42	22	4	1	–
Cancer	199	387	642	768	850	859	993	785	668	433	242	103	18	10	2	2
Gout	1	3	1	2	3	2	4	6	2	4	3	3	1	–	–	–
Scrofula	104	95	71	60	64	43	57	46	24	21	10	4	1	–	–	2
Tabes Mesenterica	24	33	17	19	20	12	9	8	10	3	3	1	2	–	–	–
Phthisis	4038	3388	2704	2084	1605	1243	1018	529	289	130	49	15	2	2	1	2
Hydrocephalus	7	2	2	–	3	1	5	–	–	–	–	–	–	–	–	1

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1481	19	53	142	167	69	91	70	197	121	110	116	61
Apoplexy	5187	43	40	69	74	56	38	27	110	53	66	78	114
Paralysis	7681	–	1	3	11	8	6	4	23	50	34	43	54
Delirium Tremens	101	–	–	–	–	–	–	–	–	–	–	–	10
Chorea	47	–	–	1	1	–	–	–	13	8	7	5	3
Epilepsy	939	4	–	3	8	4	6	2	27	58	67	98	88
Tetanus	204	61	4	5	10	4	5	5	18	8	6	3	11
Insanity	859	–	–	–	–	–	–	–	3	2	5	14	19
Convulsions	3190	1274	348	480	470	241	110	83	122	13	6	6	4
Brain Disease	3530	60	60	144	160	112	88	83	289	182	169	169	146
V. Pericarditis	335	5	1	4	5	6	2	7	36	26	39	26	10
Aneurism	255	1	–	–	–	–	–	–	1	5	6	5	12
Heart Disease	11213	51	15	32	32	20	15	21	152	294	308	372	503
VI. Laryngitis	673	23	26	54	99	78	66	33	76	17	14	12	21
Bronchitis	22293	1411	1214	2648	2875	1179	642	336	552	143	150	214	270
Pleurisy	1404	65	24	39	48	41	18	22	57	31	31	53	58
Pneumonia	8870	584	468	1070	1305	644	358	215	419	155	204	274	248
Asthma	3388	4	2	3	5	3	2	–	3	5	10	20	31
Lung Disease	1735	61	29	68	106	46	39	19	66	49	75	99	74
VII. Teething	5288	29	224	1987	2702	318	23	3	2	–	–	–	–
Quinsey	318	25	20	28	43	31	22	19	32	16	7	8	9
Gastritis	771	34	18	32	39	17	8	6	37	19	25	40	32
Enteritis	4108	942	371	408	441	158	87	63	160	78	74	97	103
Peritonitis	1524	57	20	31	30	19	14	10	62	55	90	176	143
Ascites	545	5	–	3	7	1	3	6	11	18	15	12	22
Ulceration of Intestines	816	13	8	11	24	10	5	2	22	22	31	52	55
Hernia	452	7	2	1	1	1	–	–	1	1	2	4	1
Ileus	1225	77	32	22	22	6	7	8	22	22	27	29	38
Intussusception	148	11	16	11	3	1	3	–	7	2	1	4	3
Stricture of Intestines	94	4	1	–	–	–	–	–	–	–	2	4	1
Stomach Disease	3445	235	116	173	141	59	46	26	80	35	59	76	83
Pancreas Disease	6	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	697	11	4	6	8	4	2	6	12	14	13	18	25
Jaundice	928	200	15	8	23	25	10	5	14	–	7	16	26
Liver Disease	2610	38	14	27	10	14	15	10	35	35	35	60	80
Spleen Disease	95	–	–	–	5	4	–	2	2	2	2	2	7
VIII. Nephritis	172	2	1	1	7	6	7	8	16	8	2	7	10
Nephria	689	1	–	3	6	4	4	5	24	19	33	50	69
Ischuria	81	6	–	1	2	2	1	–	1	2	3	10	4
Diabetes	253	–	1	–	5	–	4	1	2	16	15	31	29
Stone	71	–	2	–	1	–	1	–	1	1	1	–	2
Cystitis	86	–	–	–	–	1	1	–	–	1	1	9	5
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	920	3	–	2	11	6	16	6	38	24	31	41	63
IX. Paramenia	231	–	–	–	–	–	–	–	–	13	73	36	18
Ovarian Dropsy	634	–	–	–	–	–	–	–	–	1	8	33	43
Childbirth	3322	–	–	–	–	–	–	–	–	–	113	521	737
Organs of Generation	815	1	–	1	1	2	–	–	–	1	16	49	65
X. Arthritis	78	1	–	1	1	1	5	2	9	8	4	3	3
Rheumatism	800	–	–	1	–	2	1	2	8	16	17	20	14
Joint and Bone Disease	699	2	3	4	18	11	8	17	74	116	72	59	38
XI. Carbuncle	85	5	3	3	1	5	–	–	–	2	1	2	–
Phlegmon	38	3	–	1	–	2	–	–	–	–	–	5	3
Skin Disease	202	46	31	32	22	13	3	–	6	2	4	5	3
XII. Cyanosis	208	175	11	9	7	1	–	–	2	–	2	1	–
Spina Bifida	167	129	19	12	5	–	1	–	1	–	–	–	–
Other Malformations	269	223	5	16	7	3	2	3	2	1	2	1	1
XVII. Intemperance	262	–	–	–	–	–	–	–	–	–	–	4	15
Privation	36	3	–	3	8	1	1	–	2	–	1	1	1
Want of Breast Milk	251	164	49	36	2	–	–	–	–	–	–	–	–
Neglect	17	10	–	1	3	1	–	1	–	–	–	–	–
Cold	110	18	5	3	2	3	2	1	1	2	7	3	6
Poison	217	23	3	2	6	6	7	6	7	4	9	14	14
Burns and Scalds	1698	6	10	53	210	229	197	137	243	45	24	22	28
Hanging, etc.	135	–	–	–	–	–	–	–	–	–	4	8	10
Suffocation	359	155	58	17	13	6	5	4	6	8	5	4	9
Drowning	763	5	2	5	62	53	21	16	41	32	46	73	55
Fracture and Contusion	1319	8	7	9	43	43	35	28	90	58	63	40	28
Wounds	146	1	–	–	2	3	1	4	7	6	5	8	12
Other Violent Causes	296	76	2	2	3	3	5	5	13	6	10	7	8
Not Specified	17859	4953	1424	1540	1666	734	397	299	703	406	391	406	416

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	60	42	36	27	17	18	17	12	15	9	4	5	–	–	–	–
Apoplexy	128	148	190	289	375	455	626	570	657	503	312	118	34	7	1	–
Paralysis	88	128	198	257	377	549	880	1094	1888	1248	815	337	89	18	1	2
Delirium Tremens	13	22	19	13	7	7	4	2	–	1	2	–	–	–	–	1
Chorea	2	–	1	–	–	2	–	1	2	1	–	–	–	–	–	–
Epilepsy	88	93	72	55	52	52	52	35	30	26	15	3	–	–	–	1
Tetanus	12	7	9	10	5	3	3	2	8	4	1	–	–	–	–	–
Insanity	21	27	29	33	45	48	35	30	23	7	14	4	–	–	–	–
Convulsions	11	7	2	3	2	1	–	6	2	–	–	–	–	–	–	–
Brain Disease	155	140	187	173	184	203	199	207	183	142	63	28	8	–	–	4
Pericarditis	14	21	21	17	17	16	16	14	14	11	5	1	–	–	–	1
Aneurism	13	25	28	30	24	27	30	16	14	11	5	–	–	1	–	1
Heart Disease	525	593	650	699	852	962	1326	1248	1177	787	398	128	17	8	1	27
Laryngitis	21	24	23	15	14	16	11	9	11	7	2	–	1	–	–	–
Bronchitis	339	363	502	556	770	961	1450	1438	1565	1306	874	392	91	28	2	2
Pleurisy	57	59	64	56	73	82	111	127	122	89	52	20	1	2	1	2
Pneumonia	238	253	246	230	277	304	330	327	293	231	127	53	10	1	–	6
Asthma	75	113	159	189	323	405	566	493	434	336	156	44	4	2	–	1
Lung Disease	84	86	97	91	112	103	147	112	86	50	22	11	1	2	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	5	9	2	4	9	1	6	8	5	6	–	2	–	1	–	–
Gastritis	42	37	34	27	51	49	57	52	55	32	16	10	1	–	–	1
Enteritis	99	114	109	80	112	103	120	119	117	93	41	15	2	–	–	2
Peritonitis	147	121	99	65	42	67	81	61	63	39	17	13	1	–	–	1
Ascites	20	33	22	42	59	41	64	57	44	37	17	1	4	–	1	–
Ulceration of Intestines	51	61	56	48	67	53	70	45	56	29	18	4	–	–	–	3
Hernia	9	21	20	36	48	51	68	52	53	44	18	10	–	–	–	1
Ileus	50	44	54	53	70	91	111	116	122	108	63	21	9	1	–	–
Intussusception	6	5	7	7	12	7	9	7	7	13	4	1	1	–	–	–
Stricture of Intestines	2	2	5	9	8	6	12	8	18	7	4	1	–	–	–	–
Stomach Disease	123	149	161	184	200	252	344	327	284	172	85	30	5	–	–	2
Pancreas Disease	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Hepatitis	31	43	43	61	79	79	92	51	54	22	13	3	2	–	–	1
Jaundice	29	11	20	44	52	40	89	84	93	58	40	15	2	–	1	1
Liver Disease	135	124	175	207	257	299	329	280	236	124	52	15	–	–	–	4
Spleen Disease	3	11	7	7	9	6	12	7	3	2	2	–	–	–	–	–
Nephritis	13	9	7	11	7	6	13	13	4	7	7	–	–	–	–	–
Nephria	68	79	48	49	39	45	46	41	27	16	8	2	3	–	–	–
Ischuria	5	8	3	2	2	9	4	6	7	5	2	–	1	–	–	–
Diabetes	21	30	28	17	11	11	5	13	3	5	1	1	–	–	–	–
Stone	2	4	1	3	1	5	6	10	11	7	8	3	1	–	–	–
Cystitis	6	2	4	3	7	10	4	9	8	5	5	4	1	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	54	55	65	58	63	58	73	81	82	52	26	9	3	–	–	–
Paramenia	19	23	22	14	11	1	–	1	–	–	–	–	–	–	–	–
Ovarian Dropsy	48	59	63	71	100	60	46	39	33	18	8	2	–	–	–	–
Childbirth	780	751	392	72	3	–	1	–	–	–	–	–	–	–	–	–
Organs of Generation	85	93	79	109	75	77	60	44	32	16	8	1	–	–	–	–
Arthritis	1	4	4	6	6	3	–	4	4	5	2	1	–	–	–	–
Rheumatism	28	26	24	37	57	78	95	125	97	79	51	12	4	3	–	–
Joint Disease	35	32	27	26	33	25	26	23	23	21	4	1	–	1	–	–
Carbuncle	2	3	7	6	3	3	9	5	11	5	3	4	–	1	–	1
Phlegmon	2	3	5	3	2	2	1	1	2	3	–	–	–	–	–	–
Skin Disease	8	3	2	1	2	2	4	3	5	2	1	1	–	–	–	1
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1
Intemperance	25	35	41	43	36	24	18	8	9	4	–	–	–	–	–	–
Privation	4	1	1	3	–	1	1	4	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	2	3	6	6	5	6	8	2	6	8	2	–	1	–	–	–
Poison	9	18	14	20	22	13	7	6	3	3	–	–	–	–	–	1
Burns, etc.	18	24	29	37	33	21	48	50	63	60	59	38	9	2	–	3
Hanging, etc.	13	10	10	16	13	19	18	6	3	3	–	–	–	–	–	–
Suffocation	3	6	7	7	15	4	5	3	4	5	4	–	–	–	–	6
Drowning	50	55	37	40	40	30	46	24	19	9	3	–	1	–	–	1
Fracture and Contusion	37	35	45	38	61	66	77	80	106	116	110	60	18	5	1	1
Wounds	5	18	13	13	12	9	10	7	2	4	1	1	1	–	–	–
Other Violent Causes	10	21	11	10	11	12	15	7	3	6	7	2	2	–	–	39
Not specified	407	394	446	492	578	725	801	111	111	110	88	54	27	8	2	17

CAUSES of DEATH in SCOTLAND during each of the TEN YEARS 1855–1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	62001	58529	61906	63539	61714	68170	62341	67195	71481	74416	651295
SPECIFIED CAUSES . .	56272	54755	58011	59930	58208	64487	59417	63860	68201	71126	614267
I. Zymotic Class . .	13582	13779	14016	14132	14610	14178	12106	15978	18888	19090	149019
II. Diseases of Uncertain Seat . . .	2535	2403	2418	2360	2133	2479	2319	2288	2308	2523	21066
III. Tubercular Class .	10007	9977	10326	10265	9951	11212	10582	11420	10981	11415	105275
IV. Brain and Nervous System .	4607	4501	4789	4800	4770	5206	4823	5086	5216	5116	48914
V. Organs of Circulation	2006	1918	2117	2261	2314	2598	2491	2787	2706	2975	24203
VI. Respiratory Organs .	7075	6124	6256	7884	6505	9170	8100	9194	8951	10070	79929
VII. Organs of Digestion	4526	4319	5007	4832	4594	4797	5036	4788	4970	5165	47824
VIII. Urinary Organs .	679	590	621	726	720	786	841	904	882	916	7668
IX. Organs of Generation	493	481	472	460	504	495	506	481	563	560	5015
X. Organs of Locomotion	290	257	247	258	270	333	428	404	455	419	3361
XI. Skin, etc. . . .	71	50	54	60	65	63	72	80	108	93	716
XII. Malformation . .	152	119	154	122	144	149	152	145	164	175	1476
XIII. Premature Debility .	2068	2744	2787	2911	2776	2990	2880	2986	2949	3242	28333
XIV. Atrophy . . .	535	461	502	521	466	551	492	576	611	502	5217
XV. Age	5685	5702	6009	6281	5913	6572	5792	6559	6069	6418	60950
XVI. Sudden Deaths .	248	197	138	127	89	132	105	118	120	126	1400
XVII. Violent Deaths .	1913	2003	2068	1980	2054	2186	2089	2057	2260	2291	20901
I. Small Pox . .	1309	1806	845	332	682	1495	766	426	1616	1741	10548
Measles . . .	1180	1033	1028	1536	972	1587	971	1404	2212	1102	13027
Scarlatina . .	2138	3011	2255	2671	3614	2927	1764	1281	3413	3411	26165
Diphtheria . .	–	–	76	294	415	480	681	997	1745	1740	6428
Hooping Cough .	1963	2331	1539	1963	2660	1812	2204	2799	1649	1993	20853
Croup . . .	873	1020	1072	1200	921	1005	890	1396	1870	1416	11663
Thrush . . .	34	27	36	32	32	35	25	36	35	36	328
Diarrhœa . .	1320	1098	2071	1524	1273	1095	1041	1108	1192	1244	12966
Dysentery . .	602	392	929	599	469	369	361	293	285	317	4616
Cholera . . .	238	83	170	83	146	46	67	57	114	67	1076
Influenza . .	701	244	285	365	291	342	252	387	304	243	3397
Purpura . . .	51	36	50	44	31	61	49	51	47	44	464
Ague . . .	–	3	3	5	4	3	6	16	12	17	66
Worms . . .	47	40	35	97	30	28	30	32	35	24	338
Infantile Fever .	112	196	76	64	72	61	45	63	85	53	827
Typhus . . .	2119	2363	3087	2790	2436	2314	2579	3021	3141	4804	29281
Metria . . .	169	113	145	152	175	236	203	130	195	254	1802
Rheumatic Fever .	57	58	58	70	67	95	104	84	113	101	807
Erysipelas . .	326	288	204	270	247	334	253	249	335	345	2851
Syphilis . . .	79	81	90	80	90	96	122	126	139	125	1034
Noma . . .	23	20	11	12	12	23	12	21	20	13	167
Hydrophobia . .	1	1	1	1	1	4	1	1	1	–	12
II. Hæmorrhage . .	116	172	94	93	91	85	65	85	75	81	987
Dropsy . . .	1220	1065	1088	1045	1027	1052	778	743	696	708	9122
Abscess . . .	88	110	76	80	113	122	126	121	161	149	1146
Ulcer . . .	30	28	37	29	26	35	35	55	58	50	392
Fistula . . .	4	15	7	11	12	15	19	11	16	18	127
Mortification . .	153	163	150	127	148	148	115	108	127	142	1381
Cancer . . .	871	998	960	963	1004	1014	1105	1152	1162	1300	10199
Gout . . .	14	2	6	12	12	8	16	13	14	15	112
III. Scrofula . . .	411	461	431	452	447	483	699	704	663	657	5428
Tabes Mesenterica .	535	519	706	763	610	721	782	796	873	875	7180
Phthisis . . .	7120	6247	7184	7264	7172	8165	7571	8211	7614	8083	74640
Hydrocephalus .	1902	1860	2005	1786	1722	1843	1530	1718	1831	1830	18027

CAUSES of DEATH IN SCOTLAND during each of the TEN YEARS 1855–1864.—
BOTH SEXES.

	DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV.	Cephalitis	389	363	325	349	321	378	354	319	328	368	3489
	Apoplexy	1041	975	1054	1059	1175	1144	1008	1201	1155	1160	10932
	Paralysis	1395	1478	1447	1441	1415	1560	1458	1509	1632	1550	14815
	Delirium Tremens	71	58	86	61	50	88	51	61	63	51	616
	Chorea	9	9	5	6	3	9	14	9	9	10	83
	Epilepsy	196	166	218	193	187	224	213	230	212	198	2037
	Tetanus	62	86	62	49	60	47	46	49	49	36	546
	Insanity	58	55	59	46	52	54	91	96	60	46	617
	Convulsions	689	733	703	811	755	852	689	697	824	838	7589
	Brain Disease	707	638	830	782	791	850	896	915	889	859	8160
V.	Pericarditis	81	68	77	67	77	92	72	84	71	68	760
	Aneurism	45	66	70	78	75	83	69	89	75	97	752
	Heart Disease	1877	1844	1970	2116	2162	2118	2330	2614	2560	2810	22691
VI.	Laryngitis	101	114	178	168	156	167	161	170	173	144	1532
	Bronchitis	3036	2762	2867	3935	3228	5400	5017	5764	5481	6383	43876
	Pleurisy	451	387	319	356	302	321	268	291	252	284	3181
	Pneumonia	2094	1970	1890	2355	1990	2116	1974	1932	2212	2268	21011
	Asthma	935	610	645	620	566	711	661	698	547	656	6652
	Lung Disease	458	331	357	450	353	449	319	339	283	335	3674
VII.	Teething	1014	1023	1341	1171	996	1066	1157	1106	1132	1124	11115
	Quinsey	57	51	65	62	70	83	87	63	78	72	691
	Gastritis	162	164	162	149	116	140	152	165	164	200	1604
	Enteritis	857	847	962	968	818	869	947	892	902	958	9040
	Peritonitis	263	260	227	248	263	285	298	227	311	331	2713
	Ascites	92	109	98	106	104	112	61	64	73	68	887
	Ulceration of Intestines	150	175	156	178	167	179	183	175	177	174	1714
	Hernia	86	96	86	85	71	90	110	111	86	90	914
	Ileus	284	267	287	260	238	268	293	268	268	303	2786
	Intussusception	42	39	35	48	41	39	33	49	37	40	398
	Stricture of Intestines	18	14	20	22	27	18	24	23	22	30	218
	Stomach Disease	188	464	738	687	774	761	765	682	774	754	6882
	Pancreas Disease	2	1	1	2	1	4	1	–	–	1	13
	Hepatitis	128	149	125	146	139	122	166	153	132	102	1417
	Jaundice	171	179	190	164	214	177	185	175	200	217	1872
	Liver Disease	507	460	504	524	477	552	572	611	589	620	5116
	Spleen Disease	10	13	15	22	18	22	22	21	25	26	194
VIII.	Nephritis	38	44	38	44	40	58	58	41	68	78	487
	Nephria	138	106	109	113	128	165	165	239	210	220	1623
	Ischuria	41	40	45	43	37	35	37	41	61	60	440
	Diabetes	60	54	53	60	69	64	84	74	74	82	674
	Stone	69	68	65	54	68	68	82	78	61	65	668
	Cystitis	36	33	50	59	47	40	54	66	45	50	480
	Stricture of Urethra	8	2	4	8	6	3	16	6	17	22	92
	Kidney Disease	294	248	262	315	330	363	348	359	346	344	3204
IX.	Paramenia	13	14	26	21	21	19	28	29	22	38	231
	Ovarian Dropsy	48	37	61	56	56	55	81	69	92	79	634
	Childbirth	341	351	304	302	333	328	308	305	376	374	3322
	Organs of Generation	91	79	81	81	94	93	89	78	73	69	828
X.	Arthritis	21	15	20	9	17	14	20	27	22	32	197
	Rheumatism	124	114	111	94	112	150	181	164	182	156	1388
	Joint and Bone Disease	145	128	116	155	141	169	227	213	251	231	1776
XI.	Carbuncle	20	18	18	16	21	20	20	19	29	24	205
	Phlegmon	6	5	8	6	4	8	12	8	16	11	84
	Skin Disease	45	27	28	38	40	35	40	53	63	58	427
XII.	Cyanosis	27	26	62	37	42	74	56	49	56	59	488
	Spina Bifida	27	31	33	33	39	31	32	31	35	29	324
	Other Malformations	98	62	59	52	63	41	64	62	73	87	661
XVII.	Intemperance	57	78	85	88	101	55	78	53	59	77	731
	Privation	5	6	8	5	6	6	5	7	4	9	61
	Want of Breast Milk	29	26	36	48	17	64	70	62	83	91	552
	Neglect	8	4	–	8	5	1	1	3	2	2	32
	Cold	30	21	31	24	49	47	34	31	17	41	328
	Poison	45	44	52	48	52	50	44	54	43	40	472
	Burns and Scalds	311	303	288	304	303	356	293	324	329	310	3121
	Hanging, etc.	42	54	45	44	58	50	49	46	49	29	406
	Suffocation	84	76	69	78	88	79	102	101	116	108	901
	Drowning	440	520	541	439	421	537	467	436	506	567	4864
	Fracture and Contusion	617	730	705	702	722	717	726	769	856	829	7109
	Wounds	78	57	87	79	100	86	93	74	80	94	828
	Other Violent Causes	167	84	121	118	102	112	124	91	116	101	1142
	Not Specified	5732	3774	3895	3609	3500	3683	2924	3335	3280	3290	37028

CAUSES of DEATH in the INSULAR DISTRICTS during each of the TEN YEARS 1855–1864.—
Both Sexes.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
All Causes . . .	2693	2166	2306	2377	2633	2714	2562	2975	2931	2720	26080
Specified Causes . .	2069	1884	1941	2013	2189	2257	2178	2490	2451	2278	21753
I. Zymotic Class . . .	434	323	296	267	400	387	477	486	495	470	4035
II. Diseases of Uncertain Seat . .	122	90	108	78	116	104	100	100	73	91	982
III. Tubercular Class .	304	257	309	290	321	343	341	364	350	306	3185
IV. Brain and Nervous System .	126	117	130	143	113	137	121	156	137	132	1312
V. Organs of Circulation	38	40	52	48	39	49	56	63	45	64	494
VI. Respiratory Organs .	213	141	170	179	199	198	204	222	257	211	2027
VII. Organs of Digestion	131	103	121	126	136	138	139	131	151	147	1323
VIII. Urinary Organs .	31	29	26	29	22	23	20	30	25	23	258
IX. Organs of Generation	28	31	28	30	29	23	23	21	14	30	257
X. Organs of Locomotion	16	16	20	22	20	21	27	29	19	22	212
XI. Skin, etc. . . .	3	2	5	1	2	1	2	2	3	4	25
XII. Malformation . .	1	–	7	3	7	–	1	1	2	1	23
XIII. Premature Debility .	35	103	66	78	64	64	48	47	56	63	621
XIV. Atrophy . . .	9	8	8	8	10	14	10	15	17	21	120
XV. Age	463	510	473	597	597	601	519	723	672	603	5758
XVI. Sudden Deaths .	3	11	9	8	10	7	7	5	6	2	68
XVII. Violent Deaths .	82	100	113	106	101	117	83	95	132	88	1050
I. Small Pox . .	22	16	23	9	8	29	6	2	15	26	156
Measles . . .	89	88	8	4	63	5	42	125	57	13	494
Scarlatina . .	14	17	12	24	35	52	71	7	26	26	284
Diphtheria . .	–	–	2	5	3	16	11	20	39	80	179
Hooping Cough .	28	53	42	36	42	82	140	85	50	53	561
Croup . . .	35	31	27	40	46	52	41	68	127	78	515
Thrush . . .	1	–	2	3	–	1	–	3	–	2	12
Diarrhœa . . .	23	11	49	26	35	16	17	37	22	17	253
Dysentery . .	19	6	24	19	8	11	10	14	6	5	122
Cholera . . .	2	1	2	3	4	1	3	2	1	5	24
Influenza . . .	98	12	30	16	74	38	32	70	42	26	438
Purpura . . .	–	–	1	2	2	4	2	2	1	1	15
Ague . . .	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	1	1	2	2	1	1	1	1	10
Infantile Fever .	1	5	2	2	2	2	1	–	3	–	18
Typhus . . .	77	62	58	65	59	59	77	83	90	118	748
Metria . . .	1	2	4	3	6	5	7	4	2	3	37
Rheumatic Fever .	7	3	1	2	3	5	2	3	5	7	38
Erysipelas . .	15	14	7	7	6	5	8	8	5	5	80
Syphilis . . .	2	2	1	–	2	2	2	2	3	4	20
Noma . . .	–	–	–	–	–	–	1	–	–	–	1
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	7	11	3	3	1	7	4	2	2	1	41
Dropsy . . .	69	46	56	37	71	49	47	44	36	44	499
Abscess . . .	–	2	2	–	1	1	3	2	2	2	15
Ulcer . . .	–	1	2	1	3	5	2	2	4	2	22
Fistula . . .	–	–	–	–	–	1	–	–	–	–	1
Mortification . .	6	1	4	2	3	4	3	4	4	2	33
Cancer . . .	39	29	40	35	36	37	38	46	23	40	363
Gout . . .	1	–	1	–	1	–	3	–	2	–	8
III. Scrofula . . .	16	18	16	17	15	21	23	14	20	23	183
Tabes Mesenterica .	8	7	12	7	11	11	12	10	10	4	92
Phthisis . . .	247	206	260	241	270	285	283	306	294	250	2642
Hydrocephalus .	33	26	21	25	25	26	23	34	26	29	268

CAUSES of DEATH in the INSULAR DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

	DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV.	Cephalitis	15	14	9	15	7	8	9	11	8	7	106
	Apoplexy	21	24	20	22	18	24	21	19	20	34	223
	Paralysis	59	41	61	56	40	60	42	65	64	55	511
	Delirium Tremens	–	1	1	–	1	–	–	–	2	–	5
	Chorea	–	–	1	1	–	2	1	–	1	–	6
	Epilepsy	4	3	7	12	5	8	11	7	10	9	76
	Tetanus	1	8	4	2	7	8	9	8	4	6	57
	Insanity	1	3	2	1	1	3	4	6	1	–	22
	Convulsions	14	13	13	14	12	15	10	24	11	9	135
	Brain Disease	11	10	12	20	22	9	14	15	16	12	141
V.	Pericarditis	2	1	–	1	3	–	2	2	1	–	12
	Aneurism	1	–	1	3	–	1	–	1	–	–	7
	Heart Disease	35	30	51	44	36	48	54	60	44	64	475
VI.	Laryngitis	–	–	4	4	2	3	1	3	2	2	21
	Bronchitis	93	43	57	59	87	68	71	78	102	104	762
	Pleurisy	27	27	30	29	33	33	37	36	45	27	324
	Pneumonia	45	32	43	38	20	36	42	46	50	34	386
	Asthma	51	30	32	39	42	43	42	50	51	36	416
	Lung Disease	27	12	4	10	15	15	11	9	7	8	118
VII	Teething	8	12	14	10	6	15	11	17	16	18	127
	Quinsey	3	4	3	–	2	1	3	5	3	12	36
	Gastritis	8	6	4	7	2	2	7	5	4	7	52
	Enteritis	22	16	22	20	22	14	16	12	25	16	185
	Peritonitis	10	3	4	5	5	9	4	3	7	8	58
	Ascites	6	2	3	5	5	11	1	7	3	1	44
	Ulceration of Intestines	1	2	1	3	2	6	7	5	3	1	31
	Hernia	3	2	3	–	7	3	2	1	1	4	26
	Ileus	10	16	17	12	15	15	20	11	11	11	138
	Intussusception	3	–	–	6	3	2	3	4	1	1	23
	Stricture of Intestines	–	1	2	1	2	–	1	1	1	1	9
	Stomach Disease	27	12	20	27	32	38	29	27	39	40	291
	Pancreas Disease	–	1	–	–	–	–	–	–	–	–	1
	Hepatitis	7	7	4	10	6	2	9	8	5	3	61
	Jaundice	6	4	10	5	7	9	11	8	10	6	76
	Liver Disease	16	15	14	14	17	11	13	18	21	16	155
	Spleen Disease	1	–	–	1	3	–	2	–	1	2	10
VIII.	Nephritis	1	1	–	1	3	2	–	1	–	2	11
	Nephria	3	2	1	1	2	4	3	11	6	4	37
	Ischuria	1	3	1	4	1	2	2	–	3	4	21
	Diabetes	1	3	3	4	1	1	1	1	3	3	21
	Stone	6	11	7	10	5	4	5	6	5	4	63
	Cystitis	4	3	4	2	2	1	3	3	–	1	23
	Stricture of Urethra	1	1	–	–	–	–	–	–	1	–	3
	Kidney Disease	14	5	10	7	8	9	6	8	7	5	79
IX.	Paramenia	–	1	3	1	3	–	–	1	1	3	13
	Ovarian Dropsy	5	3	1	1	–	1	1	1	3	4	20
	Childbirth	22	27	23	23	24	20	19	18	10	21	207
	Organs of Generation	1	–	1	5	2	2	3	1	–	2	17
X.	Arthritis	–	–	–	2	1	–	1	1	2	–	25
	Rheumatism	9	15	18	17	19	20	20	21	13	18	170
	Joint and Bone Disease	7	1	2	5	–	1	6	7	4	4	37
XI.	Carbuncle	1	2	–	–	1	–	1	–	3	1	9
	Phlegmon	–	–	–	–	–	1	–	–	–	–	1
	Skin Disease	2	–	5	1	1	–	1	2	–	3	15
XII.	Cyanosis	–	–	1	1	–	–	–	1	–	–	3
	Spina Bifida	–	–	2	2	5	–	–	–	–	–	9
	Other Malformations	1	–	4	–	2	–	1	–	2	1	11
XVII.	Intemperance	–	1	–	1	6	–	1	1	2	1	13
	Privation	–	–	1	–	1	–	–	–	–	–	2
	Want of Breast Milk	–	–	–	1	–	–	1	–	1	–	3
	Neglect	–	–	–	–	–	–	–	–	–	–	–
	Cold	4	4	–	3	4	4	2	3	1	7	32
	Poison	1	–	–	–	–	–	1	–	–	–	2
	Burns and Scalds	15	18	18	19	15	18	13	12	17	13	158
	Hanging, etc.	–	2	4	1	1	2	2	1	–	1	14
	Suffocation	1	1	2	4	2	1	1	1	1	1	15
	Drowning	34	60	69	42	57	98	48	60	92	52	612
	Fracture and Contusion	14	8	16	22	16	23	6	14	13	8	140
	Wounds	3	4	3	1	1	–	4	1	2	3	22
	Other Violent Causes	10	2	–	12	1	1	4	2	3	2	37
	Not specified	624	282	365	364	411	157	881	485	480	112	4327

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS during each of the TEN YEARS 1855–1864.—BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES	30803	28825	30390	31564	30959	33858	30814	32694	34722	35719	319948
SPECIFIED CAUSES	28109	26681	27995	29272	28767	31081	28917	30449	32502	33185	297958
I. Zymotic Class	6447	5972	6314	6277	6805	6712	5820	6158	8445	8708	67658
II. Diseases of Uncertain Seat	1411	1311	1313	1352	1335	1359	1295	1205	1227	1276	13084
III. Tubercular Class	4586	4192	4604	4660	4547	5086	4853	5225	4985	5061	47799
IV. Brain and Nervous System	2378	2309	2325	2405	2303	2554	2373	2516	2552	2455	24170
V. Organs of Circulation	1013	975	1058	1179	1187	1252	1267	1431	1369	1147	12178
VI. Respiratory Organs	3256	2664	2746	3389	2937	3706	3402	3711	3605	4018	33161
VII. Organs of Digestion	2231	2220	2477	2453	2353	2408	2591	2409	2499	2571	24212
VIII. Urinary Organs	391	305	331	375	390	428	450	486	487	495	4138
IX. Organs of Generation	271	248	216	243	246	253	263	256	270	284	2550
X. Organs of Locomotion	177	132	133	147	154	165	221	200	225	225	1779
XI. Skin, etc.	39	19	30	37	31	38	37	45	70	43	389
XII. Malformation	87	71	84	60	64	77	77	65	93	98	776
XIII. Premature Debility	937	1225	1134	1275	1207	1351	1215	1261	1317	1367	12349
XIV. Atrophy	220	214	216	214	215	234	211	228	251	198	2201
XV. Age	3472	3612	3811	4054	3792	4198	3686	4132	3900	4011	38868
XVI. Sudden Deaths	125	106	70	58	39	62	49	50	68	74	701
XVII. Violent Deaths	1068	1106	1133	1094	1102	1203	1107	1041	1139	1154	11147
I. Small Pox	552	429	183	130	176	558	268	112	625	808	3841
Measles	305	419	328	473	445	550	370	312	944	400	4546
Scarlatina	1141	1413	1094	1098	1741	1406	1041	618	1216	1640	12408
Diphtheria	–	–	51	196	291	287	471	617	1088	1203	4204
Hooping Cough	890	698	497	601	866	775	625	1038	547	507	7044
Croup	425	497	580	655	492	472	432	587	932	762	5831
Thrush	21	11	16	17	17	21	14	14	19	20	170
Diarrhœa	547	439	802	605	586	481	496	479	537	531	5503
Dysentery	260	163	475	281	243	195	168	140	149	178	2212
Cholera	179	39	92	88	81	23	28	31	55	35	601
Influenza	508	172	190	261	177	227	132	248	209	149	2273
Purpura	31	15	26	24	14	33	27	25	21	22	238
Agne	–	3	1	2	–	1	4	5	2	9	27
Worms	22	28	26	26	17	17	20	17	18	18	209
Infantile Fever	70	107	40	37	38	35	29	42	54	26	478
Typhus	1188	1234	1666	1530	1334	1241	1370	1570	1634	1908	14765
Metria	79	86	78	81	92	115	102	67	115	137	952
Rheumatic Fever	34	39	37	45	48	60	71	53	69	59	510
Erysipelas	162	149	100	153	115	178	124	129	163	176	1449
Syphilis	24	21	26	19	28	24	26	46	37	31	282
Noma	8	9	5	4	8	9	6	7	10	4	70
Hydrophobia	1	1	1	1	1	4	1	1	1	–	12
II. Hæmorrhage	80	97	42	44	46	45	35	52	36	34	511
Dropsy	648	541	567	619	561	587	435	389	351	369	5067
Abscess	50	52	39	39	56	67	57	54	65	63	542
Ulcer	16	9	20	14	17	20	20	21	29	25	191
Fistula	2	9	4	8	8	5	10	5	9	7	57
Mortification	92	92	82	78	75	81	65	60	58	72	755
Cancer	516	510	556	550	569	549	602	612	671	696	5891
Gout	7	1	3	5	8	5	11	12	8	10	70
III. Scrofula	227	243	244	240	229	264	367	379	348	341	2882
Tabes Mesenterica	218	249	293	297	278	289	354	339	393	352	3092
Phthisis	3337	2928	3240	3362	3316	3757	3481	3803	3504	3620	34348
Hydrocephalus	774	772	827	761	724	776	651	704	740	748	7477

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS during each of the TEN YEARS 1855-1864.—BOTH SEXES.

	DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV.	Cephalitis	193	200	156	177	157	208	189	151	159	192	1782
	Apoplexy	555	517	525	571	570	590	508	650	583	594	5663
	Paralysis	789	808	805	829	812	841	806	849	889	845	8264
	Delirium Tremens	31	29	36	29	22	35	15	30	28	25	250
	Chorea	2	3	1	3	3	4	9	5	5	6	41
	Epilepsy	112	88	109	100	88	97	115	122	129	86	1046
	Tetanus	38	46	39	31	30	26	27	19	26	20	302
	Insanity	24	26	23	20	22	21	28	31	23	19	243
	Convulsions	288	290	250	292	257	336	276	252	360	300	2841
	Brain Disease	346	302	375	362	342	396	400	407	410	368	3708
V.	Pericarditis	53	38	47	40	44	55	46	49	56	36	114
	Aneurism	20	22	26	32	37	27	15	39	38	41	297
	Heart Disease	940	915	985	1107	1106	1170	1206	1818	1295	1370	11437
VI.	Laryngitis	57	55	86	73	78	81	75	74	81	78	738
	Bronchitis	1374	1157	1230	1675	1399	1954	1883	2187	2172	2388	17419
	Pleurisy	260	194	168	200	179	170	139	140	110	161	1721
	Pneumonia	899	826	793	969	855	982	856	858	868	949	8955
	Asthma	441	284	300	281	255	337	296	333	259	304	3090
	Lung Disease	225	148	169	191	171	182	153	149	115	158	1641
VII.	Teething	351	358	449	411	359	394	423	388	417	406	3956
	Quinsey	32	25	27	39	31	45	54	31	43	29	356
	Gastritis	89	98	103	87	83	72	82	95	101	129	930
	Enteritis	454	437	481	482	421	440	517	469	443	490	4634
	Peritonitis	137	150	130	130	148	139	156	128	156	176	1450
	Ascites	47	70	65	71	66	58	35	35	85	32	514
	Ulceration of Intestines	94	108	105	108	108	96	109	100	111	100	1039
	Hernia	54	60	49	46	37	48	48	64	48	38	492
	Ileus	182	164	167	168	150	151	170	135	147	183	1620
	Intussusception	27	26	23	28	22	20	15	32	25	25	243
	Stricture of Intestines	10	8	8	13	8	9	18	8	17	17	116
	Stomach Disease	283	287	413	407	448	432	444	395	436	407	3952
	Pancreas Disease	2	–	1	1	1	3	–	–	–	1	9
	Hepatitis	78	91	76	89	71	79	99	85	74	100	887
	Jaundice	107	108	103	82	126	101	107	101	116	117	1068
	Liver Disease	285	222	266	281	262	305	299	330	318	311	2879
	Spleen Disease	4	8	11	10	12	13	15	15	12	19	117
VIII.	Nephritis	17	30	19	27	28	22	31	20	37	41	272
	Nephria	50	43	40	44	49	60	68	101	91	112	658
	Ischuria	28	25	27	28	22	24	18	29	41	28	270
	Diabetes	42	30	28	40	42	34	49	43	50	40	398
	Stone	45	43	45	35	44	47	56	51	44	44	454
	Cystitis	20	20	30	36	23	27	31	31	30	30	278
	Stricture of Urethra	4	–	2	3	2	1	4	4	7	7	34
	Kidney Disease	185	114	140	162	180	218	193	207	187	198	1774
IX.	Paramenia	8	9	12	14	11	13	20	16	17	23	143
	Ovarian Dropsy	28	23	33	31	34	31	44	37	45	36	312
	Childbirth	186	164	132	148	151	152	146	158	166	188	1591
	Organs of Generation	49	52	39	50	50	57	53	45	42	37	474
X.	Arthritis	10	8	12	6	10	5	11	16	7	21	106
	Rheumatism	86	58	61	59	64	80	98	79	102	101	788
	Joint and Bone Disease	81	66	60	82	80	80	112	105	116	103	885
XI.	Carbuncle	10	4	11	6	9	11	9	14	16	10	100
	Phlegmon	4	3	8	5	3	5	5	2	12	3	50
	Skin Disease	25	12	11	26	19	17	23	29	42	30	234
XII.	Cyanosis	18	15	32	16	19	34	36	23	32	37	262
	Spina Bifida	19	18	18	19	15	21	18	15	23	14	180
	Other Malformations	50	38	34	25	30	22	28	27	38	47	334
XVII.	Intemperance	32	38	35	43	44	24	32	22	20	30	320
	Privation	2	2	1	3	1	1	–	2	1	1	14
	Want of Breast Milk	16	11	17	12	11	18	14	10	22	19	150
	Neglect	2	1	–	1	–	–	–	–	–	–	4
	Cold	16	15	21	16	41	36	27	27	14	29	242
	Poison	27	19	21	28	24	27	16	22	15	15	214
	Burns and Scalds	185	149	165	153	156	177	155	166	176	158	1649
	Hanging, etc.	27	32	21	26	28	27	24	19	31	12	247
	Suffocation	41	48	41	49	40	34	55	40	46	44	433
	Drowning	251	267	307	254	246	319	276	232	273	310	2735
	Fracture and Contusion	345	437	387	418	463	416	392	409	414	413	4094
	Wounds	39	34	51	32	64	57	53	48	37	46	461
	Other Violent Causes	85	58	66	59	44	67	63	44	60	47	593
	Not Specified	2784	2144	2395	2292	2192	2277	1897	2246	2220	2234	22680

CAUSES of DEATH in the TOWN DISTRICTS during each of the TEN YEARS 1855–1864.—
Both Sexes.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
All Causes . . .	28418	27538	29210	29598	28122	32098	28965	31526	33825	35977	305277
Specified Causes . .	26094	26190	28075	28645	27252	31149	28322	30921	33245	35363	295256
I. Zymotic Class . .	6701	7484	7436	7588	7435	7879	6109	7334	9948	9912	77326
II. Diseases of Uncertain Seat . .	1002	1002	997	930	982	1016	924	983	1008	1156	10000
III. Tubercular Class .	5117	4628	5113	5315	5083	5783	5388	5840	5646	6078	54291
IV. Brain and Nervous System . .	2103	2075	2334	2252	2354	2515	2329	2414	2527	2529	23432
V. Organs of Circulation	955	933	1007	1034	1088	1297	1168	1293	1292	1464	11531
VI. Respiratory Organs .	3576	3316	3340	4316	3369	5566	4794	5231	5089	5841	44438
VII. Organs of Digestion	1964	1996	2409	2253	2105	2241	2306	2248	2320	2147	22289
VIII. Urinary Organs .	257	256	264	322	308	335	374	388	370	398	3272
IX. Organs of Generation	194	202	228	187	229	219	220	204	279	246	2208
X. Organs of Locomotion	97	109	94	89	96	147	180	175	211	172	1370
XI. Skin, etc. . . .	29	29	19	22	32	29	33	33	35	46	307
XII. Malformation . .	64	48	63	59	73	72	74	79	69	76	677
XIII. Premature Debility .	1096	1416	1587	1558	1445	1575	1617	1678	1576	1812	15860
XIV. Atrophy . . .	306	239	278	299	241	303	271	333	343	283	2896
XV. Age	1750	1580	1725	1580	1521	1773	1587	1704	1497	1804	16521
XVI. Sudden Deaths .	120	80	59	61	40	63	49	63	46	50	631
XVII. Violent Deaths .	763	797	822	780	848	836	899	921	989	1049	8704
I. Small Pox . .	735	861	639	193	498	908	492	312	1006	907	6551
Measles . . .	786	526	692	1061	464	1032	559	967	1211	689	7987
Scarlatina . .	983	1581	1129	1549	1838	1469	652	656	2171	1745	13773
Diphtheria . .	–	–	23	93	121	177	196	360	618	457	2045
Hooping Cough .	985	1580	1000	1326	1752	955	1439	1726	1052	1433	13248
Croup . . .	413	492	465	505	383	481	417	741	811	576	5284
Thrush . . .	12	16	18	12	15	13	11	19	16	14	140
Diarrhœa . .	750	648	1220	893	652	598	528	592	633	696	7210
Dysentery . .	323	223	430	299	218	163	188	139	130	139	2252
Cholera . . .	57	48	76	42	61	22	36	24	58	27	451
Influenza . .	95	60	65	88	43	77	68	69	53	68	686
Purpura . . .	20	21	23	18	15	24	20	24	25	21	211
Ague . . .	–	–	2	3	1	2	2	11	10	8	39
Worms . . .	25	12	8	10	11	9	9	14	16	5	119
Infantile Fever .	41	84	34	25	32	24	15	21	28	27	331
Typhus . . .	1154	1067	1363	1195	1043	1044	1132	1368	1717	2688	13771
Metria . . .	89	55	63	68	77	116	91	59	78	114	813
Rheumatic Fever .	16	16	20	23	21	30	31	28	39	35	259
Erysipelas . .	149	125	97	110	126	151	121	112	167	164	1322
Syphilis . . .	53	58	63	67	60	70	94	78	99	90	782
Noma . . .	15	11	6	8	4	14	5	14	10	9	96
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	59	64	49	46	44	33	26	31	37	46	435
Dropsy . . .	503	418	465	389	395	416	296	310	369	355	3856
Abscess . . .	38	56	35	41	56	54	66	65	91	84	589
Ulcer . . .	23	18	15	14	6	10	13	32	25	23	179
Fistula . . .	2	6	3	8	9	9	9	6	6	11	69
Mortification . .	55	70	64	47	70	63	47	44	65	68	593
Cancer . . .	316	369	364	378	399	428	465	494	468	564	4245
Gout . . .	6	1	2	7	3	3	2	1	4	5	34
III. Scrofula . . .	198	190	171	195	203	198	309	311	295	293	2363
Tabes Mesenterica .	279	263	401	459	321	421	416	447	470	519	3996
Phthisis . . .	3515	3118	3684	3661	3586	4123	3807	4102	3816	4213	37650
Hydrocephalus .	1095	1062	1157	1000	978	1041	856	980	1065	1058	10282

CAUSES of DEATH in the TOWN DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

	DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV.	Cephalitis	181	149	160	157	157	162	156	154	156	169	1601
	Apoplexy	465	484	509	466	547	530	479	532	552	532	5046
	Paralysis	537	569	581	565	563	659	610	597	679	650	6010
	Delirium Tremens	40	28	49	35	27	53	39	31	33	26	361
	Chorea	7	6	3	2	–	3	4	4	3	4	36
	Epilepsy	80	75	102	81	94	119	87	101	73	103	915
	Tetanus	23	32	19	16	23	13	10	22	19	10	187
	Insanity	53	26	28	25	29	30	59	59	36	27	352
	Convulsions	387	430	440	505	484	501	403	421	513	529	4613
	Brain Disease	350	326	443	400	430	445	482	493	463	479	4311
V.	Pericarditis	29	29	30	26	30	37	24	33	34	32	304
	Aneurism	24	41	43	45	38	60	54	49	37	56	448
	Heart Disease	902	860	934	965	1020	1200	1090	1211	1221	1376	10779
VI.	Laryngitis	44	59	88	91	76	83	85	93	90	64	773
	Bronchitis	1569	1562	1580	2201	1742	3378	3063	3499	3210	3891	25695
	Pleurisy	164	116	121	127	90	121	92	115	97	96	1139
	Pneumonia	1150	1112	1054	1348	1025	1398	1076	1028	1294	1285	11770
	Asthma	443	296	313	300	269	334	323	315	237	316	3146
	Lung Disease	206	171	184	249	167	252	155	181	161	189	1915
VII.	Teething	655	658	878	750	631	657	703	701	699	700	7032
	Quinsey	22	25	35	23	37	37	30	27	32	31	299
	Gastritis	65	60	55	55	61	66	63	65	59	73	622
	Enteritis	381	394	459	461	405	415	414	411	434	447	4221
	Peritonitis	116	107	93	113	110	137	138	96	148	147	1205
	Ascites	39	37	30	30	33	43	25	22	35	35	329
	Ulceration of Intestines	55	65	50	67	57	77	67	70	63	73	644
	Hernia	29	34	34	39	27	39	60	49	37	48	396
	Ileus	92	87	103	80	73	99	103	122	110	109	978
	Intussusception	12	13	12	9	16	17	15	13	11	14	132
	Stricture of Intestines	8	5	10	8	17	9	5	15	4	12	93
	Stomach Disease	178	165	300	253	294	291	292	260	299	307	2639
	Pancreas Disease	–	–	–	1	–	1	1	–	–	–	3
	Hepatitis	43	51	45	47	62	41	58	60	53	59	519
	Jaundice	58	67	77	77	81	67	67	66	74	94	728
	Liver Disease	206	223	224	229	198	236	260	263	250	293	2382
	Spleen Disease	5	5	4	11	3	9	5	8	12	5	67
VIII.	Nephritis	15	13	14	16	9	29	27	20	31	30	204
	Nephria	85	61	68	98	77	101	94	127	113	104	928
	Ischuria	12	12	17	11	14	9	17	12	17	28	149
	Diabetes	17	21	22	16	26	29	34	30	21	39	255
	Stone	18	14	13	9	14	12	21	21	12	17	151
	Cystitis	12	10	16	21	22	12	20	32	15	19	179
	Stricture of Urethra	3	1	2	5	4	2	12	2	9	15	55
	Kidney Disease	95	124	112	146	142	141	149	144	152	146	1351
IX.	Paramenia	5	4	11	6	7	6	8	12	4	12	75
	Ovarian Dropsy	15	11	27	24	22	23	36	31	44	39	272
	Childbirth	133	160	149	131	158	156	143	129	200	165	1524
	Organs of Generation	41	27	41	26	42	34	33	32	31	30	337
X.	Arthritis	11	7	8	3	6	9	8	10	18	11	86
	Rheumatism	29	41	32	18	29	50	63	64	67	37	430
	Joint and Bone Disease	57	61	54	68	61	88	109	101	131	124	854
XI.	Carbuncle	9	12	7	10	11	9	10	5	10	13	96
	Phlegmon	2	2	–	1	1	2	7	6	4	8	33
	Skin Disease	18	15	12	11	20	18	16	22	21	25	178
XII.	Cyanosis	9	11	29	20	23	40	20	25	24	22	223
	Spina Bifida	8	13	13	12	19	10	14	19	12	15	135
	Other Malformations	47	24	21	27	31	22	40	35	33	39	319
XVII.	Intemperance	25	39	50	44	51	31	45	30	37	46	398
	Privation	3	4	6	2	4	5	5	5	3	8	45
	Want of Breast Milk	13	15	19	35	36	42	55	52	60	72	399
	Neglect	6	3	–	2	5	1	4	3	2	2	28
	Cold	10	2	10	5	4	7	5	4	2	5	54
	Poison	17	25	31	20	28	23	27	32	28	25	256
	Burns and Scalds	111	136	105	132	132	161	125	146	136	129	1353
	Hanging, etc.	15	20	20	17	29	21	23	26	18	16	205
	Suffocation	42	32	26	25	46	44	46	60	69	63	453
	Drowning	155	193	165	143	118	120	143	144	141	195	1517
	Fracture and Contusion	258	285	302	262	303	308	328	346	399	378	3169
	Wounds	36	19	33	46	35	29	36	25	41	45	345
	Other Violent Causes	72	24	55	47	57	44	57	48	58	55	512
	Not Specified	2324	1848	1135	953	870	949	643	605	580	614	10021

DEATHS, 1855–1864. Proportion of Deaths from different causes in every million persons, during the Ten Years 1855–1864.

Causes of Death.	Scotland.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Causes of Death.	Scotland.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
All Causes	21365	16153	18191	27059	5. Pericarditis	26	9	27	27
					Aneurism	26	5	18	41
1. Zymotic Class	5182	2996	4140	7086	Heart Disease	789	352	699	987
2. Uncertain Seat	836	729	800	916					
3. Tubercular Class	3661	2365	2925	4975	6. Laryngitis	53	15	45	71
4. Brain and Nerv. Sys.	1701	974	1477	2147	Bronchitis	1525	565	1066	2355
5. Organs of Circulation	841	366	745	1056	Pleurisy	110	240	105	104
6. Respiratory Organs	2779	1505	2047	4072	Pneumonia	730	286	541	1078
7. Organs of Digestion	1663	982	1481	2042	Asthma	231	308	189	283
8. Urinary Organs	266	191	253	299	Lung Disease	127	88	100	175
9. Organs of Generation	174	191	156	202					
10. Organs of Locomotion	116	157	108	125	7. Teething	386	94	212	644
11. Skin, etc.	24	18	23	28	Quinsey	24	26	21	27
12. Malformation	51	17	47	62	Gastritis	55	38	56	57
13. Premature Debility	985	463	755	1407	Enteritis	314	137	283	386
14. Atrophy	181	89	134	265	Peritonitis	94	43	88	110
15. Age	2119	4275	2366	1514	Ascites	30	32	31	30
16. Sudden Deaths	48	50	42	57	Ulceration of Intestines	59	23	63	59
17. Violent Deaths	727	779	682	797	Hernia	31	19	30	36
					Ileus	95	102	99	89
1. Small-pox	366	115	235	600	Intussusception	13	17	14	13
Measles	453	366	278	732	Stricture of Intestines	7	6	7	9
Scarlatina	920	210	759	1262	Stomach Disease	239	216	241	241
Diphtheria	223	132	257	187	Pancreas Disease	–	–	–	–
Hooping-cough	725	416	431	1214	Hepatitis	49	45	51	47
Croup	405	404	357	484	Jaundice	65	56	65	66
Thrush	11	9	10	13	Liver Disease	188	115	176	218
Diarrhœa	451	188	336	660	Spleen Disease	6	7	7	6
Dysentery	160	90	137	206					
Cholera	37	18	36	41	8. Nephritis	16	8	16	18
Influenza	117	325	138	63	Nephria	56	27	40	85
Purpura	16	11	14	19	Ischuria	15	15	16	13
Ague	2	–	1	3	Diabetes	23	15	24	28
Worms	12	–	12	11	Stone	23	46	27	18
Infantile Fever	29	13	29	30	Cystitis	16	17	17	16
Typhus	1018	555	903	1262	Stricture of Urethra	3	2	2	5
Metria	62	28	58	74	Kidney Disease	111	58	108	123
Rheumatic Fever	28	28	31	23					
Erysipelas	99	59	88	121	9. Paramenia	8	9	8	7
Syphilis	36	14	17	67	Ovarian Dropsy	22	14	20	25
Noma	5	–	4	9	Childbirth	115	153	97	139
Hydrophobia	–	–	–	–	Organs of Generation	28	12	29	31
					10. Arthritis	6	3	6	8
2. Hæmorrhage	34	30	31	39	Rheumatism	48	126	48	39
Dropsy	327	370	301	353	Joint and Bone Disease	61	27	54	78
Abscess	39	11	33	53					
Ulcer	13	16	11	16	11. Carbuncle	7	6	6	9
Fistula	4	–	3	6	Phlegmon	3	–	3	3
Mortification	48	24	46	54	Skin Disease	14	11	14	16
Cancer	365	269	360	389					
Gout	4	6	4	3	12. Cyanosis	17	2	16	20
					Spina Bifida	11	6	11	12
3. Scrofula	188	135	176	213	Other Malformations	23	8	20	29
Tabes Mesenterica	249	68	189	366					
Phthisis	2595	1961	2102	3450	17. Intemperance	25	9	19	36
Hydrocephalus	626	199	451	942	Privation	2	1	–	4
					Want of Breast Milk	19	2	9	36
4. Cephalitis	121	78	109	146	Neglect	1	–	–	2
Apoplexy	380	165	346	462	Cold	11	23	14	5
Paralysis	525	401	505	550	Poison	16	1	13	23
Delirium Tremens	22	3	17	33	Burns and Scalds	108	119	100	121
Chorea	3	5	2	3	Hanging, etc.	16	10	15	18
Epilepsy	70	56	64	83	Suffocation	31	11	26	41
Tetanus	19	42	18	17	Drowning	169	454	167	139
Insanity	21	16	14	32	Fracture & Contusion	257	104	250	290
Convulsions	263	100	178	422	Wounds	28	16	28	31
Brain Disease	283	104	226	395	Other Violent Causes	39	27	36	47

DEATHS, 1855-1864. Proportion of Deaths from different causes in every 100,000 Deaths from specified causes, during the Ten Years 1855-1864.

Causes of Death.	Scotland.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
Classes of Disease.				
1. Zymotic Class	24260	18549	22761	26190
2. Uncertain Seat	3918	4514	4402	3387
3. Tubercular Class	17138	14642	16080	18388
4. Brain and Nerv. Sys.	7963	6031	8182	7936
5. Organs of Circulation	3940	2271	4097	3905
6. Respiratory Organs	13012	9318	11258	15051
7. Organs of Digestion	7786	6082	8146	7549
8. Urinary Organs	1248	1186	1389	1108
9. Organs of Generation	816	1181	858	748
10. Organs of Locomotion	547	975	598	464
11. Skin, etc.	117	115	129	104
12. Malformation	240	105	261	229
13. Premature Debility	4613	2869	4155	5202
14. Atrophy	849	552	740	981
15. Age	9922	26470	13008	5596
16. Sudden Deaths	228	313	236	214
17. Violent Deaths	3403	4827	3750	2948
Diseases.				
1. Small-pox	1717	717	1287	2218
Measles	2120	2270	1529	2705
Scarlatina	4308	1305	4174	4665
Diphtheria	1046	827	1414	692
Hooping-cough	3394	2574	2369	4487
Croup	1898	2505	1962	1789
Thrush	4	55	57	49
Diarrhœa	2110	1163	1851	2441
Dysentery	751	560	754	762
Cholera	175	110	202	152
Influenza	553	2013	764	232
Purpura	75	68	80	71
Ague	10	–	9	13
Worms	53	46	70	40
Infantile Fever	134	82	161	112
Typhus	4767	3392	4967	4664
Metria	293	170	320	275
Rheumatic Fever	131	174	171	87
Erysipelas	464	367	487	447
Syphilis	168	91	94	247
Noma	27	4	23	32
Hydrophobia	2	–	4	–
2. Hæmorrhage	169	188	172	147
Dropsy	1534	2294	1704	1306
Abscess	186	69	152	199
Ulcer	64	101	64	60
Fistula	20	4	19	23
Mortification	224	151	254	201
Cancer	1709	1209	1980	1437
Gout	18	36	23	11
3. Scrofula	883	841	969	800
Tabes Mesenterica	1169	423	1040	1011
Phthisis	12151	12145	11555	12751
Hydrocephalus	2934	1232	2515	3482
4. Cephalitis	568	487	599	542
Apoplexy	1779	1025	1905	1709
Paralysis	2412	2523	2779	2035
Delirium Tremens	105	23	94	122
Chorea	18	27	13	12
Epilepsy	331	349	351	309
Tetanus	88	262	101	63
Insanity	100	101	81	119
Convulsions	1235	620	955	1562
Brain Disease	1328	648	1247	1460
5. Pericarditis	123	55	149	105
Aneurism	122	32	99	151
Heart Disease	3694	2183	3848	3651
6. Laryngitis	249	93	241	251
Bronchitis	7143	3503	5859	8702
Pleurisy	518	1489	578	356
Pneumonia	3420	1774	2978	3986
Asthma	1082	1912	1070	1065
Lung Disease	598	512	552	648
7. Teething	1809	583	1331	2381
Quinsey	112	165	119	101
Gastritis	261	239	312	216
Enteritis	1471	850	1559	1429
Peritonitis	441	266	487	408
Ascites	144	202	173	111
Ulceration of Intestines	279	142	349	218
Hernia	148	119	165	134
Ileus	445	634	545	328
Intussusception	64	105	81	41
Stricture of Intestines	35	41	39	31
Stomach Disease	1120	1343	1329	894
Pancreas Disease	2	4	3	1
Hepatitis	230	280	281	175
Jaundice	304	349	359	246
Liver Disease	881	712	968	806
Spleen Disease	31	46	39	22
8. Nephritis	79	50	91	69
Nephria	264	170	221	314
Ischuria	71	96	90	50
Diabetes	109	96	134	86
Stone	108	289	152	51
Cystitis	78	105	93	60
Stricture of Urethra	14	13	11	18
Kidney Disease	521	363	596	457
9. Paramenia	37	59	48	20
Ovarian Dropsy	103	92	115	92
Childbirth	540	951	535	516
Organs of Generation	134	78	159	111
10. Arthritis	32	22	35	29
Rheumatism	226	781	265	115
Joint and Bone Disease	289	170	297	289
11. Carbuncle	33	40	33	32
Phlegmon	13	4	17	11
Skin Disease	69	69	78	60
12. Cyanosis	79	13	86	75
Spina Bifida	52	40	60	45
Other Malformations	108	50	112	108
17. Intemperance	119	9	107	134
Privation	9	9	5	15
Want of Breast Milk	89	13	50	135
Neglect	5	–	1	9
Cold	53	147	80	18
Poison	77	9	71	86
Burns and Scalds	508	726	552	448
Hanging, etc.	75	64	88	69
Suffocation	146	69	145	178
Drowning	791	2813	920	513
Fracture & Contusion	1205	648	1377	1077
Wounds	134	101	165	117
Other Violent Causes	185	170	199	179

DEATHS, 1855–1864. Total Number of Deaths at Different Ages in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the Ten Years 1855 to 1864 inclusive.

Ages.	Scotland.		Insular Districts.		Mainland-Rural Districts.		Town Districts.	
	Males.	Females	Males.	Females.	Males.	Females	Males.	Females.
Under 3 Months	34,799	26,575	1,301	967	16,710	12,539	16,788	13,069
— 6	11,499	9,014	292	228	5,009	3,907	6,198	4,879
— 12	23,185	20,156	573	460	9,326	8,047	13,286	11,649
— 2 Years	30,853	29,290	768	666	11,927	11,258	18,158	17,276
— 3	15,347	15,222	419	369	6,181	6,206	8,747	8,656
— 4	10,153	9,955	208	236	4,274	4,186	5,676	5,533
— 5	7,134	7,046	168	171	3,096	2,990	3,870	3,885
Total 0—5 Years	132,975	117,168	3,729	3,088	56,523	49,133	72,723	64,947
5—10	17,343	16,214	460	415	8,542	8,011	8,341	7,788
10—15	8,376	8,078	264	288	4,663	4,489	3,449	3,291
15—20	11,030	10,466	460	401	5,853	5,409	4,717	4,656
20—25	12,821	11,825	647	398	6,511	5,693	5,663	5,734
25—30	10,495	11,612	551	437	5,118	5,369	4,826	5,806
30—35	9,377	10,742	372	410	4,282	4,825	4,723	5,507
35—40	9,188	10,572	309	358	4,051	4,809	4,818	5,405
40—45	9,510	9,933	331	366	4,085	4,396	5,094	5,171
45—50	9,823	9,501	298	367	4,495	4,303	5,030	4,831
50—55	10,389	10,316	389	474	4,953	4,783	5,047	5,059
55—60	10,788	10,945	416	457	5,451	5,421	4,921	5,067
60—65	13,180	14,321	562	720	6,960	7,292	5,658	6,309
65—70	12,767	14,323	604	715	7,367	8,006	4,796	5,602
70—75	13,898	17,388	740	1,026	8,574	12,204	4,584	6,158
75—80	12,986	16,483	833	1,063	8,495	10,285	3,658	5,135
80—85	10,159	14,610	736	1,185	7,037	9,602	2,386	3,853
85—90	5,394	8,201	453	702	3,911	5,578	1,030	1,921
90—95	1,791	3,238	229	339	1,280	2,221	282	678
95—100	469	1,058	79	158	310	679	80	231
100 and above	118	236	25	50	71	138	22	48
Not known	664	494	103	73	446	304	115	117
All Ages	323,541	327,754	12,590	13,490	158,988	160,950	151,963	153,314

DEATHS, 1855–1864. Mean Annual Per-centage of Deaths to the Population at each Age in Scotland and its Three Great Groups of Districts, during the Ten Years 1855 to 1864 inclusive.

Ages.	Scotland.		Insular Districts.		Mainland-Rural Districts.		Town Districts.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	15·196	12·682	10·796	8·763	11·964	9·345	20·863	17·279
— 2	7·371	7·199	3·974	3·551	4·855	4·752	11·832	11·600
— 3	3·635	3·703	2·045	1·791	2·488	2·584	5·643	5·754
— 4	2·488	2·489	1·044	1·240	1·754	1·759	3·931	3·839
— 5	1·771	1·815	0·808	0·879	1·290	1·253	2·713	2·865
Total 0—5 Years	6·313	5·752	3·707	3·105	5·076	4·115	9·481	8·694
5—10	0·945	0·912	0·482	0·432	0·769	0·751	1·329	1·271
10—15	0·509	0·522	0·301	0·340	0·464	0·475	0·625	0·614
15—20	0·737	0·671	0·606	0·477	0·665	0·620	0·884	0·763
20—30	1·023	0·829	1·163	0·576	0·933	0·748	1·127	0·973
30—40	1·098	1·037	0·887	0·683	0·891	0·862	1·415	1·349
40—50	1·424	1·210	0·975	0·817	1·099	0·975	1·968	1·580
50—60	2·137	1·798	1·436	1·323	1·733	1·495	2·979	2·352
60—70	3·989	3·343	2·499	2·359	3·446	2·966	5·656	4·248
70—80	9·454	8·315	6·766	6·633	8·764	7·746	12·231	9·999
80—90	20·045	18·496	14·679	14·421	19·682	17·115	24·467	21·367
90—100	37·373	36·381	36·025	31·743	37·186	36·638	38·607	38·191
100 and above	39·320	41·640	57·500	26·315	30·862	43·558	63·459	67·666
All Ages	2·245	2·048	1·705	1·539	1·886	1·780	2·916	2·547

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon,	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapda'e.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Auerum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813a
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857b
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86a
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 382
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813b
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, 86b
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Catheart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 182
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286

* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 74
Laggan, . 102
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New Kilpatrick, 500
Newhills, . 226
Newington, 685
Newland, . 767
New Arbrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Rafford, . 140
Ranay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrews (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . . 453
St Boswells, 804
St Clements 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys . 282
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sumart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tullialian, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart, (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811

TWELFTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB
FOR HER MAJESTY'S STATIONERY OFFICE.

1869.

REPORT.

TO THE

RIGHT HON^BLE. H. AUSTEN BRUCE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *April* 30, 1869.

SIR,

AT thec lose of the year 1866, I submitted to the Secretary of State for the Home Department a general abstract of the births, deaths, and marriages registered in Scotland during that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that was transmitted my Second Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative tables; and this completes the series of facts relative to the vital statistics of Scotland for the year 1866, including all those which could not be included in my shorter Report above referred to.

Being desirous of aiding, as far as possible, those important sanitary inquiries which are being made with reference to the

towns and populous districts, I have included in the tables appended to this Report a decennial summary of the number of deaths in every registration district in Scotland, and the annual proportion of deaths to the mean population.

As a guide also to the medical practitioner and the invalid, I have appended tables of the monthly meteorology during the ten years 1855–1864, and the monthly deaths during that period, from which it will be seen that the months most fatal to the population are those of February, March, and January, while those of least mortality are September, August, and October.

I have also given some additional facts relative to surnames in Scotland, which will be read with interest by those who take pleasure in such inquiries.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the twelve years 1855 to 1866 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1866,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1866,	xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1866,	xii
BIRTHS.	
Births in 1866, and their Proportion to the Population in 1866, with relative Tables,	x
Tables showing particulars relative to the Births during each of the twelve years 1855 to 1866,	xi–xii
MARRIAGES.	
Number of Marriages in 1866, and their Proportion to the Population,	xiii
Relative fertility of Scottish and English Females,	xiv
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations in 1866, and from 1855 to 1866, with relative Tables,	xv
Number and Proportion of Persons marrying at different ages, with relative Tables,	xvi
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xix
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xx
DEATHS.	
Number of Deaths in Scotland in 1866, and their Proportion to the Population,	xxi
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the twelve years 1855 to 1866,	xxi
Death-rates in each of the Eight Principal Towns during each of the years 1856–1866,	xxii
Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during 1866,	xxiv
Causes of Death in 1866, with relative Tables,	xxx

Page

Small-pox Deaths for twelve years, and particulars relative to Vaccination in Scotland for years 1864, 1865, and 1866, with relative Tables, ... xxxiv
Different forms of Fever prevalent in Scotland, ... xxxv
The Eighteen most fatal Diseases in Scotland and England in 1866, . . . xxxviii

INFLUENCE OF EXTERNAL AGENCIES IN 1866.

Table showing the Meteorology of Scotland during each month of the year 1866, together with the Monthly and Daily number of Births, Deaths, and Marriages, . . . xl
Table showing the Number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures, and the Fall of Rain during every Week of the year 1866, ... xli
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1866, . . xlii
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the twelve years 1855–1866, showing that high price of provisions has no apparent effect on the Death-rate in Scotland, ... xlii

INFLUENCE OF SEASON ON THE DEATHS IN SCOTLAND DURING THE TEN YEARS 1855–1864.

Summary Table of Temperature during each month of the ten years 1855–1864, . . xlii
Summary Table of Winds during each month of the ten years 1855–1864, ... xlii
Summary Tables of Monthly Deaths in Scotland, its Insular, Mainland-Rural, and Town Districts, also in its Eight Divisions, during the ten years 1855-64, . . . xliii
Tables of Proportional Monthly Mortality, during the ten years 1855–1864, in Scotland, its Insular, Mainland-Rural, and Town Districts, also in its Eight Divisions, . . xliv

Mortality of each Registration District in Scotland during the ten years 1856–1865, . xlvii

NOMENCLATURE IN SCOTLAND.

The Hundred and Fifty most common Surnames in Scotland, and the Counties in which they predominate, with relative Tables, ... xlvii

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1866, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1866, also of the Illegitimate Births, in every Registration District, 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1866, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

MARRIAGES

Table of the Marriages in Scotland and its Counties in 1866; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1866; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1866, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1866, . 28

Page

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1866, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1866, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1866, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . 168–171
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 172–175
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . 176–179
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . 180–183
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1866, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1866, ... 184

Page

APPENDIX TABLES.

Meteorology of Scotland during each Month of the Ten Years 1855-64, ... 186
Monthly Mortality in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the Ten Years 1855-64, ... 187
Monthly Mortality in the Eight Divisions of Scotland during the Ten Years 1855-64, . . 188-189
Mortality of each District in Scotland during the Ten Years 1855-64, with Per-centage to the Mean Population, ... 190-199

Constitution of the Compound Districts, 200
Index to Districts, . . . 201

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1866, to which this Report refers, was one of commercial and manufacturing prosperity, but Rinderpest among the cattle raised the price of butcher meat far above its average, and by reacting on the other articles of food, caused the price of all the ordinary kinds of provisions to be considerably higher than during the previous year. The supply, however, of all kinds of provisions, excepting that of butcher meat, was abundant, and good in quality. No want was experienced among the labouring population, for the demand for labour was great and wages were high; and the best proof of this was seen in the fact, that marriages con-

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the years 1855 to 1866, and their Proportion to the Population. Also the Illegitimate Births, and the Excess of Births over Deaths.

YEAR.	Estimated Population.	Births.		Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	98,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,788	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,876	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	14,262	70,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751

tinued to be contracted at the same high rate as during the three previous years—a rate much above the Scottish average. The continuance of the high rate of marriage for a period of four years caused the proportion of

TABLE II.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population estimated to the middle of the Year 1866.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1866.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	71,650	86,064	157,714
Mainland-Rural . }	829,259	883,293	1,712,552	849,381	913,996	1,763,377	860,067	930,307	1,790,374
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	557,175	648,150	1,205,325
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,488,892	1,664,521	3,153,413

TABLE III.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855–66.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4320	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	884	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5836	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47921	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	14651
1866	4253	60420	48994	264	6543	4866	2661	31315	34372	815	11127	11746

TABLE IV.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855–1866; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2·275	3·078	3·403	4·3	8·6	7·1	1·644	1·784	2·675	0·441	0·580	0·834
1856	2·643	3·204	3·783	5·5	9·4	7·5	1·293	1·659	2·561	0·514	0·599	0·869
1857	2·738	3·301	3·794	5·6	9·6	7·4	1·414	1·744	2·685	0·585	0·628	0·866
1858	2·882	3·299	3·790	5·4	9·6	8·4	1·463	1·806	2·690	0·544	0·576	0·787
1859	2·860	3·384	3·812	5·8	9·9	8·4	1·626	1·766	2·527	0·562	0·617	0·848
1860	2·846	3·346	3·735	5·3	9·9	8·5	1·682	1·897	2·851	0·503	0 610	0·856
1861	2·801	3·297	3·883	5·0	9·7	9·1	1·595	1·746	2·537	0·572	0·582	0·848
1862	2·786	3·308	3·814	4·9	9·9	9·8	1·859	1·847	2·730	0·531	0·575	0·827
1863	2·711	3·338	3·921	4·9	10·6	9·7	1·840	1·956	2·897	0·491	0·609	0·910
1864	2·732	3·408	4·010	5·3	10·6	9·6	1·712	2·006	3·048	0·488	0·607	0·943
1865	3·187	3·323	4·083	6·6	10·6	9·4	1·571	1·848	2·969	0·490	0·626	0·976
1866	2·696	3·375	4·064	6·2	10·8	9·9	1·687	1·916	2·851	0·516	0·621	0·974

births to be considerably above the mean, and equal to that of the two previous years.

The death-rate, however, continued high; and though it is difficult to trace the connection between the existence of malignant plague in our cattle, and that of special epidemics among the human race, or to show that both are dependent on atmospheric causes, yet it deserves notice, that while our cattle were decimated with that plague of Rinderpest, epidemic Cholera and Fever prevailed among the inhabitants of Scotland.

BIRTHS.

113,667 Births were registered in Scotland during the year 1866, being at the high rate of 360 births in every ten thousand persons, or 3·60 per cent. Of these, 4253 were registered in the Insular, 60420 in the Mainland-Rural, and 48994 in the Town Districts,—indicating a proportion of 269 births in every ten thousand persons in the Insular, 337 births in the Mainland-Rural, and 406 births in the Town Districts.

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1866, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

	Estimated Population 1866.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow	430,363	18288	4·249	1873	10·2	12829	2·981	4325	1·005
Edinburgh	175,059	6246	3·567	644	10·3	4813	2·749	1782	1·017
Dundee	97,770	4489	4·591	565	12·6	3130	3·201	1150	1·176
Aberdeen	74,908	2857	3·814	403	14·1	2324	3·102	690	0·921
Paisley	47,427	1717	3·620	165	9·6	1345	2·836	404	0·851
Greenock	47,280	2434	5·148	130	5·3	1488	3·146	473	1·000
Leith	38,029	1547	4·067	113	7·3	924	2·429	399	1·049
Perth	26,839	860	3·204	84	9·8	613	2·246	244	0·909

TABLE VI.—BIRTHS in SCOTLAND, 1855–1866; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births, and the Proportion of Mothers who bare Twins or Triplets.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110 0	77
1860	54409	51220	49370	46 23	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103 7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105 8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·8	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81

Of the 113,667 children whose births were registered during the year, 58360 were boys and 55307 girls,—indicating a proportion of 105·5 boys to every 100 girls at birth.

During the year, 1366 twin births occurred and 12 triplet births,—indicating that one mother in every 82 bare twins, and one in every 9356 mothers bare triplets.

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1866, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

	Divisions and Counties.	Population estimated to the middle of the Year 1866.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per-cent.	No.	Per cent.	No.	Per-cent.	No.	Per-cent.
	SCOTLAND . . .	3,153,413	113667	3·604	11673	10·2	71348	2·263	23688	0·751
	Insular Districts . .	157,714	4253	2·696	264	6·2	2661	1·687	815	0·516
	Mainland-Rural Dists.	1,790,374	60420	3·375	6543	10·8	34315	1·916	11127	0·621
	Town Districts . . .	1,205,325	48994	4·064	4866	9·9	34372	2·851	11746	0·974
	DIVISIONS.									
I.	NORTHERN	132,201	3315	2·507	213	6·4	2085	1·576	619	0·468
II.	NORTH-WESTERN . .	162,919	4588	2·815	312	6·8	2829	1·738	789	0·484
III.	NORTH-EASTERN . .	376,448	12744	3·388	2019	15·8	7630	2·026	2487	0·660
IV.	EAST-MIDLAND . . .	527,947	18236	3·452	1998	10·9	11641	2·205	4182	0·794
V.	WEST-MIDLAND . .	243,063	8174	3·362	677	8·2	4800	1·975	1537	0·632
VI.	SOUTH-WESTERN . .	1,075,015	44551	4·144	4011	9·0	28265	2·629	9350	0·870
VII.	SOUTH-EASTERN . .	422,475	15445	3·655	1512	9·7	10133	2·398	3513	0·831
VIII.	SOUTHERN	213,345	6614	3·100	931	14·1	3965	1·858	1211	0·567
	COUNTIES.									
1	Shetland	31,980	778	2·432	39	5·0	576	1·801	182	0·569
2	Orkney	32,888	769	2·338	43	5·6	471	1·432	154	0·468
3	Caithness	43,464	1218	2·802	106	8·7	669	1·539	194	0·446
4	Sutherland	23,869	550	2·304	25	4·5	369	1·542	89	0·372
5	Ross and Cromarty .	81,714	2189	2·679	120	5·4	1378	1·690	391	0·477
6	Inverness	81,205	2399	2·966	192	8·0	1451	1·786	398	0·488
7	Nairn	8,480	234	2·756	27	11·5	164	1·932	59	0·695
8	Elgin	46,150	1403	3·040	211	14·9	991	2·147	251	0·543
9	Banff	58,467	1867	3·191	305	16·3	992	1·696	327	0·559
10	Aberdeen	228,531	8067	3·529	1306	16·2	4883	2·137	1613	0·705
11	Kincardine	34,812	1173	3·359	170	14·5	600	1·723	237	0·680
12	Forfar	213,637	8358	3·912	1034	12·3	5399	2·527	2008	0·939
13	Perth	131,009	3686	2·813	400	10·8	2440	1·862	802	0·612
14	Fife	155,666	5249	3·365	482	9·1	3287	2·111	1184	0·760
15	Kinross	8,264	220	2·662	17	7·7	132	1·598	60	0·726
16	Clackmannan . . .	19,371	723	3·732	65	8·9	383	1·977	128	0·661
17	Stirling	90,411	3432	3·796	289	8·1	1831	1·302	714	0·789
18	Dumbarton	57,954	2110	3·640	171	8·1	1178	2·032	367	0·633
19	Argyll	78,515	2219	2·826	171	7·6	1402	1·784	365	0·465
20	Bute	16,183	413	2·552	46	11·1	389	2·403	91	0·562
21	Renfrew	174,417	7300	4·185	590	8·1	4668	2·676	1485	0·850
22	Ayr	203,831	7617	3·736	728	9·5	4494	2·205	1523	0·747
23	Lanark	696,767	29634	4·253	2693	9·0	19103	2·741	6342	0·910
24	Linlithgow	43,486	1860	4·277	172	9·2	1025	2·357	301	0·692
25	Edinburgh	281,758	10348	3·672	998	9·6	7239	2·568	2687	0·953
26	Haddington	38,288	1220	3·186	104	8·5	778	2·032	201	0·525
27	Berwick	36,655	1187	3·234	151	12·7	657	1·792	180	0·491
28	Peebles	11,557	879	3·279	40	10·5	196	1·696	65	0·562
29	Selkirk	10,731	451	4·269	47	10·4	238	2·217	79	0·736
30	Roxburgh	55,029	1761	3·200	209	11·8	908	1·650	312	0·566
31	Dumfries	74,728	2365	3·164	367	15·5	1586	2·122	458	0·612
32	Kirkcudbright . . .	42,169	1319	3·128	175	13·3	816	1·935	212	0·502
33	Wigtown	41,419	1169	2·822	180	15·4	655	1·581	229	0·552

Of the children born during the year, 101,994 were legitimate and 11673 illegitimate,—indicating that 10·2 per cent. of the births were illegitimate.

It is unneccessary to enter into further details relative to the births in this place, as they were fully commented on in the Twelfth Annual Report, which had reference to the year 1866, and which was published shortly after the close of that year. The tables in that Report, however, were the unrevised numbers, drawn up from returns sent by the several Registrars; whereas the tables appended to this Report are the corrected numbers, prepared from the Registers themselves.

MARRIAGES.

23688 Marriages were registered in Scotland during the year 1866, being in the proportion of 75 marriages in every ten thousand persons of the estimated population. This was the same proportion as that of the previous year, and is probably the highest that has ever been witnessed in Scotland, and is high above the average marriage-rate which existed from 1855 to 1862. It was this high marriage-rate which was the cause of the proportion of births so much exceeding that of former years.

TABLE VIII.—BIRTHS, 1866. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1866; together with the Number of Twin and Triplet Births.

1866. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes		
Insular	2,212	2,041	4,253	2,074	1,915	3,989	138	126	264	35	1
Mainland-Rural	31,044	29,376	60,420	27,706	26,171	53,877	3,338	3,205	6,543	724	6
Town	25,104	23,890	48,994	22,606	21,522	44,128	2,498	2,368	4,866	607	5
Scotland . . .	58,360	55,307	113,667	52,386	49,608	101,994	5,974	5,699	11,673	1,366	12

TABLE IX.—BIRTHS, 1866. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and in its Three Groups of Districts in 1866.

1866. Districts.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	2·696	6·2	108·3	108·2	109·5	123	4216
Mainland-Rural	3·375	10·8	105·6	105·8	104·1	82	9947
Town	4·064	9·9	105·0	105·0	105·4	80	9675
Scotland . . .	3·604	10·2	105·5	105·6	104·8	82	9356

The proportion of legitimate children born to each marriage was much higher in Scotland than in England. Thus, to the 23688 marriages there were born 101994 legitimate children in Scotland, giving a proportion of 4·30 children to every marriage, or 430 children to every 100 marriages. But in England, during the same year, to the 187776 marriages, there were only 708369 legitimate children, giving a proportion of 3·77 children to every marriage, or 377 legitimate children to every 100 marriages—a very much lower proportion than that of Scotland. This either indicates that the Scottish female is much more prolific than her sister in England; or if it be assumed that their fecundity is the same, then it indicates that a very large number of even the legitimate births escapes registration in England.

Of the 23688 marriages registered in Scotland during the year, 10392 were contracted according to the rites of the Established Church, 5570 according to those of the Free Church, 3385 according to those of the United Presbyterian Church, 2259 according to those of the Romish Church, 516 according to those of the Episcopal Church, 1483 according to the rites of the many small religious denominations; in 41 cases of regular marriage the religious denomination was not stated, and in 42 cases the marriage was irregular. (Table X.)

TABLE X.—MARRIAGES, 1866. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

	Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Scotland
Regular Marriages.	Established Church	345	5914	4133	10392	42·33	53·16	35·19	43·87
	Free Church	309	2566	2695	5570	37·92	23·06	22·94	23·52
	United Presbyterian Church	64	1511	1810	3385	7·85	13·58	15·41	14·29
	Roman Catholic Church	34	595	1630	2259	4·17	5·35	13·88	9·54
	Episcopalian Church	1	130	385	516	0·12	1·16	3·28	2·18
	Other Denominations	61	384	1038	1483	7·49	3·45	8·84	6·26
	Denomination not stated	1	22	18	41	0·12	0·19	0·15	0·17
	Irregular Marriages	0	5	37	42	0·00	0·04	0·31	0·17
	Total Marriages	815	11127	11746	23688	100·00	100·00	100·00	100·00

TABLE XI.—MARRIAGES, 1855–1866. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1866.

Years.	Total Marriages.		Regular Marriages according to Rites of							Irregular Marriages.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·751	10392	5570	3385	2259	516	1483	41	42

These facts indicate that 43·87 per cent. of the marriages in Scotland were celebrated according to the rites of the Established Church of Scotland, 23·52 per cent. according to the rites of the Free Church, 14·29 per cent. according to those of the United Presbyterian Church, 9·54 per cent. according to those of the Romish Church, 2·18 per cent. according to those of the Episcopal Church, 6·26 per cent. according to the varied rites of the smaller religious denominations, while in 0·17 per cent. the denomination was not stated, and in 0·17 per cent. the marriage was irregular (that is, 17 in every ten thousand marriages)—that is to say, was contracted without previous proclamation of banns, and without a religious ceremony.

Of the 23688 men who married, the ages of 23675 were ascertained, and of these 1706 were minors, or under 21 years of age. Of the 23688 women who married, the ages of 23655 were ascertained, and of these 4896 were minors, or were under 21 years of age. It thus appears that 7·20 per cent. of the men, and 20·69 per cent. of the women who married in 1866 were minors, or were under 21 years of age.

The comparative facility of acquiring a livelihood has much to do with inducing persons under 21 to marry, and is very strikingly exemplified in the very different proportion of minors who married in Glasgow and Edinburgh during the year 1866. Thus in the non-commercial, non-manufacturing town of Edinburgh, only 5·34 per cent. of the men and 16·62 per cent. of the women who married were under 21 years of age; but in the busy commercial and manufacturing town of Glasgow, 8·85 per cent. of the men and 24·76 per cent. of the women who married were under 21 years of age. (Tables XVI. and XVII.)

The same fact is strikingly exemplified by contrasting the proportions under and above 25 years of age, who marry in the different divisions of Scotland. (Tables XVI. and XVII.) Thus, in the North-Western Division, where there are almost no openings for the young, only 17·89 per cent. of the men and 44·41 per cent. of the women were under 25 years of age; whereas, in the busy commercial, manufacturing, and mining South-Western Division, 47·12 per cent. of the men and 63·99 per cent. of the women were under 25 years of age.

TABLE XII.—MARRIAGES, 1855–1866. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855–1866.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·35	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17

To show how very nearly the same proportion of persons at each age marries year after year, Tables XIV. and XV. may be consulted. By these it will be seen, that the proportion of persons marrying at each age during the year 1866 was nearly the same as during the eleven previous years. Thus, during 1866, in every ten thousand men who married, 265 were between 15 and 20 years of age; 3924 between 20 and 25; 3019 between 25 and 30; 1229 between 30 and 35; 589 between 35 and 40; 384 between 40 and 45; 247 between 45 and 50; 337 above 50 years of age; while in 6 cases the age was not ascertained. These are, as near as may be, the proportions of men at different ages who married during the eleven years 1855 to 1865. Of every ten thousand women who married during the year, 1202 were between 15 and 20 years of age; 4643 between 20 and 25 years; 2409 between 25 and 30; 872 between 30 and 35; 440 between 35 and40; 236

TABLE XIII.—MARRIAGES, 1866. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	–	–	–	–	–	–	–
15—16	–	9	–	–	–	3	–	6
16—17	2	75	–	1	2	35	–	39
17—18	15	303	–	6	7	143	8	154
18—19	125	887	2	10	56	381	67	496
19—20	486	1573	4	25	218	724	264	824
20—21	1078	2049	6	35	494	930	578	1084
21—25	8217	8947	155	293	3860	4266	4202	4388
25—30	7152	5707	302	274	3434	2781	3416	2652
30—35	2909	2066	186	98	1357	971	1366	997
35—40	1397	1040	70	44	671	441	656	555
40—45	910	560	33	18	395	243	482	299
45—50	585	270	18	8	272	117	295	145
50—55	381	107	15	2	163	49	203	56
55—60	206	43	10	–	94	13	102	30
60—65	124	16	8	1	54	4	62	11
65—70	67	8	6	–	31	1	30	2
70—75	14	–	–	–	5	–	9	–
75—80	6	–	–	–	2	–	4	–
80—85	1	–	–	–	–	–	1	–
85—90	–	–	–	–	–	–	–	–
Not stated	13	33	–	–	12	25	1	8
ALL AGES	23,688	23,688	815	815	11,127	11,127	11,746	11,746

TABLE XIV.—MARRIAGES, 1866. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1866.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
15—20 years	2·65	0·74	2·54	2·89	12·02	5·15	11·56	12·93
20—25	39·24	19·75	39·13	40·69	46·43	40·25	46·69	46·59
25—30	30·19	37·05	30·86	29·08	24·09	33·62	24·99	22·58
30—35	12·29	22·82	12·20	11·63	8·72	12·02	8·73	8·49
35—40	5·89	8·59	6·03	5·59	4·40	5·40	3·97	4·73
40—45	3·84	4·05	3·55	4·10	2·36	2·21	2·19	2·54
45—50	2·47	2·21	2·44	2·51	1·14	0·98	1·05	1·23
50 and above	3·37	4·79	3·14	3·50	0·71	0·3 7	0·60	0·84
Not stated.	0·06	–	0·11	0·01	0·13	–	0·22	0·07
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

between 40 and 45; 114 between 45 and 50; 71 above 50 years of age; while in 13 the age was not distinguished.

Of the 23688 marriages, the conjugal or civil condition of the parties previous to their entrance into the married condition was ascertained in 23490 instances. Of these 23490 marriages, 20080 were between bachelors and spinsters, 601 between bachelors and widows, 2094 between widowers and spinsters, and 715 between widowers and widows. (Tables XVI. and XVII.) These numbers indicate, that in every 100 marriages, 85·49 were between bachelors and spinsters, 2·55 between bachelors and widows, 8·92 between widowers and spinsters, and 3·04 between widowers and widows.

The last two columns of Table XX. show the proportion of widowers and widows who re-married in 1866, viz. that of every 100 men who married, 11·96 were widowers, and of every 100 women who married, 5·60 were widows. These columns, however, show the strange fact, that in the Town Districts widows are married in twice as high proportions as in the Rural Districts; for while in the latter only 3·89 per cent. of the women who married were widows, 7·34 per cent. were widows in the Town Districts.

The South-Western Division, which includes the mining and manufacturing counties of Renfrew, Ayr, and Lanark, year after year exhibits the highest proportion of marriages both among widowers and widows; for while 13·35 per cent. of the men who married during the year were widowers, 7·56 per cent. of the women were widows.

The last four columns of Table XIX. show the relative proportions of marriages between persons in different conjugal conditions for the twelve years 1855–1866, by which it will be seen that the relative proportion of marriages between bachelors and spinsters, bachelors and widows, etc., varies very little from year to year.

During 1866 the state of elementary education among the people, so far as such can be indicated by the proportion of men and women able to sign their names in the marriage register, was much the same as in former years. (Tables XVIII., XIX., and XX.) Thus, during the year 1866, of the 23688 men who married, 21032 signed their names in writing, while 2656, being unable to write, signed by mark. Of the 23688 women who married during the year, 18483 signed their names in writing, while 5202,

TABLE XV.—MARRIAGES during the ELEVEN YEARS 1855–1865. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the Eleven Years 1855–1865.

AGES.	MEN.		WOMEN.	
	Number of Men who married at each Age.	Proportion at each Age in every 1000 Men who married	Number of Women who married at each Age.	Proportion at each Age in every 1000 Women who married.
15—20 years	6,980	2·98	29,801	12·74
20—25	90,004	38·48	107,334	45·88
25—30	68,283	29·19	56,059	23·96
30—35	29,474	12·61	20,324	8·69
35—40	15,759	6·74	10,346	4·42
40—45	9,431	4·03	5,211	2·22
45—50	5,915	2·52	2,471	1·06
50 and above	7,639	3·26	1,521	0·65
Not specified	448	0·19	866	0·37
ALL AGES	233,933	100·00	233,933	100·00

being unable to write, appended a mark. These numbers indicate, that 88·78 per cent. of the men, and 78·50 per cent. of the women, were able to sign their names in writing; while 11·22 per cent. of the men, and 22 per cent. of the women, not being able to write, were obliged to append a mark.

In England, during the same year, only 78·4 per cent. of the men, and 70 per cent. of the women, signed their names in writing; while 21·6 per

TABLE XVI.—MARRIAGES in SCOTLAND, 1866. Number of Men and Women under and above 25 years of age, and the number under 21 years, who contracted Marriage in Scotland, its groups of Districts and Divisions, in 1866; also the Number of Marriages between Persons in different conjugal conditions.

1866.	Number who Married				Number who Married under 21 years.		Number of Marriages between			
	Under 25 years.		Above 25 years.				Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	9,923	13,843	13,752	9,812	1,706	4,896	20,080	601	2,094	715
Insular Districts, . .	167	370	648	445	12	77	676	18	83	14
Mainland-Rural do. .	4,637	6,482	6,478	4,620	777	2,216	9,638	203	907	224
Town Districts, . .	5,119	6,991	6,626	4,747	917	2,603	9,766	385	1,104	477
1. Northern Division,	153	272	464	345	21	62	541	7	52	9
2. North-Western do.	141	350	647	438	17	87	660	9	73	10
3. North-Eastern do.	918	1,361	1,568	1,126	154	487	2,176	44	216	40
4. East-Midland do.	1,824	2,338	2,357	1,831	310	733	3,626	53	358	111
5. West-Midland do.	586	874	949	659	99	326	1,294	38	139	33
6. South-Western do.	4,404	5,980	4,942	3,365	834	2,338	7,757	314	853	391
7. South-Eastern do.	1,398	1,985	2,114	1,521	199	645	2,996	110	292	99
8. Southern do.	499	683	711	527	72	218	1,030	26	111	22
EDINBURGH, . . .	638	930	1,144	851	95	296	1,495	62	161	61
GLASGOW, ...	1,999	2,712	2,326	1,613	383	1,071	3,571	140	413	200

TABLE XVII.—Proportion of MARRIAGES in SCOTLAND in 1866. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different conjugal conditions.

1866.	Per-centage who Married				Per-centage under 21 Years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	41·91	58·52	58·09	41·48	7·20	20·69	85·49	2·55	8·92	3·04
Insular Districts, . .	20·49	45·40	79·51	54·60	1·47	9·44	86·01	1·65	10 56	1·78
Mainland-Rural do. .	41·72	58·38	58·28	41·62	6·99	19·89	87·85	1·85	8·26	2·04
Town Districts, . .	43·58	59·55	56·42	40·45	7·80	22·17	83·24	3·28	9·41	4·07
1. Northern Division,	24·79	44·08	75·21	55·92	3·40	10·05	88·84	1·14	8·54	1·48
2. North-Western do.	17·89	44·41	82·11	55·59	2·15	11·05	87·77	1·20	9 70	1·33
3. North-Eastern do.	36·92	54·72	63·08	45·28	6·20	19·58	87·89	1 78	8·72	1·61
4. East-Midland do.	43·62	56·08	56·38	43·92	7·41	17·58	87·22	1·28	8·63	2·67
5. West-Midland do.	38·17	57·01	61·83	42·89	6·45	20·61	86·03	2·53	9·25	2·19
6. South-Western do.	47·12	63 99	52·88	36·01	8·92	25·02	83·28	3·37	9·15	4·20
7. South-Eastern do.	39·78	56·62	60 27	43·68	5·66	18·39	85·68	3·14	8·35	2·83
8. Southern do.	41·24	56·45	58·76	43·55	5·95	18·01	86·63	2·19	9·33	1·85
EDINBURGH, . .	35·80	52·52	64·20	47·78	5·34	16·62	84·04	3·49	9·04	3 43
GLASGOW, . . .	46·04	62·70	53·96	37·30	8 85	24·76	82·61	3·28	9·54	4·62

cent. of the men, and 30 per cent. of the women, not being able to write, appended their mark.

The state of education in Ireland, as judged by this test, seems to be in a still more deplorable condition than that of England, seeing that in 1866 only 57·6 per cent of the men, and 47·6 per cent. of the women who married could sign their names in writing; while 42·4 per cent. of the men, and 52·4 per cent. of the women, not being able to write, were forced to sign by mark.

Ross, Cromarty, and Inverness continue to exhibit the highest proportion of persons unable to write. After these come the counties which contain the largest proportion of persons of Irish descent, the number unable to write in each being very closely proportioned to the number of Irish in the population. In this respect, Edinburgh and Glasgow, the two largest towns of Scotland, contrast remarkably; for while in Edinburgh only 4·72 per cent. of the men, and 8·36 per cent. of the women who married in 1866 were unable to write, and signed by mark, in Glasgow 16·74 per cent. of the men, and 34·29 per cent. of the women who married

TABLE XVIII.—MARRIAGES in SCOTLAND, 1855–1866. Numbers.

YEARS	Number of Persons who Married under 21 years.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.					
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715

TABLE XIX.—MARRIAGES in SCOTLAND, 1855–1866. Proportion.

YEARS.	Per-centage of Persons who Married under 21 years.		Per-centage of Persons who Married				Per-centage of Persons who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.					
	Me	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7 38	21·23	41·25	58·70	58 75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21 60	41·22	58 80	58·78	41·20	89·1	77·8	10·9	22 2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89 4	78·7	10·6	21·3	86·48	2 19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22 05	43·79	59·93	56 21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04

during that year, were unable to write, and appended their mark. (Table XX.)

TABLE XX.—Proportional Number of Marriages in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1866; of Persons signing the Marriage Register in Writing and by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows.

	Divisions and Counties.	Signed their Names in Writing.		Signed by Mark.		Persons under 21 Years.		Re-Marriages.	
		Of 100 Men married.	Of 100 Women married.	Of 100 Men married.	Of 100 Women married.	Of 100 Men married.	Of 100 Women married.	Widowers in 100 Men married.	Widows in 100 Women married.
	SCOTLAND	88·78	78·00	11·22	22·00	7·20	20·69	11·96	5·60
	Insular Districts	70·43	58·77	29·57	41·23	1·47	9·44	11·07	3·43
	Mainland-Rural Districts	91·92	84·30	8·08	15·70	6·99	19·89	10·30	3·89
	Town Districts	87·09	73·41	12·91	26·59	7·80	22·17	13·47	7·84
	Divisions.								
I.	Northern	95·48	83·36	4·52	16·64	3·40	10·05	10·00	2·62
II.	North-Western	64·89	49·05	35·11	50·95	2·15	11·05	11·03	2·52
III.	North-Eastern	97·50	91·55	2·50	8·45	6·20	19·58	10·34	3·39
IV.	East-Midland	92·68	83·07	7·32	16·13	7·41	17·58	11·30	3·95
V.	West-Midland	86·14	77·09	13·86	22·91	6·45	20·61	11·12	4·62
VI.	South-Western	84·04	68·47	15·97	31·53	8·92	25·02	13·35	7·56
VII.	South-Eastern	93·79	88·95	6·21	11·05	5·66	18·39	11·18	5·98
VIII.	Southern	95·04	92·23	4·96	7·77	5·95	18·01	11·19	4·04
	Counties.								
1	Shetland	90·65	69·23	9·35	30·77	3·29	5 55	12·77	4·44
2	Orkney	99·40	98·70	0·60	1·30	1·94	14·93	10·38	3·89
3	Caithness	97·42	87·62	2·58	12·38	4·64	11·85	6·73	1·03
4	Sutherland	94·38	76·40	5·62	23·60	3·37	6·74	10·98	0·00
5	Ross and Cromarty	61·89	46·03	38·11	53·97	2·55	9·97	11·66	1·59
6	Inverness	67·84	52·01	32·16	47·99	1·76	12·06	10·40	3·47
7	Nairn	83·05	69·51	16·95	30·49	5·08	16·94	8·48	0·00
8	Elgin	96·81	88·84	3·19	11·16	5·57	21·91	9·23	2·41
9	Banff	96·02	85·62	3·98	14·38	4·28	18·34	11·04	3·98
10	Aberdeen	98·32	93·73	1·78	6·27	6·95	19·46	10·83	3·67
11	Kincardine	97·89	93·25	2·11	6·75	4·64	20·66	7·62	2·54
12	Forfar	88·19	72·75	11·81	27·25	8·21	18·62	12·70	5·03
13	Perth	96·88	93·39	3·12	6·61	4·61	15·08	9·91	2·38
14	Fife	96·79	92·14	3·21	7·86	7·94	17·73	10·02	3·25
15	Kinross	95·00	96·66	15·00	3·34	6·66	16·66	8·78	0·00
16	Clackmannan	97·65	89·84	2·35	10·16	7·81	14·06	10·82	5·00
17	Stirling	87·25	78·97	12·75	21·03	9·03	26·61	10·76	4·45
18	Dumbarton	80·65	67·30	19·35	32·70	7·90	22·07	13·46	6·32
19	Argyll	87·67	90·00	12·33	10·00	1·09	13·42	9·35	3·68
20	Bute	93·40	90·11	6·60	9·89	2·19	6·59	16·66	4·44
21	Renfrew	82·49	67·68	17·51	32·32	7·47	22·55	13·85	8·64
22	Ayr	86·81	72·49	13·19	27·51	10·44	26·26	12·54	6·87
23	Lanark	83·90	67·85	16·10	32·15	8·98	25·29	13·43	7·60
24	Linlithgow	86·04	72·75	13·96	27·25	8·63	23·92	10·43	5·05
25	Edinburgh	94·38	90·21	5·62	9·79	5·32	17·90	11·50	6·79
26	Haddington	91·04	83·08	8·96	16·92	6·46	20·39	8·50	2·00
27	Berwick	96·66	97·22	3·34	2·78	5·00	10·00	9·49	2·23
28	Peebles	98·46	96·92	1·54	3·08	4·61	18·46	12·50	4·68
29	Selkirk	100·00	96·20	0·00	3·80	6·33	25·31	12·65	1·26
30	Roxburgh	95·51	92·30	4·41	7·70	4·49	16·98	9·64	4·82
31	Dumfries	96·50	97·81	3·52	2·19	5·67	15·93	10·71	2·45
32	Kirkcudbright	96·22	93·86	3·78	6·14	6·60	14·62	14·42	2·40
33	Wigtown	90·39	88·21	9·61	11·79	7·86	26·63	12·16	7·65
	EDINBURGH	95·28	91·64	4·72	8·36	5·34	16·62	12·40	6·90
	GLASGOW	83·26	65·71	16·74	34·29	8·85	24·76	14·17	7·86

DEATHS.

71348 deaths were registered in Scotland during the year 1866, being at the rate of 22·63 deaths in every thousand persons of the estimated population. This was a death-rate considerably above the mean of the eleven previous years, which was at the rate of 21·46 deaths in every thousand persons.

In England, during the same year, the deaths were in the proportion of 23·61 in every thousand persons, being considerably higher than the mortality in Scotland, though below the English average, which was in the proportion of 22·24 deaths in every thousand persons.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than the Town Districts. Thus, 2664 deaths occurred in the Insular, 34314 in the Mainland-Rural, and 34372 in the Town Districts; which indicates a mortality of 16·87 deaths in every thousand persons in the Insular, 19·16 deaths in the Mainland-Rural, and 28·51 deaths in every thousand persons in the Town Districts. (Tables XXI. and XXII.)

Of the Eight Principal Towns in Scotland, the mortality was highest in Dundee and lowest in Perth. Thus, of every thousand persons in each of these towns, there died during the year 22·8 in Perth, 24·3 in Leith,

TABLE XXI.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Twelve Years 1855–1866, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1288	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372

TABLE XXII.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Twelve Years 1855–1866.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969
1866	2·374	2·162	2·263	1·821	1·575	1·687	1·968	1·868	1·916	3·072	2·662	2·851

27·5 in Edinburgh, 28·3 in Paisley, 29·8 in Glasgow, 31·0 in Greenock, 31·1 in Aberdeen, and 32·0 in Dundee. (Tables XXIII. and XXIV.)

As in former years, males died in higher proportions than females, seeing that in every thousand of each sex, 23·74 males died, but only 21·62 females. The average of the ten years 1855–1864 shows, that in every thousand of each sex there died annually 22·38 males, but only 20·41 females —a circumstance which of itself would go far to account for the increasing number of females in the population, even without taking into account the known fact that a much higher proportion of males than females emigrate to the Colonies and America.

Table XXV. shows the striking fact, that at every consecutive period of life from birth to the 90th year, males died in higher proportions than females during 1866, with the single exception of children between the fourth and fifth years of age. Thus, during the first year of life, 16·200 per cent. of males died, but only 13·607 per cent. of females. From birth to 5 years of age, 6·347 per cent. of males died, but only 5·720 per cent. of females. From 20 to 30 years of age, 1·119 per cent. of males died, but only 0·923 per cent. of females. From 40 to 50 years of age, 1·723 per cent. of males died, but only 1·442 per cent. of females. From 60 to 70 years of age, 4·441 per cent. of males died, but only 3·637 per cent. of females. At all ages, therefore, from birth to burial, the tendency of the male to death is greater than that of the female, and at no age was that greater tendency of the male to death more strongly shown than during the first year of life, when out of every thousand of each sex, 162 males died for every 136 females.

It is very instructive to compare the mortality, at each corresponding quinquennial period of life, in the Mainland-Rural and Town Districts, inasmuch as it proves, more forcibly than any mere statement could, the greater waste of life which is attendant on a residence in a town. This destructive agency of the town on human life is not confined to any particular age, but extends to all ages and to both sexes. Thus, to instance a

TABLE XXIII.—TOWN DEATHS, 1856–1866. Number of Deaths annually in each of the Eight Principal Towns of Scotland.

Towns.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.
Glasgow . . .	10298	11375	11472	10832	12486	10936	11565	13329	13674	13914	12829
Edinburgh . . .	4143	3786	4190	3703	4240	4168	4760	4593	4678	4858	4813
Dundee	2446	2242	2335	2269	2903	2499	2599	2714	3105	3000	3130
Aberdeen . . .	1656	1718	1619	1676	2193	1780	1923	1750	2139	1981	2324
Paisley	1099	1443	1276	1185	1378	1207	1253	1218	1521	1410	1345
Greenock . . .	1236	1268	1088	1423	1255	1113	1370	1876	1929	1675	1488
Leith	827	751	790	699	987	766	872	919	928	948	924
Perth	539	767	665	560	664	665	618	652	871	729	613

TABLE XXIV.—TOWN DEATHS, 1856–1866. Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland.

Towns.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	Mean Annual Mortality.	1866.
Glasgow .	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	3·04	2·98
Edinburgh	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·52	2·75
Dundee .	2 84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·10	2·84	3·20
Aberdeen	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·65	2·49	3·11
Paisley .	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·83
Greenock	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·59	3·24	3·10
Leith .	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·52	2·35	2·43
Perth . . .	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·73	2·63	2·28

few examples, in every thousand males living under 5 years of age, there died 48·00 in the Rural, but 90·60 in the Town Districts. From 5 to 10 years of age there died 7·88 per thousand in the Rural, but 12·68 in the Town Districts. From 15 to 20 years of age, 6·87 per thousand died in the Rural, but 8·99 in the Town Districts. From 20 to 30 years, 9·58 per thousand died in the Rural, but 12·91 in the Town Districts. From 40 to 50 years of age, 12·58 per thousand died in the Rural, but 24·66 in the Town Districts. From 60 to 70 years of age, 36·14 per thousand died in the Rural, but 65·97 in the Town Districts.

The series of Tables XXIX. to XXXVI. shows the mortality in ages and sexes in each of the Eight Principal Towns of Scotland, and agrees generally with those of former years.

Causes of Death.

Of the 71348 deaths registered in Scotland during 1866, the cause of death was accurately recorded in 68196 cases. In most of the 3152 remaining cases, the cause of death was stated in such indefinite terms that it could not be referred to any particular class of diseases, while in a small number no cause of death was assigned. Less than 4½ per cent. (4·417), therefore, could not be classified as having fallen victims to any special disease. In comparing the deaths from different diseases with the population in the accompanying tables, this per-centage has been allowed for, so as to exhibit the true per-centage of deaths from disease to the population.

The Zymotic or epidemic and contagious class of diseases cut off 15564 persons in Scotland during the year 1866, of whom 7542 were males and 8022 females. The deaths from the zymotic class thus constituted 22·82 per cent. of the deaths whose causes were ascertained, or cut off at the rate of 516 persons in every hundred thousand living. During the ten years 1855–1864, that class of diseases constituted 24·26 per cent. of the deaths, or caused 518 deaths in every hundred thousand persons. That class of diseases was therefore less fatal than usual during 1866, though we had Cholera as an epidemic among us during part of the year.

The zymotic class of diseases constituted 15·71 per cent. of the ascertained deaths in the Insular, 22·80 per cent. in the Mainland-Rural, and 23·31 per cent. in the Town Districts,—indicating that the proportion of these deaths to the other diseases was very closely alike in the Mainland-Rural and in the Town Districts, though they were so excessively dissimilar when compared with the population; for while that class cut off in the proportion of 437 persons in every one hundred thousand in the Mainland-Rural Districts, 664 died from that class of diseases out of a like population in the Town Districts.

Of the Eight Principal Towns, the mortality from the zymotic class of diseases, as compared with the population, was heaviest in Dundee and Aberdeen, and lightest in Perth. (Table XXXIX.) Thus, in every ten thousand persons in each town, 42 died from the zymotic class of diseases in Perth, 58 in Edinburgh, 61 in Leith, 65 in Greenock, 67 in Glasgow, 69 in Paisley, 81 in Aberdeen, and 83 in Dundee. If, however, we compare the proportion of deaths from the zymotic diseases to the total deaths from all diseases, Perth shows the lowest proportion and Aberdeen the highest. Thus, in Perth, 18·80 per cent. of the deaths were caused by the zymotic class of diseases; in Edinburgh, 21·15 per cent.; in Greenock, 21·48; in Glasgow, 22·52; in Paisley, 24·57; in Leith, 25·46; in Dundee, 25·64; and in Aberdeen, 26·39 per cent.

Of the zymotic class of diseases, Small-pox only caused 200 deaths in Scotland during 1866, of which three occurred in the Insular, 39 in the Mainland-Rural, and 158 in the Town Districts. This was the smallest number of deaths from Small-pox ever registered in Scotland since the period when

TABLE XXV.—SCOTLAND, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,364	45,874	7673	6242	16·200	13·607
— 2	43,255	42,088	3069	2895	7·095	6·878
— 3	43,595	42,425	1474	1394	3·381	3·285
— 4	42,127	41,370	967	891	2·295	2·153
— 5	41,439	40,088	640	697	1·544	1·738
Total under 5 Years	217,780	211,845	13823	12119	6·347	5·720
5—10	189,124	184,440	1781	1656	0·941	0·897
10—15	169,368	162,474	903	845	0·533	0·520
15—20	154,453	162,147	1182	1191	0·765	0·734
20—30	236,207	294,306	2644	2717	1·119	0·923
30—40	174,625	214,117	2216	2584	1·263	1·206
40—50	140,454	166,986	2421	2408	1·723	1·442
50—60	102,249	123,008	2580	2523	2·523	2·051
60—70	66,892	88,858	2971	3282	4·441	3·637
70—80	29,173	42,145	2900	3755	9·940	8·909
80—90	7,922	12,927	1663	2378	20·992	18·395
90—100	615	1,211	230	470	37·398	38·810
100 and above	80	57	5	27	16·666	47·368
Not stated	–	–	36	38	–	–
ALL AGES	1,488,892	1,664,521	35355	35993	2·374	2·162
BOTH SEXES	3,153,413		71348		2·263	

TABLE XXVI.—INSULAR DISTRICTS, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of the Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,947	1,855	201	170	10·323	9·164
— 2	1,878	1,842	55	54	2·928	2·931
— 3	1,982	1,976	31	24	1·564	2·124
— 4	1,938	1,868	22	21	1·135	1·123
— 5	2,019	1,914	17	15	0·842	0·789
Total under 5 Years	9,764	9,455	326	284	3·338	3·003
5—10	9,255	9,070	41	36	0·443	0·397
10—15	8,488	8,290	37	23	0·435	0·277
15—20	7,348	8,165	49	33	0·666	0·404
20—30	9,992	14,222	144	107	1·441	0·752
30—40	7,450	10,796	86	116	1·154	1·074
40—50	6,251	8,619	69	68	1·103	0·788
50—60	5,443	6,924	69	91	1·267	1·314
60—70	4,528	5,973	116	157	2·561	2·629
70—80	2,256	3,093	205	194	9·087	6·360
80—90	787	1,285	121	178	15·374	13·852
90—100	84	153	32	56	38·095	36·601
100 and above	4	19	1	3	25·000	15·789
Not stated	–	–	9	10	–	–
ALL AGES	71,650	86,064	1305	1356	1·821	1·575
BOTH SEXES	157,714		2661		1·687	

the Registration Act came into operation, as the accompanying table shows. (Table XLI.) Many might feel inclined to attribute this great diminution in the deaths from Small-pox to the successful working of the Vaccination Act. But this table warns us against prematurely deducing conclusions which may prove fallacious, because it shows that Small-pox is one of those

TABLE XXVII.—MAINLAND-RURAL DISTRICTS, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,361	25,593	3414	2700	12·951	10·549
— 2	24,943	24,212	1248	1191	5·003	4·506
— 3	25,217	24,537	630	619	2·498	2·522
— 4	24,734	24,018	434	395	1·754	1·644
— 5	24,429	23,587	311	333	1·273	1·411
Total under 5 Years	125,684	121,947	6037	5238	4·800	4·295
5—10	112,691	108,889	888	828	0·788	0·760
10—15	101,821	96,470	480	473	0·473	0·490
15—20	89,988	88,977	619	594	0·687	0·667
20—30	126,551	150,910	1213	1187	0·958	0·786
30—40	94,986	113,025	854	1099	0·899	0·972
40—50	79,263	91,160	997	1045	1·258	1·146
50—60	60,980	69,742	1165	1110	1·910	1·591
60—70	42,222	52,726	1526	1642	3·614	3·114
70—80	19,786	26,890	1797	2260	9·082	8·405
80—90	5,639	8,733	1166	1552	20·677	17·771
90—100	433	806	161	316	37·182	39·206
100 and above	23	32	4	19	17·391	59·375
Not stated	–	–	23	22	–	–
ALL AGES	860,067	930,307	16930	17385	1·968	1·868
BOTH SEXES	1,790,374		34315		1·916	

TABLE XXVIII.—TOWN DISTRICTS, 1866. Estimated Population and Deaths at Different Ages, and Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	19,056	18,426	4058	3372	21·294	18·300
— 2	16,434	16,034	1766	1650	10·745	10·290
— 3	16,396	15,912	813	751	4·958	4·719
— 4	15,455	15,484	511	475	3·500	3·067
— 5	14,991	14,587	312	349	2·081	2·392
Total under 5 Years	82,332	80,443	7460	6597	9·060	8·200
5—10	67,178	66,481	852	792	1·268	1·191
10—15	59,059	57,714	386	349	0·653	0·604
15—20	57,117	65,005	514	564	0·899	0·867
20—30	99,664	129,174	1287	1423	1·291	1·101
30—40	72,189	90,296	1276	1369	1·766	1·516
40—50	54,940	67,207	1355	1295	2·466	1·927
50—60	35,826	46,342	1346	1322	3·477	2·852
60—70	20,142	30,159	1329	1483	6·597	4·917
70—80	7,131	12,162	898	1301	12·592	10·698
80—90	1,496	2,909	376	648	25·134	22·275
90—100	98	252	37	98	37·755	38·888
100 and above	3	6	–	5	–	83·333
Not stated	–	–	4	6	–	–
ALL AGES	557,175	648,150	17120	17252	3·072	2·662
BOTH SEXES	1,205,325		34372		2·851	

diseases which has periods of increase and of decrease, and that in 1858, without any legislative enactment, the deaths from Small-pox fell lower than they did in 1865, when the Vaccination Act had been in full operation for about two years. If, however, subsequent years shall show that Small-pox, instead of again increasing (as that table shows to be its natural tendency), shall

TABLE XXIX.—GLASGOW, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,452	7,054	1582	1323	21·229	18·755
— 2	6,082	5,978	795	771	13·025	12·897
— 3	5,870	5,820	367	317	6·252	5·446
— 4	5,491	5,563	209	206	3·706	3·703
— 5	5,301	5,185	128	159	2·414	3·096
Total under 5 Years	30,196	29,550	3081	2776	10·208	9·558
5—10	23,064	22,873	325	306	1·409	1·337
10—15	20,192	19,842	156	139	0·772	0·700
15—20	21,280	23,737	180	218	0·845	0·931
20—30	39,404	49,000	505	567	1·281	1·157
30—40	27,580	32,976	471	513	1·707	1·555
40—50	20,120	23,362	520	472	2·584	2·020
50—60	11,835	14,846	471	469	3·979	3·159
60—70	5,991	8,863	401	474	6·693	5·348
70—80	1,644	3,018	220	323	13·382	10·702
80—90	306	606	72	134	23·529	22·112
90—100	20	54	12	20	60·000	37·037
100 and above	–	4	–	4	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	201,632	228,731	6414	6415	3·181	2·804
BOTH SEXES	430,363		12829		2·980	

TABLE XXX.—EDINBURGH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,286	2,397	505	381	22·091	15·852
— 2	2,054	2,059	182	183	8·860	8·887
— 3	2,026	1,965	84	71	4·146	3·613
— 4	1,899	1,953	47	45	2·459	2·304
— 5	1,983	1,809	31	34	1·563	1·879
Total under 5 Years	10,248	10,183	849	714	8·284	7·017
5—10	8,914	8,766	97	85	1·088	0·969
10—15	8,168	7,970	48	40	0·587	0·501
15—20	8,217	10,012	77	64	0·937	0·639
20—30	14,874	19,972	225	203	1·512	1·016
30—40	10,093	13,733	243	221	2·407	1·682
40—50	7,655	10,646	205	199	2·678	1·869
50—60	5,265	7,783	238	228	4·520	2·799
60—70	3,174	5,245	212	273	6·742	5·204
70—80	1,233	2,146	161	242	13·057	11·276
80—90	232	479	65	110	28·018	22·943
90—100	9	41	2	11	22·222	26·829
100 and above	–	1	–	–	–	–
Not stated	–	–	–	1	–	–
ALL AGES	78,082	96,977	2422	2391	3·101	2·361
BOTH SEXES	175,059		4813		2·749	

be found to decrease still more,* then the diminution may fairly be ascribed to the successful working of the Vaccination Act.

TABLE XXXI.—DUNDEE, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,569	1,476	446	349	28·425	23·645
— 2	1,223	1,259	147	113	12·019	8·975
— 3	1,376	1,246	66	56	4·796	4·494
— 4	1,195	1,200	40	39	3·347	3·250
— 5	1,154	1,203	17	25	1·473	2·078
Total under 5 Years	6,517	6,384	716	582	10·986	9·116
5—10	5,414	5,484	79	67	1·459	1·221
10—15	4,690	4,732	21	29	0·448	0·612
15—20	4,267	5,804	48	49	1·124	0·844
20—30	7,121	12,037	103	142	1·446	1·179
30—40	5,321	7,879	99	122	1·860	1·548
40—50	4,072	5,678	117	130	2·873	2·289
50—60	3,028	3,930	152	145	5·019	3·689
60—70	1,492	2,310	127	153	8·512	6·623
70—80	492	813	77	97	15·650	11·931
80—90	84	190	26	41	30·952	21·579
90—100	12	18	2	6	16·666	33·333
100 and above	1	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	42,511	55,259	1567	1563	3·686	2·828
BOTH SEXES	97,770		3130		3·201	

TABLE XXXII.—ABERDEEN, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,049	1001	276	214	26·310	21·378
— 2	941	886	110	96	11·583	10·835
— 3	962	937	55	57	5·717	6·083
— 4	916	899	40	35	4·366	3·893
— 5	894	843	30	23	3·355	2·728
Total under 5 Years	4,762	4,566	511	425	10·730	9·305
5—10	4,299	4,113	65	65	1·512	1·580
10—15	3,888	3,969	29	22	0·745	0·554
15—20	3,365	3,850	34	39	1·010	1·012
20—30	5,002	7,503	82	68	1·639	0·906
30—40	3,724	5,699	61	81	1·638	1·421
40—50	3,213	4,552	67	83	2·085	1·823
50—60	2,470	3,561	62	83	2·510	2·330
60—70	1,461	2,522	106	107	7·255	4·242
70—80	623	1,218	90	122	14·446	10·016
80—90	156	349	35	69	22·436	19·770
90—100	11	31	2	15	18·181	48·387
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	32,974	41,934	1144	1180	3·469	2·814
BOTH SEXES	74,908		2324		3·111	

* It was estimated that the Small-pox deaths in Scotland amounted to 124 in 1867, and to 25 in 1868. The Scottish Vaccination Act may therefore be regarded as a great success.

Scotland has now the prospect of witnessing how far a legislative enactment, which enforces the vaccination of all the children within six months of their birth, can control or extinguish one of the most loathsome and fatal of the diseases which afflict the human race. The Vaccination Act has been in operation since the 1st of January 1864; the people have

TABLE XXXIII.—PAISLEY, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	141	112	17·962	14·358
— 2	680	659	62	63	9.117	9·559
— 3	724	642	31	25	4·281	3·894
— 4	652	643	24	19	3·681	3·732
— 5	621	581	15	12	2·415	2·065
Total under 5 Years	3,462	3,305	273	231	7·885	6·988
5—10	2,759	2,872	30	17	1·087	0·591
10—15	2,438	2,409	17	8	0·697	0·332
15—20	2,130	2,598	22	28	1·032	1·077
20—30	3,497	4,690	48	55	1·086	1·172
30—40	2,630	3,293	46	57	1·748	1·730
40—50	2,134	2,520	57	75	2·671	2·976
50—60	1,472	1,857	54	46	3·647	2·477
60—70	925	1,272	44	76	4·756	5·974
70—80	373	559	39	58	10·455	10·375
80—90	81	129	20	36	24·691	27·900
90—100	12	10	3	3	25·000	30·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	21,913	25,514	654	691	2·983	2·708
BOTH SEXES	47,427		1345		2·835	

TABLE XXXIV.—GREENOCK, 1866. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	845	758	164	172	19·408	22·691
— 2	652	650	104	80	15·950	12·307
— 3	710	657	84	21	4·788	3·196
— 4	673	668	33	17	4·903	2·544
— 5	617	628	14	15	2·264	2·388
Total under 5 Years	3,497	3,361	349	305	9 980	9·074
5—10	2,778	2,688	39	33	1·403	1·227
10—15	2,270	2,151	17	12	0·749	0·557
15—20	2,273	2,157	26	21	1·143	0·973
20—30	4,458	4,557	61	67	1·368	1·470
30—40	3,271	3,525	60	62	1·834	1·758
40—50	2,344	2,503	56	42	2·389	1·677
50—60	1,354	1,555	58	51	4·283	3·279
60—70	719	1,042	52	59	7·219	5·662
70—80	247	374	33	48	13·360	12·833
80—90	41	99	8	23	19·512	23·232
90—100	5	10	–	6	–	60·000
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	23,257	24,023	759	729	3·264	3·034
BOTH SEXES	47,280		1488		3·105	

done all in their power to meet the views of the legislature, and to obey the requirements of the Act; and the accompanying Tables XLII. and XLIII., prepared from the Registrar-General's First, Second, and Third Reports on Vaccination, will show how perfectly the Act has worked in Scotland.

By Table XLII. it is seen that 8·33 per cent. of the children born in

TABLE XXXV.—LEITH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	612	558	128	106	20·947	19·000
— 2	588	498	38	89	6·462	7·831
— 3	517	514	24	22	4·642	4·280
— 4	518	505	10	10	1·930	1·780
— 5	506	464	9	5	1·778	1·077
Total under 5 Years	2,741	2,540	209	182	7·625	7·165
5—10	2,170	2,134	25	14	1·152	0·656
10—15	1,953	1,758	10	8	0·512	0·455
15—20	1,720	1,780	11	8	0·639	0·449
20—30	3,930	3,462	35	25	0·890	0·722
30—40	2,692	2,717	32	40	1·188	1·472
40—50	1,798	2,046	40	37	2·224	1·808
50—60	1,055	1,345	31	31	2·933	2·304
60—70	582	901	50	33	8·592	3·662
70—80	211	369	23	41	10·900	11·111
80—90	38	81	14	19	36·842	23·456
90—100	1	5	—	5	—	100·000
100 and above	—	—	—	—	—	—
Not stated	—	—	1	—	—	—
ALL AGES	18,891	19,138	481	443	2·540	2·314
BOTH SEXES	38,029		924		2·429	

TABLE XXXVI.—PERTH, 1866. Estimated Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	372	353	60	55	16·128	15·580
— 2	346	338	12	14	3·468	4·143
— 3	333	322	7	13	2·102	4·037
— 4	361	323	6	4	1·662	1·238
— 5	301	304	4	4	1·309	1·315
Total under 5 Years	1,713	1,640	89	90	5·194	5·493
5—10	1,394	1,444	11	9	0·788	0·623
10—15	1,317	1,303	7	3	0·531	0·230
15—20	1,299	1,378	13	9	1·000	0·653
20—30	2,048	2,579	21	25	1·025	0·969
30—40	1,596	2,005	29	31	1·817	1·546
40—50	1,210	1,539	29	36	2·396	2·339
50—60	860	1,181	23	18	2·686	1·524
60—70	572	947	36	32	6·294	3·379
70—80	243	399	24	39	9·876	9·774
80—90	66	100	18	17	26·865	17·000
90—100	1	5	1	3	100·000	60·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,319	14,520	301	312	2·443	2·148
BOTH SEXES	26,839		613		2·284	

Scotland during these three years died before they could be vaccinated. To ascertain, therefore, what proportion of the children who survived the age of vaccination were protected by it, we must deduct those who died before

TABLE XXXVII.—DEATHS, 1866. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1866, allowing for causes not specified.

DISEASES.	Proportion of DEATHS in every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2263	2374	2162	1687	1821	1575	1916	1968	1868	2851	3072	2662
1. Zymotic Class . . .	516	539	503	265	277	255	437	438	440	664	710	624
2. Uncertain Seat . .	81	63	97	67	45	85	76	61	89	91	69	110
3. Tubercular Class .	386	403	371	257	299	223	302	312	294	525	556	483
4. Nervous System .	181	202	162	106	114	99	153	168	140	232	267	203
5. Organs of Circulation	106	116	98	53	67	42	96	101	91	129	144	115
6. Respiratory Organs	332	377	299	171	194	151	236	265	209	493	550	445
7. Organs of Digestion	164	182	148	109	127	93	150	164	137	193	218	171
8. Urinary Organs . .	33	47	21	20	40	4	29	43	17	41	55	29
9. Generative Organs .	18	–	34	26	1	46	16	–	31	19	–	37
10. Locomotive Organs .	12	14	11	18	23	13	11	12	9	15	18	12
11. Skin, etc.	2	3	2	4	5	3	2	3	1	3	3	2
12. Malformation . . .	5	6	4	1	1	–	5	6	4	7	8	6
13. Premature Debility .	115	130	101	40	59	26	90	100	80	162	183	141
14. Atrophy	17	17	17	8	8	7	13	13	12	25	24	26
15. Age	207	164	246	465	429	493	231	181	267	148	111	179
16. Sudden Deaths . .	5	6	4	5	3	5	4	5	2	7	8	6
17. Violent Deaths . .	74	114	38	68	124	23	62	96	31	93	142	51
Small-pox	6	7	6	2	1	3	2	2	2	13	15	11
Measles	34	36	31	4	8	–	23	23	22	54	62	48
Scarlatina	89	99	81	3	31	28	87	92	81	102	118	89
Diphtheria	22	23	21	13	11	15	25	26	24	19	21	18
Hooping-cough . .	61	57	65	43	41	44	44	40	48	89	85	90
Croup	30	32	27	37	45	28	28	31	26	31	32	29
DIARRHŒA . . .	49	50	49	17	20	15	38	38	38	70	74	68
Dysentery	9	9	9	4	3	4	10	9	11	9	11	8
Cholera	42	41	42	3	3	3	40	38	42	49	51	47
Influenza	6	6	7	21	15	26	7	6	7	4	5	4
ALL FEVERS, viz.	133	137	129	74	78	70	106	103	109	180	197	167
Typhus . .	73	77	67	29	25	32	39	38	40	125	140	110
Enteric . .	46	45	48	23	30	16	53	51	55	41	40	45
Relapsing . .	1	1	1	2	1	3	1	1	1	1	1	1
Continued . .	8	8	8	20	22	18	8	7	9	7	9	5
Infantile . .	5	6	5	–	–	1	5	6	4	6	7	6
Metria	6	–	11	4	–	8	5	–	10	7	–	13
Erysipelas	9	11	9	4	5	3	7	8	7	14	16	11
Dropsy	23	19	27	26	16	34	21	18	23	26	21	32
Cancer	43	28	58	34	22	44	43	28	56	46	29	62
Scrofula	20	23	18	12	18	7	19	21	17	23	25	21
Tabes Mesenterica .	28	31	25	6	6	5	24	26	23	37	43	32
PHTHISIS . . .	274	272	276	219	245	197	217	212	220	368	368	365
Hydrocephalus . .	62	76	50	20	28	13	42	52	34	97	118	78
Apoplexy	39	43	35	21	20	22	35	37	33	47	54	40
Paralysis	53	54	53	38	32	44	51	53	49	59	60	59
Epilepsy	8	9	7	4	5	3	8	8	7	9	11	8
Convulsions . . .	30	36	26	10	15	7	19	21	17	50	62	40
BRONCHITIS . .	220	233	208	78	82	75	151	162	149	336	356	317
Pneumonia . . .	73	91	57	33	50	19	53	65	42	107	134	83
Teething	34	41	28	12	13	11	23	26	19	53	64	44
Enteritis	29	33	25	12	16	9	29	35	24	31	34	29
All Liver Diseases .	34	38	31	25	35	18	31	34	28	40	44	36
CHILDBIRTH . .	11	–	22	20	–	40	10	–	19	12	–	24
Burns and Scalds .	10	10	10	6	–	11	8	7	9	13	15	11
Drowning	14	25	4	46	95	5	13	22	4	12	22	4
Fracture & Contusion	32	53	10	9	20	1	25	45	7	39	68	14

vaccination could be performed, when we have the numbers and proportions given in Table XLIII. By that table it is seen, that of the 307,731 children who survived to the age when they could be vaccinated, 95·89 per cent.—

TABLE XXXVIII.—DEATHS, 1866. Proportion of Deaths from different Diseases in every ten thousand Deaths from specified causes in 1866.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2282	2237	2326	1571	1520	1620	2280	2200	2357	2331	2317	2344
2. Uncertain Seat . .	359	266	449	400	249	542	397	311	480	320	225	413
3. Tubercular Class . .	1708	1700	1716	1526	1640	1418	1580	1587	1574	1843	1812	1874
4. Nervous System . . .	802	853	752	628	719	630	801	853	750	815	869	762
5. Organs of Circulation	471	489	455	318	368	271	502	516	488	453	471	435
6. Respiratory Organs .	1471	1558	1386	1014	1070	963	1231	1347	1119	1731	1791	1672
7. Organs of Digestion	726	768	684	686	700	595	783	835	733	676	709	643
8. Urinary Organs . .	149	200	99	121	221	26	155	219	92	144	180	109
9. Generative Organs .	80	–	158	157	9	297	85	–	168	69	–	139
10. Locomotive Organs .	56	62	50	108	129	87	56	62	51	53	59	47
11. Skin, etc.	11	13	9	22	27	17	11	15	7	10	10	10
12. Malformation . . .	24	27	22	4	9	–	26	31	21	24	25	23
13. Premature Debility .	509	548	472	242	322	166	470	511	430	564	597	532
14. Atrophy	77	72	82	44	46	43	67	68	67	88	78	98
15. Age	917	692	1108	2757	2359	3134	1205	925	1470	520	357	767
16. Sudden Deaths . .	22	26	19	27	18	35	19	25	14	25	27	24
17. Violent Deaths . .	329	482	179	408	682	148	326	490	167	326	462	192
Small-pox	29	30	28	13	9	17	12	12	12	46	49	44
Measles	152	159	145	22	46	–	120	121	119	191	201	180
Scarlatina	396	418	375	179	175	184	451	471	432	358	384	333
Diphtheria	100	100	100	80	64	96	134	136	132	69	69	69
Hooping-cough . .	272	243	301	256	230	280	232	206	257	312	279	346
Croup	132	136	126	215	249	184	148	157	139	111	112	110
DIARRHŒA . . .	220	214	226	103	110	96	199	193	205	248	241	255
Dysentery	43	41	45	22	18	26	54	46	62	33	38	28
Cholera	186	175	196	18	18	17	212	196	227	172	167	178
Influenza	29	26	32	125	83	166	36	34	39	15	16	15
ALL FEVERS, viz.	589	580	598	440	433	446	554	523	584	632	643	622
Typhus . . .	318	323	314	171	138	201	207	196	217	436	456	415
Enteric . . .	206	190	222	135	166	106	275	254	296	144	130	158
Relapsing . .	5	6	4	13	9	17	5	7	3	4	5	3
Continued . .	36	36	37	117	120	114	42	37	48	25	30	22
Infantile . .	24	25	21	4	–	8	25	29	20	23	22	24
Metria	26	–	52	27	–	52	28	–	55	25	–	49
Erysipelas	43	46	40	22	27	17	38	39	38	48	53	44
Dropsy	105	83	128	157	92	219	111	95	127	96	71	132
Cancer	194	119	268	202	120	280	225	145	303	164	95	232
Scrofula	90	96	84	72	101	43	100	109	91	82	83	81
Tabes Mesenterica .	126	134	118	36	37	35	126	132	121	131	141	120
PHTHISIS . . .	1214	1148	1279	1297	1345	1252	1130	1079	1179	1289	1200	1378
Hydrocephalus . .	277	322	234	122	156	87	223	266	182	340	386	294
Apoplexy	172	181	164	125	110	140	184	189	179	165	178	152
Paralysis	237	231	244	229	175	280	268	270	265	209	197	221
Epilepsy	37	40	34	22	27	17	41	44	39	34	36	31
Convulsions	136	153	118	63	83	43	99	107	92	176	201	152
BRONCHITIS . .	972	983	961	462	451	472	790	827	754	1179	1165	1193
Pneumonia	323	383	265	197	276	122	278	333	224	375	437	314
Teething	152	172	132	72	73	70	120	138	103	187	210	165
Enteritis	129	142	118	76	92	61	153	177	130	110	112	109
All Liver Diseases .	152	160	145	152	193	114	162	174	157	140	145	136
CHILDBIRTH . .	52	–	103	130	–	254	54	–	106	45	–	90
Burns and Scalds .	44	42	46	36	–	70	42	37	48	47	50	43
Drowning	62	107	20	274	525	35	68	114	23	43	72	14
Fracture & Contusion	133	223	46	58	110	8	133	229	41	139	224	54

that is, almost 96 per cent.—were successfully vaccinated; 0·64 per cent., or little more than half of a per-centage, had their vaccination postponed for various reasons; 0·84 per cent., or about three quarters of a per-centage, were found to be insusceptible of vaccination; while 2·63 per cent., or little more than 2½ per cent., were lost sight of, from having removed from the district before vaccinaion could be performed. As all those whose vaccination was postponed would be afterwards vaccinated, and all those found insusceptible of the vaccine disease may be considered to be protected, only about 2½ per cent. of the children whose births were registered in the three years may be considered as unprotected by vaccination. These chiefly belong to the vagrant class, and the wandering habits of that class increase the dangers which arise from their children being left unprotected by vaccination. At present, six months are allowed to elapse before the vaccination of the child can be enforced by penalties. Shortening that period to three months would bring a great proportion of these vagrants' children under the Act, and thus more effectually protect the population from the ravages of Small-pox.

Fever was the most fatal of the zymotic class of diseases in 1866, cutting off 4018 persons, thus constituting 5·89 per cent. of the deaths, or proving fatal to 133 persons in every hundred thousand of the population.

TABLE XXXIX.—TOWN DEATHS, 1866. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1866.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·980	2·749	3·201	3·111	2·835	3·105	2·429	2·284
I. Zymotic Class	0·678	0·581	0·833	0·818	0·695	0·654	0·618	0·422
III. Tubercular Class	0·578	0·505	0·592	0·504	0·488	0·639	0·801	0·891
IV. Brain, etc., Diseases	0·225	0·244	0·232	0·314	0·231	0·294	0·181	0·193
V. Heart, etc., Diseases	0·108	0·169	0·150	0·142	0·109	0·161	0·114	0·167
VI. Respiratory Organs, Dis.	0·620	0·433	0·486	0·459	0·361	0·458	0·434	0·258
VII. Organs of Digestion, Dis.	0·203	0·174	0·203	0·225	0·233	0·251	0·189	0·129
XIII. Premature Debility	0·170	0·136	0·226	0·126	0·178	0·181	0·200	0·182
XV. Old Age	0·102	0·135	0·171	0·194	0·233	0·148	0·117	0·208
XVII. Violent Deaths	0·099	0·105	0·093	0·088	0·065	0·128	0·117	0·091
Small-pox	0·024	0·005	0·024	0·013	0·002	0·000	0·000	0·003
Measles	0·078	0·023	0·007	0·094	0·067	0·087	0·013	0·003
Scarlatina	0·099	0·025	0·106	0·192	0·128	0·096	0·021	0·019
Diphtheria	0·019	0·028	0·019	0·022	0·010	0·021	0·010	0·011
Hooping-cough	0·102	0·108	0·064	0·091	0·047	0·076	0·053	0·053
Croup	0·029	0·010	0·058	0·013	0·037	0·050	0·013	0·026
Diarrhœa	0·065	0·065	0·088	0·071	0·058	0·082	0·056	0·053
Dysentery	0·006	0·008	0·016	0·012	0·008	0·015	0·016	0·007
Cholera	0·016	0·085	0·119	0·088	0·015	0·030	0·261	0·064
Fevers, viz.	0·186	0·163	0·271	0·171	0·296	0·181	0·267	0·129
Typhus	0·141	0·109	0·197	0·080	0·253	0·151	0·261	0·092
Enteric	0·036	0·048	0·044	0·061	0·031	0·018	0·003	0·027
Relapsing	0·000	0·000	0·002	0·006	0·002	0·000	0·003	0·000
Continued	0·002	0·002	0·020	0·018	0·002	0·006	0·000	0·007
Infantile	0·006	0·004	0·008	0·006	0·008	0·006	0·000	0·003
Dropsy	0·029	0·013	0·057	0·017	0·058	0·028	0·034	0·011
Cancer	0·041	0·078	0·051	0·052	0·024	0·024	0·024	0·038
Phthisis	0·406	0·346	0·419	0·350	0·338	0·471	0·149	0·292
Apoplexy	0·041	0·055	0·051	0·053	0·071	0·045	0·032	0·045
Paralysis	0·047	0·069	0·051	0·083	0·069	0·065	0·066	0·068
Convulsions	0·060	0·028	0·096	0·084	0·030	0·056	0·042	0·022
Bronchitis	0·431	0·294	0·381	0·283	0·248	0·329	0·312	0·186
Pneumonia	0·142	0·078	0·092	0·110	0·076	0·065	0·066	0·057
Teething	0·062	0·016	0·084	0·095	0·061	0·133	0·047	0·038

Till 1855 all the forms of fever were tabulated under the head of Typhus, but both in 1855 and 1856 the different forms of continued fever were specified in the tables. By these it appears that, in 1866, of the 4018 deaths from fever, 2172 were attributed to Typhus (Spotted) Fever, 1404 to Enteric (Typhoid or Gastric) Fever, 34 to Relapsing Fever, 249 to Simple Continued Fever, and 159 to Infantile Fever, which is, in fact, Enteric Fever in the infant.

By distinguishing the forms of fever, some very interesting facts are brought to light, as may be seen by a reference to Table XLIV. Thus, it appears that Typhus (or Spotted Fever) was the leading form in the towns, seeing that 68·82 per cent. of the deaths from fever in the Town Districts were caused by Typhus, while only 22·79 per cent. were caused by Enteric Fever. In the Mainland-Rural Districts, on the other hand, Enteric Fever was the leading type, seeing that 49·69 per cent. of the fever deaths were caused by it, while only 37·27 per cent. of the deaths were caused by Typhus Fever. It is worthy of note, however, that all the recognised forms of fever were present and co-existed in both Town and Rural Districts,—a fact which leads us to infer, that any one of these may become the leading type in any epidemic which may prevail, as has been witnessed in the various epidemics of fever which have ravaged the country during the last century and a half, during which period sometimes Typhus, sometimes Enteric Fever, sometimes Relapsing Fever, characterized the epidemic.

TABLE XL.—TOWN DEATHS, 1866. Per-centage of Deaths from different Diseases to the total specified Causes of Death in each of the Eight Principal Towns of Scotland in 1866.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class	22·52	21·15	25·64	26·39	24·57	21·48	25·46	18·80
III. Tubercular Class	19·41	18·37	18·09	16·27	17·20	20·30	12·40	17·13
IV. Brain, etc., Diseases	7·57	8·88	7·25	10·12	8·14	9·35	7·46	8·48
V. Heart, etc., Diseases	3·62	6·14	4·65	4·58	3·84	5·12	4·72	7·32
VI. Respiratory Organs, Dis.	20·82	15·76	15·13	14·79	12·75	14·55	17·78	11·21
VII. Organs of Digestion, Dis.	6·83	6·33	6·32	7·27	8·98	7·96	7·79	5·65
XIII. Premature Debility	5·71	4·95	7·05	4·06	6·29	5·75	8·23	7·98
XV. Old Age	3·43	4·94	5·32	6·27	8·21	4·71	4·83	9·15
XVII. Violent Deaths	3·33	3·84	2·89	2·85	2·30	4·08	4·83	3·99
Small-pox	0·82	0·18	0·76	0·43	0·07	0·00	0·00	0·16
Measles	2·63	0·83	0·23	3·02	2·38	2·77	0·54	0·16
Scarlatina	3·34	0·94	3·32	6·18	4·53	3·04	0·87	0·83
Diphtheria	0·65	1·02	0·59	0·73	0·39	0·69	0·43	0·49
Hooping-cough	8·42	3·95	1·96	2·94	1·69	2·42	2·19	2·32
Croup	1·00	0·39	1·79	0·42	1·30	1·59	0·54	1·16
Diarrhœa,	2·30	2·38	2·72	2·29	2·07	2·63	2·30	2·32
Dysentery,	0·23	0·20	0·49	0·39	0·30	0·48	0·66	0·33
Cholera,	0·53	3·09	3·72	2·85	0·53	0·97	10·75	2·83
Fevers, viz.	6·24	5·95	8·41	5·54	10·44	5·73	10·97	5·65
Typhus,	4·72	3·98	6·09	2·55	8·92	4·79	10·75	3·99
Enteric,	1·23	1·75	1·37	1·97	1·08	0·56	0·11	1·17
Relapsing,	0·02	0·02	0·06	0·21	0·07	0·00	0·11	0·00
Continued,	0·06	0·06	0·63	0·60	0·07	0·20	0·00	0·33
Infantile,	0·21	0·14	0·26	0·21	0·30	0·20	0·00	0·16
Dropsy	0·98	0·48	1·76	0·56	2·07	0·90	1·42	0·49
Cancer	1·34	2·84	1·56	1·68	0·84	0·76	0·98	1·66
Phthisis	13·62	12·60	13·07	11·29	11·90	14·96	6·14	12·81
Apoplexy	1·40	2·02	1·56	1·73	2·53	1·45	1·31	1·99
Paralysis	1·60	2·53	1·56	2·68	2·46	2·07	2·74	2·99
Convulsions	2·03	1·02	2·79	2·72	1·07	1·80	1·75	0·99
Bronchitis	14·56	10·70	10·34	9·13	8·75	10·53	12·84	8·15
Pneumonia	4·76	2·84	2·86	3·54	2·68	2·07	2·74	2·49
Teething	2·08	0·58	2·59	3·07	2·15	4·22	1·97	1·66

Scarlet Fever was the next most fatal of the zymotic class of diseases, having proved fatal to 2706 persons, of whom 1411 were males and 1295 females. Scarlet Fever thus constituted 3·96 per cent. of the specified deaths, or cut off 89 persons in every ten thousand of the population. This disease was proportionately far more fatal to the rural than to the town populations; for while in the Town Districts only 3·58 per cent. of the deaths were caused by Scarlatina, it constituted 4·51 per cent. of the deaths in the Mainland-Rural Districts. The principal towns of Scotland were affected very differently by that disease; for while in Aberdeen the deaths from Scarlatina constituted 6·18 per cent. of the mortality, the deaths therefrom in Perth, Leith, and Edinburgh were considerably under one per cent. of the mortality.

1860 deaths were attributed to Hooping-cough, and it is remarkable that, year after year, that disease, unlike almost all others, cuts off a higher proportion of females than males. Thus, in 1866, only 820 males died from Hooping-cough, but 1040 females.

The mortality from Diarrhœa, Dysentery, and Cholera was high in

TABLE XLI.—SMALL-POX Deaths in Scotland.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1861	766
1856	1306	1862	426
1857	845	1863	1646
1858	332	1864	1741
1859	682	1865	383
1860	1495	1866	200

TABLE XLII.—VACCINATION of Children whose Births were registered in Scotland in 1864, 1865, 1866.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			DIED before Vaccination.	Removed from District before Vaccination, or not otherwise accounted for.	TOTAL BIRTHS.*
				From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
1864	Number	95,047	662	667	154	440	9180	2701	108,851
1865	Number	99,648	719	474	34	207	9366	2681	113,129
1866	Number	100,408	579	332	30	227	9433	2721	113,730
1864	Per-centage	87·32	0·61	0·61	0·14	0·40	8·44	2·48	100·00
1865	Per-centage	88·08	0·64	0·42	0·03	0·18	8·28	2·37	100·00
1866	Per-centage	88·29	0·51	0·29	0·02	0·20	8·29	2·40	100·00

TABLE XLIII.—VACCINATION of the surviving Children born in Scotland in 1864, 1865, 1866.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or not otherwise accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number	85,047	662	667	154	440	2701	99,671
1865	Number	99,648	719	474	34	207	2681	103,763
1866	Number	100,408	579	332	30	227	2721	104,297
1864	Per-centage	95·36	0·67	0·67	0·15	0·44	2·71	100·000
1865	Per-centage	96·04	0·69	0·46	0·03	0·20	2·58	100·000
1866	Per-centage	96·27	0·56	0·32	0·02	0·22	2·61	100·000

* The slight discrepancy between the annual number of Births here given and those published in these Reports, arises from the circumstance that some of the Registrars have included the transcript Births in their Returns.

1866, seeing that 1504 persons died from Diarrhœa, 294 from Dysentery, and 1270 from Cholera.

Epidemic Cholera made its appearance in Scotland in 1866, but its ravages were limited, and chiefly confined to certain localities, where the water used by the people was vitiated by containing organic matter. Indeed, in almost every instance where numbers of persons were seized with Cholera, it was found that they had been using water from wells where the water was rendered unfit for human use, from containing organic matter in a state of decomposition. This vitiation generally resulted from the well receiving the drainage of sewage water, or of manure heaps, or of churchyards, and the disease rapidly declined on the wells being shut up, and the people using water free from organic impurities.

During the whole year there was a greater tendency than usual to Cholera, so that even during the first five months of the year, from three to four deaths from that disease occurred monthly. In June, however, the first perceptible rise of deaths from Cholera manifested itself, for they numbered 14 deaths that month, having only been four during May. During July the Cholera deaths increased to 34; but the medical men, and the authorities of the localities where it manifested itself, would not allow themselves to believe that the disease was other than what they were pleased to call autumnal or British Cholera, so that the disease acquired some dimensions before any effective measures were taken for its arrestment. Accordingly, 120 fell victims to the disease in August, 128 in September, 431 in October, 459 in November, and 68 in December, when the disease died out.

It would be well that the public and medical practitioners should recognise the fact, that Cholera is the same disease everywhere, whether in India or in Britain, but that in this country it is only at distant intervals that it spreads as an epidemic. Every case, therefore, should be treated as if it were the forerunner of an epidemic; and if several cases are found to follow each other in the same locality, that fact proves that the disease has assumed the epidemic form, and the water supply should be immediately examined.

In former epidemics of Cholera in Scotland, it was found that females suffered more than males. The numbers dying from that disease in 1866 were too small to furnish reliable statistics on such a subject, though over all Scotland a slightly higher proportion of females than of males died of Cholera. But the results from the Rural and the Town Districts were at variance in this respect, inasmuch as a higher proportion of men died from Cholera in the Towns, whereas the proportion of female deaths greatly preponderated in the Rural Districts.

TABLE XLIV.—Deaths from Fever in 1866.

Fevers.	Mainland-Rural Districts.		Town Districts.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus,	666	37·27	1468	68·82
Enteric,	888	49·69	486	22·79
Relapsing,	17	0·95	14	0·66
Simple Continued,	137	7·67	86	4·03
Infantile,	79	4·42	79	3·70
All Fevers,	1787	100·00	2133	100·00

Several other facts noticed regarding the attack of Cholera in Scotland were noticed in the Registrar-General's Twelfth Annual Report, to which reference may be made.

Diphtheria caused 685 deaths in 1866; and it is a remarkable fact concerning that disease, that since its outbreak in Scotland, it has been much more prevalent and fatal among the inhabitants of the Rural Districts, than among the inhabitants of the Towns. The year 1866 was no exception to this, for Diphtheria caused 433 deaths in the Mainland-Rural, but only 234 deaths in the Town Districts.

Of the other diseases belonging to the zymotic class, Measles caused 1038 deaths, Croup 903, Thrush 39, Influenza 200, Purpura 41, Ague 1, Worms 26, Metria 181, Rheumatic Fever 103, Erysipelas 295, Pyæmia 20, Syphilis 156, and Noma 24.

Diseases of uncertain seat caused 2450 deaths, and thus constituted 3·59 per cent. of the mortality. Of the diseases tabulated in this class, Cancer was the most fatal, cutting off 1327 persons, of whom 403 were males and 924 females. Of the other diseases belonging to this class, Dropsy caused 721 deaths, Abscess 134, Ulcer 38, Fistula 15, Mortification 144, and Gout 8.

The Tubercular class of diseases caused 11653 deaths in Scotland, of which 5734 were males and 5919 females. This indicates an annual proportion of 403 male and 371 female deaths in every hundred thousand of each sex,—showing that, in 1866, males died from these diseases in somewhat higher proportions than females. This mainly resulted from the fact that Hydrocephalus, which belongs to this class, is so much more fatal to the male than to the female.

Phthisis or Consumption is the most fatal of the tubercular class of diseases, and, indeed, is the individual disease which is more fatal to the inhabitants of Scotland than any other disease. It caused 8283 deaths in Scotland during the year, of which 3871 were males and 4412 females. This gives the proportion of 272 male and 276 female deaths in every hundred thousand of each sex annually,—indicating that more females than males fall victims to its ravages.

In the Insular and Mainland-Rural Districts, the proportional mortality from Phthisis was nearly identical, viz. 219 deaths in the Insular, and 217 deaths in the Mainland-Rural Districts in every hundred thousand persons. But in the Town Districts the proportion was 368 deaths in a like population. If, however, the deaths from Phthisis be compared with the total deaths, it is found that the increase in the towns bears an exact relation to the increased mortality from all diseases; so that, while the deaths from Phthisis constituted 12·97 per cent. of the deaths in the Insular Districts, they formed 12·89 per cent. in the Town Districts—proportions almost identical.

Of the Eight Principal Towns of Scotland, it would appear from the tables that Leith possesses an immunity from Phthisis not enjoyed by even the Rural Districts, seeing these tables appear to show, that while in the other towns from 292 to 419 deaths from Phthisis in every hundred thousand persons occurred annually, in Leith the deaths were only in the proportion of 149 in a like population. No one can believe that such is really the case. In every town and district of the country there is a relation between the number of deaths from Hydrocephalus and those from Phthisis, but in Leith there is none. Speaking generally, the deaths from Hydrocephalus are in Leith as high as in the larger towns of Paisley and Greenock, while the deaths from Phthisis are set down as only half as many. The deaths from

Phthisis must therefore be registered under some other head, and from the disproportionate excess of deaths attributed to Bronchitis, it is suspected that a very large proportion indeed of the deaths from Phthisis are certified to be caused by Bronchitis, without stating that the bronchitic attack supervened on Phthisis. It is a rule in vital statistics that the tables of the diseases causing death are drawn up on the principle of tabulating the deaths under the primary disease, and not under its secondary or tertiary complications. Phthisis, therefore, proving fatal by a subsequent attack of Bronchitis or Pneumonia, would be tabulated as Phthisis, not as either of the latter diseases; just as Measles would be tabulated as such, though we know that, when Measles proves fatal, it is generally from Bronchitis supervening on the original disease.

Of the other tubercular diseases, Scrofula caused 617, Tabes Mesenterica 859, and Hydrocephalus 1994 deaths. The disproportion of the sexes falling victims to Hydrocephalus was so great, that 1087 were males and 807 females.

Diseases of the Brain and nervous system proved fatal to 5474 persons, of whom 2879 were males and 2595 females. This indicates that 202 males and 162 females died from brain diseases in every hundred thousand of each sex,—showing that the greater tendency to brain diseases which the male exhibits in infancy, when he is liable to Hydrocephalus, continued during life.

Of these Brain diseases, Apoplexy caused 1179 deaths, Paralysis 1621, Cephalitis 390, Delirium Tremens 60, Chorea 11, Epilepsy 255, Tetanus 45, Insanity 35, Convulsions 932, and general brain disease, not otherwise defined, 946 deaths.

Diseases of the Heart and blood-vessels caused 3218 deaths, 1649 of these being males and 1569 females,—indicating that 116 males and 98 females fell victims to these diseases out of every hundred thousand persons of each sex. Of these diseases, 49 deaths were ascribed to Pericarditis, 85 to Aneurism, and 3084 to Heart Disease.

Inflammatory affections of the Respiratory organs caused 10036 deaths, of which 5256 were males and 4780 females,—indicating that 377 male, but only 299 female deaths, occurred in every hundred thousand persons of either sex during the year. The deaths from all diseases, and from almost every disease, are about a third higher in the town than in the country districts, when compared with the population in each; but it is a fact worthy of notice, that diseases of the respiratory organs are nearly twice as fatal to the inhabitants of the Town Districts; just as if the residence in a town acted with especial malignity on the respiratory organs. Thus, while in every hundred thousand persons, only 236 died from inflammatory affections of the respiratory organs in the Mainland-Rural Districts, 493, or more than double the number, died from the same affections in the Town Districts.

Bronchitis, which is always the most fatal of these diseases of the respiratory organs in Scotland, caused 6629 deaths, Pneumonia 2207, Asthma 500, Pleurisy 252, Laryngitis 98, and disease of the lungs, not otherwise defined, 350 deaths.

Diseases of the organs of Digestion caused 4952 deaths, 2592 being male and 2360 female deaths. This indicates that in every hundred thousand of either sex, 182 males and 148 females died from these complaints during the year. Of these diseases, Teething caused 1038 deaths, Enteritis 886, Peritonitis 257, Gastritis 187, undefined Disease of the Stomach 750, Quinsey 51, Ascites 62, Ulceration of Intestines 178, Hernia 118, Ileus 272, Intussusception 34, Stricture of Intestines 40, all Diseases of the Liver

1042 (of which 171 were ascribed to Hepatitis and 173 to Jaundice), and Diseases of the Spleen 37 deaths.

Kidney and Urinary diseases caused 1016 deaths, of which 675 were males and 341 females,—indicating that these diseases are twice as fatal to males as to females. Of these diseases, Nephria caused 235 deaths, Nephritis 69, Ischuria 50, Diabetes 75, Stone 63, Cystitis 179, Stricture of Urethra 16, and undefined Kidney Disease 322. Seven deaths were ascribed to Addison's Disease—affection of the supra-renal capsules.

Diseases and accidents connected with the organs of Generation caused 546 deaths, of which one was a male, the rest females. Of these, 356 were attributed to Childbirth, to which must be added the 181 from Metria, or Childbed Fever, making a total of 437 deaths among the 112,277 mothers who bare children during the year. This indicates that only one mother died in childbearing in every 257 who bare children that year, or 39 deaths in every ten thousand mothers—a very small proportion indeed.

387 deaths occurred from diseases of the organs of Locomotion. Of these, 77 deaths were ascribed to diseases of the bones, 128 to diseases of the joints, and 182 to Rheumatism.

75 deaths were attributed to diseases of the Skin and subcutaneous cellular tissue. Of these, 24 were from Carbuncle, 9 from Phlegmon, and 42 from Skin diseases.

Malformations from birth caused 168 deaths, Premature Birth and Premature Debility 3475 deaths, Atrophy 526, Old Age without apparent disease 6255; while 156 deaths were sudden, the immediate cause not having been ascertained.

2245 deaths were ascribed to violent causes, which thus constituted 3·51 per cent. of the general mortality. It is a most striking fact relative to the deaths by violence, that year by year, their proportion to the total deaths is more regular than that of any disease or class of diseases. Of these 2245 deaths from violent causes, fractures and contusions caused 913 deaths, drowning 429, burns and scalds 304, suffocation 102, poisons 46,

TABLE XLV.—The Eighteen most fatal Diseases in Scotland and England in 1866, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis,	274	Phthisis,	265
Bronchitis,	220	Bronchitis,	197
Old Age	207	Atrophy, Debility, and Pre-mature Birth,	190
All Fevers (Typhus, etc.)	133	Old Age,	136
Debility, Atrophy, and Pre-mature Birth,	132	Convulsions,	130
Heart Diseases,	106	Pneumonia,	119
Scarlatina,	89	Heart Diseases,	105
Pneumonia	73	All Fevers (Typhus, etc.)	100
Hydrocephalus,	62	Diarrhœa,	81
Hooping-cough,	61	Hooping-cough,	75
Paralysis,	53	Cholera,	68
Diarrhœa,	49	Scarlatina,	55
Cancer,	43	Measles,	52
Cholera	42	Paralysis,	50
Apoplexy,	39	Apoplexy,	49
Measles,	34	All Liver Diseases,	40
Teething,	34	Cancer,	39
All Liver Diseases,	34	Hydrocephalus,	35

hanging 55, cuts and stabs 36, gunshot wounds 25, want of breast milk 100, intemperance 78, exposure to cold 27, privation 4, neglect 3, poisoned wounds 2, and other violent causes, the particulars of which were not specified, 121 deaths.

Of the above violent deaths, 126 were suicides, of which 55 were by hanging, 26 by cut-throat, 16 by drowning, 5 by gunshot, 1 by precipitation from a height, 16 by poisoning (and of these, 10 were by opium or laudanum, 2 by arsenic, 1 by nuxvomica, 1 by phosphorus, 1 by muriatic acid, and 1 by white vitriol). Of 7 suicides the form of death was not stated.

Table XLV. exhibits the eighteen most fatal diseases in Scotland and in England, arranged according to the order of their fatality. From that table it will be seen that, even during the same year, the fatality of the same disease is very different in each country, closely adjoining though they be, inhabited by the same races, and supposed to be subject to the same meteorological influences.

Influence of Weather on the Health.

The influence of the weather on the health of the population was so fully commented on in the Twelfth Annual Report, which has reference to the year 1866, that it is unneccessary to do more here than to refer to what was there stated. The tables, however, bearing on this subject are herewith given, to complete the series given in former Reports, and the table given at p. 184 shows the deaths during each month of the year in each division and county of Scotland during the year 1866.

Table XLIX. is added, to show that in this country there is no necessary or traceable connection between the scarcity of provisions, as indicated by the price, and the general mortality. Famine, with its invariable attendants, pestilence and a high mortality, only attacks those nations which have no trade or commerce, and who consequently do not possess the means of purchasing from other lands the food which has failed to be produced in their own.

Influence of Season on the Deaths in Scotland during the Ten Years 1855–1864.

For the guidance of the invalid and of the medical practitioner, it is very important that we should have correct information as to the months which are most fatal to the inhabitants of Scotland, and though in the Annual Reports this influence is always pointed out, its practical effect is greatly lost from both invalids and medical men being too apt to regard the facts for that year as exceptional, and not the general rule. No such exceptions can be taken to facts which extend over the lengthened period of ten years, and the very exceptions which take place during particular seasons prove the truth of the general conclusions which these decennial tables establish.

To give every one the full opportunity of examining for himself, there is printed in the Appendix, p. 186, *et seq.*,—*First*, a series of tables having reference to the temperature of each month during each of the ten years named. Separate tables show the mean monthly temperature, the absolute highest and the absolute lowest degree of temperature, the mean of all the day temperatures, and the mean of all the night temperatures during every

month of the ten years. *Secondly*, a series of tables showing the number of deaths during every month of these ten years in all Scotland, in its Insular, Mainland-Rural, and Town Districts, and in each of the Eight Divisions into which its counties are subdivided.

Tables LII. and LIII. give the summary of the above named mortality tables, viz. the Monthly Deaths in Scotland, its groups of districts and divisions during each month of the ten years; while Tables LIV. and LV. show the proportional Monthly Mortality in Scotland, its districts and divisions—each month being equalized to 31 days, and the proportion shown on the allowance of one thousand deaths per month, or 12000 deaths per annum. Drawn up in this manner, the proportional mortality in every

TABLE XLVI.—Meteorology of Scotland for 1866, from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also the Births, Deaths, and Marriages registered during each month of the year 1866.

1866.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	59·0	61·0	62·3	71·6	78·0	87·5	87·5	73·7	70·5	69·3	59·3	66·0	87·5
Lowest Temperature in do.	6·0	11·0	—1·0	20·0	20·0	29·3	35·0	31·0	28·3	22·0	18·5	15·0	—1·0
Day Temperatures (Mean)	43·9	41·8	43·7	50·6	56·9	64·0	64·1	61·3	57·7	54·3	46·3	45·3	52·5
Night Temperatures (Mean)	35·0	32·0	32·3	37·4	39·0	48·2	49·7	48·6	45·1	43·0	36·1	35·8	40·2
Daily Range (Mean)	8·9	9·8	11·4	13·2	17·9	15·8	14·0	12·7	12·6	11·3	10·2	9·5	12·3
Mean Temperature	39·4	36·7	38·0	44·0	47·9	56·1	56·9	55·0	51·4	48·6	41·2	40·6	46·8
Highest Temperature in Sun	82·1	100·0	106·9	122·5	127·8	141·6	135·0	132·3	118·8	125·0	94·0	85·0	141·6
Lowest on Grass at Night	4·0	4·0	—4·0	8·0	10·2	13·0	27·9	20·0	20·0	16·2	12·0	10·0	—4·0
Wet-bulb Temperature (Mean)	37·8	34·5	35·8	41·3	44·7	53·0	53·8	52·4	48·9	46·6	39·1	38·8	43·9
Dew-point Temperature (Mean)	36·0	32·3	33·8	38·7	40·9	50·3	51·3	50·4	47·0	45·1	37·0	37·0	41·6
Humidity of Air	89	87	88	84	77	82	83	86	87	90	87	89	86
Elastic Force of Vapour (inch)	·212	·184	·195	·236	·257	·366	·379	·366	·324	·301	·221	·221	·272
Number of Days Rain fell	19	19	16	13	10	12	13	19	19	13	16	20	189
Amount of Rain (inches)	5·31	4·51	3·15	1·68	1·36	1·85	3·14	3·99	4·34	2·86	3·93	5·29	41·41
Amount of Cloud	6·5	5·9	6·6	6·3	5·1	6·2	6·6	7·2	6·6	6·8	6·0	7·1	6·4
Hours of Sunshine	70	101	129	161	260	229	207	146	133	99	97	56	1688
Mean Barometer (inches)	29·534	29·415	29·673	29·935	29·975	29·881	29·911	29·687	29·555	30·047	29·763	29·672	29·753
Easterly Winds (No. of days)	3	6	12	15	17	9	10	8	6	8	2	4	94
Westerly Winds (No. of days)	22	15	11	8	14	12	12	15	15	14	22	21	181
Births	9794	8946	10144	9715	10332	9762	9423	9166	8614	9667	8744	9360	113667
Deaths	6336	5745	7002	6263	6545	5769	5425	5324	4722	5673	6155	6389	71348
Marriages	2830	1488	1323	1474	1059	3501	2306	1450	1345	1513	2262	3137	23688
Daily Births	316	319	327	324	333	326	304	296	287	312	291	302	311
Daily Deaths	204	205	226	209	211	192	175	172	157	183	205	206	195
Daily Marriages	123	74	60	70	46	166	105	63	67	66	103	149	90

district and division, *which is due to season*, is seen at a glance, and the proportional numbers can be strictly compared.

The tables of Temperature given in the Appendix, and the summary of which is given in Table L., show that, in so far as mean temperature is concerned, January is the coldest month in Scotland, and February the next. Indeed, the difference of mean temperature between these two months is so small, that of January being 37°·18, that of February 37°·41, that it may be held that their mean temperature is the same. December, with a mean temperature of 38°·64, was the third coldest month, yet its temperature was about 1½ degree higher than that of January. March, with its

TABLE XLVII.—Showing the number of Deaths Weekly, together with the Highest Lowest, and Mean Temperatures; also the Mean Fall of Rain during every Week of the year 1866, in the Eight Principal Towns of Scotland. (From Twelfth Annual Report.)

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 6	560	40·7	56·0	32·0	1·807	27	July 7	455	55·4	78·5	35·0	0·932
2	13	550	35·1	52·0	16·2	1·341	28	14	447	64·0	90·3	50·0	0·485
3	20	587	43·4	55·0	32·0	1·769	29	21	488	61·1	83·0	43·0	0·073
4	27	614	44·5	58·7	32·0	0·537	30	28	471	57·5	76·0	43·2	0·388
5	February 3	537	40·9	50·5	28·0	1·277	31	August 4	458	54·6	67·6	36·0	[illegible]
6	10	499	41·1	54·0	27·9	1·846	32	11	449	53·7	67·0	35·0	1·153
7	17	550	34·7	44·5	17·3	0·889	33	18	447	54·6	72·5	40·9	0·880
8	24	594	37·5	50·4	19·0	1·016	34	25	430	57·7	68·9	48·0	0·582
9	March 3	572	34·7	47·0	22·0	0·971	35	September 1	447	57·9	72·0	42·1	0·527
10	10	651	35·2	50·0	14·9	0·687	36	8	434	53·6	67·0	34·8	0·639
11	17	630	39·2	53·5	22·9	0·311	37	15	451	54·6	68·5	40·0	0·702
12	24	522	37·3	49·0	21·0	0·642	38	22	415	51·1	62·0	38·0	1·468
13	31	552	46·4	60·2	32·3	0·350	39	29	428	51·2	65·0	33·0	0·731
14	April 7	561	40·1	52·0	28·0	0·172	40	October 6	480	52·7	64·7	32·0	0·116
15	14	588	45·6	59·4	36·0	0·327	41	13	414	49·8	67·0	38·0	0·107
16	21	581	47·1	61·0	32·0	0·740	42	20	514	48·7	63·0	30·0	0·696
17	28	576	47·1	66·0	32·0	0·018	43	27	537	48·3	60·0	26·0	0·746
18	May 5	619	41·7	57·2	27·0	0·238	44	November 3	571	47·3	58·0	31·6	1·370
19	12	575	49·7	65·0	35·0	0·933	45	10	564	45·4	57·0	26·0	0·766
20	19	540	48·5	74·0	31·0	0·008	46	17	553	41·7	57·0	27·1	1·413
21	26	508	52·7	78·0	35·0	0·001	47	24	557	38·7	49·5	26·8	0·257
22	June 2	558	48·8	64·0	33·4	0·269	48	December 1	591	41·4	52·0	24·0	0·109
23	9	546	55·6	71·0	41·7	0·526	49	8	573	41·0	55·5	26·0	1·637
24	16	477	55·7	75·0	36·2	0·420	50	15	586	40·1	52·0	28·0	1·459
25	23	488	55·2	75·7	33·0	0·525	51	22	584	44·7	57·0	30·0	0·403
26	30	467	63·4	85·0	32·0	0·068	52	29	516	44·3	54·0	33·6	1·230

TABLE XLVIII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Monthly Temperature, and the Deaths from certain Diseases and Classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the Year 1866. (From Twelfth Annual Report.)

1866.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	40°·2	37°·5	38°·6	44°·3	48°·5	56°·4	58°·0	55°·6	52°·3	49°·1	42°·3	41°·6
Highest Temperature,	56°·8	54°·0	60°·0	66°·0	76°·7	79°·7	84°·3	71°·7	68°·3	64°·2	59°·0	57°·0
Lowest Temperature,	16°·2	19°·0	18°·5	27°·0	29°·0	34°·7	35°·0	35°·0	33°·0	26°·0	26°·0	24°·0
Rainfall in inches,	5·61	5·08	2·50	1·33	1·41	1·54	3·20	4·05	4·83	2·81	2·88	5·70
Total Deaths,	2528	2178	2624	2466	2518	2105	2073	1960	1787	2297	2427	2485
Daily Deaths,	82	78	85	82	81	70	67	63	59	74	81	80
Zymotic Diseases,	621	518	513	429	495	413	472	438	468	666	732	497
Small-pox,	4	5	9	18	17	23	18	13	15	9	12	9
Measles,	46	54	52	55	51	59	57	36	22	27	51	58
Scarlatina and Diphtheria,	133	78	68	70	75	49	54	51	100	120	109	117
Hooping-Cough,	101	93	102	91	98	55	42	37	41	72	73	63
Croup,	36	23	22	20	21	8	16	16	20	23	36	32
Typhus,	216	193	176	124	152	148	131	100	91	122	142	109
Diarrhœa,	33	26	33	18	28	36	92	128	98	95	63	38
Cholera,	0	0	0	0	2	5	14	14	48	167	203	27
Consumption,	309	261	332	359	378	319	300	258	227	255	241	247
Diseases Respiratory Organs,	450	427	553	490	431	358	258	211	207	339	492	532
Heart, etc., Diseases,	91	93	108	109	104	85	79	98	79	80	85	116
Brain, etc., Diseases,	207	171	220	183	200	165	157	176	159	173	179	202
Age,	113	113	139	111	141	101	91	88	80	88	89	155

mean temperature of 39°·82, was the fourth coldest month, yet its mean temperature was little more than one degree higher than that of December. November, with its mean temperature of 40°·22, was the fifth coldest month; and April, with its mean temperature of 44°·13, the sixth coldest.

TABLE XLIX.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Twelve Years 1855-1866.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	s. *d.*		*s.* *d.*
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 3	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6

TABLE L.—Summary of TEMPERATURE during each Month of the Ten Years 1855-1864.

MONTHS.	Mean Temperature.	Absolute Highest Temperature.	Absolute Lowest Temperature.	Mean of Day Temperatures.	Mean of Night Temperatures.
	°	°	°	°	°
January	37·18	59·0	—3·7	41·21	32·79
February	37·41	62·0	—7·0	42·24	32·14
March	39·82	67·2	2·0	45·16	33·84
April	44·13	79·0	15·0	51·06	36·73
May	49·52	88·0	20·7	56·90	41·48
June	55·61	95·0	27·0	62·66	47·74
July	57·62	87·0	30·0	64·60	49·71
August	57·28	89·0	28·3	64·12	49·75
September	52·86	82·0	26·3	59·47	45·87
October	47·21	73·0	10·5	52·79	41·07
November	40·22	64·0	9·0	44·82	35·05
December	38·64	60·9	—12·0	42·96	34·08

TABLE LI.—Summary of WINDS during each Month of the Ten Years 1855-1864, showing the average Number of Days the Wind blew in any particular direction.

MONTHS.	DIRECTION OF WIND.								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
January	2·2	2·0	1·8	3·0	3·3	7·2	6·0	3·5	2·0
February	1·9	1·5	2·4	3·6	3·0	6·0	4·6	3·0	2·0
March	2·5	3·0	3·5	2·3	2·8	5·4	6·2	4·1	1·2
April	2·6	2·9	4·0	3·1	2·8	5·0	4·6	3·0	2·0
May	2·3	3·5	4·0	3·3	3·2	5·2	5·2	2·2	2·1
June	1·7	2·4	3·8	3·2	3·0	5·9	4·5	3·5	2·0
July	1·8	1·7	2·5	2·3	2·7	6·6	6·5	4·3	2·6
August	1·8	2·0	2·2	2·6	3·3	6·9	6·2	3·0	3·0
September	1·5	1·8	2·0	2·2	3·0	7·6	6·6	2·8	2·5
October	1·9	2·6	3·2	3·2	3·0	6·2	5·3	2·8	2·8
November	2·9	2·2	3·5	3·5	2·8	5·2	4·0	3·3	2·6
December	2·2	1·2	2·0	3·3	3·0	8·0	6·0	3·3	2·0

N.B.—The mode of noting the direction of the Wind is very faulty, and entirely fails to give trustworthy results. The above table neither shows that the prevalent Winds during the months of December, January, and February are south-west and west, nor that the prevalent Winds in March, April, and May are north, north-east, and east.

July again, with its mean temperature of 57°·62 was the warmest month, followed by August 57°·28, June 55°·61, September 52°·86, May 49°·52, and October 47°·21.

Tables LII. and LIII., which show the mere number of deaths during each month of the ten years in Scotland, its groups of districts and divisions, give us almost no information as to the comparative mortality of the different months; but when these are reduced to proportions, as they are in Tables LIV. and LV., the facts are rendered tangible and valuable.

By Table LIV. it is seen, that of every 12000 deaths in Scotland during these ten years, 1193 occurred in February, 1145 in March, and 1134 in January. There was no other month where the mean proportional mortality reached 1100 per month. These three months, then, in the order named, were the most fatal to the population of Scotland, and speaking alone as concerning vital statistics, may properly be designated our winter months.

After these three fatal months come April, with a proportional mortality of 1083 deaths, then December with 1073 deaths, and May with 1010 deaths. These are our next most fatal months.

The third group of months, arranged in the order of their fatality,

TABLE LII.—Summary of MONTHLY DEATHS in SCOTLAND during the Ten Years 1855–1864.

MONTHS.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
January	62,641	2,370	30,223	30,048
February	60,150	2,470	30,085	27,595
March	63,265	2,768	31,786	28,711
April	57,864	2,488	29,051	26,325
May	55,767	2,295	28,246	25,226
June	51,084	2,051	25,468	23,565
July	49,457	1,956	24,250	23,251
August	47,314	1,799	23,096	22,519
September	45,065	1,703	22,143	21,219
October	47,426	1,753	22,836	22,737
November	51,976	1,826	24,560	25,590
December	59,286	2,234	28,548	28,504
Year	651,295	25,713	320,292	305,290

TABLE LIII.—MONTHLY DEATHS in the EIGHT DIVISIONS of SCOTLAND during the Ten Years 1855–1864.

MONTHS.	Northern Division.	North-Western.	North-Eastern.	East-Midland.	West-Midland.	South-Western.	South-Eastern.	Southern.
January	1,787	2,503	6,121	10,439	4,468	25,075	8,523	3,925
February	1,806	2,884	6,279	10,019	4,432	23,239	7,855	3,686
March	1,970	2,909	6,609	10,474	4,753	24,504	8,005	4,041
April	1,812	2,725	6,003	9,424	4,160	22,515	7,511	3,715
May	1,752	2,406	5,860	9,043	4,215	21,671	7,275	3,545
June	1,527	2,284	5,058	8,392	3,793	19,792	6,867	3,370
July	1,418	1,960	4,764	8,158	3,745	19,719	6,504	3,189
August	1,385	1,857	4,582	7,854	3,447	18,960	6,356	2,873
September	1,349	1,798	4,447	7,403	3,371	17,778	6,174	2,745
October	1,380	1,922	4,475	8,112	3,278	18,722	6,664	2,873
November	1,429	1,957	5,165	8,632	3,664	20,908	7,202	3,019
December	1,708	2,433	5,872	9,759	4,267	23,603	8,205	3,439
Year	19,323	27,588	65,235	107,709	47,593	256,486	86,941	40,420

consists of June with its 956 proportional deaths, November with 954 deaths, and July with 895 deaths.

And the fourth group contains the three months when the mortality is lowest, viz. October with its proportional 858 deaths, August 856 deaths, and September, the healthiest month of all the year, with its low proportion of 843 deaths.

Thus it will be seen that, taking Scotland as a whole, February is the month which is generally most fatal to the population, and September that which is most healthy; that there are six months when the proportional deaths are above 1000 per month, viz. February, March, January, April, December, and May, and that in the order named; and six months when the deaths are below 1000, viz. June, November, July, October, August, and September.

When we look over Tables LIV. and LV., however, we find that local causes exist in the different districts or divisions which cause the highest or the lowest mortality to occur at a different period from that at which they are seen to occur over all Scotland.

Thus, in the Insular, Mainland-Rural, and Town Districts, as also in several of the divisions of Scotland, the most fatal month was February.

TABLE LIV.—PROPORTIONAL MONTHLY MORTALITY in SCOTLAND, Ten Years 1855-64, every Month equalized to 31 days, and proportioned to a mean of 1000 Deaths per month, or 12,000 per year.

Months.	Scotland.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
January	1,134	1,085	1,111	1,159
February	1,193	1,273	1,211	1,166
March	1,145	1,267	1,168	1,107
April	1,083	1,177	1,103	1,049
May	1,010	1,050	1,038	973
June	956	970	967	939
July	895	895	891	897
August	856	824	849	869
September	843	806	841	845
October	858	802	839	877
November	954	864	933	1,020
December	1,073	1,023	1,049	1,099
Year	12,000	12,000	12,000	12,000

TABLE LV.—EIGHT DIVISIONS of SCOTLAND. Ten Years Proportional Monthly Deaths.

Months.	Northern.	North-Western.	North-Eastern.	East-Midland.	West-Midland.	South-Western.	South-Eastern.	Southern.
January	1,089	1,067	1,105	1,141	1,101	1,151	1,127	1,144
February	1,204	1,324	1,239	1,198	1,196	1,166	1,165	1,174
March	1,200	1,240	1,193	1,145	1,171	1,125	1,084	1,177
April	1,141	1,200	1,119	1,064	1,059	1,068	1,051	1,118
May	1,067	1,026	1,057	989	1,038	995	985	1,033
June	961	1,006	943	948	1,015	939	961	1,014
July	864	836	859	892	922	905	881	929
August	844	791	827	858	849	871	861	837
September	849	792	829	836	858	844	864	826
October	841	819	807	887	807	860	902	837
November	899	862	963	975	933	992	1,008	909
December	1,041	1,037	1,059	1,067	1,051	1,084	1,111	1,002
Year	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000

In the Southern Division, however, embracing the counties of Roxburgh, Dumfries, Kirkcudbright, and Wigtown, the most fatal month was March. In this respect the mortality of that division corresponded with that of the countries of Europe and America which have great extents of undrained swampy land; and every one who knows that division of Scotland, will agree that the resemblance to the continental countries above alluded to is as applicable to the land as to the season of greater mortality.

March was the second most fatal month to the general population of Scotland; but of the three groups of districts into which Scotland is divided, this only held good in the Insular and Mainland-Rural Districts. In the Town Districts, on the other hand, January was the second most fatal month —the mortality, indeed, not being much behind that of February itself. This peculiarity we cannot explain; but it may be mentioned, that January was also the most fatal month to the populations living in the South-Western, South-Eastern, and Southern Divisions.

It is worthy of note that December, so far from being one of the most fatal months in Scotland, stands fifth on the list. But when we look at its fatality in each of the three groups of districts, we find that in the Town Districts it is the fourth most fatal month, in the Mainland-Rural it is the fifth, and in the Insular only the sixth most fatal. The advent of the cold season, therefore, tells faster on the populations of the towns, whose less robust health is not so well fitted to resist the hurtful effects of a lowering of the temperature.

Over all Scotland, September was the most healthy month, and had the fewest deaths; but when we look at the groups of districts, we find that both in the Insular and in the Mainland-Rural Districts it was October which showed the fewest deaths, the Town Districts alone showing the fewest deaths in September, while the October deaths in the towns had increased beyond those of both September and of August. This fact, again, shows that the less robust health which town populations have, renders them more sensitive to the agencies of the weather; so that the lower temperature in October, but especially the lower night temperature, acted prejudicially and more quickly on them than on the more robust inhabitants of the rural parts of Scotland.

It is worthy of remark, however, that if the hurtful effect of the return of the cold weather was seen a month sooner among the inhabitants of the towns, they also, in spring, experienced a month sooner the beneficial effects of the return of the warm weather; for while May still continued to be one of the six deadly months to the inhabitants of the Insular and Mainland-Rural Districts, with its proportional mortality much above the average of 1000 deaths per month, May was one of the six healthy months in the Town Districts, and had its proportional mortality much below the average of 1000 deaths per month.

Of the eight divisions of Scotland, the mortality was lowest during the month of August in the North-Western and South-Eastern Divisions. It was lowest during the month of September in the East-Midland, South-Western, and Southern Divisions. And it was lowest during the month of October in the Northern, North-Eastern, and West-Midland Divisions. For these differences it would be extremely difficult to account.

It will thus be seen that while, speaking generally, temperature is the most important element in regulating the mortality in Scotland, other circumstances must be allowed due weight to explain the proportional mortality of the different months. Many of these have been endeavoured to be pointed out in previous Reports, but may be noticed again in reviewing the ten years monthly mortality.

It is an established fact, that when the cold weather first sets in, it has a much less hurtful effect on the mortality than after it has continued for some months. Cold of itself exhausts and weakens the vital powers, so that a lesser degree of cold at the end of winter has a much more injurious effect on the health and mortality of the population, than a much more severe degree of cold at the beginning of winter. Hence, though February has a mean temperature no greater than January, its mortality is much higher, the simple continuance of the cold weakening the vital powers, and rendering them less able to resist its hurtful effects.

But there is another and most important element, which has been too much overlooked, which intensifies the cold, and renders its action more baneful still. This is the cold northern and easterly winds. Nothing intensifies cold so much as wind; and even a moderate degree of cold with a high cold wind, has much more hurtful effects on the vital organism than a much greater degree of cold without wind. Though all our Arctic voyagers mention this fact, so as to put it beyond denial, still every one has yearly experience of the fact in this country, when the cold northerly or easterly winds begin to blow in March. Though the temperature may be several degrees above the freezing-point, yet the deleterious action of these strong cutting winds on the human organism is very marked, drying up the skin, stopping all cutaneous perspiration, and driving the blood from the surface into the internal organs, and generally producing a feeling of discomfort and chilliness not felt during all the previous months of winter.

These northerly and easterly winds are the leading aërial currents over Scotland during the months of March, April, and May, and setting in as they do immediately on the conclusion of one of our coldest months (February), when the vital powers have been already weakened by the continuance of the cold, it is not surprising that the mortality in March rises so as to constitute it the second most deadly month of the year.

Even the much greater heat of the sun's rays during April cannot effectually drive back the pernicious effects of these cold northerly and easterly winds, so that the mortality of April exceeds that of December, and April forms the fourth most fatal of the months.

There is still another circumstance to be taken into account when we endeavour, from meteorological tables, to deduce those elements which seem more particularly to act prejudicially on the human frame, and increase the mortality. It is one of the most important elements bearing on vital statistics, but one quite overlooked by meteorologists, viz. the night temperature.

It is a known fact that most men are born, and most die, during the night; and it is the night temperature, far more than that of the day, which has the most deleterious influence on human life. Hence all tables drawn up for comparison with the statistics of human mortality, ought to specify both the absolute and the mean lowest or night temperatures, as indicated by the minimum self-registering thermometer. The notes which are continually furnished us from all parts of Scotland have again and again pointed out the fact, that an excessively cold night, when the temperature falls to 10° or to 5°, or below zero, is most fatal to the aged and the very young, and to those weakened by disease; and in some of the smaller parishes such a night has been known to kill all persons above 80 years of age—husband and wife, brother and sister, being found dead in their beds in the morning after such a night of cold.

Now, if we look at Table LI., which gives the monthly summary of the ten years' temperature, we shall find how closely the night temperature

corresponds with the mortality during the three most fatal months. The mean night temperatures during January, February, and March, were lower than those of any other month, and these were the months most fatal to the population. By that table December stands fourth lowest on the scale of night temperature, and April the fifth; whereas, on the scale of mortality, April was the fourth most fatal month, and December the fifth. But the night temperatures, of course, take no note of the evil influence of the continuance of the cold, nor of the northerly and easterly winds—agents quite sufficient to cause the mortality in April to preponderate to that slight extent which it does over that of December.

These tables are worthy of the most careful study. They clearly point out to the invalid what months he ought to select for a residence in a milder climate abroad. From the beginning of December till May he should absent himself from Scotland; but as it is the northerly and easterly winds which are chiefly hurtful to the consumptive, the months which they have especially to avoid are March, April, and May.

Mortality of each Registration District during the Ten Years 1856–1865.

One great object of these Reports is to put the public in possession of facts whereby the healthiness or unhealthiness of each Registration District in Scotland may be ascertained. A ten years period is the shortest on which any reliance can be placed for ascertaining the healthiness of any district; because, when the population is small, the mortality is irregular from year to year, and the true mean can only be ascertained by taking a ten years' average at least.

Tables have therefore been prepared, and are printed in the Appendix, pp. 190, *et seq.*, which show the decennial number of deaths in each district, and the mean annual per-centage of deaths to the population during that period. The years 1856–1865 were selected for this purpose, because they permit the Census numbers of 1861 to be used without correction as the mean population for each district for the period referred to.

The mortality of a few of the districts during the above period cannot be accurately given, in consequence of these districts having been enlarged or diminished during the period, or newly constituted out of previously existing districts. Edinburgh is unfortunately in that position, its original seven districts having been reduced to five, so that the total numbers for the whole city had to be given, instead of the deaths for each of its registration districts. The able Report, however, of the Sanitary Inspector, Dr. Littlejohn, makes this the less to be regretted, inasmuch as he supplies for that city all the facts which the sanitary reformer could desire.

Facts, which are accumulating day by day, have revealed to us that, in Scotland, the mortality in the Town Districts is one-third higher than it is in the Rural Districts. But they show that the same diseases and classes of disease prevail in the Town and in the Rural Districts; and from knowing that certain causes increase the prevalence and mortality of certain diseases, we infer that many of the lives which are annually lost by disease, both in the Town and Rural Districts, could be saved had proper sanitary appliances as to house accommodation, drainage, ventilation, and supply of water been attended to.

This series of tables has therefore been drawn up with the view of showing the districts where sanitary inquiries could properly be made. As

a guide to reading these tables, it ought to be stated that every Town District should be considered unhealthy where the mean annual mortality exceeds 2 per cent., and that every Rural District should be considered unhealthy where the mortality exceeds 1·5 per cent. of the population. It may be mentioned that by the term "Town District" is meant a district which includes a town or part of a town which at the Census of 1861 had a population of 3000 persons and upwards, and that the term "Rural District" includes the remaining districts of Scotland.

During the above ten years the actual annual morality in the Town Districts was 2·55 per cent. of the population, that of the Rural Districts being 1·67 per cent., so that a wide margin is left for improvement of the health of the people under judicious sanitary operations.

As these tables are purely for consultation, their contents need not be commented on in this place.

Nomenclature in Scotland.

In the Sixth Detailed Report, applicable to the Registers of 1860, a few pages were devoted to the subject of Scottish Nomenclature; and among other particulars, a classified list was given of the fifty most common surnames in Scotland, as deduced from the General Indices to the Registers of Births, Deaths, and Marriages for the years 1855, 1856, and 1858, which embrace upwards of 609,000 names. The annexed table (LVI.) exhibits the result of a similar but much less extended investigation in the General Index to the *Birth* Registers only for the year 1863, which embraces upwards of 109,000 names; and it is satisfactory to find that the conclusions arrived at in the former Report are strikingly confirmed by the subsequent and more limited inquiry. No fewer than forty-seven of the fifty surnames

Table LVI.—The Fifty most common Surnames in Scotland, as ascertained from the General Index to the Birth Registers for the year 1863.

Surnames.	Number in Index.	Estimated Number in entire Population in 1863.	Surnames.	Number in Index.	Estimated Number in entire Population in 1863.	Surnames.	Number in Index.	Estimated Number in entire Population in 1863.
*Smith	1581	44268	*Paterson	635	17780	Hamilton	430	12040
*M'Donald	1308	36624	Young	629	17612	*Kerr	419	11732
*Brown	1209	33852	*Fraser	627	17556	Grant	408	11424
*Thomson	1117	31276	*M'Lean	602	16856	M'Intosh	408	11424
Robertson	1116	31248	Henderson	590	16520	*Graham	401	11228
*Stewart	1095	30660	Mitchell	578	16184	*White	399	11172
Campbell	1079	30212	*Morrison	562	15736	*Allan	390	10920
Wilson	1048	29344	Cameron	548	15344	*Simpson	383	10724
Anderson	949	26572	Watson	536	15008	M'Gregor	373	10444
Scott	803	22484	Walker	523	14644	*Munro	369	10332
*Miller	767	21476	Taylor	517	14476	Sinclair	367	10276
M'Kenzie	764	21392	M'Leod	513	14364	Bell	362	10136
*Reid	706	19768	*Ferguson	473	13244	Martin	360	10080
Ross	680	19040	Duncan	463	12964	*Russell	342	9576
M'Kay	669	18732	Gray	456	12768	Gordon	340	9520
*Johnston	644	18032	Davidson	451	12628			
*Murray	640	17920	Hunter	438	12264	Total...	31705	887740
*Clark	638	17864						

* *Note.*—The surnames indicated by an asterisk in Tables LVI. and LVII. occur under two or more different spellings.

specified in that Report again appear; and although their relative position and estimated number in the population are in several instances somewhat different, the general similarity of the two lists is very remarkable. The three surnames contained in the former list which do not occur in the annexed table are Black, Sutherland, and Gibson, in lieu of which we have M'Intosh, Russell, and Gordon. In both lists the nine strongest surnames are the same, viz. Smith, M'Donald, Brown, Thomson, Robertson, Stewart, Campbell, Wilson, and Anderson, the only difference in their order being that Thomson and Robertson change places—their respective numbers, however, in both lists, being strikingly similar. As stated in the former Report, the surname of Smith is *facile princeps* on both sides of the Border; but it is somewhat curious to find that Jones, which occupies the second place in England, is "nowhere" in Scotland, seeing that the number of Births under that surname in Scotland during 1863 was only 54, indicating a population of little more than 1500 persons.

Notwithstanding the large accession of Irish and other immigrants, several of our most common Scottish surnames still very decidedly predominate in certain parts of the country. Thus we find from the General Index already referred to, that of the 3856 births in the five clans of M'Donald, M'Kenzie, M'Kay, M'Lean, and M'Leod, during the year 1863, no fewer than 1300 occurred in the counties of Ross and Cromarty and Inverness, indicating a population of 36400. The M'Donalds appear to be strongest in Inverness-shire, where they constitute about 8000 of the population, their estimated number in Ross and Cromarty being 4670, and in Argyllshire little more than 2000. The M'Kenzies are most numerous in Ross and Cromarty, where they considerably exceed 6000, their strength in Inverness-shire being only about 1900. The M'Kays preponderate in Caithness and Sutherland (*cir.* 4000), and the M'Leods in Ross and Cromarty (*cir.* 5350); while the M'Leans are pretty equally divided among the three counties of Argyll, Ross and Cromarty, and Inverness, where they collectively amount to about 6450. Nearly one-third (124) of the M'Intosh births occurred in the counties of Inverness, Elgin, Nairn, and Banff, indicating a population of 3470; while the most numerous section of the M'Gregors appears to be in Perthshire, where they amount to upwards of 1400.

The Robertsons preponderate in the shires of Perth and Forfar, in which they are about equally strong, constituting in these two counties a population of 6200. The Stewarts are strongest in Perthshire, where they amount to about 3500; while their estimated number in Argyllshire is under 700, and in Galloway (Kirkcudbright and Wigtown) only 360. They are, however, pretty numerous in the counties of Renfrew and Ayr, where they contribute about 2800 to the population. The Campbells appear to amount to nearly 2000 in Argyllshire, and to about 1450 in Perthshire, their estimated number in the city of Glasgow being upwards of 6000.

About one-half of the fifty surnames in the preceding table do not appear to prevail in any particular counties. A few of these, such as Anderson, Ferguson, Duncan, and Davidson, may perhaps be regarded as more peculiarly Scottish patronymics, but it is believed that most of them are of frequent occurrence on both sides of the Tweed. No fewer than eleven of them are to be found among the fifty most common surnames in England, as specified in the Sixteenth Annual Report of the Registrar-General of England, viz. Smith, Brown, Thomson (Thompson), Wilson, Clark, Watson, Walker, Taylor, White, Allan (Allen), and Martin.

The following is a list of the other surnames in Table LVI., which

appear to preponderate in certain parts of the country, with their estimated numbers in the different counties in which they most extensively prevail:—

Scott,	Roxburgh and Selkirk, 2900. Forfar, 2150.
Ross,	Ross and Cromarty, 3600.
Johnston,	Dumfries, 1700.
Murray	Dumfries and Roxburgh, 1230. Elgin and Banff, 920. Perth, 560.
Fraser,	Inverness, 4300.
Cameron,	Argyll, 2460. Inverness, 1300. Perth, 1300.
Hunter,	Stirling and Clackmannan, 1600. Ayr, 1100. Fife, 1100. Perth, 300.
Hamilton,	Lanark, 5800 (of whom nearly one-half are in the City of Glasgow). Renfrew and Ayr, 2800.
Kerr,	Renfrew and Ayr, 2700. Berwick, 280. Roxburgh, 170.
Grant,	Elgin, Nairn, and Banff, 3000. Inverness, 1300.
Graham,	Dumfries, 800. Perth, 420. City of Glasgow, 1960.
Munro,	Ross and Cromarty, 2000. Inverness, 650.
Sinclair,	Orkney and Shetland, 1350. Caithness, 1250.
Bell,	Dumfries and Roxburgh, 2000.
Gordon,	Aberdeen, 2000. Elgin, Nairn, and Banff, 1500.

Table LVII. exhibits a classified list of the one hundred surnames next

TABLE LVII.—Continuation of Table LVI., showing the One Hundred Surnames in Scotland next in order to those specified in Table LVI., as ascertained from the General Index to the Birth-Registers for the year 1863.

SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.	SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.	SURNAMES.	Number in Index.	Estimated Number in entire Population in 1863.
Black	339	9492	*Hendry	223	6244	*M'Neil	161	4508
Sutherland	334	9352	M'Kinnon	220	6160	Chalmers	157	4396
M'Farlane	330	9240	*Gardner	219	6132	Jack	154	4312
Gibson	326	9128	*Burns	218	6104	Murphy	154	4312
*Stevenson	326	9128	*Irvine	215	6020	Lawson	153	4284
M'Millan	320	8960	*Aitken	214	5992	*Sim	153	4284
Wallace	317	8876	Lindsay	211	5908	Dick	152	4256
M'Pherson	316	8848	Fleming	211	5908	Moffat	152	4256
*Milne	304	8512	Donaldson	208	5824	Blair	151	4228
Muir	301	8428	Buchanan	205	5740	Cairns	151	4228
M'Intyre	300	8400	M'Laren	205	5740	*Steel	151	4228
Marshall	290	8120	*Stephen	205	5740	M'Innes	150	4200
Watt	279	7812	M'Kie	198	5544	King	150	4200
Kennedy	276	7728	Currie	197	5516	Murdoch	149	4172
Craig	271	7588	Shaw	193	5404	*Sharp	148	4144
*Crawford	264	7392	Hay	191	5348	Adam	147	4116
*Kelly	259	7252	*Neilson	186	5208	Forrest	145	4060
M'Lachlan	259	7252	Boyd	186	5208	Baird	144	4032
*Nicol	258	7224	*M'Ewan	185	5180	Jackson	144	4032
Wright	255	7140	*Rodger	185	5180	*Low	143	4004
*Dickson	253	7084	*Paton	180	5040	Hogg	142	3976
M'Dougall	252	7056	Rae	176	4928	Forsyth	142	3976
Ritchie	252	7056	Bain	176	4928	Cook	141	3948
Bruce	241	6748	M'Rae	175	4900	*M'Guire	141	3948
*Findlay	241	6748	*Hutchison	175	4900	Baxter	140	3920
Cunningham	238	6664	Alexander	173	4844	Hill	140	3920
Williamson	238	6664	Ramsay	172	4816	Barclay	135	3780
*Jamieson	230	6440	Weir	167	4676	*Inglis	134	3752
Douglas	229	6412	*Nicolson	165	4620	Orr	133	3724
Christie	229	6412	Turnbull	163	4564	Robb	133	3724
*Matheson	228	6384	Tait	162	4536	Strachan	133	3724
*Laing	228	6384	*Rankin	162	4536	Maxwell	133	3724
Wood	228	6384	Boyle	162	4536			
Forbes	225	6300	*Cumming	162	4536	Total...	20337	569436

in order, as ascertained from the General Index to the Birth Registers of 1863. The two tables thus embrace the one hundred and fifty most common surnames in Scotland, which contributed upwards of 52,000 births in the year 1863, and appear to be represented by no fewer than 1,457,176 persons (47 per cent.), or within 93,000 of the half of the entire population. In other words, it is probably not far short of the truth to state, that every second person in Scotland bears one or other of these one hundred and fifty surnames, the total estimated number of surnames in Scotland being about 6800.

Fully two-thirds of the one hundred surnames in Table LVII. may be regarded as more peculiarly Scottish, and it is believed that many of them, such as Sutherland, Kennedy, M'Dougall, Forbes, Lindsay, Buchanan, Cumming, and Maxwell, predominate in certain counties. As, however, the total estimated number of each is comparatively small, it has not been considered expedient to extend the relative investigation.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 31*st March* 1869.

Births, Deaths, and Marriages registered in Scotland during the Year 1866.

1866.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	58360	55307	113667	5974	5699	11673	35355	35993	71348	23688	42319	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,422	1726	1589	3315	101	112	213	1009	1076	2085	619	1230	2,261,662
2 NORTH-WESTERN, .	175,735	167,329	2352	2236	4588	167	145	312	1332	1497	2829	789	1759	4,739,876
3 NORTH-EASTERN, .	348,366	366,783	6527	6217	12744	1034	985	2019	3722	3908	7630	2487	5114	2,429,594
4 EAST-MIDLAND, .	515,966	523,822	9316	8920	18236	1026	972	1998	5659	5982	11641	4182	6595	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4230	3944	8174	350	327	677	2414	2386	4800	1537	3374	2,693,176
6 SOUTH-WESTERN, .	881,092	1,008,253	22725	21826	44551	2041	1970	4011	14153	14112	28265	9350	16286	1,462,397
7 SOUTH-EASTERN, .	383,217	408,962	8010	7435	15445	781	731	1512	5108	5025	10133	3513	5312	1,192,524
8 SOUTHERN, . . .	215,884	214,216	3474	3140	6614	474	457	931	1958	2007	3965	1211	2649	2,069,696
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,078	31,670	422	356	778	19	20	39	282	294	576	182	202	} 598,726
2 Orkney, . . .	31,455	32,395	406	363	769	22	21	43	218	253	471	154	298	
3 Caithness, . . .	39,782	42,200	624	594	1218	49	57	106	323	346	669	194	549	455,708
4 Sutherland, . . .	24,720	24,157	274	276	550	11	14	25	186	183	369	89	181	1,207,188
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	83,781	82,427	1128	1061	2189	77	43	120	632	746	1378	391	811	2,016,375
6 Inverness, . . .	91,954	84,902	1224	1175	2399	90	102	192	700	751	1451	398	948	2,723,501
III. NORTH-EASTERN.														
7 Nairn, ...	8,076	8,347	106	128	234	15	12	27	72	92	164	59	70	137,500
8 Elgin (or Moray), .	40,532	44,218	731	672	1403	120	91	211	506	485	991	251	412	340,000
9 Banff, ...	51,353	56,020	942	925	1867	135	170	305	443	549	992	327	875	439,219
10 Aberdeen, . . .	213,461	223,344	4145	3922	8067	669	637	1306	2409	2474	4883	1613	3184	1,260,625
11 Kincardine, . . .	34,944	34,854	603	570	1173	95	75	170	292	308	600	237	573	252,250
IV. EAST-MIDLAND.														
12 Forfar, ...	193,627	206,750	4276	4082	8358	535	499	1034	2613	2786	5399	2008	2959	568,750
13 Perth, ...	137,369	133,198	1875	1811	3686	197	203	400	1179	1261	2440	802	1246	1,814,063
14 Fife,*	153,789	155,021	2681	2568	5249	252	230	482	1610	1677	3287	1184	1962	328,427
15 Kinross,* . . .	9,626	8,731	106	114	220	7	10	17	66	66	132	60	88	49,812
16 Clackmannan, . .	21,555	20,122	378	345	723	35	30	65	191	192	383	128	340	29,440
V. WEST-MIDLAND.														
17 Stirling, . . .	83,802	88,138	1835	1597	3432	149	140	289	936	895	1831	714	1601	295,875
18 Dumbarton, . . .	46,995	54,179	1092	1018	2110	95	76	171	594	584	1178	367	932	204,800
19 Argyll, ...	94,042	83,859	1107	1112	2219	82	89	171	693	709	1402	365	817	2,088,126
20 Bute, ...	16,608	16,331	196	217	413	24	22	46	191	198	389	91	24	109,375
VI. SOUTH-WESTERN.														
21 Renfrew,* . . .	157,950	168,746	3727	3573	7300	304	286	590	2268	2400	4668	1485	2632	158,260
22 Ayr,*	189,973	199,063	3898	3719	7617	356	372	728	2262	2232	4494	1523	3123	735,262
23 Lanark,* . . .	533,169	640,444	15100	14534	29634	1381	1312	2693	9623	9480	19103	6342	10531	568,867
VII. SOUTH-EASTERN.														
24 Linlithgow,* . . .	30,590	39,045	947	913	1860	76	96	172	529	496	1025	301	835	81,113
25 Edinburgh,* . . .	259,493	274,093	5336	5012	10348	522	476	998	3666	3573	7239	2687	3109	234,925
26 Haddington,* . . .	36,363	37,626	663	557	1220	60	44	104	378	400	778	201	442	179,142
27 Berwick,* . . .	36,165	36,488	618	569	1187	76	75	151	326	331	657	180	530	302,951
28 Peebles,* . . .	10,804	11,300	197	182	379	19	21	40	99	97	196	65	183	227,869
29 Selkirk,* . . .	9,802	10,410	249	202	451	28	19	47	110	128	238	79	213	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	51,225	53,722	939	822	1761	114	95	209	450	458	908	312	853	428,494
31 Dumfries,* . . .	78,140	75,904	1220	1145	2365	180	187	367	796	790	1586	458	779	702,953
32 Kirkcudbright,* . .	43,121	42,495	688	631	1319	89	86	175	383	433	816	212	503	610,343
33 Wigtown,* . . .	43,389	42,095	627	542	1169	91	89	180	329	326	655	229	514	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	9	15	24	1	3	4	10	9	19	4
	(2) Burra and Quarff,	906	890	19	11	30	–	–	–	10	10	20	5
2	Delting,	2124	1975	28	24	52	2	1	3	12	15	27	8
3	Dunrossness, etc.—												
	(1) Dunrossness,	c. 2005	2113	20	23	43	1	1	2	13	12	25	19
	(2) Sandwick and Cunningsburgh,	c. 2220	2337	27	18	45	1	–	1	17	25	42	8
	(3) Fair Isle,	280	380	6	6	12	1	–	1	1	3	4	–
4	Fetlar, etc.—												
	(1) Fetlar,	658	548	5	2	7	–	–	–	3	5	8	1
	(2) North Yell,	998	932	18	7	25	–	1	1	10	5	15	1
5	Lerwick (incl. Town),	3390	3631	45	44	89	2	3	5	46	50	96	61
6	Mid and South Yell,	1741	1784	20	20	40	2	4	6	11	19	30	8
7	Nesting, etc.—												
	(1) Nesting,	c. 806	855	10	8	18	–	–	–	13	2	15	–
	(2) Lunnasting,	c. 830	880	10	10	20	–	–	–	4	15	19	1
	(3) Whalsay and Skerries	784	848	19	19	38	1	–	1	5	11	16	6
8	Northmavine,	2534	2585	36	29	65	3	2	5	22	23	45	12
9	Sandsting and Aithsting,	2603	2670	31	38	69	2	1	3	15	16	31	14
10	Tingwall, etc.—												
	(1) Tingwall,	c. 1654	1554	22	11	33	2	–	2	17	13	30	3
	(2) Whiteness & Weesdale	c. 1220	1143	17	14	31	–	2	2	12	14	26	7
11	Unst,	2977	3060	45	34	79	–	2	2	40	24	64	14
12	Walls, etc.—(1) Walls,	c. 1280	1365	19	9	28	1	–	1	5	8	13	7
	(2) Sandness,	c. 563	606	8	5	13	–	–	–	7	6	13	2
	(3) Papa-Stour,	359	366	6	8	14	–	–	–	6	6	12	1
	(4) Foula,	240	233	2	1	3	–	–	–	3	3	6	–
	Total,	31078	31670	422	356	778	19	20	39	282	294	576	182
	2. Orkney.												
13	Birsay,	1749	1774	17	12	29	1	1	2	14	13	27	5
14	Deerness,	786	813	12	8	20	–	–	–	4	1	5	4
15	Eday and Pharay,	1016	979	9	17	26	–	–	–	5	5	10	2
16	Evie and Rendall,	1446	1408	17	15	32	2	1	3	9	15	24	5
17	Firth and Stennes,	1327	1493	19	14	33	1	1	2	19	9	28	5
18	Harray,	750	819	11	8	19	–	–	–	3	2	5	4
19	Holm and Paplay,	749	834	15	6	21	1	–	1	6	3	9	2
20	Hoy and Græmsay,	615	556	8	8	16	–	1	1	6	3	9	4
21	KIRKWALL & ST OLA (incl. Burgh),	3990	4422	52	32	84	7	4	11	38	47	85	18
22	North Ronaldshay,	526	532	4	14	18	–	–	–	5	4	9	6
23	Orphir,	1157	1133	8	13	21	–	1	1	5	12	17	7
24	Rousay and Egilsay,	1215	1152	20	18	38	1	1	2	8	10	18	5
25	St Andrews,	926	868	10	16	26	–	2	2	3	4	7	3
26	Sanday,	2004	2145	24	35	59	–	1	1	13	26	39	12
27	Sandwick,	1107	1225	12	10	22	1	–	1	3	11	14	5
28	Shapinshay,	899	973	18	9	27	–	–	–	4	4	8	6
29	South Ronaldshay and Burray,	3086	3282	46	46	92	6	3	9	21	28	49	19
30	Stromness,	2770	2540	19	26	45	–	2	2	19	26	45	5
31	Stronsay,	1211	1228	31	14	45	1	1	2	7	12	19	10
32	Walls, etc.—(1) Walls,	1278	1254	12	7	19	–	1	1	9	6	15	4
	(2) Flotta,	389	420	5	4	9	1	–	1	2	2	4	2
33	Westray, etc.—(1) Westray	2088	2153	30	27	57	–	1	1	10	7	17	19
	(2) Papa-Westray,	371	392	7	4	11	–	–	–	5	3	8	2
	Total,	31455	32395	406	363	769	22	21	43	218	253	471	154

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
	3. Caithness.												
34	Bower,	1658	1746	17	26	43	1	–	1	10	12	22	7
35	Canisbay,	2437	2730	34	49	83	4	2	6	10	18	28	8
36	Dunnet,	1868	1861	26	30	56	2	2	4	13	13	26	10
37	Halkirk,	2918	2864	36	32	68	2	2	4	21	23	44	8
38	Latheron,	8224	8571	120	121	241	12	14	26	70	72	142	35
39	Olrig,	1873	2059	31	29	60	1	1	2	10	11	21	9
40	Reay,	2506	2476	34	24	58	3	1	4	16	13	29	8
41	Thurso (incl. Town),	5096	5561	78	73	151	4	7	11	51	66	117	32
42	Watten,	1351	1491	26	21	47	5	6	11	10	7	17	7
43	WICK—(1) Burgh,	6796	7505	150	124	274	11	16	27	80	79	159	53
	(2) Landward,	5055	5336	72	65	137	4	6	10	32	32	64	17
	Total,	39782	42200	624	594	1218	49	57	106	323	346	669	194
	4. Sutherland.												
44	Assynt—(1) Kirkton,	c. 510	553	8	9	17	1	–	1	2	2	4	4
	(2) Stoer,	c. 2479	2625	30	37	67	–	1	1	13	18	31	10
45	Clyne,	1933	1886	17	25	42	1	1	2	12	26	38	4
46	Creich—(1) Bonar,	c. 2134	1982	18	21	39	1	–	1	19	14	33	7
	(2) Rosehall,	c. 580	539	4	6	10	–	–	–	3	5	8	7
47	DORNOCH (incl. Burgh),	2981	2885	37	29	66	1	2	3	31	28	59	7
48	Durness,	1152	1109	15	5	20	2	–	2	4	4	8	4
49	Eddrachillis—(1) Scourie,	c. 700	727	8	6	14	–	–	–	5	6	11	2
	(2) Kinlochbervie,	c. 876	914	22	6	28	2	–	2	4	3	7	5
50	Farr—(1) Kirkton,	c. 1313	1251	8	10	18	–	3	3	9	3	12	–
	(2) Strathy,	c. 890	852	7	10	17	–	–	–	4	4	8	5
51	Golspie,	1529	1615	24	21	45	–	–	–	16	15	31	4
52	Kildonan,	2288	2132	25	22	47	–	1	1	20	17	37	7
53	Lairg,	1162	961	11	9	20	–	–	–	8	6	14	7
54	Loth,	640	610	6	5	11	1	–	1	5	7	12	1
55	Rogart,	1535	1439	17	20	37	1	3	4	19	10	29	9
56	Tongue,	2018	2077	17	35	52	1	3	4	12	15	27	6
	Total,	24720	24157	274	276	550	11	14	25	186	183	369	89
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	9	12	21	1	–	1	11	16	27	6
58	Applecross—												
	(1) Applecross,	c. 1130	1064	12	16	28	–	–	–	7	11	18	5
	(2) Shieldaig,	c. 1579	1480	9	12	21	2	2	4	16	10	26	7
59	Avoch,	2029	1788	29	21	50	5	2	7	15	21	36	16
60	Contin,	1562	1509	18	12	30	–	–	–	7	6	13	5
61	CROMARTY (incl. Burgh)	2727	2300	35	34	69	3	1	4	30	36	66	15
62	DINGWALL (incl. Burgh)	2364	2412	29	28	57	3	–	3	18	25	43	11
63	Edderton,	890	836	14	14	28	1	–	1	7	8	15	8
64	Fearn,	2122	2083	38	30	68	3	1	4	29	17	46	11
65	Fodderty,	2342	2247	20	24	44	3	–	3	15	18	33	5
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	18	24	42	–	2	2	7	8	15	7
	(2) Southern District,	c. 3340	3522	40	31	71	3	3	6	14	16	30	18
67	Glenshiel,	573	485	7	4	11	1	–	1	3	5	8	–
68	Killearnan,	1794	1494	18	12	30	2	1	3	8	8	16	3
69	Kilmuir-Easter,	1437	1295	16	12	28	1	–	1	10	11	21	3
70	Kiltearn,	1538	1634	20	19	39	2	2	4	15	14	29	6
71	Kincardine,	1896	1746	23	23	46	2	–	2	14	15	29	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Toti	Mal.	Fem	Total.	
72	Kintail,	1009	890	7	10	17	1	–	1	6	9	15	4
73	Knockbain,	3005	2485	26	21	47	5	1	6	16	20	36	12
74	Lochalsh,	2299	2413	26	25	51	2	–	2	9	17	26	6
75	Lochbroom—												
	(1) Lochbroom,	c. 3540	3577	34	41	75	–	2	2	20	26	46	14
	(2) Coigach,	c. 1273	1283	14	16	30	–	1	1	5	7	12	–
76	Lochcarron,	1612	1592	15	17	32	2	2	4	10	9	19	4
77	Logie-Easter,	965	932	7	11	18	1	2	3	4	7	11	4
78	Nigg,	1457	1253	11	11	22	2	2	4	13	11	24	3
79	Resolis,	1551	1568	13	15	28	1	–	1	11	15	26	7
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	22	15	37	4	1	5	16	20	36	5
81	Rosskeen,	3699	3766	47	66	113	2	6	8	26	43	69	11
82	TAIN (incl. Burgh),	3574	3294	61	42	103	5	5	10	44	61	105	10
83	Tarbat,	2151	2269	31	26	57	2	–	2	37	23	60	4
84	Urquhart & Logie-Wester,	3153	3147	34	33	67	2	1	3	25	35	60	6
85	Urray,	2621	2355	21	28	49	1	1	2	7	24	31	4
	Insular.												
a86	Barvas,	4189	4609	94	87	181	1	2	3	30	40	70	41
b86	Carloway,	c. 2120	2204	49	37	86	2	–	2	20	14	34	16
87	Lochs,	c. 3109	3568	74	57	131	3	–	3	23	16	39	32
88	Stornoway (incl. Town),	8057	8668	155	146	301	9	3	12	64	90	154	58
89	Uig,	c. 2236	2007	32	29	61	–	–	–	20	14	34	14
	Total,	83781	82427	1128	1061	2189	77	43	120	632	746	1378	391
	6. Inverness. *Mainland.*												
90	Alvie,	914	833	8	12	20	2	1	3	13	15	28	1
91	Ardersier,	1337	1239	17	27	44	–	–	–	10	12	22	4
92	Boleskine & Abertarff—												
	(1) Boleskine,	c. 936	813	10	10	20	2	1	3	1	4	5	3
	(2) Fort-Augustus or Abertarff,	c. 1070	930	11	10	21	1	3	4	7	5	12	3
93	Cromdale—(1) Cromdale, (2) Inverallan,	3990	c. 1647 / c. 2295	23 / 48	16 / 33	39 / 81	2 / 8	5 / 3	7 / 11	10 / 23	8 / 30	18 / 53	5 / 11
94	Croy and Dalcross,	1777	1873	27	28	55	3	6	9	15	11	26	8
95	Daviot and Dunlichty,	1857	1741	19	10	29	2	1	3	4	6	10	6
96	Dores,	1650	1506	18	21	39	–	2	2	12	12	24	4
97	Glenelg—(1) Glenelg,	c. 1070	800	10	10	20	1	–	1	8	3	11	3
	(2) Knoydart,	c. 770	574	6	12	18	–	1	1	2	4	6	3
	(3) North Morar,	c. 630	469	8	7	15	1	–	1	6	5	11	5
98	INVERNESS (including Burgh),	16496	16162	302	260	562	17	22	39	195	217	412	120
99	Kilmonivaig—												
	(1) Glengarry,	c. 710	625	6	9	15	1	2	3	2	5	7	2
	(2) Lochaber,	c. 1873	1651	12	16	28	–	1	1	17	19	36	4
100	Kilmorack,	3007	2852	29	30	59	2	3	5	30	30	60	8
101	Kiltarlity,	2965	2839	20	26	46	2	4	6	17	18	35	12
102	Kingussie and Insh,	2201	2033	25	33	58	3	8	11	13	21	34	9
103	Kirkhill,	1730	1757	23	20	43	1	1	2	11	14	25	4
104	Laggan,	1223	986	12	11	23	–	2	2	7	11	18	2
105	Moy and Dalarossie,	1018	1026	12	15	27	–	–	–	3	11	14	3
106	Petty,	1784	1671	23	27	50	4	–	4	15	13	28	6
107	Urquhart, etc.—												
	(1) Urquhart,	c. 2585	2294	34	38	72	2	3	5	12	13	25	9
	(2) Glenmoriston,	c. 695	617	10	15	25	3	–	3	1	7	8	2
	Insular.												
108	Barra,	1873	1853	33	25	58	1	2	3	16	20	36	14
109	Bracadale,	1597	1335	15	12	27	–	1	1	8	17	25	2
110	Duirinish,	5330	4775	61	54	115	2	3	5	38	35	73	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
111	Harris—(1) Harris,	3663	3769	65	47	112	8	3	11	28	25	53	27
	(2) Bernera,	477	336	4	7	11	2	1	3	1	3	4	6
	(3) St Kilda,	110	78	–	–	–	–	–	–	1	–	1	–
112	Kilmuir—(1) Kilmuir,	*c.* 1743	1561	15	17	32	–	1	1	14	6	20	16
	(2) Stenscholl,	*c.* 1464	1311	19	13	32	1	3	4	14	8	22	2
113	North Uist,	3918	3959	70	60	130	5	3	8	24	24	48	26
114	Portree—(1) Portree,	2805	2579	9	10	19	–	–	–	27	27	54	5
	(2) Raasay,	752	580	27	38	65	2	5	7	2	5	7	2
115	Sleat,	2531	2330	26	36	62	–	–	–	18	11	29	12
116	Small Isles,	916	567	8	5	13	–	–	–	4	2	6	–
117	Snizort—(1) North	*c.* 3071	2613	10	11	21	1	–	1	8	2	10	–
	(2) South			26	17	43	3	1	4	11	13	24	8
118	South Uist—												
	(1) Benbecula,	1762	1544	19	32	51	1	1	2	11	18	29	8
	(2) Howmore,	*c.* 2040	1763	24	31	55	2	4	6	16	12	28	11
	(3) Boisdale,	*c.* 2371	2051	34	25	60	2	2	4	8	13	21	4
119	Strath,	3243	2664	46	38	84	3	3	6	17	16	33	10
	—— Total,	91954	84902	1224	1175	2399	90	102	192	700	751	1451	398
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	12	15	27	2	1	3	11	12	23	7
121	Auldearn,	1480	1328	14	24	38	1	–	1	10	12	22	8
122	Cawdor,	1202	1203	11	16	27	–	–	–	7	12	19	10
123	NAIRN (incl. Burgh),	4116	4486	69	73	142	12	11	23	44	56	100	34
	Total,	8076	8347	106	128	234	15	12	27	72	92	164	59
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	21	28	49	8	4	12	22	20	42	13
125	Alves,	919	1010	10	17	27	2	–	2	4	7	11	8
126	Bellie,	2017	1967	22	29	51	5	5	10	15	19	34	10
127	Birnie,	427	411	7	3	10	–	–	–	3	1	4	4
128	Boharm,	1368	1412	24	16	40	4	4	8	10	11	21	7
129	Dallas,	1226	1102	14	17	31	2	1	3	12	9	21	5
130	Drainy,	1856	3028	89	70	159	15	7	22	58	41	99	19
131	Duffus,	2983	3308	70	55	125	7	7	14	42	37	79	19
132	Duthil, etc.—(1) Duthil,	*c.* 1493	1609	30	21	51	5	2	7	14	9	23	7
	(2) Rothiemurchus,	*c.* 295	319	8	4	12	1	–	1	3	7	10	4
133	Dyke,	1369	1247	19	17	36	1	2	3	8	12	20	10
134	Edinkillie,	1343	1303	19	18	37	1	2	3	11	10	21	6
135	ELGIN (incl. Burgh),	8231	9866	151	124	275	29	20	49	132	144	276	49
136	New Spynie,	445	518	8	10	18	–	1	1	7	13	20	2
137	FORRES (incl. Burgh),	4069	4112	69	70	139	14	9	23	69	55	124	25
138	Kinloss,	1370	1315	23	17	40	1	2	3	16	16	32	9
139	Knockando,	1771	1736	32	24	56	7	4	11	14	16	30	8
140	Rafford,	1020	1055	15	13	28	2	–	2	17	14	31	7
141	Rothes,	2022	2407	28	45	73	8	10	18	17	22	39	15
142	St Andrews Lhanbryde,	1208	1344	23	22	45	–	2	2	9	7	16	3
143	Speymouth,	685	689	15	14	29	3	2	5	5	3	8	6
144	Urquhart,	2544	2532	34	38	72	5	7	12	18	12	30	15
	Total,	40532	44218	731	672	1403	120	91	211	506	485	991	251
	9. Banff.												
145	Aberlour,	1447	1665	33	20	53	3	7	10	7	18	25	8
146	Alvah,	1402	1467	18	19	37	3	5	8	11	12	23	11
147	BANFF—(1) Burgh,	6084	6791	103	109	212	13	19	32	71	73	144	26
	(2) Landward,	869	949	16	23	39	2	4	6	5	3	8	7
148	Botriphnie,	713	867	14	16	30	3	3	6	2	7	9	2
149	Boyndie,	1564	1711	35	28	63	6	3	9	8	22	30	10
150	CULLEN (pt. of Burgh),	1697	1821	43	39	82	9	3	12	13	18	31	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
151	Deskford,	917	1031	12	16	28	2	2	4	4	4	8	5
152	Enzie,	*c.* 1872	2072	33	32	65	3	4	7	20	19	39	14
153	Fordyce,	3807	4145	63	69	132	8	16	24	47	40	87	23
154	Forglen,	695	783	13	17	30	–	2	2	5	5	10	1
*a*155	Gamrie,	2758	3019	58	42	100	6	8	14	20	33	53	29
*b*155	Glenrinnes,	?	*c.* 472	5	4	9	1	–	1	4	3	7	2
156	Grange,	1851	1909	28	28	56	6	7	13	16	15	31	11
157	Inveravon—(1) Inveravon,	*c.* 894	868	15	14	29	–	2	2	6	5	11	6
	(2) Auchbreck,	*c.* 1820	1771	30	14	44	5	5	10	11	16	27	9
158	Inverkeithny,	835	880	18	20	38	1	4	5	6	6	12	5
159	Keith,	4986	5943	98	108	206	17	19	36	53	61	114	43
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	*c.* 568	551	6	4	10	1	1	2	3	3	6	3
	(2) Tomintoul,	*c.* 990	960	11	16	27	3	4	7	7	18	25	4
161	Marnoch,	2994	3289	44	44	88	16	19	35	17	0	47	10
162	Mortlach,	2804	3095	47	38	85	7	7	14	23	31	54	10
163	Ordiquhill,	644	764	8	10	18	1	2	3	3	9	12	8
164	Rathven (incl. Buckie,												
	Town),	*c.* 4664	4922	107	120	227	6	10	16	41	60	101	45
165	Rothiemay,	1413	1414	23	29	52	4	6	10	10	15	25	10
166	St Fergus,	1597	1608	28	20	48	5	5	10	8	9	17	7
167	Seafield (pt. of CULLEN,												
	Burgh),	*c.* 1468	1725	33	26	59	4	3	7	22	14	36	11
	Total,	51353	56020	942	925	1867	135	170	305	443	549	992	327
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	881	871	1752	132	126	258	725	678	1403	337
	(2) Old Machar (Burgh),	30503	31938	571	534	1105	73	72	145	419	502	921	353
	(3) Do. (Landward),	1254	1298	14	22	36	2	1	3	11	9	20	5
169	Aberdour,	1707	1837	41	34	75	8	5	13	12	15	27	14
170	Aboyne,	1108	1160	27	26	53	2	4	6	10	13	23	6
171	Alford,	1143	1264	26	19	45	4	3	7	13	3	16	4
172	Auchindoir,	1369	1593	26	15	41	2	3	5	10	18	28	5
173	Auchterless,	1837	2010	49	40	89	9	7	16	9	16	25	8
174	Belhelvie,	1692	1807	34	33	67	5	6	11	21	8	29	13
175	Birse,	1533	1284	13	18	31	2	1	3	8	9	17	4
176	Bourtie,	529	547	16	3	19	2	–	2	4	2	6	2
177	Cabrach,	750	794	16	9	25	6	5	11	3	10	13	5
178	Cairney,	1565	1490	25	20	45	3	7	10	9	9	18	5
179	Chapel of Garioch,	2102	2023	27	20	47	3	3	6	14	10	24	9
180	Clatt,	543	511	3	9	12	–	–	–	10	5	15	3
181	Cluny,	1149	1254	31	25	56	9	4	13	10	6	16	4
182	Coull,	734	792	5	23	28	1	1	2	4	2	6	4
183	Crathie and Braemar,	1788	1574	21	17	38	1	3	4	13	10	23	9
184	Crimond,	893	892	14	12	26	1	1	2	8	7	15	4
185	Cruden,	2479	2743	44	40	84	8	8	16	20	23	43	13
186	Culsamond,	1042	1165	20	22	42	1	8	9	4	6	10	6
187	Daviot,	601	614	9	15	24	2	–	2	3	4	7	2
188	Drumblade,	949	926	12	6	18	2	–	2	6	11	17	7
189	Drumoak,	948	996	17	17	34	1	3	4	11	11	22	5
190	Dyce,	470	585	7	9	16	2	1	3	7	4	11	7
191	Echt,	1206	1287	22	10	32	1	2	3	10	11	21	4
192	Ellon,	*c.* 2750	3239	58	60	118	10	6	16	30	18	48	13
193	Fintray,	1080	1003	14	29	43	2	2	4	4	4	8	5
194	Forgue,	2626	2686	47	45	92	8	8	16	17	17	34	13
195	Foveran,	1638	1891	36	35	71	5	7	12	17	16	33	13
196	Fraserburgh (incl. Twn.),	4447	4511	87	98	185	15	11	26	69	70	139	37
197	Fyvie,	*c.* 2927	*c.* 3264	47	64	111	10	11	21	19	20	39	24
198	Gartly,	990	1029	5	20	25	1	4	5	6	7	13	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Tot	Mal.	Fem	Total.	
199	Glass,	972	1049	20	12	32	4	3	7	6	5	11	6
200	Glenbucket,	542	552	13	9	22	1	–	1	2	4	6	6
201	Glenmuick, Tullich, and Glengairn,	1984	1668	40	29	69	5	4	9	15	11	26	13
202	Huntly (incl. Town),	4061	4329	71	60	131	14	6	20	33	51	84	19
203	Insch,	1519	1565	23	30	53	6	8	14	6	11	17	6
204	Inverurie (including part of Burgh),	*c.* 2649	2668	57	61	118	13	15	28	30	28	58	18
205	Keig,	772	811	14	11	25	3	1	4	4	10	14	5
206	Keithhall,	920	933	18	9	27	3	–	3	4	7	11	4
207	Kemnay,	680	832	20	17	37	1	1	2	6	6	12	5
208	Kildrummy,	643	590	12	12	24	–	1	1	3	4	7	3
209	Kincardine O'Neil,	2098	2186	32	37	69	11	8	19	18	20	38	15
210	King-Edward,	2749	2843	53	40	93	6	12	18	22	16	38	22
211	Kinnellar,	590	691	11	8	19	2	–	2	5	4	9	3
212	Kinnethmont,	1108	1187	13	15	28	4	6	10	8	4	12	6
213	Kintore (incl. Burgh, and part of Burgh of Inverurie),	1342	1895	37	35	72	4	6	10	19	26	45	15
214	Leochel-Cushnie,	1068	1173	20	17	37	4	1	5	8	12	20	7
215	Leslie,	559	577	9	9	18	4	3	7	2	4	6	5
216	Logie-Buchan,	724	762	17	17	34	3	2	5	6	5	11	6
217	Logie-Coldstone,	889	932	13	14	27	1	1	2	8	9	17	4
218	Longside,	2952	3008	71	54	125	13	12	25	22	20	42	25
219	Lonmay,	1964	2142	33	39	72	5	7	12	20	19	39	13
220	Lumphanan,	1088	1251	16	16	32	3	3	6	15	10	25	6
221	Methlic,	1997	2157	40	22	62	5	5	10	22	30	52	10
*a*222	Midmar,	1166	1091	19	17	36	3	2	5	9	10	19	9
*b*222	Millbrex,	*c.* 1215	*c.* 1295	24	38	62	10	8	18	6	14	20	13
223	Monquhitter,	*c.* 2080	*c.* 2365	49	42	91	9	11	20	24	14	38	9
224	Monymusk,	940	988	18	6	24	2	1	3	10	7	17	2
225	New Deer,	*c.* 3383	3736	65	61	126	8	13	21	33	22	55	22
226	Newhills,	3325	3463	66	52	118	9	5	14	39	33	72	22
*a*227	New Machar,	*c.* 1338	1556	22	26	48	3	1	4	9	9	18	12
*b*227	New Pitsligo,	*c.* 2425	2609	65	65	130	10	13	23	23	26	49	23
228	Old Deer,	*c.* 4025	4392	70	60	130	11	18	29	30	43	73	35
229	Old Meldrum,	2002	2343	49	41	90	10	9	19	25	28	53	25
230	Oyne,	919	1127	24	11	35	5	3	8	9	12	21	1
231	Petercultcr,	1351	1410	21	26	47	–	6	6	9	10	19	9
232	PETERHEAD (incl. Burgh),	9429	9796	203	199	402	19	26	45	117	131	248	74
233	Pitsligo,	1801	1890	49	45	94	9	7	16	22	27	49	16
234	Premnay,	793	916	27	19	46	8	6	14	12	6	18	6
235	Rathen,	2368	2554	51	50	101	9	5	14	29	24	53	15
236	Rayne,	1550	1514	19	22	41	1	2	3	11	16	27	12
*a*237	Rhynie,	1017	1061	28	30	58	6	8	14	13	13	26	5
b	Savoch,	*c.* 1852	2061	34	15	49	11	4	15	11	14	25	16
238	Skene,	1862	1831	27	30	57	4	4	8	15	12	27	8
239	Slains,	1232	1266	26	23	49	5	6	11	6	7	13	6
240	Strathdon,	1531	1459	19	20	39	5	6	11	9	12	21	10
241	Strichen,	*c.* 2223	2409	47	35	82	17	10	27	19	11	30	16
242	Tarland,	1197	1246	18	23	41	3	4	7	14	8	22	4
243	Tarves,	*c.* 2339	2377	33	38	71	6	6	12	17	19	36	13
244	Tough,	891	874	17	13	30	6	4	10	12	4	16	6
245	Towie,	758	839	11	9	20	3	2	5	5	13	18	7
246	Tullynessle and Forbes,	930	957	13	13	26	4	3	7	5	9	14	8
247	Turriff,	3584	3693	78	59	137	19	10	29	32	36	68	27
248	Tyrie,	*c.* 775	833	11	11	22	2	2	4	6	2	8	4
249	Udny,	*c.* 1473	1623	24	30	54	4	4	8	8	12	20	7
	Total,	213461	223344	4145	3922	8067	669	637	1306	2409	2474	4883	1613

No. of District.	Registration Districts.	Population.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. Kincardine.												
250	Arbuthnot,	1002	932	16	15	31	1	3	4	4	5	9	4
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh),	c. 1298	1232	21	22	43	5	3	8	9	10	19	5
	(2) Portlethen,	c. 1780	1687	30	27	57	5	4	9	18	12	30	13
252	Banchory-Ternan,	2462	2947	53	57	110	10	5	15	21	26	47	17
253	Benholm,	1641	1574	35	20	55	6	4	10	24	32	56	12
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	35	39	74	3	4	7	19	10	29	16
255	Dunnottar (incl. part of Stonehaven, Town),	1949	1828	34	35	69	3	5	8	17	16	33	21
256	Durris,	962	1109	16	23	39	3	4	7	7	10	17	7
257	Fettercairn,	1741	1700	27	21	48	6	4	10	7	8	15	9
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of Stonehaven, Town),	c. 3730	3575	52	48	100	10	6	16	42	45	87	14
	(2) Cookney,	c. 1990	1952	32	35	67	4	3	7	15	15	30	13
259	Fordoun,	2386	2297	37	28	65	12	4	16	12	21	33	15
260	Garvock,	457	458	7	9	16	–	–	–	2	3	5	1
261	Glenbervie,	1239	1219	17	15	32	4	3	7	8	9	17	7
262	Kinneff and Catterline,	1069	1054	25	17	42	4	1	5	12	8	20	9
263	Laurencekirk,	2125	2110	38	25	63	3	2	5	16	20	36	19
264	Maryculter,	1055	1055	16	11	27	3	2	5	6	5	11	5
265	Marykirk,	2232	2068	24	40	64	3	5	8	24	20	44	16
266	Nigg,	1841	2074	38	42	80	3	6	9	16	20	36	14
267	St Cyrus,	1579	1552	39	33	72	6	7	13	8	11	19	13
268	Strachan,	947	870	11	8	19	1	–	1	5	2	7	7
	Total,	34944	34854	603	570	1173	95	75	170	292	308	600	237
	IV. EAST-MIDLAND. 12. Forfar.												
269	Aberlemno,	1116	1054	17	20	37	1	4	5	6	6	12	6
270	Airlie,	856	845	20	8	28	3	2	5	3	2	5	3
271	Arbirlot,	990	960	16	14	30	–	–	–	11	9	20	7
272	ARBROATH (incl. Bur.),	17238	17831	345	353	698	41	29	70	183	251	434	170
273	Auchterhouse,	686	706	11	10	21	–	–	–	3	5	8	4
274	Barry,	2175	2465	36	36	72	2	6	8	24	27	51	28
275	BRECHIN (incl. Burgh),	8210	8810	128	151	279	32	30	62	104	112	216	56
276	Carmylie,	1240	1286	25	21	46	3	2	5	10	10	20	6
277	Careston,	207	225	3	7	10	–	2	2	1	2	3	2
278	Cortachy and Clova,	722	653	6	9	15	–	3	3	4	3	7	2
279	Coupar-Angus,	2685	2642	44	41	85	7	4	11	24	32	56	21
280	Craig (incl. part of MONTROSE, Burgh),	1934	2177	41	28	69	6	3	9	21	18	39	17
281	Dun,	522	552	12	8	20	–	–	–	4	2	6	2
282	DUNDEE—												
	(1) First District,	c.39960	44064	1152	1004	2156	127	120	247	655	661	1316	559
	(2) Second District,	c.34835	40813	972	928	1900	143	132	275	727	703	1430	502
	(3) Third (or Lochee) Dis.	c. 5232	6787	233	200	433	26	17	43	185	199	384	89
283	Dunnichen,	1884	1932	37	31	68	6	7	13	16	17	33	12
284	Eassie and Nevay,	706	748	18	12	30	–	1	1	10	2	12	3
285	Edzell,	1084	1025	20	12	32	4	2	6	6	11	17	7
286	Farnell,	650	703	10	9	19	–	1	1	5	3	8	8
287	Fearn,	392	439	5	6	11	–	–	–	2	3	5	3
288	FORFAR (incl. Burgh),	11009	10838	206	216	422	41	37	78	117	130	247	100
289	Glammis,	2152	1980	24	36	60	5	3	8	9	13	22	12
290	Glenisla,	1050	1008	12	18	30	–	3	3	6	9	15	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	469	476	5	2	7	2	–	2	2	4	6	5
292	Inverarity,	948	961	13	12	25	–	1	1	3	6	9	4
293	Inverkeillor,	1871	1792	33	26	59	–	3	3	10	7	17	14
294	Kettins,	995	962	10	9	19	–	2	2	6	14	20	1
295	Kingoldrum,	429	473	6	7	13	1	–	1	3	1	4	2
296	Kinnell,	826	816	10	9	19	1	–	1	4	2	6	5
297	Kinnettles,	460	447	6	4	10	–	–	–	4	1	5	2
298	Kirkden,	1763	1862	24	21	45	2	4	6	11	13	24	7
299	Kirriemuir (incl. Town),	7617	7359	115	107	222	26	24	50	81	92	173	47
300	Lethnott and Navar,	408	446	4	7	11	–	1	1	1	3	4	1
301	Liff, Benvie, and Invergowrie,	1467	1430	21	23	44	1	1	2	18	17	35	16
302	Lintrathen,	926	898	10	16	26	–	4	4	7	5	12	7
303	Lochlee,	615	495	6	2	8	1	1	2	7	6	13	–
304	Logie-Pert,	1609	1483	23	19	42	3	–	3	7	11	18	9
305	Lunan,	279	259	2	7	9	–	–	–	–	3	3	1
306	Lundie,	450	442	8	7	15	–	–	–	1	1	2	2
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1299 735	1392 789	28 17	20 13	48 30	5 2	2 2	7 4	8 7	12 6	20 13	8 8
308	Marytown,	366	417	8	6	14	–	3	3	2	2	4	–
309	Menmuir,	693	796	10	10	20	–	–	–	4	1	5	4
310	Monifieth (including part of Broughty Ferry),	4267	5052	108	127	235	8	4	12	58	82	140	42
311	Monikie,	1317	1460	22	24	46	2	3	5	9	11	20	12
312	MONTROSE (incl. part of Burgh),	16037	15668	253	251	504	22	22	44	171	188	359	126
313	Murroes,	643	763	6	16	22	–	1	1	4	4	8	6
314	Newtyle,	1141	1139	17	16	33	2	–	2	5	10	15	9
315	Oathlaw,	424	399	7	12	19	–	3	3	2	1	3	2
316	Panbride,	1372	1299	25	25	50	3	4	7	6	10	16	14
317	Rescobie,	711	747	10	16	26	1	2	3	4	5	9	4
318	Ruthven,	503	265	5	3	8	–	–	–	5	1	6	1
319	St Vigeans,	2591	2553	35	42	77	3	3	6	9	17	26	8
320	Stracathro,	505	546	5	11	16	1	–	1	–	2	2	4
321	Tannadice,	1517	1438	17	24	41	2	1	3	12	7	19	6
322	Tealing,	844	883	14	10	24	–	–	–	6	11	17	6
	Total,	193627	206750	4276	4082	8358	535	499	1034	2613	2786	5399	2008
	13. Perth.												
323	Aberdalgie,	343	295	7	3	10	–	1	1	3	2	5	3
324	Aberfeldy,	c. 2702	2402	27	28	55	3	4	7	16	26	42	20
325	Aberfoyle,	514	565	4	7	11	–	–	–	4	3	7	1
326	Abernethy,	2026	1960	28	26	54	2	2	4	18	8	26	13
327	Abernyte,	275	310	8	6	14	3	–	3	1	3	4	1
328	Alyth (incl. Town),	c. 2946	3198	54	41	95	8	5	13	26	30	56	13
329	Auchterarder (including Town),	4160	4208	44	53	97	5	7	12	36	31	67	22
330	Auchtergaven,	3232	2562	41	29	70	5	–	5	28	22	50	17
331	Balquhidder,	c. 974	c. 846	10	11	21	1	1	2	12	14	26	6
332	Bendochy,	c. 552	549	10	6	16	2	–	2	2	5	7	2
333	Blackford,	c. 2012	2084	27	30	57	3	1	4	16	12	28	12
334	Blair-Athol,	c. 1951	1553	26	15	41	3	2	5	13	11	24	8
335	Blairgowrie (including Town),	c. 4081	4423	77	65	142	4	11	15	47	54	101	37
336	Callander,	1716	1676	17	12	29	–	1	1	19	15	34	13
337	Caputh,	c. 1920	1728	20	20	40	3	–	3	8	16	24	10
338	Cargill,	1629	1647	20	17	37	2	2	4	13	19	32	7
339	Clunie,	723	699	7	11	18	–	2	2	5	4	9	2
340	Collace,	581	534	7	2	9	–	–	–	3	5	8	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	c. 2363	c. 2126	27	19	46	2	1	3	16	18	34	7
342	Crieff (incl. Town),	4504	4490	65	56	121	4	8	12	41	36	77	27
343	CULROSS (incl. Burgh),	1487	1423	27	36	63	2	2	4	10	17	27	11
344	Dowally,	c. 531	486	5	9	14	1	–	1	4	5	9	3
345	Dron,	394	376	4	6	10	–	–	–	3	–	3	2
346	Dull,	c. 855	753	7	5	12	–	1	1	8	6	14	2
347	Dunbarney,	1066	1035	20	6	26	2	–	2	11	10	21	5
348	Dunblane,	c. 3213	3096	43	55	98	11	10	21	29	27	56	18
349	Dunkeld,	c. 1199	1086	13	19	32	1	1	2	11	12	23	6
350	Dunning,	2206	2084	45	35	80	8	5	13	14	11	25	11
351	Errol,	2796	2759	45	46	91	4	9	13	17	25	42	12
352	Findo-Gask,	405	399	8	1	9	3	–	3	4	8	12	–
353	Forgandenny,	828	739	5	9	14	1	2	3	6	4	10	3
354	Forteviot,	638	595	7	5	12	–	–	–	4	2	6	4
a355	Fortingall,	c. 1409	1244	9	9	18	–	2	2	8	15	23	11
b355	Foss,	c. 432	381	5	4	9	–	1	1	3	4	7	–
356	Fowlis-Easter,	300	317	2	10	12	–	3	3	2	2	4	–
357	Fowlis-Wester,	1321	1276	14	14	28	3	2	5	10	11	21	5
358	Glendevon,	128	138	2	–	2	–	–	–	1	1	2	–
359	Inchture,	745	659	14	15	29	1	2	3	7	6	13	2
360	Kenmore,	c. 1718	1515	16	12	28	1	2	3	10	13	23	7
361	Killin,	c. 1817	1681	23	17	40	4	2	6	11	12	23	6
362	Kilmadock,	3659	3312	32	39	71	3	3	6	21	30	51	25
363	Kilspindie,	684	665	11	16	27	–	2	2	4	–	4	4
364	Kincardine,	1993	1778	20	23	43	1	3	4	18	15	33	10
365	Kinclaven,	881	758	10	8	18	1	1	2	6	3	9	3
366	Kinfauns,	650	659	6	11	17	2	1	3	2	3	5	1
367	Kinloch-Rannoch,	c. 1303	1147	11	13	24	–	3	3	7	15	22	3
368	Kinnaird,	370	318	3	4	7	1	–	1	4	4	8	1
369	Kinnoull,	771	796	7	14	21	–	–	–	4	5	9	5
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	14	7	21	2	1	3	13	3	16	4
	(2) Glenshee,	c. 349	334	4	3	7	–	–	–	2	1	3	2
371	Lecropt,	442	538	7	5	12	1	–	1	7	6	13	1
372	Lethendy and Kinloch,	c. 544	530	6	6	12	–	–	–	4	2	6	3
373	Little Dunkeld,	c. 2140	2089	35	39	74	3	1	4	28	27	55	9
374	Logie (including part of STIRLING),	2551	3483	44	41	85	3	5	8	26	43	69	19
375	Logiealmond,	c. 959	815	7	4	11	1	1	2	1	5	6	2
376	Logierait,	c. 2109	1902	21	24	45	3	3	6	20	17	37	5
377	Longforgan,	1787	1823	29	22	51	4	2	6	23	8	31	7
378	Madderty,	593	536	8	7	15	3	–	3	4	3	7	1
379	Meigle,	978	1122	13	16	29	2	3	5	7	12	19	4
380	Methven,	c. 2394	2290	23	38	61	2	3	5	12	22	34	15
381	Moneydie,	321	252	1	4	5	1	1	2	2	–	2	2
382	Monzie,	c. 569	461	4	1	5	–	–	–	1	1	2	–
383	Monzievaird,	790	782	12	11	23	–	1	1	8	6	14	7
384	Moulin,	c. 1772	1605	20	23	43	3	2	5	14	10	24	7
385	Muckhart,	685	615	9	8	17	1	–	1	3	4	7	5
a386	Muthill,	c. 2972	2008	36	46	82	4	11	15	17	35	52	5
b386	Persie,	c. 814	839	11	8	19	1	1	2	4	6	10	4
387	PERTH (incl. Burgh),	24670	26094	433	427	860	39	45	84	301	312	613	244
388	Port of Menteith,	1419	1375	17	5	22	2	1	3	9	10	19	2
389	Rattray,	c. 2308	2234	26	37	63	4	6	10	22	30	52	11
390	Redgorton,	c. 1955	1596	20	15	35	5	1	6	17	10	27	6
391	Rhynd,	338	297	10	5	15	–	2	2	2	2	4	2
392	St Madoes,	288	280	2	2	4	–	–	–	2	4	6	–
393	St Martins,	983	904	16	9	25	1	1	2	4	8	12	4
a394	Scone,	2332	2153	37	32	69	3	2	5	16	24	40	20
b394	Strathfillan,	c. 435	411	4	4	8	1	1	2	3	1	4	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
c394	Tenandry,	c. 681	595	4	7	11	–	–	–	4	10	14	5
395	Tibbermore,	1469	1182	22	13	35	3	1	4	8	5	13	5
396	Trinity-Gask,	597	488	9	4	13	–	–	–	4	1	5	–
397	Tullibllan (including Kincardine),	3043	2410	30	38	68	5	3	8	23	30	53	14
398	Weem,	c. 230	215	1	2	3	–	–	–	2	3	5	3
	Total,	137369	133198	1875	1811	3686	197	203	400	1179	1261	2440	802
	14. Fife.												
399	Abbotshall,	688	808	3	13	16	1	2	3	7	9	16	4
400	Abdie,	c. 1353	1257	22	29	51	–	3	3	10	3	13	4
401	Aberdour,	1945	1874	34	33	67	6	2	8	24	19	43	13
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	22	17	39	2	1	3	9	3	12	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	9	12	21	2	–	2	8	5	13	3
404	Arngask,	689	705	8	8	16	–	–	–	4	3	7	8
405	Auchterderran,	3210	3457	90	77	167	10	10	20	41	30	71	29
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	52	38	90	10	6	16	39	28	67	17
407	Auchtertool,	517	609	8	8	16	1	1	2	6	3	9	2
408	Ballingry,	568	736	24	20	44	2	1	3	5	6	11	4
409	Balmerino,	945	815	8	13	21	–	1	1	6	8	14	8
410	Beath,	1252	2390	84	67	151	1	3	4	35	28	63	8
411	BURNTISLAND (incl. Burgh),	3158	3670	74	65	139	6	6	12	24	31	55	14
412	Cameron,	1207	1362	19	18	37	3	–	3	7	10	17	11
413	Carnbee,	1129	1157	16	19	35	1	3	4	5	7	12	6
414	Carnock,	3191	2925	36	44	80	3	1	4	11	25	36	17
415	Ceres,	2833	2723	24	48	72	3	4	7	17	24	41	22
416	Collessie,	1520	1530	24	22	46	3	3	6	15	9	24	8
417	CRAIL (incl. Burgh),	1903	1931	29	33	62	5	1	6	12	17	29	12
418	Creich,	386	377	5	3	8	–	–	–	1	2	3	2
419	Cults,	915	800	14	14	28	4	1	5	4	8	12	10
420	CUPAR (incl. Burgh),	7427	6750	93	110	203	15	12	27	91	89	180	60
421	Dairsie,	708	638	7	6	13	3	–	3	6	4	10	5
422	Dalgetty,	1513	1569	30	27	57	1	1	2	14	7	21	10
423	Dunbog,	c. 409	414	12	7	19	–	–	–	2	5	7	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	220	226	446	16	18	34	139	144	283	148
	(2) Landward,	c. 7602	7609	161	120	281	16	9	25	83	59	142	57
425	Dunino,	289	370	2	4	6	–	1	1	1	2	3	3
426	DYSART (incl. Burgh),	8739	8842	188	153	341	11	11	22	88	93	181	88
427	Elie,	843	826	7	12	19	–	1	1	3	8	11	2
428	FALKLAND (incl. Burgh)	3102	2937	45	30	75	6	4	10	17	23	40	13
429	Ferry-Port-on-Craig,	2238	2013	53	38	91	5	8	13	21	17	38	21
430	Flisk,	c. 157	230	4	5	9	–	1	1	–	2	2	–
431	Forgan,	1125	1326	18	21	39	2	3	5	12	20	32	8
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	59	62	121	4	7	11	33	33	66	20
433	Kemback,	956	896	20	9	29	4	4	8	5	6	11	10
434	Kennoway,	2257	2012	26	16	42	4	1	5	17	11	28	8
435	Kettle,	2601	2474	43	43	86	2	4	6	23	22	45	18
436	Kilconquhar (including EARLSFERRY),	2489	2431	37	27	64	2	2	4	19	30	49	15
437	Kilmany,	662	656	14	16	30	1	1	2	4	3	7	6
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	56	47	103	3	2	5	20	21	41	13
439	KINGHORN (incl. Burgh)	2455	2349	42	41	83	5	6	11	30	40	70	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Tot	Mal.	Fem	Total.	
440	Kinglassie,	1186	1266	16	20	36	3	2	5	11	8	19	8
441	Kingsbarns,	893	937	17	15	32	2	3	5	1	9	10	7
442	KIRKCALDY (including Burgh),	10636	11117	194	224	418	13	14	27	151	160	311	112
443	Largo,	2800	2626	36	45	81	4	7	11	24	25	49	19
444	Leslie (incl. Town),	3800	4332	66	49	115	11	11	22	42	54	96	35
445	Leuchars,	1991	1903	22	22	44	3	4	7	16	10	26	14
446	Logie,	467	410	9	8	17	2	1	3	6	3	9	3
447	Markinch,	5843	5375	77	85	162	12	6	18	54	81	135	34
448	Monimail,	1102	1054	18	9	27	2	2	4	8	6	14	7
449	Moonzie,	198	179	3	4	7	–	1	1	1	–	1	1
450	NEWBURGH (including Burgh),	2986	2693	49	41	90	5	3	8	32	18	50	14
451	Newburn,	375	374	7	9	16	1	–	1	5	3	8	3
452	PITTENWEEM (incl. Burgh),	1473	1710	25	18	43	–	2	2	25	35	60	10
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	99	122	221	8	12	20	60	58	118	66
454	St Monance (or Abercrombie),	1241	1498	28	42	70	–	2	2	19	17	36	7
455	Saline,	1792	1610	31	30	61	3	2	5	11	10	21	10
456	Scoonie (incl. Leven),	3115	3257	44	54	98	–	4	4	62	81	143	28
457	Strathmiglo,	2509	2261	27	29	56	5	2	7	13	22	35	13
458	Torryburn,	1341	1229	17	14	31	3	1	4	12	10	22	8
459	Wemyss,	5647	6003	154	107	261	12	6	18	139	150	289	48
	Total,	153789	155021	2681	2568	5249	252	230	482	1610	1677	3287	1184
	15. Kinross.												
460	Cleish,	659	649	11	8	19	2	–	2	4	3	7	5
461	Fossoway and Tullibole,	1621	1584	22	18	40	1	2	3	12	9	21	13
462	Kinross (incl. Town),	3227	2649	32	30	62	4	3	7	19	22	41	18
463	Orwell,	2569	2399	28	36	64	–	4	4	21	22	43	19
464	Portmoak,	1550	1450	13	22	35	–	1	1	10	10	20	5
	Total,	9626	8731	106	114	220	7	10	17	66	66	132	60
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	159	158	317	11	10	21	96	98	194	66
466	Clackmannan,	5802	4425	111	86	197	10	9	19	44	37	81	26
467	Dollar,	1574	1776	31	20	51	4	–	4	14	18	32	6
468	Tillicoultry (including Town),	4686	5054	77	81	158	10	11	21	37	39	76	30
	—— Total,	21555	20122	378	345	723	35	30	65	191	192	383	128
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	18	22	40	–	1	1	17	10	27	12
470	Alva (incl. Town),	3204	3283	74	66	140	7	2	9	28	29	57	25
471	Baldernock,	801	718	9	12	21	1	1	2	4	6	10	1
472	Balfron,	1900	1517	20	32	52	–	1	1	12	24	36	4
473	Bothkennar,	1179	1722	54	31	85	3	4	7	21	17	38	19
474	Buchanan,	632	705	12	3	15	1	1	2	10	4	14	3
475	Campsie (including Lennoxtown),	6918	6483	108	92	200	9	9	18	59	55	114	58
476	Denny (incl. Town),	4754	4988	100	84	184	9	5	14	44	40	84	39
477	Drymen,	1481	1619	15	19	34	1	4	5	15	10	25	5
478	Dunipace,	1472	1731	35	42	77	4	1	5	14	18	32	6
479	FALKIRK—(1) Burgh, (2) Landward,	8752	9030	199	172	371	16	21	37	121	104	225	73
		7686	7996	172	140	312	11	7	18	101	77	178	73

No. of District	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	11	8	19	1	1	2	5	10	15	8
481	Gargunnock,	754	728	8	9	17	1	1	2	2	4	6	6
482	Killearn,	1176	1171	16	10	26	3	–	3	6	5	11	7
483	Kilsyth (incl. Town),	5346	6112	168	154	322	18	14	32	87	84	171	51
484	Kippen,	1892	1722	23	25	48	5	4	9	14	14	28	6
485	Larbert,	4606	4999	117	94	211	12	8	20	56	53	109	29
486	Muiravonside,	2647	2660	63	61	124	2	1	3	26	22	48	15
487	Polmont,	3764	4111	84	66	150	9	11	20	34	35	69	19
488	St Ninians (includ. Bannockburn, Town),	7630	6648	127	119	246	8	8	16	63	64	127	64
489	Slamannan,	1655	2916	100	83	183	5	3	8	35	33	68	32
490	STIRLING (incl. Burgh),	12401	14012	282	230	512	22	30	52	149	166	315	149
491	Strathblane,	1010	1388	20	23	43	1	2	3	13	11	24	10
	Total,	83802	88138	1835	1597	3432	149	140	289	936	895	1831	714
	18. Dumbarton.												
492	Arrochar,	562	629	12	5	17	–	–	–	6	6	12	–
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	153	147	300	19	16	35	75	87	162	86
494	Cardross (incl. Renton),	3402	4168	93	86	179	9	11	20	37	38	75	33
495	Cumbernauld,	3778	3513	79	77	156	8	6	14	37	42	79	22
496	DUMBARTON (incl. Burgh)	5445	8268	223	211	434	11	10	21	118	101	219	52
497	Kilmaronock,	1033	1085	19	11	30	2	1	3	7	6	13	4
498	Kirkintilloch (incl. Town)	8426	8179	164	170	334	22	17	39	87	107	194	53
499	Luss,	907	831	12	5	17	1	–	1	10	7	17	4
500	New, or East, Kilpatrick,	4286	4910	112	107	219	11	6	17	83	56	139	36
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	90	106	196	6	2	8	58	57	115	36
502	Roseneath,	1044	1626	20	18	38	2	–	2	12	12	24	7
503	Row (incl. Helensburgh),	4372	6334	115	75	190	4	7	11	64	65	129	34
	Total,	46995	54179	1092	1018	2110	95	78	171	594	584	1178	367
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	13	12	25	1	2	3	4	5	9	5
505	Ardnamurchan—												
	(1) Aharacle,	c. 1791	1544	24	19	43	3	2	5	10	10	20	8
	(2) Arisaig,	c. 1555	1343	16	24	40	3	1	4	6	7	13	8
	(3) Sunart (or Strontian)	c. 875	759	12	7	19	1	2	3	6	6	12	2
	(4) Western District,	c. 1225	1054	18	14	32	2	–	2	9	12	21	1
506	Ballachulish and Corran of Ardgour,	c. 1125	919	12	12	24	1	1	2	8	7	15	4
507	CAMPBELTOWN (incl. Burgh),	9381	8149	123	130	253	6	17	23	65	90	155	39
508	Craignish,	756	618	8	7	15	–	–	–	9	5	14	4
509	Cumlodden,	1095	1033	12	18	30	–	2	2	2	3	5	6
510	Dunoon and Kilmun (incl. Dunoon & Kirn),	4518	5461	68	92	160	5	5	10	59	50	109	35
511	Glassary,	c. 1860	1769	26	25	51	–	1	1	10	11	21	11
512	Glenorchy and Inishail,	1450	1307	13	9	22	1	1	2	6	7	13	1
513	INVERARAY (including Burgh),	1755	1650	16	20	36	–	2	2	16	9	25	12
514	Inverchaolain,	474	424	7	7	14	1	–	1	2	3	5	4
515	Kilbrandon & Kilchattan,	c. 2571	2053	35	18	53	–	1	1	17	27	44	6
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	c. 930	742	10	9	19	3	1	4	5	2	7	4
	(2) Kilberry,	689	583	6	8	14	–	–	–	5	2	7	4
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	3	3	6	1	–	1	2	2	4	1
	(2) Dalavich,	282	230	3	4	7	–	–	–	–	–	–	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan,	1695	1891	36	36	72	3	2	5	30	16	49	14
519	Killean and Kilchenzie,	2219	1890	24	27	51	–	1	1	5	15	20	10
520	Kilmalie,	c. 4110	3353	43	41	84	7	8	15	34	45	79	10
521	Kilmartin,	1144	949	12	14	26	2	1	3	4	8	12	6
522	Kilmodan,	500	433	4	3	7	–	–	–	3	2	5	1
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	39	39	78	1	1	2	24	34	58	18
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	5	1	6	–	–	–	2	1	3	–
	(2) Kilmelford,	265	486	8	5	13	–	–	–	6	5	11	2
525	Lismore, etc.—												
	(1) Lismore,	c. 1167	1023	13	9	22	–	–	–	14	6	20	1
	(2) Appin,	c. 940	825	8	11	19	–	1	1	2	11	13	–
	(3) Glencoe & Ballachulish,	c. 1510	1324	25	25	50	1	–	1	11	14	25	5
	(4) Duror,	c. 480	423	3	9	12	1	1	2	3	5	8	1
526	Lochgilphead,	c. 3263	3312	60	52	112	3	3	6	46	29	75	28
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	446	418	4	2	6	–	–	–	2	2	4	2
	(2) Kilmorich,	388	284	3	4	7	–	–	–	4	1	5	2
528	Morvern,	1547	1226	18	14	32	1	–	1	6	5	11	6
529	Muckairn,	788	729	3	4	7	–	–	–	7	4	11	5
530	North Knapdale,	1666	1327	8	17	25	1	1	2	6	1	7	7
531	Saddell, etc.—												
	(1) Saddell;	791	739	13	8	21	3	1	4	10	7	17	6
	(2) Skipness,	c. 705	533	7	3	10	–	–	–	10	2	12	2
532	Southend,	1406	1214	25	16	41	3	3	6	7	11	18	2
533	South Knapdale,	565	654	7	8	15	–	–	–	5	5	10	2
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	6	3	9	–	–	–	3	3	6	1
	(2) Strachur,	518	563	9	14	23	2	2	4	6	9	15	2
535	Tarbert,	c. 1828	1661	26	39	65	1	1	2	11	30	41	11
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	24	32	56	3	4	7	23	18	41	10
537	Gigha,	547	467	6	2	8	1	–	1	1	2	3	2
538	Iona,	c. 900	743	8	13	21	–	1	1	21	5	26	–
539	Jura, etc.—(1) Jura,	c. 868	858	6	7	13	–	1	1	4	5	9	3
	(2) Colonsay,	837	598	7	3	10	1	1	2	4	3	7	–
540	Kilchoman,	c. 2865	2377	32	27	59	5	1	6	18	12	30	2
541	Kildalton,	c. 2450	2187	24	26	50	2	3	5	21	12	33	7
542	Kilfinichen & Kilvickeon,	c. 2171	1792	20	24	44	1	2	3	7	18	25	6
543	Kilmeny,	1413	1268	21	18	39	3	4	7	6	15	21	6
544	Kilninian and Kilmore,	c. 1890	1641	14	7	21	–	–	–	8	10	18	5
545	Kinlochspelvie,	c. 420	428	5	4	9	–	–	–	2	3	5	–
546	Oa,	c. 860	769	6	8	14	2	1	3	3	3	6	–
547	Portnahaven,	c. 1277	1059	10	16	26	–	2	2	13	8	21	1
548	Salen,	c. 634	604	13	9	22	–	2	2	2	5	7	–
549	Tobermory,	c. 1804	1566	20	16	36	2	1	3	21	20	41	3
550	Torosay,	c. 550	557	7	6	13	1	1	2	5	5	10	5
551	Tyree, etc.—(1) Tyree,	3709	3217	37	46	83	3	1	4	28	30	58	11
	(2) Coll,	1109	781	13	6	19	1	–	1	4	6	10	5
	Total,	94042	83859	1107	1112	2219	82	89	171	693	709	1402	365
	20. Bute.												
552	Cumbraes,	1275	1256	20	19	39	–	3	3	19	14	33	3
553	Kilbride, part of—												
	(1) Brodick,	c. 2340	c 1253	12	6	18	2	1	3	8	7	15	1
	(2) Kilbride,		c 1000	10	15	25	1	–	1	17	13	30	2
554	Kilmory,	c. 2724	2515	28	14	42	3	1	4	20	16	36	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth,	1007	905	9	13	22	2	2	4	11	10	21	9
556	Lochranza,	c. 883	824	8	11	19	1	1	2	12	11	23	6
557	North Bute,	c. 1235	1351	13	17	30	2	5	7	7	6	13	8
558	ROTHESAY,	c. 7144	7227	96	122	218	13	9	22	97	121	218	54
	Total,	16608	16331	196	217	413	24	22	46	191	198	389	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	309	288	597	17	31	48	193	210	403	135
	(2) Landward (including part of Barrhead),	c. 4867	5670	99	106	205	7	5	12	46	58	104	26
	(3) Johnstone (including Town),	c. 7363	8142	181	179	360	17	22	39	96	110	206	86
560	Cathcart,	2916	3782	75	78	153	7	5	12	44	50	94	33
561	Eaglesham,	2524	2328	25	15	40	1	4	5	12	11	23	11
562	Eastwood,	9243	11314	218	223	441	23	30	53	149	180	329	106
563	Erskine,	1232	1457	24	25	49	1	–	1	9	10	19	3
564	GREENOCK—												
	(1) New, or Middle	9414	9446	245	219	464	23	20	43	165	170	335	45
	(2) East,	7704	12135	369	367	736	13	11	24	173	159	332	123
	(3) Old, or West,	20318	22313	626	608	1234	31	32	63	421	400	821	305
565	Houston and Killellan,	2753	2490	45	23	68	4	4	8	28	33	61	14
566	Inchinnan,	649	619	11	5	16	1	1	2	5	4	9	2
567	Innerkip—												
	(1) Innerkip.	c. 1026	1188	21	22	43	1	–	1	3	9	12	4
	(2) Gourock (including Town),	c. 1992	2307	60	33	93	7	3	10	28	33	61	20
568	Kilbarchan,	5474	6348	107	114	221	6	10	16	71	83	154	34
569	Kilmalcolm,	1399	1455	25	28	53	4	4	8	11	17	28	14
570	Lochwinnoch,	4153	3821	56	63	119	11	9	20	43	51	94	28
571	Mearns,	3704	3547	69	52	121	5	2	7	38	43	81	23
572	Neilston (including part of Barrhead),	12233	11013	176	188	364	22	19	41	96	110	206	77
573	PAISLEY—												
	(1) High,	14643	14900	321	307	628	25	24	49	166	176	342	109
	(2) Low,	7205	6712	110	101	211	13	6	19	165	117	282	91
	(3) Middle,	9904	9926	188	193	381	28	21	49	130	188	318	69
574	PORT-GLASGOW (incl. Burgh),	7017	7294	260	241	501	32	19	51	137	134	271	97
575	RENFREW (incl. Burgh),	3866	4650	107	95	202	5	4	9	39	44	83	30
	Total,	157950	168746	3727	3573	7300	304	286	590	2268	2400	4668	1385
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats),	c. 3434	3530	60	56	116	5	6	11	52	39	91	41
	(2) New (including Ardrossan),	c. 2147	3246	77	69	146	1	2	3	48	26	74	26
577	Auchinleck,	3697	4213	120	102	222	8	7	15	49	46	95	23
578	AYR (incl. Burgh),	18845	19659	291	313	604	31	38	69	176	228	404	138
579	Ballantrae,	1801	1483	20	28	48	5	6	11	11	11	22	6
580	Barr,	907	910	12	9	21	–	1	1	5	6	11	2
581	Beith (incl. Town),	6425	5775	122	138	260	7	11	18	80	77	157	55
582	Colmonell,	2934	2588	25	32	57	4	7	11	16	11	27	12
583	Coylton,	1542	1604	18	24	42	2	1	3	17	9	26	6
584	Craigie,	793	730	16	13	29	2	1	3	5	1	6	4
585	Dailly,	2413	2050	44	26	70	4	3	7	19	25	44	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington,	2910	4194	122	116	238	8	6	14	42	56	98	35
587	Dalry (incl. Town),	8865	11156	271	286	557	12	20	32	142	142	284	100
588	Dalrymple,	1096	1325	26	33	59	5	2	7	8	14	22	9
589	Dreghorn,	1828	3283	63	73	136	5	8	13	29	20	49	21
590	Dundonald (incl. Troon),	4555	4694	80	61	141	4	3	7	48	35	83	25
591	Dunlop,	1115	1038	22	13	35	2	2	4	11	10	21	10
592	Fenwick,	1741	1532	16	19	35	2	2	4	19	16	35	8
593	Galston (incl. Town),	4392	5254	141	146	287	8	7	15	69	77	146	58
594	Girvan (incl. Town),	8588	7053	120	98	218	29	20	49	97	91	188	34
595	IRVINE (incl. Burgh),	8463	8607	155	175	330	14	26	40	100	119	219	73
596	Kilbirnie (incl. Town),	5484	5265	116	113	229	11	11	22	60	43	103	57
597	KILMARNOCK (incl. part of Burgh),	21287	23556	517	428	945	38	36	74	375	339	714	199
598	Kilmaurs,	3144	3526	59	63	122	4	7	11	41	30	71	32
599	Kilwinning (incl. Town),	6359	7717	173	165	338	7	9	16	84	69	153	59
600	Kirkmichael,	3262	2823	40	36	76	5	8	13	21	22	43	18
601	Kirkoswald,	2242	2060	27	33	60	3	2	5	13	14	27	15
602	Largs (incl. Town),	3715	3620	63	54	117	1	2	3	45	63	108	26
603	Loudoun (incl. Newmilns),	4720	4840	89	102	191	7	10	17	47	50	97	46
604	Mauchline,	2470	2303	45	37	82	8	3	11	37	30	67	22
605	Maybole (incl. Town),	7615	6713	123	105	228	18	22	40	71	69	140	44
606	Monkton and Prestwick,	1960	1937	30	21	51	3	4	7	14	12	26	9
607	Muirkirk (incl. Town),	3423	3270	62	65	127	7	7	14	29	39	68	27
608	New Cumnock,	2759	2891	62	57	119	7	13	20	30	28	58	22
609	Ochiltree,	1787	1676	21	18	39	4	4	8	6	8	14	4
610	Old Cumnock (including Town),	3777	3721	64	80	144	11	8	19	35	38	73	30
611	Riccarton (incl. part of KILMARNOCK),	4583	5629	149	118	267	13	4	17	71	62	133	52
612	St Quivox and Newton-upon-Ayr,	2231	1870	23	26	49	5	4	9	16	15	31	13
613	Sorn (incl. Catrine),	4174	4042	75	60	135	8	8	16	39	35	74	31
614	Stair,	820	743	7	12	19	2	2	4	3	2	5	—
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	106	105	211	6	7	13	52	66	118	31
616	Stewarton (incl. Town),	4572	4449	78	71	149	12	6	18	40	42	82	30
617	Straiton,	1540	1544	25	21	46	1	4	5	12	15	27	15
618	Symington,	902	855	13	13	26	1	2	3	9	10	19	2
619	Tarbolton,	2824	2669	69	52	121	10	4	14	52	47	99	27
620	West Kilbride,	2021	1968	41	34	75	6	6	12	17	25	42	17
	Total,	189973	199063	3898	3719	7617	356	372	728	2262	2232	4494	1523
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	95	96	191	8	7	15	57	41	98	42
622	Barony—												
	(1) Maryhill (incl. Town and part of GLASGOW),	c. 4007	6734	155	154	309	9	9	18	88	89	177	60
	(2) Springburn (incl. pt. of GLASGOW),	c. 6386	8911	283	254	537	41	26	67	292	301	593	65
	(3) Shettleston,	c. 6564	6914	141	138	279	12	15	27	78	66	144	49
623	Biggar,	2049	1999	21	28	49	1	—	1	16	19	35	15
624	Blantyre,	2848	3092	51	44	95	3	6	9	29	23	52	21
625	Bothwell—												
	(1) Bothwell (including Bellshill),	c. 5583	7059	173	146	319	8	8	16	73	77	150	52
	(2) Holytown,	c. 9700	10844	247	255	502	13	18	31	118	130	248	76

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*a*626	Cadder—												
	(1) Western District, .	*c.* 2550	3023	61	67	128	1	1	2	47	39	86	16
	(2) Eastern District, .	*c.* 2464	2925	74	56	130	5	3	8	31	25	56	12
*b*626	Calderhead, . . .	*c.* 2140	3789	80	82	162	7	5	12	45	26	71	34
627	Cambuslang, . . .	3306	3647	81	48	129	3	4	7	39	20	59	21
628	Cambusnethan (including Wishaw) (part of), .	*c.* 8571	*c.*13377	405	395	800	26	26	52	222	194	416	147
629	Carluke (incl. Town), .	6283	6176	162	109	271	12	9	21	60	51	111	59
630	Carmichael, . . .	805	836	13	12	25	1	1	2	5	5	10	1
631	Carmunnock, . . .	710	734	12	8	20	1	–	1	5	4	9	7
632	Carnwath, . . .	3551	3584	105	100	205	17	15	32	46	37	83	28
633	Carstairs, . . .	1066	1345	29	27	56	1	3	4	16	11	27	6
634	Covington & Thankerton,	548	532	6	8	14	5	–	5	6	3	9	1
635	Crawford—												
	(1) Crawford, . .	*c.* 730	694	14	16	30	1	1	2	3	4	7	1
	(2) Leadhills, . .	*c.* 940	896	24	21	45	5	3	8	11	9	20	8
636	Crawfordjohn, . .	1111	980	11	14	25	2	4	6	6	7	13	9
637	Culter, ...	472	665	6	9	15	–	2	2	4	6	10	6
638	Dalserf—												
	(1) Larkhall (including Town), .	*c.* 2670	3629	96	117	213	7	7	14	51	56	107	32
	(2) Dalserf, . . .	*c.* 913	1247	33	33	66	1	–	1	13	11	24	12
639	Dalziel (incl. Motherwell), . . .	2262	5438	186	218	404	8	11	19	89	82	171	43
640	Dolphington, . . .	305	260	5	–	5	–	–	–	4	2	6	3
641	Douglas, ...	2611	2490	40	34	74	6	5	11	23	20	43	25
642	Dunsyre, . . .	312	312	5	3	8	1	2	3	2	3	5	2
643	East Kilbride, . .	3760	4064	77	60	137	8	3	11	34	36	70	24
644	GLASGOW—												
	(1) Central District, .	*c.* 43270	49678	1267	1208	2475	259	243	502	1025	1024	2049	431
	(2) High, . . .	*c.* 42005	48119	1137	1089	2226	106	122	228	1249	944	2193	466
	(3) Bridgeton, . .	*c.* 38385	45485	1053	1027	2080	105	75	180	634	674	1308	453
	(4) Calton, . . .	*c.* 33310	36625	773	789	1562	82	86	168	512	568	1080	198
	(5) Clyde, . . .	*c.* 32800	29975	539	536	1075	74	81	155	418	437	855	256
	(6) Blythswood, . .	*c.* 21405	28697	443	470	913	32	25	57	256	331	587	572
	(7) Milton, . . .	*c.* 26240	33360	894	826	1720	69	60	129	453	508	961	343
	(8) Anderston, . .	*c.* 30035	40945	1083	1046	2129	80	83	163	598	640	1238	396
	(9) Tradeston, . .	*c.* 27163	38600	976	917	1893	75	64	139	600	635	1235	560
	(10) Hutchesontown, .	*c.* 34484	44019	1137	1078	2215	79	73	152	669	654	1323	350
645	Glassford, . . .	1955	1938	24	17	41	1	3	4	17	8	25	10
646	Govan—												
	(1) Govan (incl. Town),	*c.* 6238	13725	470	451	921	13	19	32	219	216	435	160
	(2) Partick (incl. Town)	*c.* 7852	14859	383	368	751	19	18	37	174	219	393	161
647	HAMILTON (incl. Burgh),	11740	14047	306	293	599	28	25	53	169	148	317	131
648	LANARK (incl. Burgh),	8243	7891	143	143	286	20	16	36	80	111	191	56
649	Lesmahagow, . . .	7746	9266	149	150	299	18	19	37	82	72	154	61
650	Libberton, . . .	800	836	10	14	24	2	4	6	9	9	18	2
651	New Monkland—												
	(1) AIRDRIE, . .	14435	12922	293	259	552	30	19	49	198	202	400	158
	(2) Landward, . .	8766	7632	180	159	339	12	16	28	127	93	220	59
652	Old Monkland—												
	(1) Western District, .	*c.* 6646	6932	181	166	347	11	11	22	98	93	191	30
	(2) Middle District (incl. Coatbridge), .	*c.* 13168	15303	415	385	800	15	19	34	231	194	425	123
	(3) Eastern District (incl. Calderbank),	*c.* 7519	7308	140	147	287	11	9	20	84	79	163	18
653	Pettinain, . . .	428	407	3	7	10	–	–	–	–	–	–	4
654	RUTHERGLEN (incl. Burgh), . . .	7954	9335	190	225	415	8	12	20	120	116	236	110
655	Shotts (part of), . .	*c.* 3892	*c.* 4778	108	113	221	9	6	15	40	37	77	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	82	65	147	2	5	7	31	52	83	25
657	Symington,	536	528	11	11	22	3	3	6	7	3	10	4
658	Walston,	497	480	5	7	12	–	1	1	5	6	11	4
659	Wandell and Lamington,	369	380	6	6	12	1	–	1	1	2	3	2
660	Wiston and Roberton,	839	786	8	10	18	4	1	5	4	8	12	6
	Total,	533169	640444	15100	14534	29634	1381	1312	2693	9623	9480	19103	6342
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	977	965	13	21	34	1	2	3	8	11	19	6
662	Bathgate (incl. Town and Armadale),	4533	10134	304	282	586	25	23	48	167	165	332	81
663	Borrowstounness (incl. Town),	5192	5698	140	139	279	9	16	25	79	79	158	44
664	Carriden,	1724	1821	32	40	72	4	3	7	26	19	45	15
665	Dalmeny,	768	804	17	18	35	1	3	4	9	7	16	3
666	Ecclesmachen,	289	309	10	6	16	–	1	1	3	1	4	4
667	Kirkliston,	2029	1907	42	47	89	4	5	9	15	24	39	14
668	LINLITHGOW—												
	(1) Burgh,	4213	3843	69	45	114	8	7	15	52	43	95	34
	(2) Landward,	1902	1941	21	26	47	1	9	10	20	26	46	13
669	Livingstone,	1289	1366	37	30	67	5	4	9	12	14	26	11
670	QUEENSFERRY (incl. Burgh),	1195	1391	25	37	62	1	7	8	15	22	37	10
671	Torphichen,	1356	1848	32	35	67	4	3	7	18	15	33	10
672	Uphall,	1331	1507	34	44	78	2	3	5	29	17	46	13
673	Whitburn,	3792	5511	171	143	314	11	10	21	76	53	129	43
	Total,	30590	39045	947	913	1860	76	96	172	529	496	1025	301
	25. Edinburgh.												
674	Borthwick,	1614	1742	25	38	63	–	4	4	16	12	28	9
675	Carrington,	710	681	12	12	24	1	–	1	5	8	13	4
676	Cockpen,	3228	2902	73	60	133	5	5	10	37	35	72	16
677	Colinton,	2676	2656	51	48	99	5	4	9	36	32	68	23
678	Corstorphine,	1499	1579	20	24	44	1	2	3	16	12	28	10
679	Cramond,	2547	2695	50	63	113	3	4	7	27	22	49	20
680	Cranston,	1235	1035	12	15	27	2	–	2	10	12	22	7
681	Crichton,	1387	1304	22	26	48	3	4	7	13	11	24	10
682	Currie,	2190	2248	34	31	65	2	2	4	21	17	38	8
683	Dalkeith (incl. Town),	6521	7114	134	126	260	8	10	18	85	85	170	62
684	Duddingston—												
	(1) PORTOBELLO,	3559	4366	93	70	163	13	6	19	30	56	86	39
	(2) Landward,	904	857	17	19	36	3	2	5	11	11	22	3
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert),	c. 38540	42068	777	740	1517	44	47	91	561	563	1124	349
	(2) St Andrew,	c. 37435	38731	486	472	958	28	26	54	296	365	661	417
	(3) Canongate (incl. Landward),	c. 29230	30169	700	601	1301	73	66	139	794	591	1385	309
	(4) St Giles,	c. 29245	29679	651	639	1290	158	137	295	425	418	843	299
	(5) Newington,	c. 27198	29797	594	586	1180	32	33	65	346	454	800	408
686	Fala and Soutra,	434	382	8	1	9	1	–	1	2	5	7	3
687	Glencross,	1138	1217	14	15	29	1	2	3	6	8	14	7
688	Heriot,	352	407	5	7	12	–	1	1	5	2	7	6
689	Inveresk (incl. MUSSELBURGH),	8653	9518	175	178	353	16	17	33	140	156	296	64

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	28	28	56	–	5	5	15	20	35	15
691	Lasswade,	5821	5688	102	88	190	14	11	25	63	59	122	43
692	LEITH—												
	(1) North Leith,	c. 9494	11562	245	222	467	12	9	21	133	132	265	129
	(2) South Leith	c. 22725	24467	576	507	1083	53	39	92	348	311	659	270
693	Liberton,	3528	3510	62	54	116	5	4	9	43	34	77	16
694	Mid-Calder,	1474	1389	38	21	59	4	5	9	22	14	36	23
695	Newbattle,	2518	2837	58	59	117	7	5	12	31	26	57	29
696	Newton,	1780	1553	24	15	39	3	2	5	6	4	10	9
697	Penicuik,	3003	3249	58	59	117	7	3	10	25	26	51	26
698	Ratho,	1718	1659	25	20	45	3	1	4	13	4	17	14
699	Stow,	1973	2171	44	38	82	4	8	12	25	15	40	13
700	Temple,	1414	1385	21	29	50	4	4	8	11	16	27	6
701	West-Calder,	2120	1927	102	101	203	7	8	15	49	37	86	27
	Total,	259493	274093	5336	5012	10348	522	476	998	3666	3573	7239	2687
	26. Haddington.												
702	Aberlady,	1099	1019	17	22	39	1	3	4	13	12	25	6
703	Athelstaneford,	971	902	10	11	21	1	1	2	5	7	12	2
704	Bolton,	373	332	6	5	11	1	–	1	1	2	3	–
705	Dirleton,	1634	1540	18	19	37	2	3	5	10	13	23	5
706	DUNBAR (incl. Burgh),	4415	4944	83	70	153	4	4	8	57	68	125	21
707	Garvald,	869	891	8	21	29	1	1	2	4	15	19	2
708	Gladsmuir,	1780	1945	32	29	61	2	2	4	7	16	23	8
709	HADDINGTON (incl. Burgh),	5525	5548	105	68	173	9	3	12	58	57	115	38
710	Humbie,	925	997	13	12	25	2	2	4	8	10	18	4
711	Innerwick,	1012	937	14	10	24	1	1	2	7	10	17	5
712	Morham,	249	281	3	1	4	–	–	–	1	2	3	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	34	28	62	–	1	1	26	20	46	10
714	Oldhamstocks,	692	615	7	7	14	1	2	3	4	3	7	4
715	Ormiston,	811	915	17	14	31	–	4	4	5	4	9	4
716	Pencaitland,	1175	1187	32	12	44	3	–	3	14	14	28	6
717	Prestonkirk,	1894	1960	36	30	66	6	3	9	20	18	38	9
718	Prestonpans,	2123	2080	51	38	89	5	3	8	20	29	49	13
719	Salton,	697	712	6	9	15	1	2	3	8	3	11	3
720	Spott,	595	555	12	7	19	1	–	1	6	5	11	2
721	Stenton,	719	692	10	7	17	3	–	3	3	4	7	3
722	TRANENT (incl. Town),	4158	4647	111	99	210	10	8	18	75	69	144	44
723	Whitekirk & Tynninghame	1131	1113	13	12	25	2	–	2	11	6	17	3
724	Whittinghame,	671	710	7	9	16	1	1	2	3	4	7	2
725	Yester (or Gifford),	1202	1033	18	17	35	3	–	3	12	9	21	6
	Total,	36363	37626	663	557	1220	60	44	104	378	400	778	201
	27. Berwick.												
726	Abbey St Bathans,	155	179	1	3	4	–	–	–	–	1	1	1
727	Ayton,	1959	2014	32	32	64	3	1	4	23	27	50	14
728	Bunkle and Preston,	715	756	11	11	22	2	–	2	2	4	6	2
729	Channelkirk,	728	671	19	9	28	–	2	2	9	7	16	2
730	Chirnside,	1384	1502	26	16	42	3	2	5	15	14	29	10
731	Cockburnspath,	1196	1194	21	11	32	2	1	3	11	6	17	8
732	Coldingham,	3188	3241	44	57	101	9	4	13	26	29	55	14
733	Coldstream,	3245	2823	38	39	77	5	14	19	26	21	47	12
734	Cranshaws,	127	134	3	3	6	–	–	–	–	–	–	–
735	DUNSE (incl. Town),	3407	3595	67	47	114	9	8	17	36	42	78	16
736	Earlston,	1819	1825	22	43	65	3	5	8	15	17	32	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	38	37	75	7	5	12	16	10	26	8
738	Edrom,	1474	1592	18	31	49	3	4	7	11	15	26	7
739	Eyemouth,	1488	1804	58	47	105	5	2	7	28	29	57	12
740	Fogo,	604	559	12	7	19	1	2	3	4	2	6	3
741	Foulden,	430	431	6	5	11	–	–	–	2	4	6	2
742	Gordon,	983	931	16	8	24	3	2	5	7	4	11	3
743	Greenlaw,	1378	1370	24	22	46	2	2	4	7	11	18	3
744	Hume,	406	420	5	4	9	–	1	1	1	–	1	4
745	Hutton,	1102	1067	9	14	23	1	–	1	9	15	24	8
746	Ladykirk,	561	564	9	4	13	2	1	3	3	6	9	2
747	Langton,	484	502	10	5	15	2	–	2	8	3	11	–
748	LAUDER (incl. Burgh),	2154	2198	42	37	79	5	5	10	20	19	39	12
749	Legerwood,	587	599	14	5	19	–	2	2	10	8	18	3
750	Longformacus,	411	448	11	8	19	2	3	5	5	2	7	2
751	Merton,	692	729	8	5	13	1	2	3	5	9	14	7
752	Mordington,	427	377	5	7	12	–	1	1	5	4	9	4
753	Nenthorn,	441	461	10	9	19	1	1	2	4	8	12	2
754	Polwarth,	331	251	4	4	8	1	1	2	3	2	5	–
755	Swinton,	994	964	20	19	39	2	3	5	4	3	7	5
756	Westruther,	791	786	10	13	23	2	1	3	7	4	11	4
757	Whitsome,	612	640	5	7	12	–	–	–	4	5	9	5
	Total,	36165	36488	618	569	1187	76	75	151	326	331	657	180
	28. Peebles.												
758	Broughton,	284	297	4	3	7	1	–	1	2	–	2	2
759	Dramelzier,	244	209	1	4	5	–	3	3	–	–	–	3
760	Eddlestone,	790	753	5	8	13	–	2	2	4	7	11	8
761	Glenholm,	252	198	5	4	9	2	–	2	5	–	5	2
762	Innerleithen,	1236	1823	42	38	80	3	3	6	14	16	30	11
763	Kilbucho,	345	228	7	2	9	–	1	1	4	–	4	2
764	Kirkurd,	326	362	5	6	11	–	–	–	5	3	8	1
765	Lyne, etc.—(1) Lyne,	95	81	2	3	5	–	–	–	–	1	1	–
	(2) Meggat,	63	53	2	1	3	–	1	1	–	–	–	–
766	Manor,	256	247	6	4	10	–	–	–	3	1	4	2
767	Newlands,	950	987	14	9	23	1	1	2	12	10	22	4
768	PEEBLES (incl. Burgh),	2673	2850	51	35	86	4	3	7	28	29	57	15
769	Skirling,	316	317	8	6	14	–	–	–	1	1	2	2
770	Stobo,	478	478	12	8	20	–	1	1	4	2	6	3
771	Traquair,	646	687	8	13	21	1	1	2	2	7	9	4
772	Tweedsmuir,	220	196	2	5	7	2	–	2	1	3	4	1
773	West Linton,	1630	1534	23	33	56	5	5	10	14	17	31	5
	Total,	10804	11300	197	182	379	19	21	40	99	97	196	65
	29. Selkirk.												
774	Ettrick,	477	454	5	5	10	–	–	–	2	2	4	6
775	Galashiels (incl. part of Town),	3014	3379	111	76	187	9	5	14	53	66	119	26
776	Kirkhope,	*c.* 600	555	9	13	22	2	2	4	4	5	9	6
777	Roberton,	670	640	19	10	29	3	3	6	3	3	6	5
778	SELKIRK (incl. Burgh),	4347	4739	93	86	179	14	5	19	45	47	92	33
779	Yarrow,	*c.* 694	643	12	12	24	–	4	4	3	5	8	3
	Total,	9802	10410	249	202	451	28	19	47	110	128	238	79
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum,	1554	1511	26	26	52	7	1	8	7	12	19	4
781	Ashkirk,	578	578	11	9	20	–	1	1	2	2	4	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	240	222	3	2	5	–	–	–	2	3	5	2
783	Bowden,	981	864	17	12	29	2	–	2	6	7	13	6
784	Castleton,	2130	3688	35	43	78	3	7	10	17	13	30	10
785	Cavers,	1495	1824	25	27	52	2	4	6	13	9	22	11
786	Crailing,	734	673	16	9	25	2	1	3	4	5	9	2
a787	Eckford,	1073	957	16	15	31	3	2	5	4	7	11	4
b787	Edgerston,	c. 373	359	9	4	13	–	1	1	2	–	2	1
788	Ednam,	658	599	12	9	21	2	1	3	5	7	12	3
789	Hawick (incl. part of Town),	7801	8726	167	165	332	16	23	39	90	96	186	59
790	Hobkirk,	720	771	15	13	28	–	3	3	3	7	10	4
791	Hownam,	252	289	4	2	6	–	–	–	2	1	3	2
792	JEDBURGH (incl. Burgh),	c. 5220	5011	78	77	155	13	11	24	55	42	97	26
793	Kelso (incl. Town),	5634	5192	91	67	158	10	12	22	51	66	117	23
794	Kirktown,	282	421	10	2	12	1	–	1	–	1	1	1
795	Lilliesleaf,	798	772	23	8	31	1	–	1	6	4	10	2
796	Linton,	630	608	9	8	17	3	3	6	1	7	8	4
797	Makerston,	345	380	4	11	15	–	2	2	4	6	10	–
798	Maxton,	550	497	8	5	13	1	–	1	1	1	2	4
799	Melrose—												
	(1) Melrose,	3592	3557	60	43	103	7	1	8	32	25	57	16
	(2) Ladhope (incl. part of Galashiels),	3773	4154	90	77	167	13	4	17	51	52	103	45
800	Minto,	467	430	7	8	15	2	–	2	5	5	10	–
801	Morebattle,	997	1031	14	14	28	2	2	4	8	8	16	7
802	Oxnam,	c. 632	592	15	11	26	2	1	3	3	1	4	7
803	Roxburgh,	1141	1178	21	13	34	4	2	6	11	4	15	7
804	St Boswells,	884	865	15	20	35	1	1	2	7	8	15	9
805	Smailholm,	617	554	7	10	17	3	3	6	2	6	8	4
806	Southdean,	c. 765	687	12	13	25	1	–	1	3	5	8	6
807	Sprouston,	1424	1305	19	3	22	4	–	4	10	3	13	4
808	Stitchel,	426	425	5	3	8	–	1	1	2	2	4	1
809	Teviothead,	550	438	8	7	15	1	1	2	2	1	3	5
810	Wilton (incl. Town and part of Hawick),	2557	3357	68	66	134	6	5	11	28	29	57	21
811	Yetholm,	1352	1207	19	20	39	2	2	4	11	13	24	10
	Total,	51225	53722	939	822	1761	114	95	209	450	458	908	312
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	97	95	192	10	13	23	59	70	129	26
a813	Applegarth,	918	935	20	18	38	1	2	3	3	2	5	4
b813	Brydekirk (incl. part of ANNAN),	c. 864	779	17	14	31	4	2	6	8	7	15	6
814	Canonbie,	3163	3219	62	63	125	11	9	20	31	30	61	15
815	Carlaverock,	1418	1248	9	13	22	3	2	5	15	19	34	8
816	Closeburn,	1732	1651	23	23	46	4	3	7	24	11	35	12
817	Cummertrees,	c. 1334	1184	11	15	26	2	1	3	12	8	20	6
818	Dalton,	761	679	13	8	21	1	1	2	5	3	8	6
819	Dornock,	936	856	12	16	28	1	4	5	9	7	16	7
820	Dryfesdale,	2409	2509	38	51	89	8	13	21	30	41	71	16
821	DUMFRIES (incl. part of Burgh),	12298	13523	202	214	416	28	36	64	204	199	403	88
822	Dunscore,	1578	1554	20	19	39	1	1	2	12	14	26	10
823	Durrisdeer,	1795	1320	16	18	34	2	2	4	8	8	16	7
824	Eskdalemuir,	672	590	6	5	11	1	2	3	4	–	4	2
825	Ewes,	354	356	4	3	7	–	1	1	2	1	3	2
826	Glencairn,	1980	1867	36	30	66	5	6	11	12	17	29	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna),	1830	1620	28	24	52	6	7	13	12	19	31	10
828	Halfmorton,	687	713	9	3	12	1	2	3	5	3	8	1
829	Hoddam,	*c.* 1705	1568	30	25	55	5	5	10	20	15	35	6
830	Holywood,	1060	1115	22	18	40	–	2	2	11	7	18	10
831	Hutton,	836	876	13	10	23	3	1	4	17	18	35	3
832	Johnstone,	1261	1149	19	17	36	–	4	4	4	6	10	6
833	Keir,	960	849	14	17	31	3	3	6	9	10	19	5
834	Kirkconnel,	1245	996	11	18	29	2	3	5	6	7	13	5
835	Kirkmahoe,	1553	1462	19	12	31	1	3	4	7	15	22	8
836	Kirkmichael,	1124	1026	16	12	28	3	1	4	9	4	13	7
837	Kirkpatrick-Fleming—												
	(1.) Northern Dist.,	1829	*c.* 483	7	9	16	1	1	2	4	1	5	4
	(2.) Southern Dist.,		*c.* 1442	19	15	34	4	4	8	13	16	29	5
838	Kirkpatrick-Juxta,	1097	1025	15	15	30	–	1	1	11	6	17	14
839	Langholm,	2990	2979	47	48	95	2	6	8	37	28	65	7
840	LOCHMABEN (includ. Burgh),	3127	3087	51	55	106	12	10	22	33	29	62	21
841	Middlebie,	2163	2004	41	24	65	9	4	13	24	19	43	15
842	Moffat,	2304	2232	45	23	68	7	2	9	20	27	47	12
843	Morton,	2482	2253	35	24	59	3	2	5	15	22	37	12
844	Mousewald,	686	633	16	11	27	5	3	8	7	4	11	1
845	Penpont,	1411	1326	18	21	39	4	1	5	7	9	16	10
846	Ruthwell,	1110	1046	18	15	33	5	4	9	9	11	20	5
847	St Mungo,	645	686	8	12	20	1	1	2	4	4	8	7
848	SANQUHAR (including Burgh),	*c.* 3155	2758	35	34	69	7	5	12	23	30	53	19
849	Tinwald,	1080	1079	16	20	36	2	2	4	12	7	19	8
850	Torthorwald,	1313	1254	26	23	49	7	5	12	17	23	40	5
851	Tundergarth,	577	507	9	6	15	1	1	2	8	3	11	3
852	Tynron,	482	446	10	3	13	1	1	2	1	2	3	5
*a*853	Wamphray,	523	559	7	4	11	–	1	1	5	2	7	2
*b*853	Wanlockhead,	*c.* 916	811	21	14	35	–	3	3	4	6	10	9
854	Westerkirk,	658	537	9	8	17	3	1	4	4	–	4	2
	Total,	78149	75904	1220	1145	2365	180	187	367	796	790	1586	458
	32. KIRKCUDBRIGHT.												
855	Anwoth,	900	899	6	18	24	2	–	2	9	13	22	5
856	Balmaclellan,	*c.* 938	890	10	18	28	1	1	2	10	9	19	2
*a*857	Balmaghie,	1217	1225	19	15	34	2	2	4	12	6	18	6
*b*857	Bargrennan,	*c.* 500	*c.* 500	21	15	36	2	–	2	3	1	4	2
858	Borgue,	1043	1162	14	20	34	–	1	1	6	9	15	6
859	Buittle,	1042	1165	1	6	7	–	–	–	7	12	19	7
860	Carsphairn,	855	553	7	5	12	1	1	2	2	3	5	–
861	Colvend,	1398	1366	20	16	36	3	1	4	12	7	19	6
862	Corsock-Bridge,	*c.* 550	544	8	10	18	2	2	4	3	4	7	1
863	Crossmichael,	1362	1536	29	20	49	7	2	9	9	16	25	5
864	Dalbeattie,	*c.* 1927	2054	51	33	84	9	7	16	20	32	52	12
865	Dalry,	1238	1149	9	17	26	3	4	7	11	11	22	7
866	Girthon,	1787	1702	27	22	49	4	4	8	15	10	25	8
867	Irongray,	918	913	14	10	24	2	1	3	4	5	9	2
868	Kells (incl. NEW GALLOWAY),	1091	1170	15	15	30	3	1	4	9	7	16	7
869	Kelton	3186	3436	45	63	108	4	8	12	39	47	86	29
870	Kirkbean,	982	942	13	9	22	1	1	2	8	9	17	4
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	50	46	96	7	8	15	34	34	68	16
872	Kirkgunzeon,	734	793	11	13	24	1	1	2	11	6	17	3
873	Kirkmabreck,	2266	1851	40	28	68	2	3	5	16	27	43	13
874	Kirkpatrick-Durham,	*c.* 1349	1323	13	19	32	1	4	5	13	19	32	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
875	Lochrutton,	726	677	14	8	22	1	1	2	1	5	6	8
876	Minnigaff,	c. 1804	c. 1554	24	27	51	6	4	10	10	16	26	6
877	New Abbey,	1098	1063	11	15	26	1	4	5	6	11	17	3
878	Parton,	c. 547	572	5	6	11	1	—	1	3	3	6	1
879	Rerrick,	1725	1738	39	28	67	7	2	9	14	13	27	8
880	Terregles (incl. part of DUMFRIES),	566	580	7	5	12	—	—	—	4	3	7	4
881	Tongland,	924	892	13	11	24	2	5	7	3	1	4	7
882	Troqueer (incl. part of DUMFRIES),	4925	4743	105	73	178	11	10	21	69	71	140	22
883	Twynholm,	782	815	15	15	30	1	2	3	7	11	18	1
884	Urr,	c. 1436	1531	32	25	57	2	6	8	13	12	25	3
	Total,	43121	42495	688	631	1319	89	86	175	383	433	816	212
	33. Wigtown.												
885	Glasserton,	1487	1472	26	20	46	1	7	8	12	9	21	7
886	Inch,	2579	2460	33	34	67	4	6	10	17	15	32	18
887	Kirkcolm,	2018	1860	25	21	46	3	6	9	25	13	38	14
888	Kirkcowan,	1541	1434	19	14	33	4	1	5	11	10	21	10
889	Kirkinner,	1914	1716	20	15	35	3	1	4	5	16	21	7
890	Kirkmaiden,	2681	2333	38	31	69	4	8	12	13	20	33	18
891	Leswalt,	1703	1417	24	17	41	4	2	6	9	8	17	7
892	Mochrum,	2946	2694	43	35	78	2	7	9	27	17	44	12
893	New Luce,	791	731	12	9	21	3	1	4	4	1	5	3
894	Old Luce (or Glenluce),	2841	2800	42	24	66	5	2	7	20	13	33	17
895	Penninghame (incl. Newton-Stewart),	4155	4061	56	56	112	9	6	15	36	35	71	17
896	Portpatrick,	1963	2189	33	32	65	5	8	13	14	11	25	9
897	Sorbie,	1886	1814	24	21	45	4	1	5	11	10	21	10
898	Stoneykirk,	3321	3228	40	34	74	9	6	15	18	22	40	18
899	STRANRAER (incl. Burgh)	5738	6315	114	106	220	16	18	34	61	66	127	35
900	WHITHORN (incl. Burgh)	3001	2934	38	41	79	8	5	13	25	31	56	18
901	WIGTOWN (incl. Burgh)	2824	2637	40	32	72	7	4	11	21	29	50	9
	Total,	43389	42095	627	542	1169	91	89	180	329	326	655	229

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular,	166,487	1,60733	2212	2041	4253	138	126	264	1305	1356	2661	815
Mainland-Rural,	1,711,717	1,762,576	31044	29376	60420	3338	3205	6543	16930	17385	34315	11127
Town,	1,010,538	1,138,985	25104	23890	48994	2498	2368	4866	17120	17252	34372	11746
SCOTLAND,	2,888,742	3,062,294	58360	55307	113667	5974	5699	11673	35355	35993	71348	23688

MARRIAGES registered in SCOTLAND in 1866 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		Total Marriages.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND.		23688	10392	5570	3385	516	2259	1483	41	42	20080	601	2094	715	198	2656	5205
INSULAR DISTRICTS		815	345	309	64	1	34	61	1	–	676	13	83	14	29	241	336
MAINLAND-RURAL DISTRICTS		11127	5914	2566	1511	130	595	384	22	5	9638	203	907	224	155	899	1746
TOWN DISTRICTS		11746	4133	2695	1810	385	1630	1038	18	37	9766	385	1104	477	14	1516	3123
	DIVISIONS.																
I.	Northern	619	223	266	65	–	1	63	1	–	541	7	52	9	10	28	103
II.	North-Western	789	197	509	17	11	44	11	–	–	660	9	73	10	37	277	402
III.	North-Eastern	2487	1462	599	149	92	57	128	–	–	2176	44	216	40	11	62	210
IV.	East-Midland	4182	2034	845	709	114	276	196	7	1	3626	53	358	111	34	306	708
V.	West-Midland	1537	754	333	205	12	156	74	3	–	1294	38	139	33	33	213	352
VI.	South-Western	9350	3442	2008	1414	195	1414	842	14	21	7757	314	853	391	35	1492	2948
VII.	South-Eastern	3513	1599	763	672	83	251	115	12	18	2996	110	292	99	16	218	388
VIII.	Southern	1211	681	247	154	9	60	54	4	2	1030	26	111	22	22	60	94
	COUNTIES.																
1	Shetland	182	107	21	18	–	1	35	–	–	153	4	19	4	2	17	56
2	Orkney	154	72	28	39	–	–	15	–	–	135	3	13	3	–	1	2
3	Caithness	194	39	133	8	–	–	13	1	–	180	–	11	2	1	5	24
4	Sutherland	89	5	84	–	–	–	–	–	–	73	–	9	–	7	5	21
5	Ross and Cromarty	391	61	316	3	5	1	5	–	–	332	1	39	5	14	149	211
6	Inverness	398	136	193	14	6	43	6	–	–	328	8	34	5	23	128	191
7	Nairn	59	16	25	11	–	5	2	–	–	54	–	5	–	–	10	18
8	Elgin	251	116	92	30	4	4	5	–	–	221	5	22	1	2	8	28
9	Banff	327	194	75	20	4	22	12	–	–	286	4	27	9	1	13	47
10	Aberdeen	1613	967	364	76	72	25	109	–	–	1399	33	148	26	7	26	101
11	Kincardine	237	169	43	12	12	1	–	–	–	216	2	14	4	1	5	16
12	Forfar	2008	832	374	327	92	242	140	–	1	1719	33	187	68	1	237	547
13	Perth	802	398	238	104	18	17	24	3	–	712	6	66	13	5	25	53
14	Fife	1184	710	190	231	4	17	30	2	–	1039	11	90	27	17	38	93
15	Kinross	60	33	19	6	–	–	–	2	–	52	–	5	–	3	3	2
16	Clackmannan	128	61	24	41	–	–	2	–	–	104	3	10	3	8	3	13
17	Stirling	714	322	128	143	3	71	45	2	–	605	17	61	14	17	91	150
18	Dumbarton	367	176	70	41	2	65	13	–	–	304	11	37	12	3	71	120
19	Argyll	365	211	106	16	6	16	10	–	–	311	9	29	4	12	45	73
20	Bute	91	45	29	5	1	4	6	1	–	74	1	12	3	1	6	9
21	Renfrew	1485	630	282	169	38	261	101	–	4	1213	63	140	65	4	260	490
22	Ayr	1523	799	313	220	8	87	96	–	–	1280	37	130	59	17	211	419
23	Lanark	6342	2013	1413	1025	149	1066	645	14	17	5264	214	583	267	14	1021	2039
24	Linlithgow	301	142	49	55	3	48	3	1	–	258	8	24	7	4	42	82
25	Edinburgh	2687	1160	622	514	75	189	99	11	17	2273	97	223	85	9	151	262
26	Haddington	201	132	41	18	1	8	1	–	–	180	3	16	1	1	18	34
27	Berwick	180	82	35	52	1	4	6	–	–	160	2	15	2	1	6	5
28	Peebles	65	39	9	14	–	2	1	–	–	56	–	5	3	1	1	2
29	Selkirk	79	44	7	19	3	–	5	–	1	69	–	9	1	–	–	3
30	Roxburgh	312	160	45	62	4	23	18	–	–	271	10	25	5	1	14	24
31	Dumfries	458	249	105	54	4	17	26	1	2	395	5	42	6	10	16	30
32	Kirkcudbright	212	140	40	16	1	8	7	–	–	178	2	25	3	4	8	13
33	Wigtown	229	132	57	22	–	12	3	3	–	186	9	19	8	7	22	27

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1866.

CONDITION and AGE of PERSONS married in SCOTLAND in 1866.

CONDITION.	TOTAL.	AGES.																				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
BACHELORS with SPINSTERS.	20080	–	–	1	15	125	478	1065	8018	6607	2279	804	361	162	96	28	21	7	–	1	1	–	11
	20080	–	9	71	295	868	1539	1985	8488	4911	1266	419	152	42	6	4	1	–	–	–	–	–	24
BACHELORS with WIDOWS.	601	–	–	–	–	–	5	7	94	167	126	95	52	28	15	9	–	1	2	–	–	–	–
	601	–	–	–	1	–	1	1	44	166	170	126	59	21	9	2	–	1	–	–	–	–	–
WIDOWERS with SPINSTERS.	2094	–	–	1	–	–	1	1	48	290	402	378	328	259	162	112	63	41	6	2	–	–	–
	2094	–	–	2	5	15	27	49	344	509	457	337	188	99	44	11	6	–	–	–	–	–	1
WIDOWERS with WIDOWS.	715	–	–	–	–	–	–	–	4	30	73	95	158	129	104	56	38	18	6	3	–	–	1
	715	–	–	–	–	–	–	–	11	60	147	147	157	105	48	25	9	2	–	–	–	–	4
Condition not stated. MEN.	198	–	–	–	–	–	2	5	53	58	29	25	11	7	4	1	2	–	–	–	–	–	1
Condition not stated. WOMEN.	198	–	–	2	2	4	6	14	60	61	26	11	4	3	–	1	–	–	–	–	–	–	4
TOTAL MEN.....	23688	–	–	2	15	125	486	1078	8217	7152	2909	1397	910	585	381	206	124	67	14	6	1	–	13
TOTAL WOMEN.....	23688	–	9	75	303	887	1573	2049	8947	5707	2066	1040	560	270	107	43	16	3	–	–	–	–	33

AGES of MALES married in Scotland in 1866.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1866.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland	23688	–	–	2	15	125	486	1078	8217	7152	2909	1397	910	585	381	206	124	67	14	6	1	–	13
DISTRICTS.																							
Insular	815	–	–	–	–	2	4	6	155	302	186	70	33	18	15	10	8	6	–	–	–	–	–
Mainland-Rural	11127	–	–	2	7	56	218	494	3860	3434	1357	671	395	272	163	94	54	31	5	2	–	–	12
Town	11746	–	–	–	8	67	264	578	4202	3416	1366	656	482	295	203	102	62	30	9	4	1	–	1
DIVISIONS.																							
1. Northern	619	–	–	–	–	2	8	11	132	230	111	55	26	11	12	7	6	5	–	1	–	–	2
2. North-Western	789	–	–	–	1	1	2	13	124	265	185	77	41	31	24	11	8	5	–	–	–	–	1
3. North-Eastern	2487	–	–	–	2	18	46	88	764	801	325	182	108	70	43	19	8	9	2	1	–	–	1
4. East-Midland	4182	–	–	–	4	31	65	210	1514	1228	502	234	153	90	66	39	27	14	3	1	–	–	1
5. West-Midland	1537	–	–	1	1	6	30	61	487	489	208	103	65	31	21	17	12	–	2	1	–	–	2
6. South-Western	9350	–	–	–	7	50	246	531	3570	2627	983	468	346	219	150	84	40	19	3	2	1	–	4
7. South-Eastern	3513	–	–	1	–	14	73	111	1199	1125	454	210	125	98	50	20	17	12	3	–	–	–	1
8. Southern	1211	–	–	–	–	3	16	53	427	387	141	68	46	35	15	9	6	3	1	–	–	–	1
COUNTIES.																							
Shetland	182	–	–	–	–	2	1	3	47	65	28	14	10	3	2	2	3	2	–	–	–	–	–
Orkney	154	–	–	–	–	–	2	1	39	59	28	11	4	4	1	1	1	3	–	–	–	–	–
Caithness	194	–	–	–	–	–	3	6	36	78	32	20	5	3	5	1	2	–	–	1	–	–	2
Sutherland	89	–	–	–	–	–	2	1	10	28	23	10	7	1	4	3	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	1	–	1	8	59	136	93	34	20	15	12	8	3	1	–	–	–	–	–
Inverness	398	–	–	–	–	1	1	5	65	129	92	43	21	16	12	3	5	4	–	–	–	–	1

AGES of MALES married in Scotland in 1866.

| | | |

AGES of FEMALES married in Scotland in 1866.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1866.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	23688	–	9	75	303	887	1573	2049	8947	5707	2066	1040	560	270	107	43	16	3	–	–	–	–	33
DISTRICTS.																							
Insular . .	815	–	–	1	6	10	25	35	293	274	98	44	18	8	2	–	1	–	–	–	–	–	–
Mainland-Rural	11127	–	3	35	143	381	724	930	4266	2781	971	441	243	117	49	13	4	1	–	–	–	–	25
Town . . .	11746	–	6	39	154	496	824	1084	4388	2652	997	555	299	145	56	30	11	2	–	–	–	–	8
DIVISIONS.																							
1. Northern .	619	–	–	1	5	7	19	30	210	199	88	34	12	10	1	–	1	–	–	–	–	–	2
2. North-Western	789	–	1	–	6	10	23	47	263	264	97	42	21	9	3	2	–	–	–	–	–	–	1
3. North-Eastern	2487	–	1	14	38	93	137	204	874	643	251	135	57	22	15	3	–	–	–	–	–	–	–
4. East-Midland .	4182	–	2	5	25	108	242	351	1605	1097	372	176	99	57	18	5	6	1	–	–	–	–	13
5. West-Midland .	1537	–	1	8	26	62	104	125	548	381	150	68	40	13	5	2	–	–	–	–	–	–	4
6. South-Western	9350	–	2	34	151	445	756	950	3642	1895	699	380	206	113	46	20	5	1	–	–	–	–	5
7. South-Eastern	3513	–	2	10	45	128	225	235	1340	908	298	154	97	36	13	10	4	1	–	–	–	–	7
8. Southern . .	1211	–	–	3	7	34	67	107	465	320	111	51	28	10	6	1	–	–	–	–	–	–	1
COUNTIES.																							
Shetland . .	182	–	–	–	–	1	3	6	60	63	29	10	3	5	1	–	1	–	–	–	–	–	–
Orkney . .	154	–	–	–	3	2	7	11	53	45	15	11	6	1	–	–	–	–	–	–	–	–	–
Caithness . .	194	–	–	–	1	3	8	11	68	64	24	8	2	3	–	–	–	–	–	–	–	–	2
Sutherland . .	89	–	–	1	1	1	1	2	29	27	20	5	1	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty	391	–	–	–	2	5	10	22	130	135	46	21	12	5	3	–	–	–	–	–	–	–	–
Inverness . .	398	–	1	–	4	5	13	25	133	129	51	21	9	4	–	2	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1866.

| | | |

DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	71348	6874	2422	4619	5964	2868	1858	1337	3437	1748	2373	2720	2641
Insular . .	166487	160733	2661	206	68	97	109	55	43	32	77	60	82	122	129
Mainland .	1711717	1762576	34315	3206	987	1921	2439	1249	829	644	1716	953	1213	1241	1159
Towns . .	1010538	1138985	34372	3462	1367	2601	3416	1564	986	661	1644	735	1078	1357	1353
Shetland . .	31078	31670	576	41	16	22	18	20	6	7	24	14	19	32	36
Orkney . .	31455	32595	471	17	7	13	13	3	8	7	14	13	18	21	15
Caithness .	39782	42200	669	57	22	27	38	25	13	10	32	12	25	26	13
Sutherland .	24720	24157	369	25	6	7	11	5	10	6	24	7	19	17	12
Ross & Cromarty	83781	82427	1378	100	26	57	73	45	30	21	58	38	38	46	42
Inverness .	91954	84902	1451	138	45	55	64	29	30	19	43	21	41	49	46
Nairn . .	8076	8347	164	13	2	8	7	6	1	3	5	1	3	5	3
Elgin . .	40532	44218	991	103	34	65	63	46	39	27	63	29	34	38	30
Banff . .	51353	56020	992	85	26	54	50	34	18	21	51	32	44	36	31
Aberdeen .	213461	223344	4883	450	169	293	353	190	124	113	290	126	188	171	153
Kincardine .	34944	34854	600	43	10	28	32	11	14	8	16	13	26	20	16
Forfar . .	193627	206750	5399	648	236	327	356	170	114	75	226	108	176	214	198
Perth . .	137369	133198	2440	176	60	84	76	59	29	31	83	42	89	106	77
Fife . . .	153789	155021	3287	290	86	173	220	121	90	57	176	92	116	93	122
Kinross . .	9626	8731	132	12	1	4	7	3	2	—	5	2	1	3	8
Clackmannan .	21555	20122	383	35	14	25	32	10	5	5	10	12	24	11	17
Stirling . .	83802	88138	1831	182	62	130	177	67	39	34	76	52	52	70	61
Dumbarton .	46995	54179	1178	125	44	80	91	61	26	26	60	28	45	43	47
Argyll . .	94042	83859	1402	96	30	51	57	32	15	12	33	37	45	69	64
Bute . .	16608	16331	389	21	11	17	15	10	8	5	10	9	10	12	25
Renfrew . .	157950	168746	4668	435	172	371	490	199	152	107	233	114	168	185	175
Ayr . .	189973	199063	4494	435	139	274	416	230	160	98	302	135	140	170	145
Lanark . .	533169	640444	19103	1947	754	1607	2254	1002	619	431	1042	500	617	750	740
Linlithgow .	30590	39045	1025	118	36	92	129	68	42	29	56	21	17	39	36
Edinburgh .	259493	274093	7239	696	245	455	555	248	138	102	280	144	212	273	322
Haddington .	36363	37626	778	78	23	29	57	33	20	13	38	22	24	24	20
Berwick . .	36165	36488	657	61	13	36	40	23	26	9	35	13	28	28	21
Peebles . .	10804	11300	196	16	6	12	12	3	2	4	8	2	8	13	5
Selkirk . .	9802	10410	238	38	13	12	19	5	5	6	12	8	14	9	11
Roxburgh .	51225	53722	908	115	28	55	68	22	14	12	23	23	26	28	33
Dumfries . .	78149	75904	1586	142	50	74	99	49	32	16	58	42	55	61	55
Kirkcudbright	43121	42495	816	77	21	51	43	19	16	13	29	22	22	29	38
Wigtown . .	43389	42095	655	59	15	31	29	20	11	10	22	14	29	29	24

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND. 1866.—BOTH SEXES.

Inverness .	16496	16162	412	39	19	20	17	9	9	6	16	6	10	10	8
Aberdeen .	71973	73900	2324	228	94	168	206	112	75	53	130	51	73	83	67
Arbroath .	17238	17831	434	54	18	28	29	15	8	8	13	13	23	15	14
Dundee . .	80027	91664	3130	414	166	215	260	122	79	42	146	50	97	134	111
Forfar . .	11009	10838	247	19	13	15	8	4	3	3	5	5	10	11	7
Montrose .	16037	15668	359	26	11	21	13	3	9	3	12	8	13	16	18
Perth . .	24670	26094	613	62	24	29	26	20	10	8	20	10	22	23	23
Dunfermline .	13836	13506	289	26	11	17	25	14	4	2	7	14	11	2	11
Kirkcaldy .	10636	11117	311	22	12	15	27	27	15	9	30	9	8	9	9
Stirling . .	12401	14012	315	34	19	18	15	9	5	7	10	7	7	12	11
Greenock . .	37436	43894	1488	143	60	133	184	55	50	29	72	29	47	63	65
Paisley . .	48071	47427	1345	113	48	92	125	56	43	27	47	25	50	55	48
Ayr . . .	18845	19659	404	37	11	20	29	13	5	9	25	8	13	18	15
Kilmarnock .	21287	23556	714	76	22	51	64	45	35	24	65	10	22	23	23
Glasgow . .	329097	395503	12829	1320	510	1075	1566	684	415	287	631	295	398	540	532
Barony . .	16050	22559	914	89	42	73	90	37	29	20	38	18	26	37	35
Govan . .	14996	28584	828	72	42	89	98	49	28	13	28	23	23	35	35
Hamilton . .	11740	14047	317	29	9	34	24	17	10	6	23	13	21	7	13
Airdrie . .	14435	12922	400	26	12	31	56	27	13	13	40	11	20	11	7
Coatbridge, etc.	13168	13303	425	40	14	45	56	27	12	9	42	11	8	14	13
Edinburgh .	161648	170444	4813	430	159	297	365	155	92	65	182	88	141	191	237
Leith . .	32219	36029	924	127	33	74	77	46	20	14	39	18	19	26	34
Dumfries . .	17223	18266	543	36	18	41	56	18	17	4	23	13	16	22	17

DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2397	2403	2428	2401	2529	2574	2994	3259	3395	3260	2567	1474	525	175	32	74
Insular	120	82	75	62	91	69	113	160	205	194	172	127	61	27	4	19
Mainland	995	958	1004	1038	1062	1213	1445	1723	2013	2044	1682	1036	351	126	28	45
Towns	1282	1363	1349	1301	1376	1292	1436	1376	1177	1022	713	311	113	22	5	10
Shetland	23	23	18	13	20	8	17	39	36	33	31	30	15	7	–	3
Orkney	15	11	11	11	15	18	22	35	59	39	35	44	5	6	–	1
Caithness	15	15	23	12	22	18	29	42	41	52	41	31	13	9	1	5
Sutherland	8	10	6	8	14	14	13	17	25	37	34	19	12	3	–	–
Ross and Cromarty	32	30	26	21	39	55	64	90	99	97	124	70	35	14	5	3
Inverness	50	48	47	42	54	48	82	77	97	112	101	57	32	6	7	11
Nairn	8	8	5	4	4	6	16	11	6	16	12	6	3	2	–	–
Elgin	17	26	19	20	19	22	33	50	57	49	60	32	13	1	–	2
Banff	25	25	21	20	15	27	46	44	60	76	68	46	14	12	1	2
Aberdeen	141	127	148	153	137	141	194	231	238	291	226	163	52	14	5	2
Kincardine	20	17	22	20	20	27	26	29	57	42	41	25	15	2	–	–
Forfar	180	190	200	181	246	249	271	264	241	242	160	87	28	8	–	1
Perth	90	77	81	95	86	123	127	166	184	202	154	90	39	8	5	1
Fife	106	92	111	96	111	139	143	181	211	209	134	85	24	8	–	1
Kinross	7	6	3	1	2	6	8	10	11	12	11	7	–	–	–	–
Clackmannan	6	11	19	18	16	12	16	25	19	21	8	8	3	–	–	1
Stirling	45	55	42	73	65	66	78	83	96	82	76	45	16	3	1	3
Dumbarton	38	36	43	51	43	38	49	54	39	47	37	20	3	2	–	2
Argyll	65	41	43	36	46	46	72	90	110	114	89	66	26	11	1	5
Bute	20	17	12	18	14	11	17	23	33	23	28	10	6	4	–	–
Renfrew	165	167	191	162	179	153	166	195	172	136	124	33	14	5	–	5
Ayr	128	137	144	135	143	141	172	158	214	190	152	88	26	14	1	7
Lanark	689	702	721	688	685	608	680	604	546	432	290	126	52	8	4	5
Linlithgow	17	23	20	35	29	29	28	36	57	28	24	14	2	–	–	–
Edinburgh	312	330	284	300	323	327	357	375	319	313	214	88	19	4	1	3
Haddington	19	19	27	30	26	37	29	49	57	49	26	22	6	–	–	1
Berwick	23	18	22	19	20	21	30	32	37	43	28	25	6	–	–	–
Peebles	7	7	2	5	8	12	9	10	11	15	11	6	–	2	–	–
Selkirk	5	4	3	10	7	6	10	8	9	8	10	4	1	1	–	–
Roxburgh	25	34	18	24	26	43	46	59	61	55	44	18	3	2	–	3
Dumfries	49	53	56	49	49	78	75	78	93	104	88	49	22	8	–	2
Kirkcudbright	27	25	23	24	27	26	36	56	53	46	44	30	12	7	–	–
Wigtown	20	19	17	19	19	24	30	38	47	45	42	30	8	4	–	–

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—BOTH SEXES.

Inverness	11	17	19	18	17	19	26	19	23	32	20	14	7	1	–	–
Aberdeen	72	70	66	84	71	74	101	112	112	100	64	40	15	2	1	–
Arbroath	9	12	12	9	21	20	17	23	20	28	15	10	–	–	–	–
Dundee	109	112	138	109	143	154	161	119	95	79	46	21	7	1	–	–
Forfar	9	12	9	9	10	13	19	17	13	16	8	5	3	1	–	–
Montrose	13	14	11	19	21	12	22	28	18	18	15	12	3	–	–	–
Perth	33	27	30	35	18	23	32	36	32	31	30	5	3	1	–	–
Dunfermline	10	11	12	6	6	11	16	18	12	21	10	3	3	–	–	–
Kirkcaldy	14	7	9	6	5	11	6	13	17	14	7	6	1	2	–	1
Stirling	10	15	9	17	10	15	8	14	16	14	17	12	4	–	–	–
Greenock	66	56	54	44	62	47	60	51	49	32	23	8	3	3	–	–
Paisley	41	62	74	58	55	45	53	67	53	44	45	11	6	–	–	2
Ayr	11	22	11	11	18	14	18	25	19	22	20	6	3	–	–	1
Kilmarnock	28	24	24	24	17	16	24	17	24	28	13	10	2	2	–	1
Glasgow	483	501	506	486	503	437	463	412	313	230	153	53	29	3	4	–
Barony	22	26	47	41	42	36	43	31	35	26	19	9	–	1	–	2
Govan	42	34	24	31	34	19	28	17	19	18	16	8	3	–	–	–
Hamilton	14	13	5	7	7	5	9	9	16	14	5	5	1	–	–	1
Airdrie	13	9	10	11	12	19	9	9	11	17	9	4	–	–	–	–
Coatbridge, etc.	7	13	18	16	14	18	12	12	13	5	3	2	–	1	–	–
Edinburgh	210	254	195	209	231	235	229	256	205	198	122	53	10	8	–	1
Leith	44	28	45	32	37	25	48	35	38	26	30	3	5	–	–	1
Dumfries	11	24	21	19	22	24	32	36	24	9	23	11	5	1	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
				MONTHS.											
	1851.	1861.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND	1375479	1449848	35355	3797	1339	2587	3069	1474	967	640	1781	903	1182	1378	1266
Insular	76760	73409	1305	124	34	43	55	31	22	17	41	37	49	74	70
Mainland	828852	848998	16930	1794	529	1091	1248	630	434	311	888	480	619	654	559
Towns	469867	527441	17120	1879	776	1403	1766	813	511	312	852	386	514	650	637
Shetland	13145	13053	282	25	10	9	6	14	5	4	14	11	14	21	14
Orkney	14350	14924	218	11	4	7	7	2	3	2	7	5	8	9	11
Caithness	18809	19846	323	34	12	14	24	13	9	6	17	6	14	18	7
Sutherland	11437	11058	186	13	3	3	7	1	4	4	13	4	10	9	7
Ross & Cromarty	39489	38462	632	55	20	20	45	23	18	10	29	25	19	25	20
Inverness	42814	39479	700	77	25	29	39	9	15	9	20	13	24	34	29
Nairn	3831	3976	72	4	–	7	3	5	1	1	4	1	1	3	2
Elgin	18943	20737	506	64	19	41	37	27	23	14	33	18	16	23	12
Banff	24195	26401	443	49	15	30	25	17	8	6	29	12	13	21	19
Aberdeen	100935	105322	2409	252	97	164	178	96	67	59	161	68	99	96	84
Kincardine	17188	16939	292	22	6	26	14	8	8	4	7	5	13	13	8
Forfar	89408	93280	2613	345	126	172	194	89	59	30	121	45	88	88	80
Perth	65697	63169	1179	98	32	51	33	24	15	13	43	28	47	50	35
Fife	73305	72714	1610	168	47	99	111	62	43	28	93	47	55	41	48
Kinross	4660	4150	66	6	–	1	3	–	1	–	4	–	1	–	2
Clackmannan	10634	9742	191	23	8	17	17	7	2	1	1	6	11	6	7
Stirling	41113	43487	936	105	37	71	89	31	20	13	39	30	31	41	31
Dumbarton	23340	26455	594	71	18	39	49	31	13	14	29	20	26	23	24
Argyll	46197	40914	693	56	13	28	29	17	6	8	14	19	25	37	39
Bute	7518	7208	191	13	4	9	10	7	6	4	4	6	6	6	17
Renfrew	74224	79380	2268	225	89	190	260	111	83	50	134	57	79	87	83
Ayr	92933	97035	2262	257	70	151	209	114	79	48	152	62	62	87	71
Lanark	258449	308263	9623	1043	435	871	1149	526	316	202	533	265	284	346	346
Linlithgow	15422	20069	529	62	21	48	69	30	24	9	28	10	8	26	19
Edinburgh	119428	126429	3666	390	138	266	280	133	69	53	155	76	123	155	157
Haddington	17592	17866	378	51	8	17	35	20	11	7	15	8	12	12	9
Berwick	17367	17354	326	40	6	21	17	10	16	5	13	4	14	13	7
Peebles	5400	5603	99	8	1	8	5	2	1	4	2	1	3	7	2
Selkirk	4836	5069	110	22	6	7	8	2	4	4	8	3	4	3	5
Roxburgh	25002	26593	450	61	14	30	31	8	7	7	10	12	15	15	13
Dumfries	37200	35687	796	76	36	39	51	21	19	7	28	21	31	29	29
Kirkcudbright	20223	19789	383	39	11	30	19	4	7	10	10	9	12	14	19
Wigtown	20335	19395	329	32	8	22	16	10	5	4	11	6	14	20	13
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—MALES.															
Inverness	7401	7261	195	20	13	11	11	3	4	2	6	5	6	7	6
Aberdeen	31746	32554	1144	127	57	92	110	55	40	30	65	29	34	42	40
Arbroath	7866	7770	183	26	9	10	12	8	5	4	5	6	12	5	4
Dundee	36364	40395	1567	232	96	118	147	66	40	17	79	21	48	58	45
Forfar	5017	4735	117	10	4	6	5	1	2	1	4	3	6	4	4
Montrose	7061	6736	171	17	6	11	7	2	2	–	8	3	6	8	7
Perth	11689	11947	301	35	12	13	12	7	6	4	11	7	13	11	10
Dunfermline	6901	6447	139	15	7	12	14	7	1	–	3	7	1	2	4
Kirkcaldy	4906	5074	151	12	4	8	15	13	8	3	18	3	6	2	2
Stirling	5908	6814	149	23	8	14	11	2	3	2	6	2	4	8	6
Greenock	17905	21567	759	76	32	56	104	34	33	14	39	17	26	26	35
Paisley	22608	21913	654	59	25	57	62	31	24	15	30	17	22	27	21
Ayr	8675	9094	176	21	3	6	13	4	3	4	11	2	6	6	4
Kilmarnock	10163	11398	375	47	10	32	36	20	19	14	33	6	6	11	12
Glasgow	154930	185556	6414	695	306	581	795	367	209	128	325	156	180	248	257
Barony	8090	11221	458	44	23	39	43	18	14	12	20	12	11	16	12
Govan	7286	13603	393	40	22	45	48	21	11	5	13	10	7	17	14
Hamilton	5576	6798	169	22	8	20	15	10	6	3	6	6	10	6	3
Airdrie	7333	6242	198	11	6	17	33	15	8	8	20	4	9	4	3
Coatbridge, etc.	7084	8155	231	21	8	20	25	14	7	4	21	6	5	6	6
Edinburgh	72067	76013	2422	238	95	172	182	84	47	31	97	48	77	110	115
Leith	15482	17894	481	70	17	41	38	24	10	9	25	10	11	15	20
Dumfries	7809	8254	273	18	10	22	28	7	9	2	7	6	8	11	7

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1133	1088	1189	1232	1251	1329	1441	1530	1479	1421	1085	578	181	49	5	36
Insular	54	32	36	33	32	37	48	68	100	105	73	48	23	9	1	9
Mainland	451	408	470	527	541	624	695	831	885	912	747	419	127	34	4	23
Towns	628	648	683	672	678	668	698	631	494	404	265	111	31	6	–	4
Shetland	11	10	11	8	8	6	4	18	13	16	10	10	6	1	–	3
Orkney	11	5	3	5	5	5	11	15	30	14	17	15	1	4	–	1
Caithness	8	4	13	6	9	8	10	19	15	17	17	14	5	2	–	2
Sutherland	6	6	3	3	8	3	9	8	12	19	15	9	6	1	–	–
Ross and Cromarty	12	8	13	8	16	30	30	34	47	38	40	33	8	3	1	2
Inverness	21	18	23	20	15	26	32	36	45	60	41	20	12	3	1	4
Nairn	4	4	4	2	–	3	5	6	3	4	3	1	1	–	–	–
Elgin	7	13	9	11	7	10	15	27	24	16	22	13	5	–	–	–
Banff	14	9	5	13	6	10	17	20	20	34	27	19	5	–	–	–
Aberdeen	56	58	68	73	57	67	95	101	123	111	107	62	12	1	–	–
Kincardine	10	7	9	6	6	16	12	10	31	17	16	12	6	–	–	–
Forfar	77	87	101	88	121	120	140	120	103	117	61	31	8	2	–	–
Perth	46	33	27	42	50	67	58	82	84	90	86	27	14	3	1	–
Fife	45	42	56	56	57	68	77	88	90	86	63	31	6	3	–	–
Kinross	4	3	1	1	1	3	4	4	7	6	9	5	–	–	–	–
Clackmannan	1	4	8	12	7	8	5	10	9	12	4	3	1	–	–	1
Stirling	20	22	20	42	39	38	47	35	33	42	34	17	7	1	–	1
Dumbarton	16	17	23	24	23	16	28	24	20	23	13	8	–	–	–	2
Argyll	30	16	18	20	25	24	28	45	50	61	33	31	12	4	1	4
Bute	9	8	8	7	5	5	8	8	12	15	10	3	1	–	–	–
Renfrew	67	77	73	84	88	88	69	84	61	60	49	9	5	2	–	4
Ayr	59	58	73	68	78	73	96	86	97	82	74	34	9	6	1	6
Lanark	341	328	389	374	346	332	320	286	226	182	112	50	17	3	–	1
Linlithgow	7	12	11	21	14	16	20	17	25	15	9	8	–	–	–	–
Edinburgh	171	161	150	147	175	155	169	164	132	122	81	38	3	1	–	2
Haddington	9	8	9	14	7	20	19	21	25	19	10	9	2	–	–	1
Berwick	12	6	11	8	14	10	14	22	15	20	14	12	2	–	–	–
Peebles	2	2	1	3	5	9	5	5	6	6	8	3	–	–	–	–
Selkirk	1	3	1	6	2	3	3	5	3	3	4	–	–	–	–	–
Roxburgh	10	12	10	9	13	18	23	34	37	30	19	8	2	1	–	1
Dumfries	27	23	19	25	27	41	40	45	40	44	39	19	15	4	–	1
Kirkcudbright	9	14	10	13	10	14	17	33	18	22	19	13	4	3	–	–
Wigtown	10	5	9	13	7	17	11	18	23	18	19	11	6	1	–	–
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—MALES.																
Inverness	3	8	9	7	5	14	10	10	9	13	8	5	–	–	–	–
Aberdeen	31	30	32	35	26	36	55	51	59	31	22	13	2	–	–	–
Arbroath	3	5	6	3	10	7	11	10	5	10	2	5	–	–	–	–
Dundee	46	53	67	50	70	82	78	49	40	37	19	7	1	1	–	–
Forfar	6	7	4	4	3	6	9	6	8	8	3	2	1	–	–	–
Montrose	5	7	7	10	12	4	14	14	5	6	4	5	1	–	–	–
Perth	18	11	12	17	11	12	19	17	14	10	17	1	–	1	–	–
Dunfermline	3	8	4	4	2	4	11	10	5	9	4	–	2	–	–	–
Kirkcaldy	7	5	6	2	3	5	2	8	7	6	3	2	–	1	–	–
Stirling	6	3	5	9	4	8	3	3	2	6	5	4	2	–	–	–
Greenock	33	27	23	33	27	31	26	26	19	14	8	–	–	–	–	–
Paisley	17	29	32	25	31	23	19	25	21	18	19	1	3	–	–	1
Ayr	3	15	6	4	8	5	10	13	6	10	10	3	–	–	–	–
Kilmarnock	13	9	16	17	8	9	12	8	11	13	6	4	1	1	–	1
Glasgow	241	230	264	256	247	224	213	188	127	93	52	20	11	1	–	–
Barony	12	16	27	27	17	24	22	20	11	9	6	2	–	–	–	1
Govan	17	10	9	18	19	8	16	12	11	10	7	2	1	–	–	–
Hamilton	10	6	1	4	2	4	5	5	11	4	3	4	–	–	–	–
Airdrie	4	5	6	7	8	11	3	3	3	6	3	1	–	–	–	–
Coatbridge, etc.	6	10	13	9	9	14	9	6	8	3	1	–	–	–	–	–
Edinburgh	117	126	101	104	127	111	105	107	87	74	43	22	1	1	–	–
Leith	19	13	25	15	19	12	30	20	14	9	12	2	–	–	–	1
Dumfries	8	15	8	12	10	14	16	20	11	5	8	6	5	–	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	35993	3077	1083	2082	2895	1394	891	697	1656	845	1191	1342	1375
Insular . .	89727	87324	1356	82	34	54	54	24	21	15	36	23	33	48	59
Mainland .	882865	913578	17385	1412	458	830	1191	619	395	333	828	473	594	587	600
Towns . .	540671	611544	17252	1583	591	1198	1650	751	475	349	792	349	564	707	716
Shetland . .	17933	18617	294	16	6	13	12	6	1	8	10	3	5	11	22
Orkney . .	17105	17471	253	6	3	6	6	1	5	5	7	8	10	12	4
Caithness .	20973	22354	346	23	10	13	14	12	4	4	15	6	11	8	6
Sutherland .	13283	13099	183	12	3	4	4	4	6	2	11	3	9	8	5
Ross & Cromarty	44292	43965	746	45	6	37	28	22	12	11	29	13	19	21	22
Inverness .	49140	45523	751	61	20	26	25	20	15	10	28	8	17	15	17
Nairn . .	4245	4371	92	9	2	1	4	1	–	2	1	–	2	2	1
Elgin . .	21589	23481	485	39	15	24	26	19	16	13	30	11	18	15	18
Banff . .	27158	29619	549	36	11	24	25	17	10	15	22	20	31	15	12
Aberdeen .	112526	118022	2474	198	72	129	175	94	57	54	129	58	89	75	72
Kincardine .	17756	17915	308	21	4	2	18	3	6	4	9	8	13	7	8
Forfar . .	104219	113470	2786	303	110	155	162	81	55	45	105	63	88	126	118
Perth . .	71672	70029	1261	78	28	33	43	35	14	18	40	14	42	56	42
Fife . .	80484	82307	1677	122	39	74	109	59	47	29	83	45	61	52	74
Kinross . .	4966	4581	66	6	1	3	4	3	1	–	1	2	–	3	6
Clackmannan .	10921	10380	192	12	6	8	15	3	3	4	9	6	13	5	10
Stirling . .	42689	44651	895	77	25	59	88	36	19	21	37	22	21	29	30
Dumbarton .	23655	27724	584	54	26	41	42	30	13	12	31	8	19	20	23
Argyll . .	47845	42945	709	40	17	23	28	15	9	4	19	18	20	32	25
Bute . . .	9090	9123	198	8	7	8	5	3	2	1	6	3	4	6	8
Renfrew . .	83726	89366	2400	210	83	181	230	88	69	57	99	57	89	98	92
Ayr . .	96980	102028	2232	178	69	123	207	116	81	50	150	73	78	83	74
Lanark . .	274420	332181	9480	904	319	736	1105	476	303	229	509	235	333	404	394
Linlithgow .	15168	18976	496	56	15	44	60	38	18	20	28	11	9	13	17
Edinburgh .	140065	147664	3573	306	107	189	275	115	69	49	125	68	89	118	165
Haddington .	18771	19760	400	27	15	12	22	13	9	6	23	14	12	12	11
Berwick . .	18798	19134	331	21	7	15	23	13	10	4	22	9	14	15	14
Peebles . .	5404	5697	97	8	5	4	7	1	1	–	6	1	5	6	3
Selkirk . .	4966	5341	128	16	7	5	11	3	1	2	4	5	10	6	6
Roxburgh .	26223	27129	458	54	14	25	37	14	7	5	13	11	11	13	20
Dumfries .	40949	42217	790	66	14	35	48	28	13	9	30	24	24	32	26
Kirkcudbright	22898	22706	433	38	10	21	24	15	9	3	19	13	10	15	19
Wigtown .	23054	22700	326	27	7	9	13	10	6	6	11	8	15	9	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—FEMALES.

Inverness .	9095	8901	217	19	6	9	6	6	5	4	10	1	4	3	2
Aberdeen .	40227	41346	1180	101	37	76	96	57	35	23	65	22	39	41	27
Arbroath .	9372	10061	251	28	9	18	17	7	3	4	8	7	11	10	10
Dundee .	43663	51269	1563	182	70	97	113	56	39	25	67	29	49	76	66
Forfar . .	5992	6103	130	9	9	9	3	3	1	2	1	2	4	7	3
Montrose .	8976	8932	188	9	5	10	6	1	7	3	4	5	7	8	11
Perth . .	12981	14147	312	27	12	16	14	13	4	4	9	3	9	12	13
Dunfermline .	6935	7059	144	11	4	5	11	7	3	2	4	7	10	–	7
Kirkcaldy .	5730	6043	160	10	8	7	12	14	7	6	12	6	2	7	7
Stirling . .	6493	7198	166	11	11	4	4	7	2	5	4	5	3	4	5
Greenock .	19531	22327	729	67	28	77	80	21	17	15	33	12	21	37	30
Paisley . .	25463	25514	691	54	23	35	63	25	19	12	17	8	28	28	27
Ayr . .	10170	10565	228	16	8	14	16	9	2	5	14	6	7	12	11
Kilmarnock .	11124	12158	339	29	12	19	28	25	16	10	32	4	16	12	11
Glasgow . .	174167	209947	6415	625	204	494	771	317	206	159	306	139	218	292	275
Barony . .	7960	11838	456	45	19	34	47	19	15	8	18	6	15	21	23
Govan . .	7710	14981	435	32	20	44	50	28	17	8	15	13	16	18	21
Hamilton .	6164	7249	148	7	6	14	9	7	4	3	17	7	11	1	10
Airdrie . .	7102	6680	202	15	6	14	23	12	5	5	20	7	11	7	4
Coatbridge, etc.	6084	7148	194	19	6	25	31	13	5	5	21	5	3	8	7
Edinburgh .	89581	94431	2391	192	64	125	183	71	45	34	85	40	64	81	122
Leith . .	16737	18135	443	57	16	33	39	22	10	5	14	8	8	11	14
Dumfries .	9414	10012	270	18	8	19	28	11	8	2	16	7	8	11	10

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1866.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1264	1320	1239	1169	1278	1245	1553	1729	1916	1839	1482	896	344	126	27	38
Insular	66	50	39	29	59	32	65	92	105	89	99	79	38	18	3	10
Mainland	544	555	534	511	521	589	750	892	1128	1132	935	617	224	92	19	22
Towns	654	715	666	629	698	624	738	745	683	618	448	200	82	16	5	6
Shetland	12	13	7	5	12	2	13	21	23	17	21	20	9	6	–	5
Orkney	4	6	8	6	10	8	11	20	29	25	18	29	4	2	–	–
Caithness	7	11	10	6	13	10	19	23	26	35	24	17	8	7	1	3
Sutherland	6	4	3	5	6	11	4	9	13	18	19	10	6	2	–	–
Ross and Cromarty	20	22	13	13	23	25	34	56	52	59	84	37	27	11	4	1
Inverness	29	30	24	22	39	22	50	41	52	52	60	57	20	3	6	7
Nairn	4	4	1	2	4	3	11	5	3	12	9	5	2	2	–	–
Elgin	10	13	10	9	12	12	18	23	33	33	38	19	8	1	–	2
Banff	11	16	16	15	9	17	29	24	40	42	41	27	9	12	1	2
Aberdeen	85	69	80	80	80	74	99	130	115	180	119	101	40	13	5	2
Kincardine	10	10	13	14	14	11	14	19	26	25	25	13	9	2	–	–
Forfar	103	103	99	93	125	129	134	144	138	125	99	56	20	6	–	1
Perth	44	44	54	53	36	56	69	84	100	112	68	63	25	5	4	1
Fife	61	50	55	40	54	71	66	93	121	123	71	54	18	5	–	1
Kinross	3	3	2	–	1	3	4	6	4	6	2	2	–	–	–	–
Clackmannan	5	7	11	6	9	4	11	15	10	9	4	5	2	–	–	–
Stirling	25	33	22	31	26	28	31	48	63	40	42	28	9	2	1	2
Dumbarton	22	19	20	27	20	22	21	30	19	24	24	12	3	2	–	–
Argyll	35	25	25	16	21	22	44	45	60	53	56	35	14	7	–	1
Bute	11	9	4	11	9	6	9	15	21	8	18	7	5	4	–	–
Renfrew	98	90	118	78	91	65	97	111	111	76	75	24	9	3	–	1
Ayr	69	79	71	67	65	68	76	72	117	108	78	54	17	8	–	1
Lanark	348	374	332	314	339	276	360	318	320	250	178	76	35	5	4	4
Linlithgow	10	11	9	14	15	13	8	19	32	13	15	6	2	–	–	–
Edinburgh	141	169	134	153	148	172	188	211	187	191	133	50	16	3	1	1
Haddington	10	11	18	16	19	17	10	28	32	30	16	13	4	–	–	–
Berwick	11	12	11	11	6	11	16	10	22	23	14	13	4	–	–	–
Peebles	5	5	1	2	3	3	4	5	5	9	3	3	–	2	–	–
Selkirk	4	1	2	4	5	3	7	3	6	5	6	4	1	1	–	–
Roxburgh	15	22	8	15	13	25	23	25	24	25	25	10	1	1	–	2
Dumfries	22	30	37	24	22	37	35	33	53	60	49	30	7	4	–	1
Kirkcudbright	18	11	13	11	17	12	19	23	35	24	25	17	8	4	–	–
Wigtown	10	14	8	6	12	7	19	20	24	27	23	19	2	3	–	–
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1866.—FEMALES.																
Inverness	8	9	10	11	12	5	16	9	14	19	12	9	7	1	–	–
Aberdeen	41	40	34	49	45	38	46	61	53	69	42	27	13	2	1	–
Arbroath	6	7	6	6	11	13	6	13	15	18	13	5	–	–	–	–
Dundee	63	59	71	59	73	72	83	70	55	42	27	14	6	–	–	–
Forfar	8	5	5	5	7	7	10	11	5	8	5	3	2	1	–	–
Montrose	8	7	4	9	9	8	8	14	13	12	11	7	2	–	–	–
Perth	15	16	18	18	7	11	13	19	18	21	13	4	3	–	–	–
Dunfermline	7	3	8	2	4	7	5	8	7	12	6	3	1	–	–	–
Kirkcaldy	7	2	3	4	2	6	4	5	10	8	4	4	1	1	–	1
Stirling	4	12	4	8	6	7	5	11	14	8	12	8	2	–	–	–
Greenock	33	29	31	11	35	16	34	25	30	18	15	8	3	3	–	–
Paisley	24	33	42	33	24	22	34	42	32	26	26	10	3	–	–	1
Ayr	8	7	5	7	10	9	8	12	13	12	10	3	3	–	–	1
Kilmarnock	15	15	8	7	9	7	12	9	13	15	7	6	1	1	–	–
Glasgow	242	271	242	230	256	213	250	224	186	137	101	33	18	2	4	–
Barony	10	10	20	14	25	12	21	11	24	17	13	7	–	1	–	1
Govan	25	24	15	13	15	11	12	5	8	8	9	6	2	–	–	–
Hamilton	4	7	4	3	5	1	4	4	5	10	2	1	1	–	–	1
Airdrie	9	4	4	4	4	8	6	6	8	11	6	3	–	–	–	–
Coatbridge, etc.	1	3	5	7	5	4	3	6	5	2	2	2	–	1	–	–
Edinburgh	93	128	94	105	104	124	124	149	118	124	79	31	9	2	–	1
Leith	25	15	20	17	18	13	18	15	24	17	18	1	5	–	–	–
Dumfries	3	9	13	7	12	10	16	16	13	4	15	5	–	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	71348	576	471	669	369	1378	1451	164	991	992	4883	600	5399	2440	3287	132
SPECIFIED CAUSES	68196	433	425	614	315	1169	1273	150	914	938	4692	581	5200	2319	3111	130
I. Zymotic Class	15564	61	59	121	50	251	210	22	288	226	1219	163	1228	338	864	19
II. Diseases of Uncer. Seat	2450	11	14	24	13	55	46	9	28	32	163	31	226	95	120	4
III. Tubercular Class	11653	62	71	69	50	141	172	31	113	135	737	67	871	386	406	19
IV. Brain and Nervous Sys.	5474	10	30	47	23	90	95	14	73	80	412	47	424	196	233	9
V. Organs of Circulation	3218	8	14	35	4	25	41	2	35	39	222	27	306	148	167	12
VI. Respiratory Organs	10036	31	34	81	27	99	150	12	66	106	590	45	728	282	388	19
VII. Organs of Digestion	4952	39	23	46	21	45	86	10	71	79	350	53	350	193	200	9
VIII. Urinary Organs	1016	4	6	15	5	18	25	1	21	29	114	9	66	45	34	5
IX. Organs of Generation	546	10	1	4	3	17	18	1	9	3	35	8	36	23	27	1
X. Organs of Locomotion	387	4	3	9	3	12	14	1	4	8	33	6	13	18	20	–
XI. Skin, etc.	75	1	–	3	1	4	1	1	1	–	4	1	4	3	1	–
XII. Malformation	168	–	–	–	–	2	1	–	2	1	6	3	13	8	4	–
XIII. Premature Debility	3475	14	6	22	5	26	45	3	39	42	199	18	341	104	129	10
XIV. Atrophy	526	3	2	3	2	2	9	–	5	2	21	1	33	20	23	–
XV. Age	6255	145	151	114	101	354	319	37	126	140	457	85	399	369	395	21
XVI. Sudden Deaths	156	2	1	–	1	3	3	–	–	1	2	1	20	8	10	–
XVII. Violent Deaths	2245	28	10	21	6	25	38	6	33	15	128	16	142	83	90	2
I. Small Pox	200	1	–	1	1	1	–	1	1	–	12	1	24	2	1	–
Measles	1038	1	–	–	–	1	–	–	2	18	88	6	10	4	25	–
Scarlatina	2706	2	4	4	14	62	53	1	166	33	275	16	112	14	145	–
Diphtheria	685	1	5	20	5	16	4	–	8	16	84	12	51	28	48	2
Hooping Cough	1860	–	28	27	–	37	27	8	26	25	131	21	83	26	31	1
Croup	903	2	2	16	8	37	30	4	12	13	46	7	78	26	75	1
Thrush	39	–	–	–	–	–	1	–	1	1	4	–	11	3	4	–
Diarrhœa	1504	3	2	2	6	15	28	3	16	12	107	15	125	45	60	1
Dysentery	294	1	–	1	–	2	4	1	4	7	30	6	37	17	12	1
Cholera	1270	1	1	–	–	1	–	1	–	1	142	22	214	24	260	–
Influenza	200	3	2	3	1	8	6	–	5	7	28	7	20	4	9	–
Purpura	41	–	–	–	–	–	1	–	1	1	3	2	2	4	2	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	26	–	–	–	1	2	2	–	–	–	–	–	–	1	–	–
Typhus	2172	21	2	4	–	21	5	1	2	16	80	9	235	59	64	–
Enteric Fever	1404	14	4	19	6	19	26	2	19	42	93	28	112	42	82	7
Relapsing Fever	34	1	1	–	–	–	–	–	–	1	7	1	3	2	3	1
Simple Cont. Fever	249	7	3	11	5	23	11	–	11	17	34	2	35	3	3	–
Infantile Remittent	159	1	–	4	–	1	2	–	4	3	7	5	8	3	13	–
Metria	181	–	–	1	–	1	2	–	3	3	10	–	15	10	9	1
Rheumatic Fever	103	–	1	5	1	2	4	–	–	5	5	1	8	3	1	–
Erysipelas	295	–	4	3	2	1	2	–	5	5	23	2	27	10	13	1
Pyæmia	20	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–
Syphilis	156	–	–	–	–	–	1	–	2	–	9	–	15	7	3	–
Noma	24	1	–	–	–	–	1	–	–	–	1	–	2	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	1	–	1	–	–	3	1	1	–	2	1	9	2	2	–
Dropsy	721	6	6	7	4	18	19	1	7	4	33	4	76	33	39	1
Abscess	134	–	–	1	–	3	–	3	3	–	7	3	13	6	10	–
Ulcer	38	1	–	–	–	5	–	–	–	–	3	1	2	1	1	–
Fistula	15	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–
Mortification	144	–	1	1	–	5	3	–	2	–	13	–	12	6	6	–
Cancer	1327	2	7	14	9	24	21	4	15	27	104	22	113	46	59	3
Gout	8	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–
III. Scrofula	617	2	4	5	2	4	2	2	8	21	49	4	22	22	26	–
Tabes Mesenterica	859	1	–	1	1	2	7	1	7	8	51	1	38	11	23	–
Phthisis	8283	52	63	50	41	127	149	27	82	93	531	54	646	305	293	17
Hydrocephalus	1894	7	4	13	6	8	14	1	16	13	106	8	165	48	64	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Clackmannan	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	383	1831	1178	1402	389	4668	4494	19103	1025	7239	778	657	196	238	908	1586	816	655
SPECIFIED CAUSES	353	1674	1118	1258	366	4445	4366	18650	977	7185	757	635	190	230	882	1480	782	634
Zymotic Class	64	347	200	176	53	1057	1268	4448	283	1563	182	187	29	63	146	202	113	64
Uncertain Seat	16	70	45	63	14	139	148	522	24	285	30	40	9	8	43	60	31	32
Tubercular Class	75	276	236	184	71	861	789	3534	154	1193	93	59	30	30	164	273	159	142
Brain, etc.	26	140	104	111	41	361	313	1380	54	646	77	71	23	10	84	132	64	54
Heart, etc.	16	79	75	60	26	207	192	663	35	429	44	43	23	20	76	77	44	24
Respiratory Organs	44	213	148	143	43	594	536	3564	189	1144	84	59	19	31	116	222	136	93
Digestive Organs	18	157	90	92	27	391	262	1827	78	471	45	43	20	24	67	134	66	65
Urinary Organs	8	23	11	21	8	33	63	214	13	134	14	11	–	4	11	33	10	13
Generative Organs	2	12	9	16	6	42	32	127	7	45	6	9	4	1	8	11	10	3
Locomotive Organs	1	7	5	8	1	29	25	88	4	44	6	6	–	2	7	8	5	2
Skin	–	3	1	–	1	6	6	21	1	6	–	1	–	–	–	3	–	1
Malformation	–	5	4	3	1	6	8	45	5	38	2	2	–	–	3	3	2	1
Premature Debility	26	101	52	44	8	252	226	1047	48	384	58	23	9	20	53	63	30	28
Atrophy	4	11	11	8	–	46	36	167	3	61	21	2	–	–	10	9	4	7
Age	42	173	70	249	62	283	296	825	53	386	72	59	20	11	75	189	86	91
Sudden Deaths	3	5	–	2	–	8	1	52	4	18	1	–	–	1	2	7	–	–
Violent Deaths	8	52	57	78	9	139	165	626	22	288	22	20	4	5	17	54	22	14
Small-Pox	–	–	1	5	–	6	2	125	–	12	–	–	–	1	1	1	–	–
Measles	6	27	7	14	1	117	76	435	13	51	13	40	2	16	32	15	16	2
Scarlatina	1	56	22	15	3	216	343	859	111	77	43	11	3	5	7	13	13	7
Diphtheria	2	22	13	5	3	28	29	138	8	67	7	14	–	7	3	29	6	4
Hooping Cough	9	37	29	18	17	94	177	633	24	232	16	19	6	1	21	23	29	4
Croup	16	32	19	9	–	58	81	216	12	44	11	7	–	2	7	16	8	8
Thrush	–	–	–	–	–	2	4	3	1	3	–	–	–	–	1	–	–	–
Diarrhœa	7	49	20	29	5	106	107	449	19	181	21	13	–	8	11	23	7	9
Dysentery	1	10	8	3	3	18	18	49	3	25	2	–	–	2	6	14	9	–
Cholera	3	6	7	14	2	39	36	111	15	333	24	3	1	2	3	1	1	2
Influenza	1	6	1	9	3	6	15	31	1	12	–	2	1	–	2	2	3	2
Purpura	–	2	1	–	–	2	1	6	1	8	–	1	1	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	3	2	6	–	2	–	2	–	–	1	2	–	–
Typhus	10	53	29	15	8	243	157	808	23	238	14	14	1	1	11	11	3	11
Enteric Fever	6	17	27	21	3	56	137	275	27	151	22	53	13	12	24	34	8	3
Relapsing Fever	–	1	–	1	–	1	1	7	–	1	1	1	–	–	–	–	–	–
Simple Cont. Fever	–	3	4	1	–	4	18	30	7	5	–	1	–	–	3	3	2	3
Infantile Remittent	1	6	1	1	–	9	13	42	1	17	3	–	–	–	1	5	1	7
Metria	–	6	1	2	3	16	13	49	5	18	1	2	1	1	2	3	3	–
Rheumatic Fever	1	4	3	6	1	3	5	21	–	13	1	1	–	1	5	2	–	–
Erysipelas	–	3	3	6	1	22	23	90	8	28	1	3	–	1	3	2	2	1
Pyæmia	–	–	–	–	–	–	1	5	–	8	–	–	–	1	–	–	–	1
Syphilis	–	6	3	1	–	8	8	54	3	32	1	–	–	2	1	–	–	–
Noma	–	–	1	–	–	–	1	6	1	5	1	–	–	–	–	2	2	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	2	2	–	1	3	12	–	5	–	1	–	–	3	1	1	1
Dropsy	9	27	15	20	1	61	40	184	6	50	6	9	3	–	6	13	6	7
Abscess	–	4	4	3	–	7	6	34	2	16	3	–	–	–	1	2	1	2
Ulcer	–	–	–	3	–	3	2	3	–	5	–	1	1	–	4	2	–	–
Fistula	–	–	–	–	–	2	3	1	–	3	–	–	–	1	–	–	–	–
Mortification	1	5	1	1	1	9	5	32	5	18	–	2	1	–	3	4	4	3
Cancer	6	31	23	34	12	55	84	256	11	185	21	27	4	7	26	30	18	19
Gout	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–
Scrofula	3	19	7	12	8	44	46	171	19	73	5	4	–	2	5	9	8	9
Tabes Mesenterica	2	14	12	7	5	58	79	316	24	99	11	1	3	3	30	22	11	10
Phthisis	60	190	180	156	46	606	538	2407	69	794	66	44	21	21	101	222	123	109
Hydrocephalus	10	53	37	9	12	153	126	640	42	227	11	10	6	4	23	20	17	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	390	–	2	4	5	9	7	–	11	8	26	2	24	4	26	–
Apoplexy	1179	–	9	16	3	8	14	7	13	20	92	7	98	45	52	2
Paralysis	1621	4	9	12	11	39	42	3	21	21	109	25	111	81	89	1
Delirium Tremens	60	–	–	1	–	–	–	–	1	–	6	–	7	3	4	–
Chorea	11	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
Epilepsy	255	3	–	6	–	3	5	–	3	2	29	1	16	12	17	–
Tetanus	45	–	–	–	–	7	–	–	–	–	3	1	2	–	2	1
Insanity	35	–	–	–	–	1	3	–	–	–	3	–	1	–	1	–
Convulsions	932	1	5	5	2	13	8	–	14	10	78	6	105	19	12	1
Brain Disease	946	2	5	3	2	10	16	4	10	19	65	5	59	32	29	4
V. Pericarditis	49	–	–	–	–	–	–	–	–	–	2	–	2	2	3	–
Aneurism	85	–	–	–	–	1	1	–	3	1	7	2	8	7	3	–
Heart Disease	3084	8	14	35	4	24	40	2	32	38	213	25	296	139	161	12
VI. Laryngitis	98	–	1	2	–	–	2	–	–	1	8	–	8	4	4	–
Bronchitis	6629	13	17	43	12	51	53	8	38	54	363	30	488	178	262	12
Pleurisy	252	–	–	3	2	1	29	–	7	10	24	1	11	11	13	2
Pneumonia	2207	12	3	17	7	13	30	3	17	36	157	11	149	62	81	5
Asthma	500	6	6	12	6	32	25	1	4	2	19	1	36	17	15	–
Lung Disease	350	–	7	4	–	2	11	–	–	3	19	2	36	10	13	–
VII. Teething	1038	11	–	1	3	6	12	3	17	14	104	9	111	31	35	3
Quinsey	51	2	–	3	1	1	1	1	1	1	3	–	–	3	2	–
Gastritis	187	–	–	3	–	3	4	1	4	–	13	4	5	11	8	3
Enteritis	886	2	2	6	2	9	13	1	13	11	36	8	37	34	36	–
Peritonitis	257	2	–	2	1	–	6	–	2	4	22	2	12	13	8	–
Ascites	62	1	4	2	–	–	1	–	–	–	2	–	6	3	4	–
Ulceration of Intestines	178	2	1	8	1	1	1	–	4	7	25	4	9	4	7	–
Hernia	118	1	–	2	–	1	4	–	–	6	14	–	13	7	4	–
Ileus	272	5	1	3	1	3	3	1	11	8	23	3	21	16	12	–
Intussusception	34	–	–	–	–	1	–	–	–	2	2	2	4	–	7	–
Stricture of Intestines	40	–	–	1	–	–	1	–	–	–	3	2	1	–	3	–
Stomach Disease	750	6	11	10	7	10	19	1	8	14	40	7	58	35	32	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	171	3	–	5	–	2	4	–	–	1	2	1	9	4	12	1
Jaundice	173	2	1	1	2	2	4	1	4	2	14	4	17	7	8	–
Liver Disease	698	2	3	3	3	6	13	1	7	9	42	7	46	25	22	1
Spleen Disease	37	–	–	1	–	–	–	–	–	–	5	–	1	2	–	–
VIII. Nephritis	69	–	–	–	–	2	1	–	1	–	7	–	7	1	–	–
Nephria	235	–	–	2	–	8	6	–	4	6	13	–	22	9	5	–
Addison's Disease	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Ischuria	50	1	–	1	–	–	2	1	2	2	4	–	3	5	–	–
Diabetes	75	–	–	1	–	2	1	–	2	2	9	1	–	3	4	1
Stone	63	1	5	4	3	3	4	–	1	–	11	3	–	4	2	–
Cystitis	179	2	–	3	1	1	3	–	5	9	18	2	13	12	11	3
Stricture of Urethra	16	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
Kidney Disease	322	–	1	3	–	2	7	–	6	10	51	2	21	11	11	1
IX. Paramenia	25	1	–	–	–	1	–	–	1	–	1	–	4	1	1	–
Ovarian Dropsy	77	–	–	1	–	–	–	–	–	–	3	2	6	7	6	1
Childbirth	356	9	1	3	3	13	16	1	6	1	20	5	20	12	17	–
Organs of Generation	88	–	–	–	–	3	2	–	2	2	11	1	6	3	3	–
X. Arthritis	77	–	2	1	–	2	2	–	1	1	8	2	–	3	6	–
Rheumatism	182	3	1	7	2	10	11	1	1	5	16	3	5	8	11	–
Joint and Bone Disease	128	1	–	1	1	–	1	–	2	2	9	1	8	7	3	–
XI. Carbuncle	24	–	–	3	1	2	1	–	–	–	1	–	2	1	–	–
Phlegmon	9	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Skin Disease	42	1	–	–	–	2	–	1	–	–	3	–	2	1	1	–
XVII. Intemperance	78	–	–	–	–	–	1	–	2	–	3	–	4	3	4	–
Privation	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	100	–	–	–	–	–	–	–	1	–	10	–	5	1	5	–
Neglect	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Cold	27	2	–	–	1	–	1	–	1	–	1	–	–	4	1	–
Poison	46	–	–	–	–	1	–	–	–	–	1	1	2	2	–	–
Poisoned Wounds	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Burns and Scalds	304	3	–	4	2	2	7	1	3	3	21	4	11	6	16	2
Hanging, etc.	55	–	–	–	–	–	2	–	–	–	4	–	5	4	3	–
Suffocation	102	–	–	1	–	–	2	–	2	1	13	–	12	2	4	–
Drowning	429	21	6	8	–	13	12	1	11	4	17	4	26	17	15	–
Fracture and Contusion	913	2	3	4	2	5	10	1	9	5	46	5	58	28	33	–
Gunshot Wounds	25	–	–	–	–	1	2	–	1	–	1	1	3	2	–	–
Cuts and Stabs	36	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
Other Violent Causes	121	–	1	4	–	3	1	3	3	2	7	–	13	14	8	–
Not Specified	3152	143	46	55	54	209	178	14	77	54	191	19	199	121	176	2

CAUSES o DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	4	8	6	3	26	16	111	8	42	5	5	1	–	6	11	5	4
Apoplexy	3	27	21	29	10	95	75	265	10	132	21	20	9	2	14	23	20	17
Paralysis	9	56	32	33	15	91	108	296	12	205	32	22	4	5	40	52	18	13
Delirium Tremens	1	1	2	–	1	1	1	21	–	7	1	–	–	–	–	1	–	1
Chorea	–	1	–	–	–	2	–	2	–	3	–	–	–	–	–	–	–	–
Epilepsy	2	6	–	10	–	12	13	49	4	43	4	3	–	–	3	6	1	2
Tetanus	–	–	–	7	2	2	3	4	–	5	–	–	1	–	2	2	–	1
Insanity	–	–	–	1	–	6	1	7	–	7	1	–	–	–	–	3	–	–
Convulsions	3	14	19	16	4	57	48	339	14	85	8	10	4	2	4	14	7	5
Brain Disease	7	31	22	9	6	69	48	286	6	117	5	11	4	1	15	20	13	11
Pericarditis	–	2	1	1	1	11	1	15	–	4	–	–	1	1	–	1	1	–
Aneurism	1	2	3	–	–	5	3	13	1	19	–	–	–	–	1	4	–	–
Heart Disease	15	75	71	59	25	191	188	635	34	406	44	43	22	19	75	72	43	24
Laryngitis	–	2	3	3	1	4	8	21	–	18	–	3	–	–	3	1	1	–
Bronchitis	33	128	112	96	25	412	347	2449	138	788	54	38	12	23	68	127	85	72
Pleurisy	–	2	3	1	3	10	19	28	6	41	2	2	–	2	6	8	4	1
Pneumonia	7	44	17	26	11	124	117	830	32	201	23	13	4	6	25	69	37	18
Asthma	4	12	6	16	1	20	38	134	3	49	2	2	1	–	10	12	8	–
Lung Disease	–	25	7	1	2	24	7	102	10	47	3	1	2	–	4	5	1	2
Teething	3	24	19	11	2	137	32	341	20	60	6	–	4	1	2	9	2	5
Quinsey	–	1	2	1	–	4	3	9	1	3	1	2	–	–	–	2	–	3
Gastritis	1	1	2	3	2	10	16	56	3	18	2	1	–	–	1	9	2	1
Enteritis	1	32	18	7	6	82	65	279	19	70	3	10	2	6	18	26	20	12
Peritonitis	1	5	3	1	1	23	16	76	4	34	–	1	1	3	1	5	6	2
Ascites	–	1	1	3	1	4	4	12	1	5	–	1	–	–	1	2	3	–
Ulceration of Intestines	1	10	8	2	–	5	6	26	2	21	3	6	3	2	6	3	–	5
Hernia	–	2	–	7	1	4	7	21	–	16	–	–	–	–	2	4	1	1
Ileus	1	5	3	12	1	9	9	62	6	20	9	4	–	1	8	5	4	2
Intussusception	–	–	1	1	–	1	2	4	–	3	–	–	–	–	–	2	1	1
Stricture of Intestines	–	2	1	–	–	–	1	7	–	13	–	1	–	–	–	3	–	1
Stomach Disease	1	27	15	20	7	32	47	168	9	79	9	11	5	8	10	25	11	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	6	4	4	2	17	10	48	1	11	2	–	1	1	2	11	3	2
Jaundice	1	5	2	4	–	10	11	30	4	21	4	3	1	–	3	1	3	1
Liver Disease	6	36	10	15	4	50	29	179	8	95	6	3	3	–	11	27	7	19
Spleen Disease	–	–	1	1	–	3	4	9	–	2	–	–	–	2	2	–	3	1
Nephritis	1	2	2	2	–	3	2	27	–	6	–	–	–	1	–	2	–	2
Nephria	3	7	2	8	1	5	14	49	8	43	5	1	–	2	2	7	1	2
Addison's Disease	–	–	–	–	–	2	1	–	–	1	–	1	–	–	–	–	–	–
Ischuria	1	1	–	4	–	3	7	2	–	7	–	–	–	–	–	1	2	1
Diabetes	–	3	2	2	–	2	5	17	1	5	1	–	–	1	2	4	–	4
Stone	–	–	–	–	–	1	5	6	–	4	–	2	–	–	–	3	1	–
Cystitis	2	3	2	5	1	4	10	26	1	19	1	5	–	–	5	8	2	2
Stricture of Urethra	–	–	–	–	–	–	–	5	–	6	–	–	–	–	–	–	1	–
Kidney Disease	1	7	3	–	1	13	19	82	3	43	7	2	–	–	2	8	3	2
Paramenia	–	–	1	–	–	2	2	2	–	–	–	1	–	–	1	3	3	–
Ovarian Dropsy	1	1	1	2	–	5	4	16	–	11	–	–	1	–	2	2	3	2
Childbirth	1	9	4	12	3	29	22	87	5	29	3	7	2	1	5	6	3	1
Organs of Generation	–	2	3	2	3	6	4	22	2	5	3	1	1	–	–	–	1	–
Arthritis	–	–	–	–	–	2	7	15	1	15	1	1	–	–	4	3	–	–
Rheumatism	1	2	4	6	1	8	11	37	1	12	2	2	–	–	3	2	4	2
Joint Disease	–	5	1	2	–	10	7	36	2	17	3	3	–	2	–	3	1	–
Carbuncle	–	1	–	–	1	2	–	6	–	2	–	–	–	–	–	–	–	1
Phlegmon	–	2	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	3	6	14	–	3	–	1	–	–	–	3	–	–
Intemperance	1	–	–	1	1	5	9	27	–	12	1	2	–	–	1	1	–	–
Privation	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	1	4	–	4	4	47	–	13	–	–	–	–	–	1	1	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	4	6	–	1	–	–	–	–	–	4	–	–
Poison	–	4	2	2	–	4	5	15	–	7	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	8	6	12	1	13	15	103	1	36	1	2	1	–	1	10	7	2
Hanging, etc.	–	–	–	1	–	4	7	14	–	5	1	1	1	–	–	1	2	–
Suffocation	6	2	2	–	1	4	3	31	–	13	1	1	–	1	4	1	–	1
Drowning	3	8	25	37	4	35	25	84	2	20	4	4	2	–	3	11	4	3
Fracture and Contusion	4	25	16	15	2	58	84	266	18	154	10	9	–	3	7	19	6	6
Gunshot Wounds	–	–	–	–	–	–	–	4	–	5	2	–	–	1	–	1	–	1
Cuts and Stabs	–	1	1	2	–	4	2	8	1	9	2	–	–	–	–	2	–	–
Other Violent Causes	–	2	4	3	–	8	7	19	–	12	–	1	–	–	1	3	2	–
Not Specified	30	157	60	144	23	223	128	453	48	104	21	22	6	8	26	106	34	21

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife	Kinross.
ALL CAUSES	35355	282	218	323	186	632	700	72	506	443	2409	292	2613	1179	1610	66
SPECIFIED CAUSES	33716	207	199	298	158	587	613	64	471	411	2320	282	2511	1117	1515	65
I. Zymotic Class	7542	25	25	65	21	127	102	11	159	92	612	78	589	146	415	10
II. Diseases of Uncer. Seat	899	4	2	7	6	24	22	3	12	7	59	10	88	41	51	2
III. Tubercular Class	5734	37	37	40	25	70	87	16	62	63	364	34	413	191	184	5
IV. Brain and Nervous Sys.	2879	6	18	22	13	50	42	6	41	41	234	22	229	96	120	3
V. Organs of Circulation	1649	4	8	16	1	13	19	–	18	14	107	12	148	79	96	8
VI. Respiratory Organs	5256	22	14	41	16	37	79	2	36	52	288	24	375	145	209	11
VII Organs of Digestion	2592	14	11	22	12	31	61	8	31	32	193	32	174	100	107	3
VIII. Urinary Organs	675	4	6	11	4	13	17	1	12	17	76	8	38	33	23	4
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	212	2	1	5	2	6	7	–	3	6	17	1	7	12	10	–
XI. Skin, etc.	44	–	–	2	1	4	1	1	–	–	3	1	2	2	–	–
XII. Malformation	93	–	–	–	–	1	–	–	1	1	5	1	6	3	2	–
XIII. Premature Debility	1848	11	5	13	3	14	25	2	24	24	111	10	167	53	74	5
XIV. Atrophy	244	3	1	1	2	2	1	–	1	1	10	–	17	11	9	–
XV. Age	2333	50	61	40	47	121	123	11	48	49	159	36	143	140	147	13
XVI. Sudden Deaths	88	1	–	–	–	3	2	–	–	1	–	1	12	3	4	–
XVII. Violent Deaths	1627	24	10	13	5	21	25	3	23	11	82	12	103	62	64	1
I. Small Pox	103	–	–	–	1	–	–	–	–	–	6	1	11	–	–	–
Measles	536	1	–	–	–	–	–	–	2	11	50	3	8	2	18	–
Scarlatina	1411	1	2	2	6	38	25	1	102	10	143	9	59	9	72	–
Diphtheria	339	1	1	13	3	9	2	–	3	8	42	8	21	8	21	1
Hooping Cough	820	–	13	14	–	15	16	2	16	12	67	9	34	10	18	1
Croup	466	1	1	7	3	22	12	3	6	5	27	4	41	13	45	–
Thrush	19	–	–	–	–	–	–	–	–	–	3	–	6	1	2	–
Diarrhœa	723	1	1	1	3	9	14	1	9	6	54	6	59	21	27	–
Dysentery	139	–	–	–	–	1	1	1	1	3	14	1	19	11	6	–
Cholera	593	–	1	–	–	–	–	1	–	–	67	9	97	11	117	–
Influenza	90	1	–	2	1	2	4	–	1	4	12	2	9	1	3	–
Purpura	26	–	–	–	–	–	–	–	1	1	2	1	2	3	1	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	15	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	1090	8	2	1	–	7	2	–	–	5	36	5	113	24	30	1
Enteric Fever	640	6	1	11	1	11	13	2	10	12	47	13	53	16	42	5
Relapsing Fever	21	–	–	–	–	–	–	–	–	1	4	1	2	1	–	1
Simple Cont. Fever	121	4	–	7	2	10	7	–	4	10	13	–	24	1	2	–
Infantile Remittent	84	–	–	2	–	1	1	–	2	2	4	4	3	3	4	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	59	–	–	3	–	1	3	–	–	1	3	–	5	2	1	–
Erysipelas	135	–	3	2	–	–	2	–	1	1	14	2	14	6	6	1
Pyæmia	12	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Syphilis	70	–	–	–	–	–	–	–	1	–	4	–	8	2	–	–
Noma	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	1	–	1	–	–	2	1	1	1	2	1	6	1	–	–
Dropsy	280	–	1	3	2	8	10	1	2	2	13	2	30	15	22	1
Abscess	70	–	–	1	–	1	–	1	2	–	5	1	5	3	5	–
Ulcer	24	1	–	–	–	2	–	–	–	–	2	–	2	1	1	–
Fistula	10	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–
Mortification	73	–	–	–	–	3	2	–	2	–	10	–	5	2	4	–
Cancer	403	1	1	2	4	10	8	–	5	4	27	6	40	18	16	1
Gout	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
III. Scrofula	325	2	2	4	2	3	2	–	3	9	26	2	14	11	15	–
Tabes Mesenterica	451	1	–	1	–	1	5	1	3	5	28	1	25	7	9	–
Phthisis	3871	29	33	27	21	59	73	14	46	42	253	25	278	147	125	5
Hydrocephalus	1087	5	2	8	2	7	7	1	10	7	57	6	96	26	35	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	191	936	594	693	191	2268	2262	9623	529	3666	378	326	99	110	450	796	383	329
SPECIFIED CAUSES	174	850	567	625	174	2147	2198	9365	499	3619	367	315	95	102	435	738	363	315
Zymotic Class	31	160	94	86	22	531	610	2154	130	798	82	85	13	31	72	90	52	29
Uncertain Seat	5	22	21	27	1	46	50	196	6	93	12	18	4	2	18	23	11	11
Tubercular Class	35	146	115	91	38	399	386	1713	77	631	43	30	14	15	80	137	80	76
Brain, etc.	15	69	56	56	18	178	160	736	28	356	39	31	12	4	52	65	31	30
Heart, etc.	8	36	38	33	14	111	82	340	19	239	21	27	13	10	40	40	24	11
Respiratory Organs	24	134	84	67	25	297	335	1893	112	556	50	30	9	14	57	111	60	47
Digestive Organs	8	88	46	52	17	196	135	714	44	230	20	26	10	8	26	75	31	35
Urinary Organs	2	13	7	14	3	26	46	139	5	80	11	8	–	1	10	23	10	10
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	3	3	5	–	12	14	49	3	25	3	5	–	–	4	4	2	1
Skin	–	2	1	–	–	6	5	8	–	2	–	–	–	–	–	2	–	1
Malformation	–	3	2	3	1	4	5	25	3	22	1	–	–	–	1	2	–	1
Premature Debility	17	56	25	26	4	119	124	547	22	216	33	18	5	12	24	34	13	12
Atrophy	2	3	7	3	–	23	17	82	1	26	11	–	–	–	4	3	1	2
Age	18	75	23	104	25	84	106	293	27	142	22	27	12	–	33	84	32	38
Sudden Deaths	2	3	–	–	–	7	1	32	2	7	1	–	–	1	1	4	–	–
Violent Deaths	7	37	45	58	5	108	122	444	20	201	18	15	3	4	13	41	16	11
Small Pox	–	–	1	3	–	3	2	66	–	7	–	–	–	–	1	1	–	–
Measles	4	14	2	8	1	53	39	221	7	29	7	17	–	6	16	8	8	1
Scarlatina	1	30	11	7	1	116	168	438	49	47	26	7	3	5	3	8	9	3
Diphtheria	1	10	6	2	2	17	19	68	4	35	5	5	–	2	2	15	3	2
Hooping Cough	4	16	12	8	6	44	70	267	10	112	5	8	–	–	8	9	14	–
Croup	6	17	9	7	–	28	39	110	8	26	5	3	–	–	4	7	3	4
Thrush	–	–	–	–	–	–	3	1	–	2	–	–	–	–	1	–	–	–
Diarrhœa	2	17	9	13	2	55	59	214	12	83	10	7	–	6	5	9	4	4
Dysentery	1	3	5	–	2	7	8	26	1	14	1	–	–	2	3	6	2	–
Cholera	3	3	3	5	1	18	20	47	10	163	9	2	1	1	1	1	–	2
Influenza	–	3	–	2	1	4	8	18	–	4	–	2	1	–	1	2	2	–
Purpura	–	1	1	–	–	1	1	4	1	4	–	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	3	2	4	–	1	–	1	–	–	1	1	–	–
Typhus	5	23	16	6	3	133	74	418	11	135	7	7	–	–	7	4	1	6
Enteric Fever	3	7	13	14	2	23	64	122	10	70	3	21	7	5	13	14	6	–
Relapsing Fever	–	1	–	1	–	1	–	6	–	1	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	3	–	–	–	2	11	14	2	8	–	–	–	–	1	–	–	1
Infantile Remittent	–	4	–	–	–	6	8	24	–	9	2	–	–	–	–	1	–	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	2	4	1	1	2	12	–	7	–	1	–	1	3	2	–	–
Erysipelas	–	3	2	4	–	11	9	45	3	18	1	2	–	1	2	1	–	1
Pyæmia	–	–	–	–	–	–	–	3	–	5	–	–	–	1	–	–	–	1
Syphilis	–	2	2	1	–	5	3	23	2	16	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	1	3	–	2	1	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	2	–	–	4	5	–	2	–	1	–	–	1	1	1	1
Dropsy	3	7	9	8	–	17	16	72	3	18	3	3	1	–	3	4	–	1
Abscess	–	2	3	1	–	2	2	20	1	7	3	–	–	–	1	1	1	2
Ulcer	–	–	–	1	–	2	1	3	–	3	–	–	–	–	4	1	–	–
Fistula	–	–	–	–	–	–	2	1	–	2	–	–	–	1	–	–	–	–
Mortification	1	3	1	1	–	6	4	14	1	6	–	1	–	–	1	2	2	2
Cancer	1	9	8	14	1	18	21	81	1	55	6	8	3	1	8	14	6	5
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Scrofula	2	11	3	3	6	24	22	91	12	33	2	3	–	–	4	6	6	2
Tabes Mesenterica	1	8	5	2	3	26	43	179	9	41	6	–	2	2	15	9	5	8
Phthisis	26	99	86	81	21	263	246	1068	33	428	30	21	9	10	44	111	61	57
Hydrocephalus	6	28	21	5	8	86	75	375	23	129	5	6	3	3	17	11	8	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	213	–	2	1	3	1	3	–	8	4	14	1	14	–	17	–
Apoplexy	611	–	6	8	3	6	5	2	4	9	42	3	57	24	28	1
Paralysis	779	2	2	3	5	20	18	1	10	13	67	10	53	41	39	1
Delirium Tremens	49	–	–	1	–	–	–	–	–	–	6	–	5	2	4	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	135	2	–	3	–	2	4	–	3	–	19	–	8	6	7	–
Tetanus	27	–	–	–	–	3	–	–	–	–	1	–	1	–	2	–
Insanity	14	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Convulsions	518	1	4	3	–	10	3	–	10	5	45	6	60	11	7	–
Brain Disease	530	1	4	3	2	8	9	3	6	10	38	2	31	12	15	1
V. Pericarditis	29	–	–	–	–	–	–	–	–	–	2	–	–	2	2	–
Aneurism	62	–	–	–	–	–	–	–	2	1	6	–	7	7	3	–
Heart Disease	1558	4	8	16	1	13	19	–	16	13	99	12	141	70	91	8
VI. Laryngitis	55	–	–	2	–	–	1	–	–	1	4	–	3	4	3	–
Bronchitis	3315	10	7	24	9	19	30	1	18	26	154	17	238	84	134	7
Pleurisy	136	–	–	2	1	–	17	–	4	6	15	–	8	6	5	2
Pneumonia	1292	8	2	10	5	6	19	1	13	17	98	6	89	38	50	2
Asthma	269	4	3	3	1	12	10	–	1	–	9	–	16	6	11	–
Lung Disease	189	–	2	–	–	–	2	–	–	2	8	1	21	7	6	–
VII. Teething	580	5	–	–	2	3	10	3	7	6	69	7	56	19	22	1
Quinsey	29	–	–	1	1	1	–	1	–	–	2	–	–	2	1	–
Gastritis	97	–	–	3	–	3	4	–	1	–	4	1	3	8	6	1
Enteritis	479	1	–	5	2	6	9	1	6	5	20	6	19	17	22	–
Peritonitis	98	1	–	1	1	–	2	–	1	1	11	1	2	4	1	–
Ascites	25	–	1	1	–	–	–	–	–	–	–	–	1	1	2	–
Ulceration of Intestines	86	–	1	–	–	1	1	–	2	1	13	2	4	–	3	–
Hernia	60	–	–	2	–	1	4	–	–	4	4	–	6	5	3	–
Ileus	140	2	–	1	1	2	2	–	6	2	11	1	12	10	5	–
Intussusception	23	–	–	–	–	1	–	–	–	2	2	2	3	–	4	–
Stricture of Intestines	25	–	–	–	–	–	1	–	–	–	1	2	1	–	2	–
Stomach Disease	391	3	5	5	2	7	10	1	4	7	21	4	29	16	15	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	95	–	–	–	–	–	4	–	–	1	2	–	7	2	6	1
Jaundice	86	–	1	1	1	2	4	1	1	–	6	2	12	3	4	–
Liver Disease	359	2	3	1	2	4	10	1	3	3	24	4	18	11	11	–
Spleen Disease	19	–	–	1	–	–	–	–	–	–	3	–	1	2	–	–
VIII. Nephritis	42	–	–	–	–	2	1	–	–	–	4	–	3	1	–	–
Nephria	119	–	–	–	–	5	3	–	2	4	5	–	11	3	3	–
Addison's Disease	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ischuria	37	1	–	1	–	–	2	1	2	–	3	–	2	4	–	–
Diabetes	50	–	–	–	–	1	1	–	–	2	5	–	–	3	2	1
Stone	59	1	5	4	2	2	4	–	1	–	10	3	–	4	2	–
Cystitis	156	2	–	3	1	1	3	–	4	8	16	2	10	12	8	3
Stricture of Urethra	16	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
Kidney Disease	194	–	1	2	–	2	2	–	3	3	32	2	12	6	8	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	51	–	1	1	–	1	1	–	1	1	4	1	–	2	5	–
Rheumatism	86	2	–	4	1	5	6	–	1	3	8	–	2	4	3	–
Joint and Bone Disease	75	–	–	–	1	–	–	–	1	2	5	–	5	6	2	–
XI. Carbuncle	15	–	–	2	1	2	1	–	–	–	1	–	1	1	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	25	–	–	–	–	2	–	1	–	–	2	–	1	1	–	–
XVII. Intemperance	45	–	–	–	–	–	–	–	2	–	2	–	2	2	4	–
Privation	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	54	–	–	–	–	–	–	–	–	–	6	–	3	1	3	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–
Poison	26	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	144	–	–	3	1	1	2	–	2	2	10	1	5	2	7	1
Hanging, etc.	36	–	–	–	–	–	2	–	–	–	3	–	4	3	2	–
Suffocation	55	–	–	–	–	–	1	–	–	1	6	–	5	1	1	–
Drowning	361	21	6	5	–	10	11	1	10	4	14	4	22	16	12	–
Fracture and Contusion	752	2	3	2	2	5	7	–	7	3	34	5	48	22	27	–
Gunshot Wounds	24	–	–	–	–	1	2	–	1	–	1	1	2	2	–	–
Cuts and Stabs	24	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
Other Violent Causes	86	–	1	3	–	3	–	2	1	1	4	–	10	10	7	–
Not Specified	1639	75	19	25	28	95	87	8	35	32	89	10	102	62	95	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	2	2	5	–	17	6	61	4	24	3	3	1	–	3	10	2	2
Apoplexy	3	13	13	15	3	44	37	144	6	71	9	10	5	1	10	8	10	11
Paralysis	4	22	15	18	4	42	54	136	4	107	17	8	1	1	26	22	9	4
Delirium Tremens	1	1	2	–	1	1	1	16	–	7	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	4	9	26	2	26	2	1	–	–	2	3	–	2
Tetanus	–	–	–	5	2	1	–	3	–	4	–	–	1	–	2	1	–	1
Insanity	–	–	–	–	–	2	1	4	–	4	–	–	–	–	–	–	–	–
Convulsions	3	8	10	6	3	28	22	187	8	49	7	4	2	1	2	8	3	2
Brain Disease	4	21	14	5	5	38	30	159	4	62	1	5	2	1	7	13	7	7
Pericarditis	–	2	–	–	1	7	1	7	–	3	–	–	–	–	–	1	1	–
Aneurism	1	2	3	–	–	2	2	9	1	13	–	–	–	–	–	3	–	–
Heart Disease	7	32	35	33	13	102	79	324	18	223	21	27	13	10	40	36	23	11
Laryngitis	–	2	2	1	1	1	5	14	–	8	–	1	–	–	–	1	1	–
Bronchitis	18	76	63	40	13	201	207	1254	75	361	35	21	5	10	34	57	35	32
Pleurisy	–	2	2	1	1	6	8	15	4	23	1	–	–	1	1	3	2	1
Pneumonia	3	28	9	16	8	71	82	474	21	112	9	6	2	4	14	40	17	12
Asthma	3	10	2	8	1	11	31	77	2	26	2	1	1	–	6	8	4	–
Lung Disease	–	16	6	1	1	7	2	59	10	26	3	1	1	–	2	2	1	2
Teething	2	10	13	6	1	77	14	183	11	35	3	–	1	–	1	7	2	4
Quinsey	–	–	2	1	–	2	2	6	1	1	–	1	–	–	–	1	–	3
Gastritis	1	1	–	1	1	6	7	28	2	8	1	–	–	–	1	5	1	–
Enteritis	1	23	7	3	5	41	36	147	12	35	1	7	2	3	8	13	7	9
Peritonitis	1	–	1	1	–	8	7	33	1	8	–	–	1	2	–	4	4	1
Ascites	–	–	–	1	1	2	1	9	–	2	–	–	–	–	–	2	1	–
Ulceration of Intestines	–	9	4	1	–	3	3	16	1	8	2	4	1	–	2	2	–	2
Hernia	–	1	–	5	–	4	3	7	–	8	–	–	–	–	1	2	–	–
Ileus	–	2	2	6	1	7	7	36	1	9	4	2	–	–	3	3	2	–
Intussusception	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	2	1	–
Stricture of Intestines	–	1	1	–	–	–	–	2	–	11	–	1	–	–	–	2	–	–
Stomach Disease	–	15	7	13	4	13	24	103	6	35	6	7	1	2	3	12	8	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	3	2	1	8	6	29	1	6	1	–	1	1	2	5	–	1
Jaundice	–	1	–	2	–	5	7	16	2	9	1	2	1	–	1	–	–	1
Liver Disease	2	21	6	10	3	19	15	93	6	52	1	2	2	–	2	15	3	10
Spleen Disease	–	–	–	–	–	–	2	4	–	1	–	–	–	–	2	–	2	1
Nephritis	–	–	1	1	–	2	2	19	–	3	–	–	–	1	–	1	–	1
Nephria	1	4	1	4	1	4	7	28	2	20	3	1	–	–	2	3	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	1	–	4	–	3	5	1	–	4	–	–	–	–	–	–	2	1
Diabetes	–	2	2	1	–	2	5	11	1	3	1	–	–	–	1	3	–	3
Stone	–	–	–	–	–	1	5	6	–	4	–	1	–	–	–	3	1	–
Cystitis	1	3	1	4	1	4	9	22	1	16	1	4	–	–	5	7	2	2
Stricture of Urethra	–	–	–	–	–	–	–	5	–	6	–	–	–	–	–	–	1	–
Kidney Disease	–	3	2	–	1	10	13	47	1	24	6	1	–	–	2	6	3	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	6	11	1	9	–	1	–	–	3	1	–	–
Rheumatism	–	2	3	3	–	5	4	18	–	4	1	2	–	–	1	1	2	1
Joint Disease	–	1	–	2	–	6	4	20	2	12	2	2	–	–	–	2	–	–
Carbuncle	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	3	5	6	–	1	–	–	–	–	–	2	–	–
Intemperance	1	–	–	1	1	4	4	12	–	5	1	2	–	–	1	1	–	–
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	2	–	3	1	28	–	6	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	3	4	–	1	–	–	–	–	–	3	–	–
Poison	–	2	2	–	–	2	3	11	–	4	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	2	7	–	6	3	56	1	16	1	–	–	–	1	4	5	1
Hanging, etc.	–	–	–	–	–	4	6	5	–	2	1	1	1	–	–	1	1	–
Suffocation	–	2	1	–	–	2	3	18	–	8	1	1	–	–	2	1	–	1
Drowning	3	7	22	34	3	28	18	70	2	15	4	4	2	–	1	8	2	2
Fracture and Contusion	3	21	15	12	1	50	75	214	17	124	7	7	–	3	7	18	5	6
Gunshot Wounds	–	–	–	–	–	–	–	4	–	5	2	–	–	1	–	1	–	1
Cuts and Stabs	–	1	1	2	–	2	–	4	–	7	1	–	–	–	1	2	2	–
Other Violent Causes	–	–	2	–	–	7	6	16	–	8	–	–	–	–	–	2	–	–
Not Specified	17	86	27	68	17	121	64	258	30	47	11	11	4	8	15	58	20	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35993	294	253	346	183	746	751	92	485	549	2474	308	2786	1261	1677	66
SPECIFIED CAUSES	34480	226	226	316	157	632	660	86	443	527	2372	299	2689	1202	1596	65
I. Zymotic Class	8022	36	34	56	29	124	108	11	129	134	607	85	639	192	449	9
II. Diseases of Uncer. Seat	1551	7	12	17	7	31	24	6	16	25	104	21	138	54	69	2
III. Tubercular Class	5919	25	34	29	25	71	85	15	51	72	373	33	458	195	222	14
IV. Brain and Nervous Sys.	2595	4	12	25	10	40	53	8	32	39	178	25	195	100	118	6
V. Organs of Circulation	1569	4	6	19	3	12	22	2	17	25	115	15	158	69	71	4
VI. Respiratory Organs	4780	9	20	40	11	62	71	10	30	54	302	21	353	137	179	8
VII. Organs of Digestion	2360	25	12	24	9	14	25	2	40	47	157	21	176	93	93	6
VIII. Urinary Organs	341	–	–	4	1	5	8	–	9	12	38	1	28	12	11	1
IX. Organs of Generation	545	10	1	4	3	17	18	1	9	3	35	8	36	23	27	1
X. Organs of Locomotion	175	2	2	4	1	6	7	1	1	2	16	5	6	6	10	–
XI. Skin, etc.	31	1	–	1	–	–	–	–	1	–	1	–	2	1	1	–
XII. Malformation	75	–	–	–	–	1	1	–	1	–	1	2	7	5	2	–
XIII. Premature Debility	1627	3	1	9	2	12	20	1	15	18	88	8	174	51	55	5
XIV. Atrophy	282	–	1	2	–	–	8	–	4	1	11	1	16	9	14	–
XV. Age	3922	95	90	74	54	233	196	26	78	91	298	49	256	229	248	8
XVI. Sudden Deaths	68	1	1	–	1	–	1	–	–	–	2	–	8	5	6	–
XVII. Violent Deaths	618	4	–	8	1	4	13	3	10	4	46	4	39	21	26	1
I. Small Pox	97	1	–	1	–	1	–	1	1	–	6	–	13	2	1	–
Measles	502	–	–	–	–	1	–	–	–	7	38	3	2	2	7	–
Scarlatina	1295	1	2	2	8	24	28	–	64	23	132	7	53	5	73	–
Diphtheria	346	–	4	7	2	7	2	–	5	8	42	4	30	20	27	1
Hooping Cough	1040	–	15	13	–	22	11	6	10	13	64	12	49	16	13	–
Croup	437	1	1	9	5	15	18	1	6	8	19	3	37	13	30	1
Thrush	20	–	–	–	–	–	1	–	1	1	1	–	5	2	2	–
Diarrhœa	781	2	1	1	3	6	14	2	7	6	53	9	66	24	33	1
Dysentery	155	1	–	1	–	1	3	–	3	4	16	5	18	6	6	1
Cholera	677	1	–	–	–	1	–	–	–	1	75	13	117	13	143	–
Influenza	110	2	2	1	–	6	2	–	4	3	16	5	11	3	6	–
Purpura	15	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–
Typhus	1082	13	–	3	–	14	3	1	2	11	44	4	122	35	34	2
Enteric Fever	764	8	3	8	5	8	13	–	9	30	46	15	59	26	40	2
Relapsing Fever	13	1	1	–	–	–	–	–	–	–	3	–	1	1	3	–
Simple Cont. Fever	128	3	3	4	3	13	4	–	7	7	21	2	11	2	1	–
Infantile Remittent	75	1	–	2	–	–	1	–	2	1	3	1	5	–	9	–
Metria	181	–	–	1	–	1	2	–	3	3	10	–	15	10	9	1
Rheumatic Fever	44	–	1	2	1	1	1	–	–	4	2	1	3	1	–	–
Erysipelas	140	–	1	1	2	1	–	–	4	4	9	–	13	4	7	–
Pyæmia	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Syphilis	86	–	–	–	–	–	1	–	1	–	5	–	7	5	3	–
Noma	15	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	28	–	–	–	–	–	1	–	–	–	–	–	3	1	2	–
Dropsy	441	6	5	4	2	10	9	–	5	2	20	2	46	18	17	–
Abscess	64	–	–	–	–	2	–	2	1	–	2	2	8	3	5	–
Ulcer	14	–	–	–	–	3	–	–	–	–	1	1	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	71	–	1	1	–	2	1	–	–	–	3	–	7	4	2	–
Cancer	924	1	6	12	5	14	13	4	10	23	77	16	73	28	43	2
Gout	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
III. Scrofula	292	–	2	1	–	1	–	2	5	12	23	2	8	11	11	–
Tabes Mesenterica	408	–	–	–	1	1	2	–	4	3	23	–	13	4	14	–
Phthisis	4412	23	30	23	20	68	76	13	36	51	278	29	368	158	168	12
Hydrocephalus	807	2	2	5	4	1	7	–	6	6	49	2	69	22	29	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	192	895	584	709	198	2400	2232	9180	496	3573	400	331	97	128	458	790	433	326
SPECIFIED CAUSES	179	824	551	633	192	2298	2168	9285	478	3516	390	320	95	128	447	742	419	319
Zymotic Class	33	187	106	90	31	526	658	2294	153	770	100	102	16	32	74	112	61	35
Uncertain Seat	11	48	24	36	13	93	98	326	18	192	18	27	5	6	25	37	20	21
Tubercular Class	40	130	121	93	33	462	403	1821	77	562	50	29	16	15	84	136	79	66
Brain, etc.	11	71	48	55	23	183	153	644	26	290	38	40	11	6	32	67	33	24
Heart, etc.	8	43	37	27	12	96	110	323	16	190	23	16	10	10	36	37	20	13
Respiratory Organs	20	79	64	76	18	297	201	1671	77	588	34	29	10	17	59	111	76	46
Digestive Organs	10	69	44	40	10	195	127	613	34	241	25	17	10	16	41	59	35	30
Urinary Organs	6	10	4	7	–	7	17	75	8	54	3	3	–	3	1	10	–	3
Generative Organs	2	12	9	16	5	42	32	127	7	45	6	9	4	1	8	11	10	3
Locomotive Organs	1	4	2	3	1	8	11	39	1	19	3	1	–	2	3	4	3	1
Skin	–	1	–	–	1	–	1	13	1	4	–	1	–	–	–	1	–	–
Malformation	–	2	2	–	–	2	3	20	2	16	1	2	–	–	2	1	2	–
Premature Debility	9	45	27	18	4	133	102	500	26	168	25	5	4	8	29	29	17	16
Atrophy	2	8	4	5	–	23	19	85	2	35	10	2	–	–	6	6	3	5
Age	24	98	47	145	37	199	190	532	26	244	50	32	8	11	42	105	54	53
Sudden Deaths	1	2	–	2	–	1	–	20	2	11	–	–	–	–	1	3	–	–
Violent Deaths	1	15	12	20	4	31	43	182	2	87	4	5	1	1	4	13	6	3
Small Pox	–	–	–	2	–	8	–	59	–	5	–	–	–	1	–	–	–	–
Measles	2	13	5	6	–	64	37	214	6	22	6	23	2	10	16	7	8	1
Scarlatina	–	26	11	8	2	100	175	421	62	30	17	4	–	–	4	5	4	4
Diphtheria	1	12	7	3	1	11	10	70	4	32	2	9	–	5	1	14	3	2
Hooping Cough	5	21	17	10	11	50	107	366	14	120	11	11	6	1	13	14	15	4
Croup	10	15	10	2	–	30	42	106	4	18	6	4	–	2	3	9	5	4
Thrush	–	–	–	–	–	2	1	2	1	1	–	–	–	–	–	–	–	–
Diarrhœa	5	32	11	16	3	51	48	235	7	98	11	6	–	2	6	14	3	5
Dysentery	–	7	3	3	1	11	10	23	2	11	1	–	–	–	3	8	7	–
Cholera	–	3	4	9	1	21	16	64	5	170	15	1	–	1	2	–	1	–
Influenza	1	3	1	7	2	2	7	13	1	8	–	–	–	–	1	–	1	2
Purpura	–	1	–	–	–	1	–	2	–	4	–	–	–	–	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	2	–	1	–	1	–	–	–	1	–	–
Typhus	5	30	13	9	5	110	83	390	12	103	7	7	1	1	4	7	2	5
Enteric Fever	3	10	14	7	1	33	73	153	17	81	19	32	6	7	11	20	2	3
Relapsing Fever	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	4	1	–	2	7	16	5	2	–	1	–	–	2	3	2	2
Infantile Remittent	1	2	1	1	–	3	5	18	1	8	1	–	–	–	1	4	1	3
Metria	–	6	1	2	3	16	13	49	5	18	1	2	1	1	2	3	3	–
Rheumatic Fever	–	1	1	2	–	2	3	9	–	6	1	–	–	–	2	–	–	–
Erysipelas	–	–	1	2	1	11	14	45	5	10	–	1	–	–	1	1	2	–
Pyæmia	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–
Syphilis	–	4	1	–	–	3	5	31	1	16	1	–	–	1	1	–	–	–
Noma	–	–	1	–	–	–	–	3	1	3	–	–	–	–	–	1	2	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	2	–	–	1	4	7	–	3	–	–	–	–	2	–	–	–
Dropsy	6	20	6	12	1	44	24	112	8	32	3	6	2	–	3	9	6	6
Abscess	–	2	1	2	–	5	4	14	1	9	–	–	–	–	–	1	–	–
Ulcer	–	–	–	2	–	1	1	–	–	2	–	1	1	–	–	1	–	–
Fistula	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	1	3	1	18	4	12	–	1	1	–	2	2	2	1
Cancer	5	22	15	20	11	37	63	175	10	130	15	19	1	6	18	24	12	14
Gout	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Scrofula	1	8	4	9	2	20	24	80	7	40	3	1	–	2	1	3	2	7
Tabes Mesenterica	1	6	7	5	2	32	36	137	15	58	5	1	1	1	15	13	6	2
Phthisis	34	91	94	75	25	343	292	1339	36	366	36	23	12	11	57	111	62	52
Hydrocephalus	4	25	16	4	4	67	51	265	19	98	6	4	3	1	11	9	9	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

	DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	177	–	–	3	2	8	4	–	3	4	12	1	10	4	9	–
	Apoplexy	568	–	3	8	–	2	9	5	9	11	50	4	41	21	24	1
	Paralysis	842	2	7	9	6	19	24	2	11	8	42	15	58	40	50	–
	Delirium Tremens	11	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
	Chorea	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Epilepsy	120	1	–	3	–	1	1	–	–	2	10	1	8	6	10	–
	Tetanus	18	–	–	–	–	4	–	–	–	–	2	1	1	–	–	1
	Insanity	21	–	–	–	–	1	3	–	–	–	1	–	1	–	–	–
	Convulsions	414	–	1	2	2	3	5	–	4	5	33	–	45	8	5	1
	Brain Disease	416	1	1	–	–	2	7	1	4	9	27	3	28	20	14	3
V.	Pericarditis	20	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
	Aneurism	23	–	–	–	–	1	1	–	1	–	1	2	1	–	–	–
	Heart Disease	1526	4	6	19	3	11	21	2	16	25	114	13	155	69	70	4
VI.	Laryngitis	43	–	1	–	–	–	1	–	–	–	4	–	5	–	1	–
	Bronchitis	3314	3	10	19	3	32	23	7	20	28	209	13	250	94	128	5
	Pleurisy	116	–	–	1	1	1	12	–	3	4	9	1	3	5	8	–
	Pneumonia	915	4	1	7	2	7	11	2	4	19	59	5	60	24	31	3
	Asthma	231	2	3	9	5	20	15	1	3	2	10	1	20	11	4	–
	Lung Disease	161	–	5	4	–	2	9	–	–	1	11	1	15	3	7	–
VII.	Teething	458	6	–	1	1	3	2	–	10	8	35	2	55	12	13	2
	Quinsey	22	2	–	2	–	–	1	–	1	1	1	–	–	1	1	–
	Gastritis	90	–	–	–	–	–	–	1	3	–	9	3	2	3	2	2
	Enteritis	407	1	2	1	–	3	4	–	7	6	16	2	18	17	14	–
	Peritonitis	159	1	–	1	–	–	4	–	1	3	11	1	10	9	7	–
	Ascites	37	1	3	1	–	–	1	–	–	–	2	–	5	2	2	–
	Ulceration of Intestines	92	2	–	3	1	–	–	–	2	6	12	2	5	4	4	–
	Hernia	58	1	–	–	–	–	–	–	–	2	10	–	7	2	1	–
	Ileus	132	3	1	2	–	1	1	1	5	6	12	2	9	6	7	–
	Intussusception	11	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–
	Stricture of Intestines	15	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–
	Stomach Disease	359	3	6	5	5	3	9	–	4	7	19	3	29	17	17	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	76	3	–	5	–	2	–	–	–	–	–	1	2	2	6	–
	Jaundice	87	2	–	–	1	–	–	–	3	2	8	2	5	4	4	–
	Liver Disease	339	–	–	2	1	2	3	–	4	6	18	3	28	14	11	1
	Spleen Disease	18	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
VIII.	Nephritis	27	–	–	–	–	–	–	–	1	–	3	–	4	–	–	–
	Nephria	116	–	–	2	–	3	3	–	2	2	8	–	11	6	2	–
	Addison's Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Ischuria	13	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–
	Diabetes	25	–	–	1	–	1	–	–	2	–	4	1	–	–	2	–
	Stone	4	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	Cystitis	23	–	–	–	–	–	–	–	1	1	2	–	3	–	3	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	128	–	–	1	–	–	5	–	3	7	19	–	9	5	3	1
IX.	Paramenia	25	1	–	–	–	1	–	–	1	–	1	–	4	1	1	–
	Ovarian Dropsy	77	–	–	1	–	–	–	–	–	–	3	2	6	7	6	1
	Childbirth	356	9	1	3	3	13	16	1	6	1	20	5	20	12	17	–
	Organs of Generation	87	–	–	–	–	3	2	–	2	2	11	1	6	3	3	–
X.	Arthritis	26	–	1	–	–	1	1	–	–	–	4	1	–	1	1	–
	Rheumatism	96	1	1	3	1	5	5	1	–	2	8	3	3	4	8	–
	Joint and Bone Disease	53	1	–	1	–	–	1	–	1	–	4	1	3	1	1	–
XI.	Carbuncle	9	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Phlegmon	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Skin Disease	17	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–
XVII.	Intemperance	33	–	–	–	–	–	1	–	–	–	1	–	2	1	–	–
	Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	46	–	–	–	–	–	–	–	1	–	4	–	2	–	2	–
	Neglect	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	Cold	11	1	–	–	–	–	1	–	1	–	1	–	–	1	1	–
	Poison	20	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Burns and Scalds	160	3	–	1	1	1	5	1	1	1	11	3	6	4	9	1
	Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
	Suffocation	47	–	–	1	–	–	1	–	2	–	7	–	7	1	3	–
	Drowning	68	–	–	3	–	3	1	–	1	–	3	–	4	1	3	–
	Fracture and Contusion	161	–	–	2	–	–	3	1	2	2	12	–	10	6	6	–
	Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	35	–	–	1	–	–	1	1	2	1	3	–	3	4	1	–
	Not Specified	1513	68	27	30	26	114	91	6	42	22	102	9	97	59	81	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1866.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	2	6	1	3	9	10	50	4	18	2	2	–	–	3	1	3	2
Apoplexy	–	14	8	14	7	51	38	121	4	61	12	10	4	1	4	15	10	6
Paralysis	5	34	17	15	11	49	54	160	8	98	15	14	3	4	14	30	9	9
Delirium Tremens	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–	1	–	–
Chorea	–	1	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Epilepsy	2	4	–	8	–	8	4	23	2	17	2	2	–	–	1	3	1	–
Tetanus	–	–	–	2	–	1	3	1	–	1	–	–	–	–	–	1	–	–
Insanity	–	–	–	1	–	4	–	3	–	3	1	–	–	–	–	3	–	–
Convulsions	–	6	9	10	1	29	26	152	6	36	1	6	2	1	2	6	4	3
Brain Disease	3	10	8	4	1	31	18	127	2	55	4	6	2	–	8	7	6	4
Pericarditis	–	–	1	1	–	4	–	8	–	1	–	–	1	1	–	–	–	–
Aneurism	–	–	–	–	–	3	1	4	–	6	–	–	–	–	1	1	–	–
Heart Disease	8	43	36	26	12	89	109	311	16	183	23	16	9	9	35	36	20	13
Laryngitis	–	–	1	2	–	3	3	7	–	10	–	2	–	–	3	–	–	–
Bronchitis	15	52	49	56	12	211	140	1195	63	427	19	17	7	13	34	70	50	40
Pleurisy	–	–	1	–	2	4	11	13	2	18	1	2	–	2	5	5	2	–
Pneumonia	4	16	8	10	3	53	35	356	11	89	14	7	2	2	11	29	20	6
Asthma	1	2	4	8	–	9	7	57	1	23	–	1	–	–	4	4	4	–
Lung Disease	–	9	1	–	1	17	5	43	–	21	–	–	1	–	2	3	–	–
Teething	1	14	6	5	1	60	18	158	9	25	3	–	3	1	1	2	–	1
Quinsey	–	1	–	–	–	2	1	3	–	2	1	1	–	–	–	1	–	–
Gastritis	–	–	2	2	1	4	9	28	1	10	1	1	–	–	–	4	1	1
Enteritis	–	9	11	4	1	41	29	132	7	35	2	3	–	3	10	13	13	3
Peritonitis	–	5	2	–	1	15	9	43	3	26	–	1	–	1	1	1	2	1
Ascites	–	1	1	2	–	2	3	3	1	3	–	1	–	–	1	–	2	–
Ulceration of Intestines	1	1	4	1	–	2	3	10	1	13	1	2	2	2	4	1	–	3
Hernia	–	1	–	2	1	–	4	14	–	8	–	–	–	–	1	2	1	1
Ileus	1	3	1	6	–	2	2	26	5	11	5	2	–	1	5	2	2	2
Intussusception	–	–	1	1	–	–	1	2	–	1	–	–	–	–	–	–	–	1
Stricture of Intestines	–	1	–	–	–	–	1	5	–	2	–	–	–	–	–	1	–	1
Stomach Disease	1	12	8	7	3	19	23	65	3	44	3	4	4	6	7	13	3	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	2	1	9	4	19	–	5	1	–	–	–	–	6	3	1
Jaundice	1	4	2	2	–	5	4	14	2	12	3	1	–	–	2	1	3	–
Liver Disease	4	15	4	5	1	31	14	86	2	43	5	1	1	–	9	12	4	9
Spleen Disease	–	–	1	1	–	3	2	5	–	1	–	–	–	2	–	–	1	–
Nephritis	1	2	1	1	–	1	–	8	–	3	–	–	–	–	–	1	–	1
Nephria	2	3	1	4	–	1	7	21	6	23	2	–	–	2	–	4	–	1
Addison's Disease	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	2	1	–	3	–	–	–	–	–	1	–	–
Diabetes	–	1	–	1	–	–	–	6	–	2	–	–	–	1	1	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	1	–	1	1	–	–	1	4	–	3	–	1	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	1	–	–	3	6	35	2	19	1	1	–	–	–	2	–	–
Paramenia	–	–	1	–	–	2	2	2	–	–	–	1	–	–	1	3	3	–
Ovarian Dropsy	1	1	1	2	–	5	4	16	–	11	–	1	1	–	2	2	3	2
Childbirth	1	9	4	12	3	29	22	87	5	29	3	7	2	1	5	6	3	1
Organs of Generation	–	2	3	2	2	6	4	22	2	5	3	1	1	–	–	–	1	–
Arthritis	–	–	–	–	–	1	1	4	–	6	1	–	–	–	1	2	–	–
Rheumatism	1	–	1	3	1	3	7	19	1	8	1	–	–	–	2	1	2	1
Joint Disease	–	4	1	–	–	4	3	16	–	5	1	1	–	2	–	1	1	–
Carbuncle	–	–	–	–	1	–	–	4	–	2	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	8	–	2	–	1	–	–	–	1	–	–
Intemperance	–	–	–	–	–	1	5	15	–	7	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	1	2	–	1	3	19	–	7	–	–	–	–	–	1	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–	–
Poison	–	2	–	2	–	2	2	4	–	3	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	4	4	5	1	7	12	47	–	20	–	2	1	–	–	6	2	1
Hanging, etc.	–	–	–	1	–	–	1	9	–	3	–	–	–	–	–	–	1	–
Suffocation	–	–	1	–	1	2	–	13	–	5	–	–	–	1	2	–	–	–
Drowning	–	1	3	3	1	7	7	14	–	5	–	–	–	–	–	1	–	–
Fracture and Contusion	1	4	1	3	1	8	9	52	1	30	3	2	–	–	2	3	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Cuts and Stabs	–	–	–	–	–	2	2	4	1	2	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	2	3	–	1	1	3	–	4	–	1	–	–	–	1	–	–
Not Specified	13	71	33	76	6	102	64	195	18	57	10	11	2	–	11	48	14	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	12829	914	828	4813	3130	2324	1345	1488	924	613
SPECIFIED CAUSES	12628	893	813	4783	3006	2311	1302	1443	911	601
I. Zymotic Class	2854	202	170	1012	771	610	320	310	232	113
II. Diseases of Uncertain Seat	349	26	17	200	119	69	44	34	27	18
III. Tubercular Class	2452	176	178	879	544	376	224	293	113	103
IV. Brain and Nervous System	956	57	96	425	218	234	106	135	68	51
V. Organs of Circulation	458	30	19	294	140	106	50	74	43	44
VI. Respiratory Organs	2630	173	147	754	455	342	166	210	163	68
VII. Organs of Digestion	863	36	50	303	190	168	117	115	71	34
VIII. Urinary Organs	162	6	12	110	39	48	9	13	8	15
IX. Organs of Generation	88	3	6	31	22	14	11	19	4	9
X. Organs of Locomotion	61	4	5	37	6	19	12	4	4	4
XI. Skin, etc.	12	2	1	4	3	1	1	4	–	–
XII. Malformation	24	2	3	27	3	3	2	3	2	3
XIII. Premature Debility	722	62	38	237	212	94	82	83	75	48
XIV. Atrophy	105	10	9	40	29	14	19	15	11	8
XV. Age	434	83	35	236	160	145	107	68	44	55
XVI. Sudden Deaths	37	2	–	10	8	2	2	4	2	4
XVII. Violent Deaths	421	19	27	184	87	66	30	59	44	24
I. Small Pox	104	5	1	9	23	10	1	–	–	1
Measles	333	23	26	40	7	70	31	40	5	1
Scarlatina	422	45	26	45	100	143	59	44	8	5
Diphtheria	83	7	8	49	18	17	5	10	4	3
Hooping Cough	432	20	25	189	59	68	22	35	20	14
Croup	127	5	13	19	54	10	17	23	5	7
Thrush	2	–	–	1	7	1	1	1	1	–
Diarrhœa	291	24	25	114	82	53	27	38	21	14
Dysentery	29	2	1	14	15	9	4	7	6	2
Cholera	68	3	7	148	112	66	7	14	98	17
Influenza	20	–	2	7	10	7	–	1	1	1
Purpura	5	–	1	5	1	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	4	–	1	1	–	–	–	1	–	–
Typhus	596	39	6	190	183	59	116	69	30	24
Enteric Fever	154	9	15	84	41	45	14	8	20	7
Relasing Fever	3	1	–	1	2	5	1	–	–	–
Simple Continued Fever	8	–	2	3	19	14	1	3	–	2
Infantile Remittent	27	1	1	7	8	5	4	3	5	1
Metria	36	2	–	14	8	5	1	4	1	1
Rheumatic Fever	9	3	2	7	1	2	–	1	1	2
Erysipelas	62	4	6	24	9	11	9	6	3	5
Pyœmia	3	–	–	6	1	–	–	–	2	1
Syphilis	33	8	2	30	10	9	–	2	–	5
Noma	3	1	–	5	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	–	4	3	2	–	1	1	–
Dropsy	123	8	4	23	53	13	27	13	13	3
Abscess	22	2	3	14	8	4	3	2	–	1
Ulcer	3	–	–	4	1	1	1	2	1	1
Fistula	1	–	–	3	–	1	–	–	–	–
Mortification	21	1	1	14	6	5	2	5	2	3
Cancer	170	15	9	136	47	39	11	11	9	10
Gout	–	–	–	2	1	–	–	–	1	–
III. Scrofula	106	13	5	51	11	20	16	13	7	5
Tabes Mesenterica	195	16	13	57	23	31	11	17	15	4
Phthisis	1720	115	115	603	393	261	155	216	56	77
Hydrocephalus	431	32	45	168	117	64	42	47	35	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	412	434	247	359	283	311	315	404	714	317	400	425	543
SPECIFIED CAUSES	410	432	239	353	265	303	312	396	709	294	381	420	528
Zymotic Class	72	91	27	69	47	102	55	77	279	87	149	131	84
Uncertain Seat	9	27	11	15	9	8	11	13	18	11	13	12	20
Tubercular Class	54	71	54	80	46	34	60	80	128	64	59	62	88
Brain, etc.	40	44	18	34	25	24	30	25	50	22	19	29	45
Heart, etc.	19	31	28	25	16	11	31	21	25	8	9	11	36
Respiratory Organs	55	58	37	37	51	44	30	63	77	34	42	82	122
Digestive Organs	44	23	20	30	17	7	27	23	38	17	32	30	27
Urinary Organs	7	5	5	7	4	1	4	6	11	3	2	1	11
Generative Organs	3	3	–	2	1	2	4	3	4	2	2	–	3
Locomotive Organs	5	3	–	–	2	4	3	1	1	1	1	–	3
Skin	–	–	–	–	–	–	1	2	–	1	–	2	–
Malformation	–	–	4	–	1	1	1	1	–	1	2	–	–
Premature Debility	26	36	6	14	7	17	23	22	38	10	10	20	23
Atrophy	4	2	–	–	3	4	2	2	3	2	5	3	7
Age	62	21	23	28	30	32	24	41	26	20	25	12	45
Sudden Deaths	–	3	1	3	1	2	–	–	–	–	2	3	1
Violent Deaths	10	14	5	9	5	10	6	16	11	11	9	22	13
Small Pox	–	–	1	–	–	–	–	–	1	1	–	–	1
Measles	–	–	–	–	1	–	8	–	14	1	20	8	16
Scarlatina	17	1	–	3	1	64	1	3	123	26	46	18	10
Diphtheria	–	5	1	–	4	6	2	–	2	5	2	2	1
Hooping Cough	4	16	2	1	8	1	2	26	20	5	23	41	22
Croup	12	6	3	4	11	6	4	5	13	10	9	6	8
Thrush	1	–	–	–	3	–	–	–	–	–	–	–	–
Diarrhœa	18	10	5	13	3	5	20	8	18	13	9	17	10
Dysentery	–	6	2	1	–	3	–	1	4	3	–	1	3
Cholera	–	–	2	27	1	3	–	1	5	2	–	2	–
Influenza	–	–	1	–	–	–	2	–	–	–	–	1	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	1	7	6	7	3	3	7	21	48	14	27	11	1
Enteric Fever	12	13	1	8	5	2	3	8	12	5	8	9	3
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	4	13	1	–	–	–	–	1	6	–	–	9	–
Infantile Remittent	–	–	–	–	1	6	2	–	2	–	–	3	3
Metria	–	2	–	–	–	2	2	–	2	–	1	1	2
Rheumatic Fever	–	3	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	–	5	2	3	4	–	–	–	7	2	2	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	4	–	1	–	1	1	3	2	–	–	2	–
Noma	1	–	–	–	–	–	–	–	–	–	1	–	3
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	–	2	–	–	–	–	1	–	–	–	–
Dropsy	2	5	2	4	5	4	4	3	3	1	7	3	4
Abscess	–	1	2	–	–	1	1	1	1	1	1	–	2
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	1	1	–	–	–	–	1	3	–	1	1
Cancer	3	17	6	8	4	2	6	9	12	6	5	8	11
Gout	–	–	–	–	–	1	–	–	–	–	–	–	1
Scrofula	–	–	7	–	1	–	1	6	8	3	4	–	1
Tabes Mesenterica	3	2	3	5	2	1	2	3	5	6	13	11	4
Phthisis	46	60	36	62	30	31	49	60	87	37	30	37	75
Hydrocephalus	5	9	8	13	13	2	8	11	28	18	12	14	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	76	9	8	29	11	12	5	9	4	1
Apoplexy	177	14	22	97	47	40	33	21	12	12
Paralysis	202	17	13	121	47	62	32	30	25	18
Delirium Tremens	15	–	1	6	6	5	–	1	1	2
Chorea	1	–	–	3	–	–	1	–	–	–
Epilepsy	25	4	5	22	6	18	4	6	4	2
Tetanus	2	–	–	3	–	2	–	–	1	–
Insanity	3	1	3	3	–	2	4	1	–	–
Convulsions	257	5	21	49	84	63	14	26	16	6
Brain Disease	198	7	23	92	17	30	13	41	5	10
V. Pericarditis	9	–	–	1	1	–	5	5	2	1
Aneurism	6	4	1	13	1	4	2	2	2	4
Heart Disease	443	26	18	280	138	102	43	67	39	39
VI. Laryngitis	15	3	–	13	2	6	1	2	3	–
Bronchitis	1839	95	91	512	311	211	114	154	117	49
Pleurisy	17	–	2	25	4	12	3	3	3	2
Pneumonia	602	51	42	136	86	82	35	30	25	15
Asthma	81	16	9	33	24	15	9	7	5	–
Lung Disease	76	8	3	35	28	16	4	14	5	2
VII. Teething	263	11	10	28	78	71	28	61	18	10
Quinsey	4	–	–	1	–	2	–	3	–	–
Gastritis	35	1	–	7	4	1	–	4	3	–
Enteritis	144	10	17	47	23	11	40	9	7	5
Peritonitis	40	–	4	25	6	6	7	3	6	3
Ascites	8	1	–	4	4	1	–	–	1	1
Ulceration of Intestines	11	–	1	13	–	9	–	1	5	1
Hernia	17	–	1	14	3	3	2	1	1	1
Ileus	37	–	1	13	11	10	–	6	3	5
Intussusception	3	–	–	3	2	1	–	1	–	–
Stricture of Intestines	5	–	–	11	1	2	–	–	1	–
Stomach Disease	126	4	3	47	22	18	9	7	15	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	1	2	7	6	2	3	2	1	–
Jaundice	15	3	2	14	9	7	3	–	1	2
Liver Disease	125	5	3	67	21	22	20	11	9	3
Spleen Disease	3	–	1	2	–	2	–	1	–	–
VIII. Nephritis	22	–	2	4	6	3	1	1	–	–
Nephria	40	1	2	35	14	10	2	3	2	5
Addison's Disease	–	–	–	1	–	–	–	1	–	–
Ischuria	2	–	–	7	1	2	–	2	–	3
Diabetes	11	–	1	4	–	1	1	1	–	1
Stone	5	–	–	4	–	3	1	–	–	–
Cystitis	13	1	3	17	9	5	1	1	–	4
Stricture of Urethra	4	–	–	5	–	–	–	–	1	–
Kidney Disease	65	4	4	33	9	24	3	4	5	2
IX. Paramenia	2	–	–	–	3	–	–	1	–	1
Ovarian Dropsy	12	–	2	8	2	2	2	1	1	2
Childbirth	59	3	4	18	12	7	8	15	3	6
Organs of Generation	15	–	–	5	5	5	1	2	–	–
X. Arthritis	11	–	1	14	–	1	–	2	1	2
Rheumatism	26	1	1	8	2	13	6	1	1	1
Joint and Bone Disease	24	3	3	15	4	5	6	1	2	1
XI. Carbuncle	4	–	–	2	1	–	1	1	–	–
Phlegmon	1	–	–	–	–	–	–	1	–	–
Skin Disease	7	2	1	2	2	1	–	2	–	–
XVII. Intemperance	24	–	–	7	2	2	1	3	1	–
Privation	2	–	–	1	–	1	–	–	–	–
Want of Breast Milk	38	1	2	12	5	10	–	2	1	–
Neglect	–	–	–	–	2	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–
Poison	12	–	–	4	–	1	1	1	2	2
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	77	–	7	22	5	6	3	6	9	3
Hanging, etc.	12	–	–	3	2	1	2	1	–	1
Suffocation	23	1	1	6	7	3	1	1	6	1
Drowning	48	3	3	6	18	3	5	14	3	5
Fracture and Contusion	166	12	7	105	34	24	13	27	15	9
Gunshot Wounds	2	–	–	5	1	–	–	–	–	–
Cuts and Stabs	2	–	1	7	–	–	1	1	–	–
Other Violent Causes	12	2	1	6	11	5	3	3	2	3
Not Specified	201	21	15	30	124	13	43	45	13	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	4	1	1	1	4	–	1	–	–	–	1	3
Apoplexy	4	10	3	11	6	4	1	3	15	5	3	8	10
Paralysis	18	16	4	7	10	7	12	17	16	6	6	6	15
Delirium Tremens	–	–	–	–	–	1	1	–	1	–	–	2	–
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	–	2	2	1	1	1	1	2	2	–	–	3
Tetanus	–	–	–	–	–	–	–	2	–	–	–	1	1
Insanity	3	–	–	1	–	–	–	–	–	–	–	–	3
Convulsions	3	4	3	1	2	2	5	1	11	3	5	9	6
Brain Disease	7	9	5	11	4	5	10	–	5	6	5	2	4
Pericarditis	–	–	1	–	2	–	–	–	1	–	1	1	1
Aneurism	1	2	–	–	1	1	–	1	–	–	–	–	2
Heart Disease	18	29	27	25	13	10	31	20	24	8	8	10	33
Laryngitis	1	3	1	–	–	–	–	–	–	–	1	–	–
Bronchitis	19	42	25	21	38	31	20	44	62	21	28	57	78
Pleurisy	1	–	1	–	2	3	–	–	–	3	–	2	3
Pneumonia	17	10	7	14	9	9	4	12	9	9	7	17	38
Asthma	11	3	2	1	1	1	–	5	6	1	2	6	3
Lung Disease	6	–	1	1	1	–	6	2	–	–	4	–	–
Teething	7	8	3	4	3	3	3	6	3	3	5	5	2
Quinsey	1	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis	2	–	–	1	2	–	–	1	–	–	4	7	–
Enteritis	10	1	–	2	3	1	3	2	17	4	10	5	3
Peritonitis	1	–	1	–	1	–	1	1	–	4	–	2	2
Ascites	–	–	1	–	–	1	–	–	–	–	1	1	–
Ulceration of Intestines	1	2	2	3	1	–	2	1	–	–	2	1	–
Hernia	1	2	2	4	1	–	–	–	–	–	2	–	–
Ileus	–	2	1	1	2	–	2	–	1	–	–	1	2
Intussusception	–	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	9	2	4	8	1	2	9	4	11	2	4	1	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	1	3	2	–	3	1
Jaundice	2	1	1	1	–	–	–	1	–	–	–	–	–
Liver Disease	8	5	4	6	1	–	6	5	2	2	4	2	8
Spleen Disease	–	–	–	–	–	–	–	1	1	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	1	–	–	–	–
Nephria	3	2	1	4	–	–	3	2	2	2	–	–	4
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	1
Diabetes	–	–	–	–	1	1	–	–	1	1	–	1	2
Stone	–	–	–	–	–	–	–	1	1	–	–	–	2
Cystitis	–	1	–	1	1	–	1	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	3	2	1	–	–	2	6	–	2	–	1
Paramenia	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	3	–	1	–	–	1
Childbirth	3	3	–	–	1	2	3	–	3	1	–	–	2
Organs of Generation	–	–	–	–	–	–	1	–	–	–	2	–	–
Arthritis	1	–	–	–	2	–	–	–	–	1	–	–	–
Rheumatism	3	1	–	–	–	4	1	1	1	–	–	–	1
Joint Disease	1	2	–	–	–	–	2	–	–	–	1	–	2
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	1	–	2	–
Intemperance	–	–	1	–	1	1	–	–	2	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	1	–
Poison	–	–	1	1	–	–	–	1	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	1	–	2	1	6	–	3	–	3	2
Hanging, etc.	–	–	2	1	–	–	–	–	–	–	1	–	1
Suffocation	1	–	–	3	–	–	1	–	1	–	–	1	–
Drowning	2	5	–	–	1	1	–	1	1	4	–	6	3
Fracture and Contusion	5	8	1	3	1	4	2	7	2	3	6	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	2	1	–	1	2	–	1	–	1
Not Specified	2	2	8	6	18	8	3	8	5	23	19	5	15

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6414	458	393	2422	1567	1144	654	759	481	301
SPECIFIED CAUSES	6288	449	388	2409	1499	1139	627	737	474	296
I. Zymotic Class	1403	105	75	522	382	300	160	160	122	53
II. Diseases of Uncertain Seat	130	10	4	64	41	25	13	18	3	8
III. Tubercular Class	1187	81	74	470	271	179	117	125	60	50
IV. Brain and Nervous System	495	35	53	225	126	146	47	76	37	25
V. Organs of Circulation	240	18	10	161	71	50	28	40	28	20
VI. Respiratory Organs	1354	92	70	362	235	160	77	115	85	38
VII. Organs of Digestion	449	21	27	143	90	98	56	64	37	14
VIII. Urinary Organs	99	4	9	68	23	27	6	10	4	11
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	32	1	4	22	4	8	9	2	2	3
XI. Skin, etc.	3	–	1	–	2	1	1	4	–	–
XII. Malformation	14	–	1	15	2	2	1	2	–	1
XIII. Premature Debility	369	34	20	127	109	52	40	45	45	26
XIV. Atrophy	51	5	3	17	16	4	11	7	2	2
XV. Age	154	27	17	87	60	44	38	15	16	24
XVI. Sudden Deaths	21	2	–	5	4	–	1	4	–	1
XVII. Violent Deaths	287	14	20	121	63	43	22	50	33	20
I. Small Pox	56	1	1	6	10	5	–	–	–	–
Measles	168	10	12	23	5	39	14	21	3	1
Scarlatina	221	27	13	33	55	77	29	21	6	3
Diphtheria	43	3	3	24	9	7	3	6	3	1
Hooping Cough	188	11	9	94	25	33	11	18	9	6
Croup	63	4	6	10	28	5	6	14	4	3
Thrush	1	–	–	1	5	–	–	–	–	–
Diarrhœa	134	13	11	54	38	24	13	18	10	7
Dysentery	19	1	1	9	10	6	1	3	4	2
Cholera	34	2	2	71	54	31	3	8	48	7
Influenza	15	–	1	3	4	2	–	–	1	–
Purpura	4	–	–	2	1	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	3	–	1	1	–	–	–	1	–	–
Typhus	312	19	3	108	87	26	65	40	17	11
Enteric Fever	69	3	5	35	16	24	6	3	11	4
Relapsing Fever	3	1	–	1	1	2	1	–	–	–
Simple Continued Fever	3	–	1	2	19	6	–	2	–	1
Infantile Remittent	16	1	1	3	3	2	4	1	2	1
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	1	5	1	1	–	–	–	1
Erysipelas	30	3	4	16	5	6	4	2	2	3
Pyæmia	1	–	–	4	–	–	–	–	1	1
Syphilis	16	3	–	15	5	4	–	2	–	1
Noma	1	–	–	2	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	2	1	2	–	–	–	–
Dropsy	45	3	2	9	19	4	8	6	3	2
Abscess	15	–	1	7	4	2	–	2	–	–
Ulcer	3	–	–	3	1	1	–	2	–	1
Fistula	1	–	–	2	–	–	–	–	–	–
Mortification	10	–	–	5	3	7	2	3	–	–
Cancer	53	7	1	36	13	9	3	5	–	5
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	55	6	2	24	10	10	9	8	2	2
Tabes Mesenterica	112	9	4	25	15	18	8	5	4	1
Phthisis	774	47	45	332	175	117	69	92	33	39
Hydrocephalus	246	19	23	89	71	34	31	20	21	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES	195	183	117	171	139	151	149	176	375	169	198	231	278
SPECIFIED CAUSES	194	183	113	168	130	145	149	174	373	152	189	227	264
Zymotic Class	30	42	15	36	21	49	25	33	150	38	71	55	39
Uncertain Seat	7	9	2	6	5	4	1	3	6	4	4	4	7
Tubercular Class	30	24	28	37	21	13	29	30	63	28	34	42	45
Brain, etc.	16	19	9	14	12	13	13	10	25	14	10	16	21
Heart, etc.	9	13	12	11	8	5	12	10	13	2	3	6	20
Respiratory Organs	32	26	18	16	29	20	18	32	51	22	30	54	67
Digestive Organs	30	13	9	18	8	7	17	13	18	12	14	16	16
Urinary Organs	4	4	3	4	1	1	2	4	9	1	2	1	6
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	–	2	2	2	1	–	1	–	–	1
Skin	–	–	–	–	–	–	1	2	–	1	–	1	–
Malformation	–	–	1	–	–	1	1	–	–	–	2	–	–
Premature Debility	12	15	5	8	4	9	15	11	24	6	4	11	11
Atrophy	–	1	–	–	2	2	–	–	1	2	2	1	2
Age	16	3	8	9	13	11	8	15	6	11	5	3	19
Sudden Deaths	–	2	–	2	1	–	–	–	–	–	1	1	1
Violent Deaths	7	10	3	7	3	8	5	10	7	10	7	16	9
Small Pox	–	–	1	–	–	–	–	–	1	1	–	–	1
Measles	–	–	–	–	–	–	7	–	7	–	16	4	8
Scarlatina	6	1	–	1	1	30	1	–	67	12	24	8	8
Diphtheria	–	2	–	–	3	3	1	–	2	1	2	–	–
Hooping Cough	3	7	–	–	4	1	1	8	7	1	11	12	9
Croup	4	3	3	2	7	4	3	2	5	7	1	4	1
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	10	4	2	7	1	3	8	6	14	4	5	9	9
Dysentery	–	2	1	1	–	1	–	–	2	1	–	–	–
Cholera	–	–	1	14	1	1	–	1	2	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	4	5	3	–	2	3	9	28	8	8	6	–
Enteric Fever	5	8	1	4	1	2	1	3	6	1	3	6	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	4	–	–	–	–	–	1	3	–	–	5	–
Infantile Remittent	–	–	–	–	–	2	–	–	1	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	4	–	2	2	–	–	–	5	2	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	2	–	1	–	–	–	3	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	–	2	–	–	–	–	1	–	–	–	–
Dropsy	2	1	–	2	3	2	–	2	–	1	3	1	1
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	2
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	1	1	–	–	–
Cancer	1	5	1	2	2	1	1	1	4	2	1	3	3
Gout	–	–	–	–	–	1	–	–	–	–	–	–	1
Scrofula	–	–	3	–	1	–	–	2	3	1	1	–	1
Tabes Mesenterica	3	1	3	2	1	–	–	3	2	2	11	7	1
Phthisis	24	19	19	28	11	13	24	19	42	14	15	24	38
Hydrocephalus	3	4	3	7	8	–	5	6	16	11	7	11	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES. *(Contd.)*

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	38	7	5	14	5	7	4	7	1	–
Apoplexy	92	10	11	55	31	22	14	14	5	7
Paralysis	84	10	7	56	21	40	13	12	14	7
Delirium Tremens	11	–	1	6	4	5	–	1	1	1
Chorea	–	–	–	2	–	–	1	–	–	–
Epilepsy	11	3	4	10	2	13	1	2	2	2
Tetanus	2	–	–	3	–	1	–	–	1	–
Insanity	2	–	2	3	–	1	2	–	–	–
Convulsions	148	2	8	29	52	38	6	15	11	3
Brain Disease	107	3	15	47	11	19	6	25	2	5
V. Pericarditis	4	–	–	–	–	–	2	4	2	1
Aneurism	4	2	1	9	1	4	–	1	2	4
Heart Disease	232	16	9	152	70	46	26	35	24	15
VI. Laryngitis	10	2	–	6	–	3	–	1	–	–
Bronchitis	914	48	46	233	151	91	46	88	55	24
Pleurisy	10	–	–	15	3	7	3	1	5	1
Pneumonia	341	25	15	76	55	44	21	19	16	11
Asthma	39	13	7	16	10	7	6	3	4	–
Lung Disease	40	4	2	16	16	8	1	3	5	2
VII. Teething	140	5	7	18	39	49	17	34	8	5
Quinsey	2	–	–	–	–	2	–	2	–	–
Gastritis	15	1	–	2	2	–	–	3	2	–
Enteritis	69	5	8	29	11	5	21	4	3	1
Peritonitis	17	–	2	5	1	3	2	4	2	2
Ascites	7	1	–	1	1	–	–	–	1	1
Ulceration of Intestines	7	–	1	5	–	3	–	1	2	–
Hernia	6	–	–	8	2	2	2	1	–	1
Ileus	19	–	1	6	6	4	–	4	1	2
Intussusception	2	–	–	2	2	1	–	1	–	–
Stricture of Intestines	–	–	–	9	1	1	–	–	1	–
Stomach Disease	75	3	1	17	6	10	4	4	10	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	1	–	4	5	2	3	1	1	–
Jaundice	9	2	2	4	6	3	1	–	–	1
Liver Disease	64	3	5	32	8	12	6	5	6	–
Spleen Disease	2	–	–	1	–	1	–	–	–	–
VIII. Nephritis	14	–	2	3	3	1	–	1	–	–
Nephria	24	1	1	18	6	4	2	2	–	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	4	1	1	–	2	–	2
Diabetes	5	–	1	2	–	1	1	1	–	1
Stone	5	–	–	4	–	2	1	–	–	–
Cystitis	11	–	3	14	7	3	1	1	–	4
Stricture of Urethra	4	–	–	5	–	–	–	–	1	–
Kidney Disease	35	3	2	18	6	15	1	3	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	1	8	–	–	–	1	1	1
Rheumatism	11	–	1	3	2	5	5	–	–	1
Joint and Bone Disease	14	1	2	11	2	8	4	1	1	1
XI. Carbuncle	1	–	–	–	1	–	1	1	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–
Skin Disease	2	–	1	–	1	1	–	2	–	–
XVII. Intemperance	9	–	–	2	1	1	–	3	1	–
Privation	2	–	–	–	–	1	–	–	–	–
Want of Breast Milk	22	1	1	5	3	6	–	1	1	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–
Poison	3	–	–	2	–	–	1	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	43	–	4	10	3	3	1	3	5	2
Hanging, etc.	5	–	–	1	2	–	2	1	–	1
Suffocation	13	–	1	3	2	–	–	–	4	1
Drowning	40	2	7	4	15	8	5	13	6	5
Fracture and Contusion	129	10	5	81	28	18	10	26	13	8
Gunshot Wounds	2	–	–	5	1	–	–	–	–	–
Cuts and Stabs	–	–	1	6	–	–	–	1	–	–
Other Violent Causes	11	1	1	2	3	2	3	2	2	3
Not Specified	126	9	5	13	68	5	27	22	7	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	2	1	–	1	4	–	–	–	–	–	1	1
Apoplexy	2	4	–	5	3	2	–	2	6	3	3	3	5
Paralysis	6	7	3	5	4	2	5	7	8	4	2	5	9
Delirium Tremens	–	–	–	–	–	1	1	–	1	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	2	–	1	–	1	2	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	2	1	–	1	2	2	–	6	2	2	4	3
Brain Disease	3	4	4	2	3	1	5	–	2	5	3	2	1
Pericarditis	–	–	–	–	1	–	–	–	1	–	1	–	1
Aneurism	–	2	–	–	1	1	–	1	–	–	–	–	2
Heart Disease	9	11	12	11	6	4	12	9	12	2	2	6	17
Laryngitis	1	2	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	13	20	11	8	21	11	12	20	41	12	19	32	38
Pleurisy	–	–	1	–	–	1	–	–	–	1	–	2	1
Pneumonia	11	4	3	8	6	7	4	8	6	8	5	15	25
Asthma	6	–	2	–	1	1	–	3	4	1	1	5	3
Lung Disease	1	–	1	–	1	–	2	1	–	–	4	–	–
Teething	5	4	1	4	2	3	3	1	2	1	2	1	2
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	1	1	–	–	1	–	–	2	6	–
Enteritis	7	1	–	–	1	1	2	1	8	3	6	2	–
Peritonitis	–	–	–	–	–	–	–	1	–	3	–	1	2
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	2	1	–	2	–	–	–	–	1	–
Hernia	1	1	1	2	1	–	–	–	–	–	1	–	–
Ileus	–	2	–	1	–	–	–	–	1	–	–	1	1
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	4	1	4	7	–	2	7	3	5	2	2	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	–	–	1	2	2	–	3	1
Jaundice	2	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	6	3	2	1	–	–	–	3	4	–	1	1	6
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	2	1	2	–	–	1	1	1	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	1	1	–	1	1
Stone	–	–	–	–	–	–	–	1	1	–	–	–	2
Cystitis	–	1	–	–	–	–	1	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	2	1	–	–	2	5	–	2	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	–	–	2	–	–	–	–	1	–	–	–
Rheumatism	–	–	–	–	–	2	1	1	–	–	–	–	1
Joint Disease	–	2	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	1	–	1	–
Intemperance	–	–	1	–	1	1	–	–	1	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	1	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	2	1	1	–	3	–	2	1
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	2	–	–	1	–	1	–	–	–	–
Drowning	2	4	–	–	–	1	–	1	–	4	–	3	2
Fracture and Contusion	3	5	1	3	1	3	2	6	2	2	5	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	1	–	1	1	–	1	–	–
Not Specified	1	–	4	3	9	6	–	2	2	17	9	4	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6415	456	435	2391	1563	1180	691	729	443	312
SPECIFIED CAUSES	6340	444	425	2374	1507	1172	675	706	437	305
I. Zymotic Class	1451	97	95	490	389	310	160	150	110	60
II. Diseases of Uncertain Seat	219	16	18	136	78	44	31	16	24	10
III. Tubercular Class	1265	95	104	409	278	197	107	168	53	53
IV. Brain and Nervous System	461	22	43	200	92	88	59	59	31	26
V. Organs of Circulation	218	12	9	133	69	56	22	34	15	24
VI. Respiratory Organs	1276	81	77	392	220	182	89	95	78	30
VII. Organs of Digestion	414	15	23	160	100	70	61	51	34	20
VIII. Urinary Organs	63	2	3	42	16	21	3	3	4	4
IX. Organs of Generation	88	3	6	31	22	14	11	19	4	9
X. Organs of Locomotion	29	3	1	15	2	11	3	2	2	1
XI. Skin, etc.	9	2	–	4	1	–	–	–	–	–
XII. Malformation	10	2	2	12	1	1	1	1	2	2
XIII. Premature Debility	353	28	18	110	103	42	42	38	30	22
XIV. Atrophy	54	5	6	23	13	10	8	8	9	6
XV. Age	280	56	18	149	100	101	69	53	28	31
XVI. Sudden Deaths	16	–	–	5	4	2	1	–	2	3
XVII. Violent Deaths	134	5	7	63	24	23	8	9	11	4
I. Small Pox	48	4	–	3	13	5	1	–	–	1
Measles	165	13	14	17	2	31	17	19	2	–
Scarlatina	201	18	13	12	45	66	30	23	2	2
Diphtheria	40	4	5	25	9	10	2	4	1	2
Hooping Cough	244	9	16	95	34	35	11	17	11	8
Croup	64	1	7	9	26	5	11	9	1	4
Thrush	1	–	–	–	2	1	1	1	1	–
Diarrhœa	157	11	14	60	44	29	14	20	11	7
Dysentery	10	1	–	5	5	3	3	4	2	–
Cholera	34	1	5	77	58	35	4	6	50	10
Influenza	5	–	1	4	6	5	–	1	–	1
Purpura	1	–	1	3	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–
Typhus	284	20	3	82	96	33	51	29	13	13
Enteric Fever	85	6	10	49	25	21	8	5	9	3
Relapsing Fever	–	–	–	–	1	3	–	–	–	–
Simple Continued Fever	5	–	1	1	–	8	1	1	–	1
Infantile Remittent	11	–	–	4	5	3	–	2	3	–
Metria	36	2	–	14	8	5	1	4	1	1
Rheumatic Fever	6	–	1	2	–	1	–	1	1	1
Erysipelas	32	1	2	8	4	5	5	4	1	2
Pyæmia	2	–	–	2	1	–	–	–	1	–
Syphilis	17	5	2	15	5	5	–	–	–	4
Noma	2	1	–	3	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	–	–	2	2	–	–	1	1	–
Dropsy	78	5	2	14	34	9	19	7	10	1
Abscess	7	2	2	7	4	2	3	–	–	1
Ulcer	–	–	–	1	–	–	1	–	1	–
Fistula	–	–	–	1	–	1	–	–	–	–
Mortification	11	1	1	9	3	2	–	2	2	3
Cancer	117	8	8	100	34	30	8	6	9	5
Gout	–	–	–	2	1	–	–	–	1	–
III. Scrofula	51	7	3	27	1	10	7	5	5	3
Tabes Mesenterica	83	7	9	32	8	13	3	12	11	3
Phthisis	946	68	70	271	218	144	86	124	23	38
Hydrocephalus	185	13	22	79	46	30	11	27	14	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	217	251	130	188	144	160	166	228	339	148	202	194	270
SPECIFIED CAUSES	216	249	126	185	135	158	163	222	336	142	192	193	264
Zymotic Class	42	49	12	33	26	53	30	44	129	49	78	76	45
Uncertain Seat	2	18	9	9	4	4	10	10	12	7	9	8	13
Tubercular Class	24	47	26	43	25	21	31	50	65	36	25	20	43
Brain, etc.	24	25	9	20	13	11	17	15	25	8	9	13	24
Heart, etc.	10	18	16	14	8	6	19	11	12	6	6	5	16
Respiratory Organs	23	32	19	21	22	24	12	31	26	12	12	28	55
Digestive Organs	14	10	11	12	9	–	10	10	20	5	18	14	11
Urinary Organs	3	1	2	3	3	–	2	2	2	2	–	–	5
Generative Organs	3	3	–	2	1	2	4	3	4	2	2	–	3
Locomotive Organs	4	1	–	–	–	2	1	–	1	–	1	–	2
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–
Malformation	–	–	3	–	1	–	–	1	–	1	–	–	–
Premature Debility	14	21	1	6	3	8	8	11	14	4	6	9	12
Atrophy	4	1	–	–	1	2	2	2	2	–	3	2	5
Age	46	18	15	19	17	21	16	26	20	9	20	9	26
Sudden Deaths	–	1	1	1	–	2	–	–	–	–	1	2	–
Violent Deaths	3	4	2	2	2	2	1	6	4	1	2	6	4
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	1	–	7	1	4	4	8
Scarlatina	11	–	–	2	–	34	–	3	56	14	22	10	2
Diphtheria	–	3	1	–	1	3	1	–	–	4	–	2	1
Hooping Cough	1	9	2	1	4	–	1	18	13	4	12	29	13
Croup	8	3	–	2	4	2	1	3	8	3	8	2	7
Thrush	1	–	–	–	2	–	–	–	–	–	–	–	–
Diarrhœa	8	6	3	6	2	2	12	2	4	9	4	8	1
Dysentery	–	4	1	–	–	2	–	1	2	2	–	1	3
Cholera	–	–	1	13	–	2	–	–	3	2	–	2	–
Influenza	–	–	–	–	–	–	2	–	–	–	–	1	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	1	3	1	4	3	1	4	12	20	6	19	5	1
Enteric Fever	7	5	–	4	4	–	2	5	6	4	5	3	2
Relapsing Fever	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	9	1	–	–	–	–	–	3	–	–	4	–
Infantile Remittent	–	–	–	–	1	4	2	–	1	–	–	3	2
Metria	–	2	–	–	–	2	2	–	2	–	1	1	2
Rheumatic Fever	–	2	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	1	2	1	2	–	–	–	2	–	2	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	2	–	–	–	1	1	–	2	–	–	1	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	2
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	4	2	2	2	2	4	1	3	–	4	2	3
Abscess	–	1	1	–	–	1	1	1	1	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	1	–	–	–	–	–	2	–	1	1
Cancer	2	12	5	6	2	1	5	8	8	4	4	5	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	4	–	–	–	1	4	5	2	3	–	–
Tabes Mesenterica	–	1	–	3	1	1	2	–	3	4	2	4	3
Phthisis	22	41	17	34	19	18	25	41	45	23	15	13	37
Hydrocephalus	2	5	5	6	5	2	3	5	12	7	5	3	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES. (*Contd.*)

	DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV.	Cephalitis	38	2	3	15	6	5	1	2	3	1
	Apoplexy	85	4	11	42	16	18	19	7	7	5
	Paralysis	118	7	6	65	26	22	19	18	11	11
	Delirium Tremens	4	–	–	–	2	–	–	–	–	1
	Chorea	1	–	–	1	–	–	–	–	–	–
	Epilepsy	14	1	1	12	4	5	3	4	2	–
	Tetanus	–	–	–	–	–	1	–	–	–	–
	Insanity	1	1	1	–	–	1	2	1	–	–
	Convulsions	109	3	13	20	32	25	8	11	5	3
	Brain Disease	91	4	8	45	6	11	7	16	3	5
V.	Pericarditis	5	–	–	1	1	–	3	1	–	–
	Aneurism	2	2	–	4	–	–	2	1	–	–
	Heart Disease	211	10	9	128	68	56	17	32	15	24
VI.	Laryngitis	5	1	–	7	2	3	1	1	3	–
	Bronchitis	925	47	45	279	160	120	68	66	62	25
	Pleurisy	7	–	2	10	1	5	–	2	3	1
	Pneumonia	261	26	27	60	31	38	14	11	9	4
	Asthma	42	3	2	17	14	8	3	4	1	–
	Lung Disease	36	4	1	19	12	8	3	11	–	–
VII.	Teething	123	6	3	10	39	22	11	27	10	5
	Quinsey	2	–	–	1	–	–	–	1	–	–
	Gastritis	20	–	–	5	2	1	–	1	1	–
	Enteritis	75	5	9	18	12	6	19	5	4	4
	Peritonitis	23	–	2	20	5	3	5	4	4	1
	Ascites	1	–	–	3	3	1	–	–	–	–
	Ulceration of Intestines	4	–	–	8	–	6	–	–	3	1
	Hernia	11	–	1	6	1	1	–	–	1	–
	Ileus	18	–	–	7	5	6	–	2	2	3
	Intussusception	1	–	–	1	–	–	–	–	–	–
	Stricture of Intestines	5	–	–	2	–	1	–	–	–	–
	Stomach Disease	51	1	2	30	16	8	5	3	5	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–
	Hepatitis	12	–	2	3	1	–	5	1	–	–
	Jaundice	6	1	–	10	3	4	2	–	1	1
	Liver Disease	61	2	3	35	13	10	14	6	3	3
	Spleen Disease	1	–	1	1	–	1	–	1	–	–
VIII.	Nephritis	8	–	–	1	3	2	1	–	–	–
	Nephria	16	–	1	17	8	6	–	1	2	2
	Addison's Disease	–	–	–	1	–	–	–	1	–	–
	Ischuria	1	–	–	3	–	1	–	–	–	1
	Diabetes	6	–	–	2	–	–	–	–	–	–
	Stone	–	–	–	–	–	1	–	–	–	–
	Cystitis	2	1	–	3	2	2	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	30	1	2	15	3	9	2	1	2	1
IX.	Paramenia	2	–	–	–	3	–	–	1	–	1
	Ovarian Dropsy	12	–	2	8	2	2	2	1	1	2
	Childbirth	59	3	4	18	12	7	8	15	3	6
	Organs of Generation	15	–	–	5	5	5	1	2	–	–
X.	Arthritis	4	–	–	6	–	1	–	1	–	1
	Rheumatism	15	1	–	5	–	8	1	1	1	–
	Joint and Bone Disease	10	2	1	4	2	2	2	–	1	–
XI.	Carbuncle	3	–	–	2	–	–	–	–	–	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–
	Skin Disease	5	2	–	2	1	–	–	–	–	–
XVII.	Intemperance	15	–	–	5	1	1	1	–	–	–
	Privation	–	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	16	–	1	7	2	4	–	1	–	–
	Neglect	–	–	–	–	2	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–
	Poison	4	–	–	2	–	1	–	1	1	2
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	34	–	3	12	2	3	2	3	4	1
	Hanging, etc.	7	–	–	2	–	1	–	–	–	–
	Suffocation	10	1	–	3	5	4	1	1	2	–
	Drowning	8	1	1	2	3	–	–	1	2	–
	Fracture and Contusion	37	2	2	24	6	6	3	1	2	1
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	2	–	–	1	–	–	1	–	–	–
	Other Violent Causes	1	1	–	4	3	3	–	1	–	–
	Not Specified	75	12	10	17	56	8	16	23	6	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1866.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	2	–	1	–	–	–	1	–	–	–	–	2
Apoplexy	2	6	3	6	3	2	1	1	9	2	–	5	5
Paralysis	12	9	1	2	6	5	7	10	8	2	4	1	6
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	–	1	–	1	–	–	2	–	–	1
Tetanus	–	–	–	–	–	–	–	2	–	–	–	1	1
Insanity	3	–	–	1	–	–	–	–	1	–	–	–	3
Convulsions	2	2	2	1	1	–	3	1	5	1	3	5	3
Brain Disease	4	5	1	9	1	4	5	–	3	1	2	–	3
Pericarditis	–	–	1	–	1	–	–	–	–	–	–	1	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	18	15	14	7	6	19	11	12	6	6	4	16
Laryngitis	–	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	22	14	13	17	20	8	24	21	9	9	25	40
Pleurisy	1	–	–	–	2	2	–	–	–	2	–	–	2
Pneumonia	6	6	4	6	3	2	–	4	3	1	2	2	13
Asthma	5	3	–	1	–	–	–	2	2	–	1	1	–
Lung Disease	5	–	–	1	–	–	4	1	–	–	–	–	–
Teething	2	4	2	–	1	–	–	5	1	2	3	4	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis	–	–	–	–	1	–	–	–	–	–	2	1	–
Enteritis	3	–	–	2	2	–	1	1	9	1	4	3	3
Peritonitis	1	–	1	–	1	–	1	–	–	1	–	1	–
Ascites	–	–	1	–	–	–	–	–	–	–	1	1	–
Ulceration of Intestines	–	2	2	1	–	–	–	1	–	–	2	–	–
Hernia	–	1	1	2	–	–	–	–	–	–	1	–	–
Ileus	–	–	1	–	2	–	2	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	1	1	–	2	1	6	–	2	1	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	1	–	–	–	–
Jaundice	–	–	1	1	–	–	–	1	–	–	–	–	–
Liver Disease	2	2	2	5	1	–	3	1	2	1	3	1	2
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	2	–	–	2	1	1	2	–	–	3
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	1
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	1	–	–	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	3	–	1	–	–	1
Childbirth	3	3	–	–	1	2	3	–	3	1	–	–	2
Organs of Generation	–	–	–	–	–	–	1	–	–	–	2	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	–	–	–	2	–	–	1	–	–	–	–
Joint Disease	1	–	–	–	–	–	1	–	–	–	1	–	2
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	1	–
Intemperance	–	–	–	–	–	–	–	–	1	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–
Poison	–	–	1	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	–	–	5	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	1	1
Suffocation	–	–	–	1	–	–	–	–	–	–	1	–	1
Drowning	–	1	–	–	1	–	–	–	–	–	–	1	–
Fracture and Contusion	2	3	–	–	–	1	–	1	1	–	–	3	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	1	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	1	–	–	–	1
Not Specified	1	2	4	3	9	2	3	6	3	6	10	1	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	71348	6874	2422	4619	5964	2868	1858	1337	3437	1748	2378	2720	2641
Specified Causes	68196	5931	2155	4380	5720	2768	1783	1270	3295	1678	2288	2636	2550
I. Zymotic Class	15564	637	489	1382	2287	1408	1038	767	1766	568	523	516	465
II. Diseases of Uncertain Seat	2450	41	13	15	29	25	27	13	57	29	38	48	59
III. Tubercular Class	11653	167	277	688	997	469	272	201	681	531	1104	1332	1153
IV. Brain and Nervous System	5474	456	144	254	224	135	75	70	206	125	108	104	136
V. Organs of Circulation	3218	25	8	7	9	12	5	6	28	55	62	82	121
VI. Respiratory Organs	10036	745	636	1201	1201	451	235	131	254	93	111	160	185
VII. Organs of Digestion	4952	505	254	588	668	127	53	28	77	76	108	93	118
VIII. Urinary Organs	1016	4	3	4	12	10	10	11	43	33	31	48	43
IX. Organs of Generation	546	–	–	–	–	–	–	1	–	–	28	56	102
X. Organs of Locomotion	387	1	2	2	6	5	3	1	40	36	36	26	21
XI. Skin, etc.	75	7	7	7	7	3	–	1	3	–	2	2	2
XII. Malformation	168	124	15	15	8	–	1	2	–	2	–	–	–
XIII. Premature Debility	3475	3057	244	174	–	–	–	–	–	–	–	–	–
XIV. Atrophy	526	–	–	–	178	44	19	10	19	13	11	9	5
XV. Age	6255	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	156	17	8	3	–	2	1	–	2	2	2	2	10
XVII. Violent Deaths	2245	145	55	40	94	77	44	28	119	115	124	158	130
I. Small Pox	200	17	26	21	18	17	12	17	21	3	7	14	9
Measles	1038	13	23	207	403	160	97	51	63	6	3	3	1
Scarlatina	2706	15	23	149	389	437	388	325	722	133	49	34	17
Diphtheria	685	18	10	46	118	96	78	65	152	42	19	7	4
Hooping Cough	1860	118	121	471	582	245	141	74	103	3	1	–	1
Croup	903	37	20	108	289	195	93	67	87	6	–	–	1
Thrush	39	24	4	4	2	3	1	1	–	–	–	–	–
Diarrhœa	1504	203	149	220	251	44	22	17	35	7	13	19	14
Dysentery	294	6	19	20	15	10	2	3	3	–	2	3	8
Cholera	1270	8	13	27	59	48	51	39	127	51	31	52	70
Influenza	200	13	3	5	7	3	3	6	4	–	2	4	2
Purpura	41	3	–	1	3	2	1	–	3	1	6	3	4
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	26	–	–	–	1	3	8	4	10	–	–	–	–
Typhus	2172	13	4	18	33	34	35	29	144	123	172	186	154
Enteric Fever	1404	6	7	25	51	58	67	46	188	139	151	110	85
Relapsing Fever	34	–	–	–	–	2	–	1	9	3	3	3	2
Simple Continued Fever	249	2	1	5	14	12	13	2	40	21	26	16	10
Infantile Remittent	159	11	7	17	30	29	13	15	36	1	–	–	–
Metria	181	–	–	–	–	–	–	–	–	–	11	40	56
Rheumatic Fever	103	–	–	–	–	–	1	2	9	21	12	10	7
Erysipelas	295	80	19	14	7	5	2	2	8	7	10	7	11
Pyæmia	20	1	–	1	–	–	1	–	1	1	3	2	1
Syphilis	156	49	40	22	12	4	–	–	–	–	–	2	7
Noma	24	–	–	1	3	1	9	1	1	–	2	1	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	63	12	1	1	–	–	–	–	1	1	5	7	5
Dropsy	721	7	6	3	18	13	16	9	40	19	9	17	15
Abscess	134	11	2	8	4	6	6	2	5	4	10	3	5
Ulcer	38	2	3	–	1	–	–	–	–	1	–	–	4
Fistula	15	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	144	8	–	1	4	3	1	–	3	–	4	3	6
Cancer	1327	1	1	2	2	3	4	2	8	4	10	17	23
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	617	14	21	39	61	27	19	16	84	50	74	50	42
Tabes Mesenterica	859	69	50	108	256	119	42	32	80	37	23	10	4
Phthisis	8283	23	52	94	194	118	75	66	263	400	999	1267	1104
Hydrocephalus	1894	61	154	447	486	205	136	87	254	44	8	5	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2397	2403	2428	2401	2529	2574	2994	3259	3395	3260	2567	1474	525	175	32	74
Specified Causes	2326	2323	2346	2304	2439	2461	2855	3224	3393	3260	2567	1474	525	175	32	38
Zymotic Class	442	427	457	370	352	346	327	311	274	207	121	58	16	4	–	6
Uncertain Seat	57	95	155	193	246	229	274	234	233	186	109	35	8	1	–	1
Tubercular Class	920	725	584	431	385	293	223	120	57	30	8	–	1	–	–	4
Brain, etc.	123	163	174	231	273	258	405	486	497	438	237	115	24	9	–	4
Heart, etc.	142	190	171	213	244	285	381	386	344	250	141	44	6	1	–	–
Respiratory Organs	189	235	295	366	439	488	568	595	561	445	264	148	29	6	1	4
Digestive Organs	122	158	185	206	229	267	269	308	226	179	78	23	6	–	–	1
Urinary Organs	55	62	49	58	63	50	69	97	94	95	48	20	1	3	–	–
Generative Organs	92	98	67	33	15	16	14	12	4	5	1	–	1	–	–	1
Locomotive Organs	15	13	16	19	18	29	23	23	24	18	8	2	–	–	–	–
Skin	–	1	4	1	4	3	4	6	3	5	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	12	17	30	30	51	78	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	191	553	1025	1354	1511	1013	424	151	31	2
Sudden Deaths	5	12	13	8	8	14	18	17	6	3	3	–	–	–	–	–
Violent Deaths	152	127	146	145	111	105	89	76	45	45	36	16	8	–	–	15
Small Pox	8	3	3	1	1	–	2	–	–	–	–	–	–	–	–	–
Measles	3	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	8	5	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	4	4	5	4	1	3	–	4	1	3	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	23	32	28	35	47	44	63	60	76	41	26	9	2	–	1
Dysentery	5	9	6	7	19	10	30	33	37	20	17	8	–	2	–	–
Cholera	95	102	94	83	72	67	57	49	41	24	5	4	–	–	–	1
Influenza	2	3	4	4	9	5	15	27	25	25	18	9	2	–	–	–
Purpura	1	–	2	1	4	1	1	3	–	1	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	152	189	190	174	153	126	105	61	37	21	11	3	3	–	–	2
Enteric Fever	72	39	66	49	37	52	40	43	33	22	14	3	1	–	–	–
Relapsing Fever	2	–	1	–	–	1	1	1	1	1	3	–	–	–	–	–
Simple Cont. Fever	10	5	11	6	4	12	10	8	8	5	6	–	1	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	36	22	15	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	6	5	2	1	5	6	2	4	2	–	–	–	–	–	1
Erysipelas	4	12	11	7	10	13	11	14	25	6	6	4	–	–	–	–
Pyæmia	6	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	2	5	2	2	1	3	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	6	5	2	2	2	1	6	–	–	–	–	–	–	–
Dropsy	15	24	32	40	45	55	66	82	77	61	38	12	2	–	–	–
Abscess	8	6	11	2	10	3	12	2	6	4	2	1	1	–	–	–
Ulcer	–	1	4	1	3	3	2	1	4	6	2	–	–	–	–	–
Fistula	–	1	1	2	3	–	4	2	–	–	–	–	–	–	–	–
Mortification	–	2	3	5	4	8	11	22	10	22	17	5	2	–	–	–
Cancer	30	58	97	138	179	156	175	124	130	92	49	17	3	1	–	1
Gout	1	–	1	–	–	2	2	–	–	1	1	–	–	–	–	–
Scrofula	25	22	12	9	11	11	12	8	5	5	–	–	–	–	–	–
Tabes Mesenterica	6	3	5	4	1	3	3	3	1	–	–	–	–	–	–	–
Phthisis	887	698	567	418	373	279	208	109	51	25	8	–	1	–	–	4
Hydrocephalus	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	390	9	15	42	33	24	19	14	58	41	29	23	17
Apoplexy	1179	19	8	26	21	12	8	11	18	9	20	13	30
Paralysis	1621	1	–	2	–	3	2	–	3	5	2	7	15
Delirium Tremens	60	–	–	–	–	–	–	–	–	–	1	3	5
Chorea	11	–	–	–	–	–	–	–	1	3	5	–	–
Epilepsy	255	–	1	–	–	–	–	1	7	13	20	20	32
Tetanus	45	19	2	–	1	1	–	1	3	3	1	3	1
Insanity	35	–	–	–	–	–	–	–	1	1	–	3	1
Convulsions	932	393	109	152	125	66	26	21	39	–	–	–	–
Brain Disease	946	15	9	32	44	29	20	22	76	50	30	32	35
V. Pericarditis	49	1	–	–	1	2	1	–	4	4	4	4	1
Aneurism	85	–	–	–	–	1	–	–	1	–	2	4	2
Heart Disease	3084	24	8	7	8	9	4	6	23	51	56	74	118
VI. Laryngitis	98	8	6	5	12	13	6	4	6	2	2	2	3
Bronchitis	6629	542	513	933	909	316	160	80	154	38	27	47	72
Pleurisy	252	14	2	7	3	4	6	3	10	5	16	12	10
Pneumonia	2207	158	104	246	268	115	55	39	66	42	56	85	70
Asthma	500	–	–	–	–	–	1	–	–	1	5	5	6
Lung Disease	350	23	11	10	9	3	7	5	18	5	5	9	24
VII. Teething	1038	6	45	418	506	56	6	–	1	–	–	–	–
Quinsey	51	8	2	8	6	7	2	–	3	–	–	2	1
Gastritis	187	22	11	5	9	3	2	2	6	5	2	6	5
Enteritis	886	252	106	100	90	28	19	13	20	21	15	15	22
Peritonitis	257	18	8	11	5	1	2	–	13	12	24	14	21
Ascites	62	–	–	–	–	2	–	–	1	4	3	1	–
Ulceration of Intestines	178	5	2	5	2	2	–	1	2	3	11	10	13
Hernia	118	8	4	1	1	1	–	–	–	–	1	–	–
Ileus	272	26	5	4	3	4	1	2	6	7	18	14	8
Intussusception	34	–	5	5	1	–	–	–	2	1	1	–	2
Stricture of Intestines	40	4	–	–	1	–	–	–	–	1	1	2	1
Stomach Disease	750	75	58	28	31	11	12	2	7	11	12	10	14
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	171	4	–	1	2	4	2	1	–	4	5	2	7
Jaundice	173	61	5	1	2	4	5	1	1	1	1	3	–
Liver Disease	698	16	2	1	6	4	1	5	15	4	13	10	22
Spleen Disease	37	–	1	–	3	–	1	1	–	2	2	3	2
VIII. Nephritis	69	1	–	1	3	3	2	2	14	2	6	3	4
Nephria	235	–	–	1	2	4	3	3	12	12	13	16	17
Addison's Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	50	2	1	–	2	–	1	–	–	1	–	2	–
Diabetes	75	–	–	–	1	1	–	–	2	7	2	4	7
Stone	63	–	–	–	1	–	–	–	1	–	–	1	1
Cystitis	179	–	–	1	2	–	–	–	–	1	1	5	1
Stricture of Urethra	16	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	822	1	2	1	1	2	4	6	14	10	8	17	13
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	8	6	2
Ovarian Dropsy	77	–	–	–	–	–	–	–	–	–	1	–	8
Childbirth	356	–	–	–	–	–	–	–	–	–	17	47	84
Organs of Generation	88	–	–	–	–	–	–	1	–	–	2	3	8
X. Arthritis	77	1	1	–	3	2	2	1	10	8	13	5	6
Rheumatism	182	–	–	–	–	1	–	–	4	7	13	7	8
Joint and Bone Disease	128	–	1	2	3	2	1	–	26	21	10	14	7
XI. Carbuncle	24	–	1	1	2	–	–	–	–	–	1	–	–
Phlegmon	9	1	–	–	–	1	–	–	1	–	–	1	1
Skin Disease	42	6	6	6	5	2	–	1	2	–	1	1	1
XVII. Intemperance	78	–	–	–	–	–	–	–	–	–	–	1	1
Privation	4	–	–	–	2	1	–	–	–	–	–	–	–
Want of Breast Milk	100	57	29	13	–	1	–	–	–	–	–	–	–
Neglect	3	1	–	–	2	–	–	–	–	–	–	–	–
Cold	27	–	1	1	1	–	2	–	–	–	–	1	–
Poison	46	6	1	2	–	2	–	2	–	2	–	4	4
Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	1
Burns and Scalds	304	3	3	13	60	40	27	14	37	7	2	5	9
Hanging, etc.	55	–	–	–	–	–	–	–	–	–	2	1	5
Suffocation	102	54	20	5	1	2	2	–	1	–	2	1	2
Drowning	429	5	–	–	13	15	7	4	22	13	38	48	42
Fracture and Contusion	913	5	–	5	12	15	6	7	53	83	70	78	52
Gunshot Wounds	25	–	–	–	–	–	–	–	2	4	4	4	4
Cuts and Stabs	36	–	–	–	–	–	–	–	–	–	1	2	3
Other Violent Causes	121	14	1	1	3	1	–	1	3	6	5	13	7
Not Specified	3152	943	267	239	244	100	75	67	142	70	85	84	91

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
Cephalitis	13	12	2	9	6	6	6	1	3	6	2	–	–	–	–	–
Apoplexy	25	33	49	66	84	80	128	188	150	121	62	31	12	4	–	1
Paralysis	24	30	48	75	99	108	196	248	281	243	146	65	12	4	–	2
Delirium Tremens	8	16	5	8	8	3	2	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	15	29	16	19	15	10	14	12	11	13	4	2	–	1	–	–
Tetanus	1	2	3	–	1	1	1	–	1	–	–	–	–	–	–	–
Insanity	4	1	5	4	4	2	5	–	–	3	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	33	39	46	50	56	48	53	85	50	52	22	17	–	–	–	1
Pericarditis	2	8	3	1	2	2	3	3	2	1	–	–	–	–	–	–
Aneurism	11	9	8	10	7	5	12	6	4	2	1	–	–	–	–	–
Heart Disease	129	173	160	202	235	278	366	377	338	247	140	44	6	1	–	–
Laryngitis	2	6	3	5	1	4	2	3	2	1	–	–	–	–	–	–
Bronchitis	72	103	141	189	245	282	352	385	391	318	206	118	25	6	1	4
Pleurisy	10	10	16	16	15	19	14	15	23	9	9	3	1	–	–	–
Pneumonia	82	81	86	89	96	101	92	91	69	65	32	17	2	–	–	–
Asthma	8	13	32	31	54	53	75	82	65	44	15	9	1	–	–	–
Lung Disease	15	22	17	36	28	29	33	19	11	8	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	2	1	1	1	3	–	2	–	–	–	–	–	–	–
Gastritis	9	4	9	7	7	12	18	15	7	11	6	2	2	–	–	–
Enteritis	9	18	23	17	18	28	20	14	23	14	4	2	–	–	–	–
Peritonitis	20	13	17	6	7	15	11	17	10	7	3	2	–	–	–	–
Ascites	3	5	5	4	8	3	5	5	5	5	3	–	–	–	–	–
Ulceration of Intestines	12	17	11	8	9	14	12	22	9	4	3	1	–	–	–	–
Hernia	3	5	5	8	10	16	12	14	11	9	8	2	–	–	–	–
Ileus	8	10	6	14	12	20	11	24	29	26	11	1	2	–	–	–
Intussusception	1	–	–	3	1	3	3	2	2	2	–	–	–	–	–	–
Stricture of Intestines	4	2	1	1	7	5	2	2	3	2	1	–	–	–	–	–
Stomach Disease	12	23	36	49	54	49	54	75	59	46	15	5	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	14	9	12	15	18	20	14	11	10	3	1	–	–	–	–
Jaundice	2	7	1	6	9	3	13	18	3	9	6	1	–	–	–	–
Liver Disease	23	39	58	70	65	80	82	83	46	32	15	5	1	–	–	–
Spleen Disease	2	1	2	–	6	1	3	3	1	2	–	1	–	–	–	–
Nephritis	5	3	3	–	7	–	2	–	4	2	–	2	–	–	–	–
Nephria	16	26	17	20	16	9	11	20	6	7	4	–	–	–	–	–
Addison's Disease	1	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Ischuria	2	2	1	3	1	–	4	7	3	10	5	2	–	1	–	–
Diabetes	9	4	7	5	5	4	7	6	4	–	–	–	–	–	–	–
Stone	1	1	–	1	3	2	4	8	19	11	3	1	–	–	–	–
Cystitis	2	5	3	4	8	6	14	26	23	44	21	10	–	2	–	–
Stricture of Urethra	2	3	–	1	–	2	2	2	1	2	1	–	–	–	–	–
Kidney Disease	17	18	17	24	21	26	25	27	34	19	9	5	1	–	–	–
Paramenia	2	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	12	10	8	11	7	5	3	1	4	–	–	–	–	–	–
Childbirth	74	82	44	7	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	9	3	13	14	2	9	9	9	3	1	1	–	1	–	–	–
Arthritis	3	3	2	4	3	4	2	2	–	1	1	–	–	–	–	–
Rheumatism	5	4	10	12	11	20	16	17	21	17	7	2	–	–	–	–
Joint Disease	7	6	4	3	4	5	5	4	3	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	4	1	3	3	1	3	2	–	1	–	–	–
Phlegmon	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	1	–	1	1	2	2	2	–	–	–	–	–	–
Intemperance	10	11	10	16	4	9	7	4	2	1	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	4	4	3	–	2	3	1	1	–	–	1	–	–	–	–
Poison	2	3	5	–	1	5	4	2	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	8	6	10	8	8	6	6	3	10	9	1	2	–	–	–
Hanging, etc.	6	4	6	10	9	6	1	1	1	3	–	–	–	–	–	–
Suffocation	1	1	2	1	–	1	1	1	1	2	–	–	–	–	–	1
Drowning	38	31	42	21	23	21	18	11	5	3	1	1	–	–	–	7
Fracture and Contusion	71	58	54	74	59	45	38	42	20	21	21	12	6	–	–	6
Gunshot Wounds	1	1	1	1	1	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	4	2	7	4	–	3	3	2	2	3	–	–	–	–	–	–
Other Violent Causes	5	4	9	5	6	9	8	6	9	1	3	1	–	–	–	–
Not Specified	71	80	82	97	90	113	139	35	2	–	–	–	–	–	–	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	35355	3797	1339	2537	3069	1474	967	640	1781	903	1182	1378	1266
SPECIFIED CAUSES	33716	3270	1200	2402	2944	1424	926	603	1710	857	1135	1332	1225
I. Zymotic Class	7542	360	284	701	1080	706	534	364	870	280	262	243	182
II. Diseases of Uncertain Seat	899	24	7	5	12	12	20	6	29	14	23	16	28
III. Tubercular Class	5734	89	144	391	536	250	141	93	375	249	492	648	559
IV. Brain and Nervous System	2879	246	86	146	128	66	37	35	119	55	48	67	73
V. Organs of Circulation	1649	16	6	3	7	9	3	5	20	20	33	38	58
VI. Respiratory Organs	5256	431	368	704	631	234	122	52	133	47	62	93	108
VII. Organs of Digestion	2592	293	139	332	377	64	31	14	34	52	55	40	47
VIII. Urinary Organs	675	3	–	2	8	6	3	8	24	16	18	30	26
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	212	1	1	2	4	3	2	1	24	21	25	15	17
XI. Skin, etc.	44	4	6	4	5	2	–	1	1	–	2	1	1
XII. Malformation	93	74	6	6	4	–	1	1	–	–	–	–	–
XIII. Premature Debility	1848	1643	120	85	–	–	–	–	–	–	–	–	–
XIV. Atrophy	244	–	–	–	98	23	10	6	6	8	3	4	1
XV. Age	2333	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	88	6	6	–	–	1	1	–	1	1	1	1	4
XVII. Violent Deaths	1627	80	27	21	54	48	21	17	74	94	111	136	121
I. Small Pox	103	11	17	7	8	6	7	6	9	3	2	8	7
Measles	536	8	11	112	202	81	50	26	38	3	1	1	–
Scarlatina	1411	9	16	83	207	225	205	162	368	80	27	13	7
Diphtheria	339	11	5	23	51	54	35	33	76	20	13	3	2
Hooping Cough	820	67	65	221	214	104	69	31	49	–	–	–	–
Croup	466	28	14	59	159	102	46	22	33	2	–	–	1
Thrush	19	11	3	2	1	–	1	1	–	–	–	–	–
Diarrhœa	723	112	82	120	124	26	12	7	18	2	6	7	2
Dysentery	139	3	16	11	9	3	2	1	3	–	2	2	4
Cholera	593	7	9	15	27	27	21	25	64	28	11	25	28
Influenza	90	8	2	2	2	1	3	4	2	–	2	2	2
Purpura	26	2	–	1	2	1	1	–	3	1	5	2	2
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	15	–	–	–	–	1	7	4	3	–	–	–	–
Typhus	1090	7	1	6	19	15	12	13	69	58	86	99	84
Enteric Fever	640	3	4	13	24	32	40	19	79	58	74	63	28
Relapsing Fever	21	–	–	–	–	2	–	–	3	1	3	1	1
Simple Continued Fever	121	1	1	4	6	7	9	1	19	8	15	6	3
Infantile Remittent	84	7	3	8	16	15	7	6	22	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	59	–	–	–	–	–	1	2	6	12	10	6	4
Erysipelas	155	41	12	5	3	2	1	–	5	3	3	3	3
Pyæmia	12	–	–	1	–	–	1	–	–	1	1	2	1
Syphilis	70	24	23	8	6	1	–	–	–	–	–	–	2
Noma	9	–	–	–	–	1	4	1	1	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	8	–	1	–	–	–	–	1	1	3	4	4
Dropsy	280	3	5	2	9	7	12	5	20	8	5	4	8
Abscess	70	6	1	1	1	4	5	–	4	2	8	2	4
Ulcer	24	2	–	–	–	–	–	–	–	–	–	–	2
Fistula	10	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	73	5	–	1	–	–	–	–	–	–	4	1	4
Cancer	403	–	1	–	2	1	3	1	4	3	3	5	6
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	325	10	10	17	28	10	11	7	50	33	40	27	24
Tabes Mesenterica	451	37	21	57	128	61	21	17	49	23	12	4	2
Phthisis	3871	9	27	52	98	60	38	28	130	163	436	613	531
Hydrocephalus	1087	33	86	265	282	119	71	41	146	30	4	4	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1133	1083	1189	1232	1251	1329	1441	1530	1479	1421	1085	578	181	49	5	36
SPECIFIED CAUSES	1106	1043	1156	1182	1208	1280	1379	1518	1477	1421	1085	578	181	49	5	20
Zymotic Class	192	193	225	171	181	161	155	134	110	75	47	22	6	2	–	2
Uncertain Seat	15	85	44	59	63	76	100	93	79	75	45	14	4	1	–	–
Tubercular Class	428	288	264	208	180	153	121	68	33	19	4	–	–	–	–	1
Brain, etc.	68	89	94	121	128	139	221	246	247	223	121	62	8	4	–	2
Heart, etc.	72	89	82	116	122	162	193	202	178	116	77	18	4	–	–	–
Respiratory Organs	104	123	179	224	254	267	244	266	226	191	112	69	9	3	–	–
Digestive Organs	57	74	89	111	119	158	126	144	114	82	28	9	3	–	–	–
Urinary Organs	35	29	24	38	38	29	57	65	71	80	44	17	1	3	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	9	2	8	11	8	13	14	9	8	11	2	1	–	–	–	–
Skin	–	–	3	–	2	2	2	4	–	1	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	8	16	11	22	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	220	381	526	586	363	144	36	5	–
Sudden Deaths	2	7	9	5	6	10	11	12	2	2	–	–	–	–	–	–
Violent Deaths	121	106	119	107	84	84	63	55	28	20	17	3	1	–	–	15
Small Pox	5	2	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	2	2	3	1	–	2	–	–	1	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	8	10	11	15	22	21	25	22	24	18	10	5	2	–	1
Dysentery	3	7	4	3	11	4	10	13	12	7	7	2	–	–	–	–
Cholera	37	46	46	35	39	24	30	24	16	7	–	1	–	–	–	1
Influenza	1	1	–	2	4	1	4	13	10	12	8	3	1	–	–	–
Purpura	1	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	81	98	107	85	82	62	54	24	14	9	4	1	–	–	–	–
Enteric Fever	32	14	27	23	16	26	19	16	16	8	4	2	–	–	–	–
Relapsing Fever	2	–	1	–	–	–	1	1	1	1	3	–	–	–	–	–
Simple Cont. Fever	4	2	4	3	1	7	6	6	3	2	3	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	3	–	1	2	2	1	2	–	–	–	–	–	–	–
Erysipelas	3	7	8	6	6	10	6	10	12	4	–	2	–	–	–	–
Pyæmia	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	3	3	–	1	–	1	3	–	–	–	–	–	–	–
Dropsy	3	10	7	11	14	19	26	26	28	26	18	3	1	–	–	–
Abscess	4	3	6	2	3	1	5	2	2	2	–	1	1	–	–	–
Ulcer	–	1	3	–	1	3	2	1	3	4	2	–	–	–	–	–
Fistula	–	–	1	2	2	–	3	2	–	–	–	–	–	–	–	–
Mortification	–	2	3	1	2	7	3	13	5	12	7	2	1	–	–	–
Cancer	7	18	20	40	41	44	60	48	38	31	17	8	1	1	–	–
Gout	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Scrofula	12	11	4	3	5	6	7	4	2	4	–	–	–	–	–	–
Tabes Mesenterica	5	1	3	4	–	2	1	2	1	–	–	–	–	–	–	–
Phthisis	409	274	257	201	175	145	113	62	30	15	4	–	–	–	–	1
Hydrocephalus	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	213	3	10	21	20	10	10	10	30	16	14	14	12
Apoplexy	611	9	3	14	9	6	3	1	9	5	8	6	19
Paralysis	779	1	–	1	–	2	2	–	3	2	–	5	6
Delirium Tremens	49	–	–	–	–	–	–	–	–	–	–	2	5
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	135	–	1	–	–	–	–	–	5	6	9	12	11
Tetanus	27	13	1	–	1	–	–	1	1	2	–	2	–
Insanity	14	–	–	–	–	–	–	–	1	–	–	2	–
Convulsions	518	214	66	92	70	36	14	9	17	–	–	–	–
Brain Disease	530	6	5	18	28	12	8	14	52	24	15	24	20
V. Pericarditis	29	–	–	–	1	1	1	–	3	2	3	1	1
Aneurism	62	–	–	–	–	1	–	–	1	–	1	3	1
Heart Disease	1558	16	6	3	6	7	2	5	16	18	29	34	56
VI. Laryngitis	55	5	2	2	7	7	4	2	3	–	–	–	2
Bronchitis	3315	306	300	544	478	164	86	30	75	17	10	23	40
Pleurisy	136	7	–	7	2	2	1	1	6	4	11	9	4
Pneumonia	1292	93	60	146	140	60	25	17	37	22	36	54	46
Asthma	269	–	–	–	–	–	1	–	–	1	3	5	4
Lung Disease	189	20	6	5	4	1	5	2	12	3	2	2	12
VII. Teething	580	4	24	241	280	27	4	–	–	–	–	–	–
Quinsey	29	3	–	7	3	3	1	–	2	–	–	1	1
Gastritis	97	9	8	1	7	3	1	1	3	4	1	2	1
Enteritis	479	149	51	49	56	15	12	5	8	12	10	5	8
Peritonitis	98	8	2	6	3	1	2	–	6	7	9	3	4
Ascites	25	–	–	–	–	1	–	–	1	3	2	–	–
Ulceration of Intestines	86	3	2	2	1	–	–	–	–	3	5	3	5
Hernia	60	6	2	1	1	1	–	–	–	–	–	1	–
Ileus	140	16	4	2	2	1	–	2	3	5	13	6	2
Intussusception	23	–	5	4	1	–	–	–	–	1	–	–	1
Stricture of Intestines	25	3	–	–	–	–	–	–	–	1	1	1	1
Stomach Disease	391	43	34	17	16	7	6	1	3	8	5	6	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	95	3	–	1	2	2	–	1	–	3	4	1	5
Jaundice	86	34	5	–	1	1	3	–	1	1	–	2	–
Liver Disease	359	12	1	1	3	2	1	4	7	3	5	7	11
Spleen Disease	19	–	1	–	1	–	1	–	–	1	–	2	1
VIII. Nephritis	42	1	–	1	2	2	–	–	8	2	4	2	1
Nephria	119	–	–	–	1	1	–	3	7	7	6	9	10
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	37	1	–	–	2	–	1	–	–	1	–	–	–
Diabetes	50	–	–	–	–	1	–	–	1	1	2	3	6
Stone	59	–	–	–	1	–	–	–	1	–	–	1	1
Cystitis	156	–	–	–	2	–	–	–	–	–	1	3	1
Stricture of Urethra	16	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	194	1	–	1	–	2	2	5	7	5	5	12	7
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	51	1	–	–	1	1	1	1	5	6	11	5	6
Rheumatism	86	–	–	–	–	1	–	–	3	3	9	3	6
Joint and Bone Disease	75	–	1	2	3	1	1	–	16	12	5	7	5
XI. Carbuncle	15	–	1	1	2	–	–	–	–	–	1	–	–
Phlegmon	4	–	–	–	–	1	–	–	–	–	–	1	–
Skin Disease	25	4	5	3	3	1	–	1	1	–	1	–	1
XVII. Intemperance	45	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	54	31	18	5	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	–	1	1	–	–	–	–	–	–	–	1	–
Poison	26	3	1	2	–	1	–	1	–	1	–	1	3
Poisoned Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	144	1	–	6	35	25	12	7	11	5	2	3	7
Hanging, etc.	36	–	–	–	–	–	–	–	–	–	1	1	3
Suffocation	55	30	6	3	1	1	1	–	1	–	2	1	2
Drowning	361	–	–	–	9	10	5	3	18	12	34	41	41
Fracture and Contusion	752	5	–	3	7	10	3	6	39	68	62	72	50
Gunshot Wounds	24	–	–	–	–	–	–	–	2	3	4	4	4
Cuts and Stabs	24	–	–	–	–	–	–	–	–	–	1	1	3
Other Violent Causes	86	10	1	1	1	–	–	–	2	5	5	11	7
Not Specified	1639	527	139	135	125	50	41	37	71	46	47	46	41

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	7	1	7	6	4	5	1	2	3	1	–	–	–	–	–
Apoplexy	13	12	27	34	38	44	73	68	89	68	35	14	2	1	–	1
Paralysis	15	20	20	36	38	51	99	120	118	120	71	39	6	3	–	1
Delirium Tremens	5	13	5	8	7	2	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	13	9	12	10	6	10	5	7	7	1	1	–	–	–	–
Tetanus	–	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–
Insanity	2	–	3	–	2	1	2	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	17	23	28	24	26	30	29	52	30	24	13	8	–	–	–	–
Perjcarditis	–	5	2	–	2	2	2	2	–	1	–	–	–	–	–	–
Aneurism	9	6	5	9	6	4	8	2	4	1	1	–	–	–	–	–
Heart Disease	63	78	75	107	114	156	183	198	174	114	76	18	4	–	–	–
Laryngitis	2	3	3	4	–	3	2	2	1	1	–	–	–	–	–	–
Bronchitis	32	48	75	108	123	142	142	158	146	125	84	50	6	3	–	–
Pleurisy	5	4	10	8	10	11	7	6	11	1	6	2	1	–	–	–
Pneumonia	54	53	57	64	69	64	47	54	29	40	13	11	1	–	–	–
Asthma	6	7	26	17	34	30	33	37	30	20	8	6	1	–	–	–
Lung Disease	5	8	8	23	18	17	13	9	9	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	2	–	1	1	2	–	1	–	–	–	–	–	–	–
Gastritis	5	2	5	5	3	6	8	8	5	5	1	1	2	–	–	–
Enteritis	3	11	11	9	9	12	10	8	13	9	3	1	–	–	–	–
Peritonitis	8	3	5	–	1	8	6	6	6	1	1	2	–	–	–	–
Ascites	2	1	1	3	5	1	2	1	1	1	–	–	–	–	–	–
Ulceration of Intestines	3	10	4	4	6	8	7	11	7	2	–	–	–	–	–	–
Hernia	2	3	–	4	3	9	5	7	6	6	2	1	–	–	–	–
Ileus	3	6	5	8	5	8	5	11	16	10	7	–	–	–	–	–
Intussusception	1	–	–	2	1	2	2	1	1	1	–	–	–	–	–	–
Stricture of Intestines	3	1	–	1	3	4	2	1	1	1	1	–	–	–	–	–
Stomach Disease	5	12	24	27	31	28	25	34	23	22	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	7	4	8	6	15	8	8	7	3	1	–	–	–	–	–
Jaundice	1	3	1	1	2	5	7	8	3	5	2	–	–	–	–	–
Liver Disease	13	15	26	39	39	50	36	38	23	16	5	1	1	–	–	–
Spleen Disease	1	–	1	–	4	1	1	2	1	–	–	1	–	–	–	–
Nephritis	4	1	2	–	5	–	2	–	3	1	–	1	–	–	–	–
Nephria	10	10	5	10	9	2	10	9	2	4	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	1	2	–	–	3	5	3	9	4	2	–	1	–	–
Diabetes	6	3	5	4	3	3	4	4	4	–	–	–	–	–	–	–
Stone	1	1	–	1	2	2	4	7	18	11	7	1	–	–	–	–
Cystitis	–	3	3	3	4	5	14	21	21	42	21	10	–	2	–	–
Stricture of Urethra	2	3	–	1	–	2	2	2	1	1	–	–	–	–	–	–
Kidney Disease	9	8	8	17	14	15	18	17	19	11	7	3	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	2	1	1	3	–	3	–	2	–	–	1	–	–	–	–	–
Rheumatism	1	1	5	5	5	7	11	6	7	11	1	1	–	–	–	–
Joint Disease	6	–	2	3	3	3	3	1	1	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	2	1	1	1	–	1	2	–	1	–	–	–
Phlegmon	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	1	2	–	–	–	–	–	–	–	–
Intemperance	6	6	8	9	2	6	4	2	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	3	1	2	–	1	2	1	1	–	–	–	–	–	–	–
Poisoned Wounds	1	1	3	–	1	1	4	1	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	5	–	8	5	1	–	1	1	–	2	–	–	–	–	–
Hanging, etc.	3	3	5	4	6	5	1	1	–	3	–	–	–	–	–	–
Suffocation	–	1	2	–	–	1	–	–	1	1	–	–	–	–	–	–
Drowning	35	28	36	14	19	20	13	8	5	2	1	–	–	–	–	1
Fracture and Contusion	59	54	50	64	46	39	34	37	13	10	11	3	1	–	–	7
Gunshot Wounds	1	1	1	1	1	1	–	–	–	1	–	–	–	–	–	6
Cuts and Stabs	3	–	6	2	–	3	1	–	1	3	–	–	–	–	–	–
Other Violent Causes	4	4	7	3	4	6	4	4	5	–	2	–	–	–	–	–
Not Specified	27	40	33	50	43	49	62	12	2	–	–	–	–	–	–	16

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35993	3077	1083	2082	2895	1394	891	697	1656	845	1191	1842	1375
SPECIFIED CAUSES	34480	2661	955	1978	2776	1344	857	667	1585	821	1153	1304	1325
I. Zymotic Class	8022	277	205	681	1207	702	504	403	896	288	261	273	283
II. Diseases of Uncertain Seat	1551	17	6	10	17	13	7	7	28	15	15	32	31
III. Tubercular Class	5919	78	133	297	461	219	131	108	306	282	612	684	594
IV. Brain and Nervous System	2595	210	58	108	96	69	38	35	87	70	60	37	63
V. Organs of Circulation	1569	9	2	4	2	3	2	1	8	35	29	44	63
VI. Respiratory Organs	4780	314	268	497	570	217	113	79	121	46	49	67	77
VII. Organs of Digestion	2360	212	115	256	291	63	22	14	43	24	53	53	71
VIII. Urinary Organs	341	1	3	2	4	4	7	3	19	17	13	18	17
IX. Organs of Generation	545	–	–	–	–	–	–	1	–	–	28	56	102
X. Organs of Locomotion	175	–	1	–	2	2	1	–	16	15	11	11	4
XI. Skin, etc.	31	3	1	3	2	1	–	–	2	–	–	1	1
XII. Malformation	75	50	9	9	4	–	–	1	–	2	–	–	–
XIII. Premature Debility	1627	1414	124	89	–	–	–	–	–	–	–	–	–
XIV. Atrophy	282	–	–	–	20	21	9	4	13	5	8	5	4
XV. Age	3922	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	68	11	2	3	–	1	–	–	1	1	1	1	6
XVII. Violent Deaths	618	65	28	19	40	29	23	11	45	21	13	22	9
I. Small Pox	97	6	9	14	10	11	5	11	12	–	5	6	2
Measles	502	5	12	95	201	79	47	25	25	3	2	2	1
Scarlatina	1295	6	7	66	182	212	183	163	354	53	22	21	10
Diphtheria	346	7	5	23	67	42	43	32	76	22	6	4	2
Hooping Cough	1040	51	56	250	368	141	72	43	54	3	1	–	1
Croup	437	9	6	49	130	93	47	45	54	4	–	–	–
Thrush	20	13	1	2	1	3	–	–	–	–	–	–	–
Diarrhœa	781	91	67	100	127	18	10	10	17	5	7	12	12
Dysentery	155	3	3	9	6	7	–	2	–	–	–	1	4
Cholera	677	1	4	12	32	21	30	14	63	23	20	27	42
Influenza	110	5	1	3	5	2	–	2	2	–	–	2	–
Purpura	15	1	–	–	1	1	–	–	–	–	1	1	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	–	–	1	2	1	–	7	–	–	–	–
Typhus	1082	6	3	12	14	19	23	16	75	65	86	87	70
Enteric Fever	764	3	3	12	27	26	27	27	109	81	77	47	57
Relapsing Fever	13	–	–	–	–	–	–	1	6	2	–	2	1
Simple Continued Fever	128	1	–	1	8	5	4	1	21	13	11	10	7
Infantile Remittent	75	4	4	9	14	14	6	9	14	1	–	–	–
Metria	181	–	–	–	–	–	–	–	–	–	11	40	56
Rheumatic Fever	44	–	–	–	–	–	–	–	3	9	2	4	3
Erysipelas	140	39	7	9	4	3	1	2	3	4	7	4	8
Pyæmia	8	1	–	–	–	–	–	–	1	–	2	–	–
Syphilis	86	25	17	14	6	3	–	–	–	–	–	2	5
Noma	15	–	–	1	3	–	5	–	–	–	1	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	28	4	1	–	–	–	–	–	–	–	2	3	1
Dropsy	441	4	1	1	9	6	4	4	20	11	4	13	7
Abscess	64	5	1	7	3	2	1	2	1	2	2	1	1
Ulcer	14	–	3	–	1	–	–	–	–	1	–	–	2
Fistula	5	–	–	–	–	–	–	–	–	–	–	1	1
Mortification	71	3	–	–	4	3	1	–	3	–	–	2	2
Cancer	924	1	–	2	–	2	1	1	4	1	7	12	17
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	292	4	11	22	33	17	8	9	34	17	34	23	18
Tabes Mesenterica	408	32	29	51	128	58	21	15	31	14	11	6	2
Phthisis	4412	14	25	42	96	58	37	38	133	237	563	654	573
Hydrocephalus	807	28	68	182	204	86	65	46	108	14	4	1	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1264	1320	1239	1169	1278	1245	1553	1729	1916	1839	1482	896	344	126	27	38
SPECIFIED CAUSES	1220	1280	1190	1122	1231	1181	1476	1706	1916	1839	1482	896	344	126	27	18
Zymotic Class	250	234	232	199	171	185	172	177	164	132	74	36	10	2	–	4
Uncertain Seat	42	60	111	134	183	153	174	141	154	111	64	21	4	–	–	1
Tubercular Class	492	437	320	223	205	140	102	52	24	11	4	–	1	–	–	3
Brain, etc.	55	74	80	110	145	119	184	240	250	215	116	53	16	5	–	2
Heart, etc.	70	101	89	97	122	123	188	184	166	134	64	26	2	1	–	–
Respiratory Organs	85	112	116	142	185	221	324	329	335	254	152	79	20	3	1	4
Digestive Organs	65	84	96	95	110	109	143	164	112	97	50	14	3	–	–	1
Urinary Organs	20	33	25	20	25	21	12	32	23	15	4	3	–	–	–	–
Generative Organs	91	98	67	33	15	16	14	12	4	5	1	–	1	–	–	1
Locomotive Organs	6	11	8	8	10	16	9	14	16	7	6	1	–	–	–	–
Skin	–	1	1	1	2	1	2	2	3	4	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	9	14	19	29	52	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	119	333	644	828	925	650	280	115	26	2
Sudden Deaths	3	5	4	3	2	4	7	5	4	1	3	–	–	–	–	–
Violent Deaths	31	21	27	38	27	21	26	21	17	25	19	13	7	–	–	–
Small Pox	3	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	4	3	–	1	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	3	1	1	–	4	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	15	22	17	20	25	23	38	38	52	23	16	4	–	–	–
Dysentery	2	2	2	4	8	6	20	20	25	13	10	6	–	2	–	–
Cholera	58	56	48	48	33	43	27	25	25	17	5	3	–	–	–	–
Influenza	1	2	4	2	5	4	11	14	15	13	10	6	1	–	–	–
Purpura	–	–	1	1	1	1	1	2	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	71	91	83	89	71	64	51	37	23	12	7	2	3	–	–	2
Enteric Fever	40	25	39	26	21	26	21	27	17	14	10	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	6	3	7	3	3	5	4	2	5	3	3	–	1	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	36	22	15	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	2	2	–	3	4	1	2	2	–	–	–	–	–	1
Erysipelas	1	5	3	1	4	3	5	4	13	2	6	2	–	–	–	–
Pyæmia	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	2	2	1	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	3	2	2	1	2	–	3	–	–	–	–	–	–	–
Dropsy	12	14	25	29	31	36	40	56	49	35	20	9	1	–	–	–
Abscess	4	3	5	–	7	2	7	–	4	2	2	–	–	–	–	–
Ulcer	–	–	1	1	2	–	–	–	1	2	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	4	2	1	8	9	5	10	10	3	1	–	–	–
Cancer	23	40	77	98	138	112	115	76	92	61	32	9	2	–	–	1
Gout	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Scrofula	13	11	8	6	6	5	5	4	3	1	–	–	–	–	–	–
Tabes Mesenterica	1	2	2	–	1	1	2	1	–	–	–	–	–	–	–	–
Phthisis	478	424	310	217	198	134	95	47	21	10	4	–	1	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. *Cephalitis*	177	6	5	21	13	14	9	4	28	25	15	9	5
Apoplexy	568	10	5	12	12	6	5	10	9	4	12	7	11
Paralysis	842	–	–	1	–	1	–	–	–	3	2	2	9
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	1	1	–
Chorea	8	–	–	–	–	–	–	–	–	3	3	–	–
Epilepsy	120	–	–	–	–	–	–	1	2	7	11	8	21
Tetanus	18	6	1	–	–	1	–	–	2	1	1	1	1
Insanity	21	–	–	–	–	–	–	–	–	1	–	1	1
Convulsions	414	179	43	60	55	30	12	12	22	–	–	–	–
Brain Disease	416	9	4	14	16	17	12	8	24	26	15	8	15
V. Pericarditis	20	1	–	–	–	1	–	–	1	2	1	3	–
Aneurism	23	–	–	–	–	–	–	–	–	–	1	1	1
Heart Disease	1526	8	2	4	2	2	2	1	7	33	27	40	62
VI. Laryngitis	43	3	4	3	5	6	2	2	3	2	2	2	1
Bronchitis	3314	236	213	389	431	152	74	50	79	21	17	24	32
Pleurisy	116	7	2	–	1	2	5	2	4	1	5	3	6
Pneumonia	915	65	44	100	128	55	30	22	29	20	20	31	24
Asthma	231	–	–	–	–	–	–	–	–	–	2	–	2
Lung Disease	161	3	5	5	5	2	2	3	6	2	3	7	12
VII. Teething	458	2	21	177	226	29	2	–	1	–	–	–	–
Quinsey	22	5	2	1	3	4	1	–	1	–	–	1	–
Gastritis	90	13	3	4	2	–	1	1	3	1	1	4	4
Enteritis	407	103	55	51	34	13	7	8	12	9	5	10	14
Peritonitis	159	10	6	5	2	–	–	–	7	5	15	11	17
Ascites	37	–	–	–	–	1	–	–	–	1	1	1	–
Ulceration of Intestines	92	2	–	3	1	2	–	1	2	–	6	7	8
Hernia	58	2	2	–	–	–	–	–	–	–	–	–	–
Ileus	132	10	1	2	1	3	1	–	3	2	5	8	6
Intussusception	11	–	–	1	–	–	–	–	2	–	1	–	1
Stricture of Intestines	15	1	–	–	1	–	–	–	–	–	–	1	–
Stomach Disease	359	32	24	11	15	4	6	1	4	3	7	4	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	76	1	–	–	–	2	2	–	–	1	1	1	2
Jaundice	87	27	–	1	1	3	2	1	–	–	1	1	–
Liver Disease	339	4	1	–	3	2	–	1	8	1	8	3	11
Spleen Disease	18	–	–	–	2	–	–	1	–	1	2	1	1
VIII. Nephritis	27	–	–	–	1	1	2	2	6	–	2	1	3
Nephria	116	–	–	1	1	3	3	–	5	5	7	7	7
Addison's Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	13	1	1	–	–	–	–	–	–	–	–	2	–
Diabetes	25	–	–	–	1	–	–	–	1	6	–	1	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	23	–	–	1	–	–	–	–	–	1	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	128	–	2	–	1	–	2	1	7	5	3	5	6
IX. Paramenia	25	–	–	–	–	–	–	–	–	–	8	6	2
Ovarian Dropsy	77	–	–	–	–	–	–	–	–	–	1	–	8
Childbirth	356	–	–	–	–	–	–	–	–	–	17	47	84
Organs of Generation	87	–	–	–	–	–	–	1	–	–	2	3	8
X. Arthritis	26	–	1	–	2	1	1	–	5	2	2	–	–
Rheumatism	96	–	–	–	–	–	–	–	1	4	4	4	2
Joint and Bone Disease	53	–	–	–	–	1	–	–	10	9	5	7	2
XI. Carbuncle	9	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	1	–	–	–	–	–	–	1	–	–	–	1
Skin Disease	17	2	1	3	2	1	–	–	1	–	–	1	–
XVII. Intemperance	33	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	46	26	11	8	–	1	–	–	–	–	–	–	–
Neglect	3	1	–	–	2	–	–	–	–	–	–	–	–
Cold	11	–	–	–	1	–	2	–	–	–	–	–	–
Poison	20	3	–	–	–	1	–	1	–	1	–	3	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	160	2	3	7	25	15	15	7	26	2	–	2	2
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	1	–	2
Suffocation	47	24	14	2	–	1	1	–	–	–	–	–	–
Drowning	68	5	–	–	4	5	2	1	4	1	4	7	1
Fracture and Contusion	161	–	–	2	5	5	3	1	14	15	8	6	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	35	4	–	–	2	1	–	1	1	1	–	2	–
Not Specified	1513	416	128	104	119	50	34	30	71	24	38	38	50

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
Cephalitis	7	5	1	2	–	2	1	–	1	3	1	–	–	–	–	–
Apoplexy	12	21	22	32	46	36	55	70	61	53	27	17	10	3	–	–
Paralysis	9	10	28	39	61	57	97	128	163	123	75	26	6	1	–	1
Delirium Tremens	3	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Epilepsy	5	16	7	7	5	4	4	7	4	6	3	1	–	1	–	–
Tetanus	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	1	2	4	2	1	3	–	–	2	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	16	18	26	30	18	24	33	20	28	9	9	–	–	–	1
Pericarditis	2	3	1	1	–	–	1	1	2	–	–	–	–	–	–	–
Aneurism	2	3	3	1	1	1	4	4	–	1	–	–	–	–	–	–
Heart Disease	66	95	85	95	121	122	183	179	164	133	64	26	2	1	–	–
Laryngitis	–	3	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	40	55	66	81	122	140	210	227	245	193	122	68	19	3	1	4
Pleurisy	5	6	6	8	5	8	7	9	12	8	3	1	–	–	–	–
Pneumonia	28	28	29	25	27	37	45	37	40	25	19	6	1	–	–	–
Asthma	2	6	6	14	20	23	42	45	35	24	7	3	–	–	–	–
Lung Disease	10	14	9	13	10	12	20	10	2	4	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Gastritis	4	2	4	2	4	6	10	7	2	6	5	1	–	–	–	–
Enteritis	6	7	12	8	9	11	10	6	10	5	1	1	–	–	–	–
Peritonitis	12	10	12	6	6	7	5	11	4	6	2	–	–	–	–	–
Ascites	1	4	4	1	3	2	3	4	4	4	3	–	–	–	–	–
Ulceration of Intestines	9	7	7	4	3	6	5	11	2	2	3	1	–	–	–	–
Hernia	1	2	5	4	7	6	7	7	5	3	6	1	–	–	–	–
Ileus	5	4	1	6	7	12	6	13	13	16	4	1	2	–	–	–
Intussusception	–	–	–	1	–	1	1	1	1	1	–	–	–	–	–	–
Stricture of Intestines	1	1	1	–	4	1	–	1	2	1	–	–	–	–	–	–
Stomach Disease	7	11	12	22	23	21	29	41	36	24	10	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	7	5	4	9	3	12	6	4	7	2	1	–	–	–	–
Jaundice	1	4	–	5	7	3	6	10	5	4	4	1	–	–	–	–
Liver Disease	10	24	32	31	26	30	46	45	23	16	10	4	–	–	–	–
Spleen Disease	1	1	1	–	2	–	2	1	–	2	–	–	–	–	–	–
Nephritis	1	2	1	–	2	–	–	–	1	1	–	1	–	–	–	–
Nephria	6	16	12	10	7	7	1	11	4	3	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Ischuria	–	2	–	1	1	–	1	2	–	1	1	–	–	–	–	–
Diabetes	3	1	2	1	2	1	3	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
Cystitis	2	2	–	1	4	1	–	5	2	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	10	9	7	7	11	7	10	15	8	2	2	–	–	–	–
Paramenia	2	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	12	10	8	11	7	5	3	1	4	–	–	–	–	–	–
Childbirth	74	82	44	7	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	8	3	13	14	2	9	9	9	3	1	1	–	1	–	–	–
Arthritis	1	2	1	1	3	1	2	–	–	1	–	–	–	–	–	–
Rheumatism	4	3	5	7	6	13	5	11	14	6	6	1	–	–	–	–
Joint Disease	1	6	2	–	1	2	2	3	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	2	2	1	2	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	2	2	–	–	–	–	–	–
Intemperance	4	5	2	7	2	3	3	2	2	1	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	1	–	1	1	–	–	–	1	–	–	–	–	–
Poison	1	2	2	–	–	4	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	6	2	3	2	6	5	2	10	7	1	2	–	–	–
Hanging, etc.	3	1	1	6	3	1	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Drowning	3	3	6	7	4	1	5	3	–	1	–	1	–	–	–	–
Fracture and Contusion	12	4	4	10	13	6	4	5	7	11	10	9	5	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	2	–	–	2	2	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	2	2	2	3	4	2	4	1	1	1	–	–	–	–
Not Specified	44	40	49	47	47	64	77	23	–	–	–	–	–	–	–	20

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2661	206	68	97	109	55	43	32	77	60	82	122	129
SPECIFIED CAUSES	2227	97	42	67	79	36	30	29	61	49	67	109	110
I. Zymotic Class	350	14	18	35	44	17	16	21	32	14	14	15	14
II. Diseases of Uncertain Seat	89	–	1	–	–	1	–	–	1	1	2	2	4
III. Tubercular Class	340	4	1	6	13	6	2	2	7	17	30	59	46
IV. Brain and Nervous System	140	9	2	7	4	2	2	2	5	4	–	6	5
V. Organs of Circulation	71	–	–	–	–	–	–	–	–	1	5	–	3
VI. Respiratory Organs	226	15	5	9	8	5	5	1	5	2	9	5	12
VII. Organs of Digestion	144	7	7	6	6	5	1	2	4	5	2	3	6
VIII. Urinary Organs	27	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	–	1	7
X. Organs of Locomotion	24	–	–	–	–	–	–	–	1	1	2	1	1
XI. Skin, etc.	5	–	1	1	1	–	–	–	–	–	–	–	1
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	46	6	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	1	–	2	–	1	–	–	1	–
XV. Age	614	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	91	1	–	1	2	–	2	1	4	4	3	14	11
I. Small Pox	3	–	–	1	–	–	–	–	–	–	–	–	1
Measles	5	–	1	1	–	–	1	–	–	–	1	1	–
Scarlatina	40	2	1	1	10	4	2	8	7	3	2	–	–
Diphtheria	18	1	1	2	3	1	3	1	3	3	–	–	–
Hooping Cough	57	5	4	15	11	2	4	5	8	1	1	–	1
Croup	48	4	4	12	14	6	4	2	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	1	4	1	1	–	–	1	1	–	–	–	–
Dysentery	5	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	2	–	–	–	–	–	–	–	–
Influenza	28	1	2	–	2	2	–	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	38	–	–	–	–	–	1	–	1	4	3	4	3
Enteric Fever	30	–	–	–	–	1	–	2	3	2	3	5	3
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	26	–	1	–	–	1	1	–	4	1	4	1	3
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	6	–	–	–	–	–	–	–	1	–	–	2	–
Erysipelas	5	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	2	–	–
Dropsy	35	–	–	–	–	–	–	–	–	1	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	1	–	–	–	–	–	–	–	–	–	2
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	45	–	–	–	–	–	–	–	1	–	–	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	–	–	–	–	2	2	2	3	3
Tabes Mesenterica	8	1	–	1	4	–	1	–	–	–	–	–	–
Phthisis	289	–	–	1	2	2	–	–	1	14	28	56	43
Hydrocephalus	27	3	1	4	7	4	1	2	4	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	120	82	75	62	91	69	113	160	205	194	172	127	61	27	4	19
SPECIFIED CAUSES	103	68	59	50	72	51	99	149	205	194	172	127	61	27	4	10
Zymotic Class	13	8	10	9	7	2	10	8	14	7	3	3	1	–	–	1
Uncertain Seat	4	4	5	5	9	7	8	8	12	8	5	2	–	–	–	–
Tubercular Class	45	20	18	4	15	12	17	8	–	4	1	–	1	–	–	2
Brain, etc.	10	5	3	8	5	3	7	9	18	12	8	2	–	1	–	1
Heart, etc.	4	1	3	2	5	1	13	6	14	8	4	–	1	–	–	–
Respiratory Organs	7	6	5	6	11	11	18	25	15	20	10	7	3	–	1	–
Digestive Organs	3	3	3	6	14	7	13	20	15	5	1	–	–	–	–	–
Urinary Organs	1	–	–	–	1	1	3	5	6	5	3	–	–	–	–	–
Generative Organs	10	11	2	2	–	–	–	–	–	–	1	–	–	–	–	1
Locomotive Organs	–	–	1	1	1	1	2	2	2	5	3	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	56	105	119	131	112	55	26	3	1
Sudden Deaths	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Violent Deaths	5	9	7	7	1	5	2	1	4	1	1	1	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	1	–	3	–	3	2	2	–	1	–	–	–
Dysentery	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	1	2	2	–	–	3	6	1	1	2	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	2	1	4	1	3	2	–	–	–	–	–	–	–	1
Enteric Fever	–	1	2	2	–	–	1	1	2	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	2	2	–	1	1	–	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	–	–	–	–	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	–	5	3	4	4	4	6	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	2	3	2	5	4	4	4	3	7	2	4	2	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	44	19	18	4	15	11	17	6	–	4	1	–	1	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3.	6	12									
IV. Cephalitis	10	–	–	2	–	–	–	–	1	–	–	2	1
Apoplexy	28	–	–	–	–	1	1	–	1	1	–	1	1
Paralysis	51	–	–	1	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	–	1	1
Tetanus	11	7	–	–	1	–	–	–	1	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	2	2	4	2	1	1	1	1	–	–	–	–
Brain Disease	20	–	–	–	1	–	–	1	1	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	70	–	–	–	–	–	–	–	–	1	4	–	3
VI. Laryngitis	5	–	–	–	1	–	–	–	–	–	–	1	1
Bronchitis	103	4	3	5	5	3	1	1	3	1	1	–	4
Pleurisy	28	10	1	1	1	–	2	–	–	–	1	–	3
Pneumonia	44	–	1	3	1	2	1	–	2	1	2	3	3
Asthma	32	–	–	–	–	–	–	–	–	–	1	1	–
Lung Disease	14	1	–	–	–	–	1	–	–	–	1	–	1
VII. Teething	16	–	2	6	6	1	1	–	–	–	–	–	–
Quinsey	3	–	–	–	–	2	–	–	1	–	–	–	–
Gastritis	4	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	17	4	2	–	–	1	–	1	–	1	–	–	1
Peritonitis	5	–	–	–	–	–	–	–	1	1	–	–	1
Ascites	7	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	6	–	2	–	–	–	–	–	–	–	–	–	–
Ileus	11	–	–	–	–	–	–	–	1	–	1	–	2
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	36	2	1	–	–	–	–	1	–	2	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	1	–	1	1
Jaundice	6	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	22	–	–	–	–	1	–	–	–	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	29	–	–	–	–	–	–	–	–	–	–	–	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	5	–	–	–	–	–	–	–	1	1	–	–	1
Rheumatism	17	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
XI. Carbuncle	3	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	1
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	1	–	–	–	–	–	–	1	–
Poison	1	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	1	1	–	2	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	61	–	–	–	–	–	–	1	2	–	2	12	11
Fracture and Contusion	13	–	–	–	–	–	–	–	1	3	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	434	109	26	30	30	19	13	3	16	11	15	13	19

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	4	1	–	3	2	–	3	3	5	–	1	–	–	–	–	–
Paralysis	1	1	1	2	3	3	4	6	10	8	5	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	1	1	–	–	–	–	3	4	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	3	2	5	1	13	6	14	8	4	–	1	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	2	–	3	7	6	15	8	12	7	6	1	–	1	–
Pleurisy	–	–	1	1	–	–	2	–	2	–	–	–	–	–	–	–
Pneumonia	4	1	–	3	2	2	3	3	2	3	1	–	1	–	–	–
Asthma	1	–	–	–	6	–	4	7	3	5	2	1	1	–	–	–
Lung Disease	1	1	2	1	–	2	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	1	–	–	–	3	1	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	1	1	–	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	3	–	1	6	2	3	7	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	3	1	5	8	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	11	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	2	2	2	5	3	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	9	5	4	1	3	1	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Not Specified	17	14	16	12	19	18	14	11	–	–	–	–	–	–	–	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1305	124	34	43	55	31	22	17	41	37	49	74	70
SPECIFIED CAUSES	1085	60	21	29	41	20	13	15	31	28	39	68	60
I. Zymotic Class	165	9	10	16	21	9	7	12	15	7	8	10	1
II. Diseases of Uncertain Seat	27	–	–	–	–	–	–	–	1	1	1	–	1
III. Tubercular Class	178	2	–	2	7	3	1	2	5	9	14	32	28
IV. Brain and Nervous System	68	4	2	2	4	2	1	1	1	3	–	6	5
V. Organs of Circulation	40	–	–	–	–	–	–	–	–	–	5	–	2
VI. Respiratory Organs	116	7	2	5	5	4	3	–	4	2	5	4	8
VII. Organs of Digestion	76	5	2	4	3	2	1	–	–	3	2	1	2
VIII. Urinary Organs	24	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	14	–	–	–	–	–	–	–	–	–	1	1	1
XI. Skin, etc.	3	–	1	–	1	–	–	–	–	–	–	–	1
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	35	32	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	256	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	74	–	–	–	–	–	–	–	3	3	3	12	11
I. Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	1	1	–	–	1	–	–	–	1	1	–
Scarlatina	19	1	1	1	4	2	–	4	4	1	1	–	–
Diphtheria	7	1	–	–	1	1	1	1	1	1	–	–	–
Hooping Cough	25	3	2	6	6	1	2	3	2	–	–	–	–
Croup	27	3	2	6	10	2	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	1	1	–	–	–	–	1	1	–	–	–	–
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	9	–	2	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	15	–	–	–	–	–	–	–	–	3	2	2	–
Enteric Fever	18	–	–	–	–	1	–	1	3	1	1	5	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	13	–	1	–	–	1	1	–	1	1	3	1	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	–	1	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	10	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	1	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	–	–	–	–	–	1	2	1	3	2
Tabes Mesenterica	4	–	–	–	2	–	1	–	–	–	–	–	–
Phthisis	146	–	–	–	1	1	–	–	–	6	13	29	26
Hydrocephalus	17	2	–	2	4	2	–	2	4	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	32	36	33	32	37	48	68	100	105	73	48	23	9	1	9
SPECIFIED CAUSES	49	27	27	28	24	30	45	65	100	105	73	48	23	9	1	6
Zymotic Class	6	1	4	6	2	1	5	3	7	1	1	2	1	–	–	–
Uncertain Seat	–	2	2	1	–	3	1	1	5	5	2	1	–	–	–	–
Tubercular Class	28	8	6	2	3	7	12	3	–	3	–	–	–	–	–	1
Brain, etc.	3	3	3	4	1	2	3	2	4	5	5	1	–	–	–	1
Heart, etc.	1	1	2	–	3	1	7	1	11	3	3	–	–	–	–	–
Respiratory Organs	3	2	2	3	5	5	7	11	7	12	5	3	2	–	–	–
Digestive Organs	1	–	2	4	6	3	6	18	10	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	1	1	5	6	5	3	–	–	–	–	–
Generative Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	1	1	1	1	4	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	19	46	65	53	41	20	9	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	9	6	7	1	5	–	1	3	1	–	–	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	–	–	3	–	1	–	1	–	1	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	2	–	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	1	2	–	–	–	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	1	–	–	2	3	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	1	–	1	–	2	1	1	2	2	1	1	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	7	6	2	3	7	12	2	–	3	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	–	–	–	–	–	–	–	–	–	2	1
Apoplexy	12	–	–	–	–	1	1	–	–	1	–	1	1
Paralysis	19	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	5	3	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	9	1	2	2	2	1	–	–	1	–	–	–	–
Brain Disease	15	–	–	–	1	–	–	1	–	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	–	–	–	–	–	–	–	–	4	–	2
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	49	1	2	4	3	3	1	–	2	1	–	–	3
Pleurisy	14	5	–	1	1	–	1	–	–	–	3	–	–
Pneumonia	30	–	–	–	1	1	1	–	2	1	2	3	3
Asthma	17	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	4	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	8	–	–	4	3	–	1	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	3	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	3	1	–	–	1	–	–	–	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	21	1	–	–	–	–	–	–	–	1	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	11	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	2	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	1	–
Poison	1	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	57	–	–	–	–	–	–	–	2	–	2	10	11
Fracture and Contusion	12	–	–	–	–	–	–	–	1	2	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	220	64	13	14	14	11	9	2	10	9	10	6	10

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	1	–	–	1	–	2	–	1	–	–	–	–	–
Paralysis	–	–	1	1	1	2	2	2	1	2	3	1	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	1	–	–	–	–	1	3	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	2	–	3	1	7	1	11	3	3	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	–	3	2	7	3	7	3	2	–	–	–	–
Pleurisy	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	–	1	2	1	2	2	1	3	–	–	1	–	–	–
Asthma	1	–	–	–	3	–	2	2	2	2	2	1	1	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	3	1	2	6	3	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	3	1	2	8	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	2	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	1	1	1	4	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	9	5	4	1	3	–	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	–	–	3	–	2	–	–	1	–	–	–	–	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	5	5	9	5	8	7	3	3	–	–	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1356	82	34	54	54	24	21	15	36	23	38	48	59
SPECIFIED CAUSES	1142	37	21	38	38	16	17	14	30	21	28	41	50
I. Zymotic Class	185	5	8	19	23	8	9	9	17	7	6	5	13
II. Diseases of Uncertain Seat	62	–	1	–	–	1	–	–	–	–	1	2	3
III. Tubercular Class	162	2	1	4	6	3	1	–	2	8	16	27	18
IV. Brain and Nervous System	72	5	–	5	–	–	1	1	4	1	–	–	–
V. Organs of Circulation	31	–	–	–	–	–	–	–	–	1	–	–	1
VI. Respiratory Organs	110	8	3	4	3	1	2	1	1	–	4	1	4
VII. Organs of Digestion	68	2	5	2	3	3	–	2	4	2	–	2	4
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	34	–	–	–	–	–	–	–	–	–	–	1	7
X. Organs of Locomotion	10	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	19	14	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	2	–	–	–	–	1	–
XV. Age	358	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	17	1	–	1	2	–	2	1	1	1	–	2	–
I. Small Pox	2	–	–	1	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	21	1	–	–	6	2	2	4	3	2	1	–	–
Diphtheria	11	–	1	2	2	–	2	–	2	2	–	–	–
Hooping Cough	32	2	2	9	5	1	2	2	6	1	1	–	1
Croup	21	1	2	6	4	4	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	–	3	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	19	1	–	–	2	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	1	1	1	2	3
Enteric Fever	12	–	–	–	–	–	–	1	–	1	2	–	3
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	13	–	–	–	–	–	–	–	3	–	1	–	2
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	25	–	–	–	–	–	–	–	–	–	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	1	–	1	–	1
Tabes Mesenterica	4	1	–	1	2	–	–	–	–	–	–	–	–
Phthisis	143	–	–	1	1	1	–	–	1	8	15	27	17
Hydrocephalus	10	1	1	2	3	2	1	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	66	50	39	29	59	32	65	92	105	89	99	79	38	18	3	10
SPECIFIED CAUSES	54	41	32	22	48	21	54	84	105	89	99	79	38	18	3	4
Zymotic Class	7	7	6	3	5	1	5	5	7	6	2	1	–	–	–	1
Uncertain Seat	4	2	3	4	9	4	7	7	7	3	3	1	–	–	–	–
Tubercular Class	17	12	12	2	12	5	5	5	–	1	1	–	1	–	–	1
Brain, etc.	7	2	–	4	4	1	4	7	14	7	3	1	–	1	–	–
Heart, etc.	3	–	1	2	2	–	6	5	3	5	1	–	1	–	–	–
Respiratory Organs	4	4	3	3	6	6	11	14	8	8	5	4	1	–	1	–
Digestive Organs	2	3	1	2	3	4	7	2	5	4	1	–	–	–	–	–
Urinary Organs	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Generative Organs	9	11	2	2	–	–	–	–	–	–	1	–	–	–	–	1
Locomotive Organs	–	–	1	–	–	–	1	1	1	1	2	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	37	59	54	78	71	35	17	2	1
Sudden Deaths	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Violent Deaths	–	–	1	–	–	–	2	–	1	–	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	–	2	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	1	1	2	–	–	2	4	1	1	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	1	1	2	–	2	2	–	–	–	–	–	–	–	1
Enteric Fever	–	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	1	–	1	1	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	5	2	4	4	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	2	2	2	4	4	2	3	2	5	–	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	12	12	2	12	4	5	4	–	1	1	–	1	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	6	–	–	2	–	–	–	–	1	–	–	–	–	
Apoplexy	16	–	–	–	–	–	–	–	1	–	–	–	–	
Paralysis	32	–	–	1	–	–	–	–	–	–	–	–	–	
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	2	–	–	–	–	–	–	–	–	1	–	–	–	
Tetanus	6	4	–	–	–	–	–	–	1	–	–	–	–	
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	5	1	–	2	–	–	1	1	–	–	–	–	–	
Brain Disease	5	–	–	–	–	–	–	–	1	–	–	–	–	
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	31	–	–	–	–	–	–	–	–	1	–	–	1	
VI. Laryngitis	3	–	–	–	1	–	–	–	–	–	–	1	–	
Bronchitis	54	3	1	1	2	–	–	1	1	–	1	–	1	
Pleurisy	14	5	1	–	–	–	1	–	–	–	1	–	3	
Pneumonia	14	–	1	3	–	1	–	–	–	–	–	–	–	
Asthma	15	–	–	–	–	–	–	–	–	–	1	–	–	
Lung Disease	10	–	–	–	–	–	1	–	–	–	1	–	–	
VII. Teething	8	–	2	2	3	1	–	–	–	–	–	–	–	
Quinsey	2	–	–	–	–	1	–	–	1	–	–	–	–	
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Enteritis	7	1	1	–	–	–	–	1	–	1	–	–	–	
Peritonitis	4	–	–	–	–	–	–	–	1	–	–	–	1	
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	2	–	–	–	–	–	–	–	1	–	–	1	–	
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–	
Ileus	6	–	–	–	–	–	–	–	1	–	–	–	2	
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	15	1	1	–	–	–	–	1	–	1	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	1	1	
Jaundice	3	–	–	–	–	–	–	–	–	–	–	1	–	
Liver Disease	5	–	–	–	–	1	–	–	–	–	–	–	–	
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	29	–	–	–	–	–	–	–	–	–	–	–	6	
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1	
X. Arthritis	3	–	–	–	–	–	–	–	1	1	–	–	–	
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	2	–	–	–	1	–	–	–	–	–	–	–	–	
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	8	–	–	1	1	–	2	–	1	–	–	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–	
Drowning	4	–	–	–	–	–	–	1	–	–	–	2	–	
Fracture and Contusion	1	–	–	–	–	–	–	–	–	1	–	–	–	
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	214	45	13	15	16	8	4	1	6	2	5	7	9	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	–	–	2	2	–	2	3	3	–	–	–	–	–	–	–
Paralysis	1	1	–	1	2	1	2	4	9	6	2	1	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	–	1	2	2	–	6	5	3	5	1	–	1	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	–	3	4	4	8	5	5	4	4	1	–	1	–
Pleurisy	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	–	2	–	1	1	1	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	3	–	2	5	1	3	–	–	–	–	–	–
Lung Disease	1	1	1	1	–	1	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	–	1	3	1	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	11	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	12	9	7	7	11	11	11	8	–	–	–	–	–	–	–	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	34315	3206	987	1921	2439	1249	829	644	1716	953	1213	1241	1159
Specified Causes	32236	2578	825	1759	2262	1185	777	593	1621	904	1151	1187	1108
I. Zymotic Class	7350	263	183	576	974	687	508	400	974	347	306	226	188
II. Diseases of Uncertain Seat	1281	25	8	6	14	6	9	8	25	10	13	17	29
III. Tubercular Class	5095	82	117	289	396	166	88	69	292	268	515	617	540
IV. Brain and Nervous System	2583	150	45	100	77	57	27	32	82	74	59	43	55
V. Organs of Circulation	1618	10	5	4	1	5	2	3	18	22	31	37	47
VI. Respiratory Organs	3970	305	226	424	404	139	88	42	98	50	48	65	60
VII. Organs of Digestion	2526	269	124	263	264	62	24	10	38	40	61	52	49
VIII. Urinary Organs	500	2	1	2	5	4	3	4	14	17	12	19	17
IX. Organs of Generation	275	–	–	–	–	–	–	1	–	–	17	23	48
X. Organs of Locomotion	183	–	2	–	2	3	1	1	17	13	19	11	11
XI. Skin, etc.	86	3	4	4	1	2	–	1	1	–	1	2	1
XII. Malformation	84	59	6	10	5	–	–	1	–	2	–	–	–
XIII. Premature Debility	1516	1354	93	69	–	–	–	–	–	–	–	–	–
XIV. Atrophy	219	–	–	–	67	17	7	6	7	4	3	7	2
XV. Age	3885	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	63	7	–	1	–	2	–	–	–	2	2	–	7
XVII. Violent Deaths	1052	49	16	11	52	35	20	15	55	55	69	68	54
I. Small Pox	39	5	3	4	3	3	3	1	2	2	4	–	2
Measles	389	6	10	73	134	61	40	22	30	4	2	1	1
Scarlatina	1456	9	11	80	196	230	201	176	389	82	34	25	8
Diphtheria	433	8	4	18	64	56	42	47	115	36	16	4	2
Hooping Cough	748	62	49	197	210	102	56	28	43	1	–	–	–
Croup	478	22	7	44	144	104	56	42	56	3	–	–	–
Thrush	21	10	2	4	2	2	–	1	–	–	–	–	–
Diarrhœa	643	59	56	77	109	25	11	7	12	6	6	7	8
Dysentery	176	3	14	8	7	6	–	3	–	–	–	–	4
Cholera	683	3	5	15	30	26	33	20	69	25	26	28	86
Influenza	119	7	1	3	3	–	2	1	2	–	–	2	1
Purpura	25	1	–	1	2	1	1	–	2	1	5	3	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	16	–	–	–	1	3	4	3	5	–	–	–	–
Typhus	666	8	–	8	12	16	14	16	70	60	65	51	31
Enteric Fever	888	6	4	14	31	31	29	20	118	94	108	68	52
Relapsing Fever	17	–	–	–	–	–	–	1	5	1	3	2	1
Simple Continued Fever	137	1	–	1	8	6	7	2	25	13	17	9	3
Infantile Remittent	79	8	1	15	11	12	6	7	19	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	5	18	27
Rheumatic Fever	64	–	–	–	–	–	–	1	6	15	10	4	3
Erysipelas	125	34	6	5	1	1	1	2	5	3	3	4	5
Pyæmia	7	–	–	–	–	–	1	–	1	1	1	–	–
Syphilis	42	11	10	9	5	1	–	–	–	–	–	–	1
Noma	8	–	–	–	1	1	1	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	35	8	–	1	–	–	–	–	–	–	2	3	4
Dropsy	359	3	1	1	7	4	5	6	16	9	2	7	5
Abscess	64	7	–	1	3	1	3	1	3	–	5	2	3
Ulcer	19	1	2	–	–	–	–	–	–	1	–	–	2
Fistula	10	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	65	5	–	1	3	–	–	–	1	–	2	–	2
Cancer	728	1	–	2	1	1	1	1	5	–	2	4	13
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	323	6	7	17	24	6	6	7	41	32	46	30	23
Tabes Mesenterica	409	46	27	48	122	47	17	15	36	19	9	4	1
Phthisis	3643	9	22	47	70	39	24	22	105	195	453	582	516
Hydrocephalus	720	21	61	177	180	74	41	25	110	22	7	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
All Causes	995	958	1004	1038	1062	1213	1445	1723	2013	2044	1682	1036	351	126	23	45
Specified Causes	957	906	962	971	1008	1137	1342	1705	2011	2044	1682	1036	351	126	23	25
Zymotic Class	177	156	178	141	138	150	158	172	160	144	88	39	10	3	–	4
Uncertain Seat	22	40	73	89	108	119	144	186	154	122	73	27	8	1	–	–
Tubercular Class	396	295	245	181	156	148	107	71	34	17	5	–	–	–	–	1
Brain, etc.	42	65	75	105	117	119	183	244	296	270	150	88	17	8	–	3
Heart, etc.	61	73	55	78	111	143	184	218	219	156	98	32	4	1	–	–
Respiratory Organs	65	69	92	129	135	192	228	265	305	259	157	103	19	4	–	4
Digestive Organs	52	81	85	109	122	134	143	184	146	136	54	18	5	–	–	1
Urinary Organs	14	16	20	27	24	23	32	54	65	69	37	15	1	3	–	–
Generative Organs	44	43	38	21	7	7	11	10	3	1	–	–	1	–	–	–
Locomotive Organs	8	6	3	7	7	15	10	14	18	9	5	1	–	–	–	–
Skin	–	1	1	–	2	3	2	2	1	1	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	5	15	15	25	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	85	289	583	827	989	704	278	106	23	1
Sudden Deaths	2	–	3	2	3	4	11	9	3	3	2	–	–	–	–	–
Violent Deaths	66	56	79	67	52	49	44	37	24	30	22	9	7	–	–	11
Small Pox	1	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	3	1	2	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	2	2	3	3	1	2	–	3	1	3	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	7	12	13	13	20	17	28	34	54	25	20	6	2	–	1
Dysentery	3	6	1	2	12	5	20	25	22	12	16	6	–	1	–	–
Cholera	43	49	50	44	41	33	32	27	25	18	2	2	–	–	–	1
Influenza	1	1	3	2	5	3	10	17	13	20	16	4	2	–	–	–
Purpura	–	–	2	1	–	–	–	3	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	46	39	38	36	32	27	22	19	11	4	2	2	–	–	–
Enteric Fever	46	20	41	30	19	38	30	34	24	17	13	1	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Simple Cont. Fever	5	3	4	2	1	6	7	5	4	2	5	–	–	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	11	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	2	3	1	1	2	4	2	3	2	–	–	–	–	–	1
Erysipelas	1	3	5	1	3	7	5	5	12	4	6	3	–	–	–	–
Pyæmia	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	4	2	–	2	2	1	3	–	–	–	–	–	–	–
Dropsy	4	8	10	20	17	22	26	43	58	43	29	11	2	–	–	–
Abscess	3	3	7	–	4	1	7	1	5	2	1	–	1	–	–	–
Ulcer	–	–	–	–	1	1	1	1	3	4	2	–	–	–	–	–
Fistula	–	1	1	2	3	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	–	2	1	5	4	7	6	12	7	4	2	–	–	–
Cancer	14	25	51	63	82	88	103	81	79	61	34	12	3	1	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	18	14	6	4	6	7	10	5	4	4	–	–	–	–	–	–
Tabes Mesenterica	2	3	3	2	1	3	2	1	1	–	–	–	–	–	–	–
Phthisis	375	278	236	175	149	138	95	65	29	13	5	–	–	–	–	1
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES. *(Continued.)*

	DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV	Cephalitis	199	5	4	18	13	12	7	9	27	27	19	10	10
	Apoplexy	593	6	2	13	4	8	3	6	9	6	13	4	10
	Paralysis	863	1	–	–	–	–	2	–	–	5	1	2	4
	Delirium Tremens	17	–	–	–	–	–	–	–	–	–	1	–	–
	Chorea	4	–	–	–	–	–	–	–	–	2	1	–	–
	Epilepsy	135	–	1	–	–	–	–	1	3	8	8	10	15
	Tetanus	22	9	1	–	–	1	–	1	–	2	–	3	–
	Insanity	11	–	–	–	–	–	–	–	1	1	–	1	–
	Convulsions	322	124	38	57	47	25	10	7	19	–	–	–	–
	Brain Disease	417	5	4	12	13	11	5	8	23	23	16	13	16
V.	Pericarditis	17	–	–	–	1	–	–	–	2	–	1	1	–
	Aneurism	38	–	–	–	–	1	–	–	1	–	2	1	1
	Heart Disease	1563	10	5	4	–	4	2	3	15	22	28	35	46
VI.	Laryngitis	42	2	–	1	5	5	5	2	6	2	1	–	1
	Bronchitis	2547	224	179	340	310	100	55	25	51	21	11	15	24
	Pleurisy	133	1	1	4	–	2	3	1	7	4	6	8	3
	Pneumonia	897	67	41	76	88	32	22	13	28	22	22	37	24
	Asthma	227	–	–	–	–	–	1	–	–	–	1	1	3
	Lung Disease	124	11	5	3	1	–	2	1	6	1	2	4	5
VII.	Teething	389	2	22	163	174	25	2	–	1	–	–	–	–
	Quinsey	35	6	1	8	4	4	1	–	2	–	–	1	1
	Gastritis	111	8	7	3	4	2	1	1	3	2	1	5	2
	Enteritis	495	143	56	55	55	15	8	3	10	12	9	10	7
	Peritonitis	134	14	4	8	4	1	1	–	6	5	14	4	5
	Ascites	31	–	–	–	–	–	–	–	–	1	–	1	–
	Ulceration of Intestines	119	3	2	2	1	2	–	1	1	3	8	6	6
	Hernia	57	2	1	1	1	1	–	–	–	–	–	–	–
	Ileus	163	10	–	2	–	2	1	–	3	4	9	11	4
	Intussusception	21	–	2	5	–	–	–	–	2	–	1	–	1
	Stricture of Intestines	17	2	–	–	–	–	–	–	–	–	–	1	–
	Stomach Disease	395	35	24	14	13	5	4	1	3	4	5	4	7
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	97	3	–	1	1	1	1	–	–	2	3	–	4
	Jaundice	105	33	3	1	2	3	3	1	1	1	1	2	–
	Liver Disease	332	8	1	–	3	1	1	3	6	4	9	5	10
	Spleen Disease	25	–	1	–	2	–	1	–	–	2	1	2	2
VIII.	Nephritis	26	–	–	–	2	–	–	1	2	–	3	2	2
	Nephria	95	–	–	1	1	2	1	–	7	3	4	6	5
	Addison's Disease	4	–	–	–	–	–	–	–	–	–	1	–	–
	Ischuria	26	2	–	–	–	–	1	–	–	1	–	1	–
	Diabetes	47	–	–	–	–	–	–	–	1	7	1	3	4
	Stone	39	–	–	–	–	–	–	–	–	–	–	–	1
	Cystitis	115	–	–	1	1	–	–	–	–	–	–	3	–
	Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	143	–	1	–	1	2	1	3	4	6	3	4	5
IX.	Paramenia	16	–	–	–	–	–	–	–	–	–	5	4	2
	Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	–	–	2
	Childbirth	174	–	–	–	–	–	–	–	–	–	11	17	40
	Organs of Generation	47	–	–	–	–	–	–	1	–	–	1	2	4
X.	Arthritis	36	–	1	–	1	1	1	1	3	2	6	1	4
	Rheumatism	93	–	–	–	–	1	–	–	3	3	7	2	5
	Joint and Bone Disease	54	–	1	–	1	1	–	–	11	8	6	8	2
XI.	Carbuncle	11	–	–	–	–	–	–	–	–	–	1	–	–
	Phlegmon	7	1	–	–	–	1	–	–	–	–	–	1	1
	Skin Disease	18	2	4	4	1	1	–	1	1	–	–	1	–
XVII.	Intemperance	30	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	26	19	5	2	–	–	–	–	–	–	–	–	–
	Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
	Cold	19	–	1	1	–	–	1	–	–	–	–	–	–
	Poison	17	2	–	1	–	1	–	2	–	–	–	1	–
	Poisoned Wounds	2	–	–	–	–	–	–	–	1	–	–	–	1
	Burns and Scalds	138	–	2	4	35	19	11	5	16	2	1	1	–
	Hanging, etc.	28	–	–	–	–	–	–	–	–	–	2	–	1
	Suffocation	39	15	8	2	–	2	1	–	1	–	2	1	1
	Drowning	221	2	–	–	11	8	6	3	11	7	25	23	20
	Fracture and Contusion	431	4	–	–	3	5	1	5	23	39	35	32	25
	Gunshot Wounds	15	–	–	–	–	–	–	–	2	3	3	3	1
	Cuts and Stabs	23	–	–	–	–	–	–	–	–	–	–	–	1
	Other Violent Causes	62	7	–	1	2	–	–	–	1	4	1	7	8
	Not Specified	2079	628	162	162	177	64	52	51	95	49	62	54	51

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	8	1	3	2	4	4	–	3	6	2	–	–	–	–	–
Apoplexy	7	11	23	29	32	38	64	67	86	78	36	24	9	4	–	1
Paralysis	4	8	23	31	46	46	79	135	169	149	96	50	8	3	–	1
Delirium Tremens	2	4	2	2	4	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	8	17	5	9	10	8	5	7	8	8	2	1	–	1	–	–
Tetanus	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	1	–	2	2	1	–	–	–	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	15	16	17	29	22	23	29	34	28	27	14	13	–	–	–	1
Pericarditis	1	2	1	–	–	1	3	2	1	1	–	–	–	–	–	–
Aneurism	6	–	4	3	3	2	7	3	2	2	–	–	–	–	–	–
Heart Disease	54	71	50	75	108	140	174	213	216	153	98	32	4	1	–	–
Laryngitis	1	1	–	3	–	2	1	2	1	1	–	–	–	–	–	–
Bronchitis	22	19	46	51	57	90	133	161	203	176	125	84	17	4	–	4
Pleurisy	4	6	6	8	8	13	9	8	16	5	7	2	1	–	–	–
Pneumonia	32	33	28	41	41	51	39	44	41	47	18	9	1	–	–	–
Asthma	1	2	10	12	19	23	32	42	39	28	6	7	–	–	–	–
Lung Disease	5	8	2	14	10	13	14	8	5	2	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	1	1	–	2	–	–	–	–	–	–	–
Gastritis	3	3	3	6	7	8	13	4	6	10	5	2	2	–	–	–
Enteritis	4	11	12	9	13	14	13	8	14	10	4	–	–	–	–	–
Peritonitis	7	5	7	1	6	7	10	9	4	7	3	2	–	–	–	–
Ascites	–	1	3	3	6	2	2	3	4	3	2	–	–	–	–	–
Ulceration of Intestines	5	12	8	6	5	7	9	19	6	4	2	1	–	–	–	–
Hernia	3	1	4	4	1	4	3	9	6	9	5	2	–	–	–	–
Ileus	4	5	2	8	8	13	8	19	21	20	7	1	1	–	–	–
Intussusception	–	–	–	1	1	2	1	2	2	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	3	2	1	1	3	1	1	–	–	–	–	–
Stomach Disease	4	10	17	31	25	31	27	41	40	35	10	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	6	5	7	9	9	12	10	6	6	2	1	–	–	–	–
Jaundice	–	5	1	3	6	3	7	12	4	8	4	1	–	–	–	–
Liver Disease	9	22	20	30	28	30	36	44	27	21	9	4	1	–	–	–
Spleen Disease	1	–	2	–	4	1	–	3	1	1	–	1	–	–	–	–
Nephritis	1	2	1	–	5	–	–	–	3	1	–	1	–	–	–	–
Nephria	4	6	6	9	6	4	5	11	4	6	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	1	1	–	–	–	2	4	1	5	4	1	–	1	–	–
Diabetes	2	3	4	5	1	3	5	5	3	–	–	–	–	–	–	–
Stone	–	1	–	–	–	1	2	6	14	8	6	–	–	–	–	–
Cystitis	1	2	2	4	5	3	2	15	16	33	16	9	–	2	–	–
Stricture of Urethra	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
Kidney Disease	4	1	6	9	6	11	16	11	24	14	6	4	1	–	–	–
Paramenia	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	6	6	5	5	2	1	1	–	–	–	–	–	–
Childbirth	37	38	28	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	6	11	–	2	6	8	2	–	–	–	1	–	–	–
Arthritis	2	3	–	3	–	3	–	2	–	1	1	–	–	–	–	–
Rheumatism	2	1	3	4	4	11	8	11	15	8	4	1	–	–	–	–
Joint Disease	4	2	–	–	3	1	2	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	1	1	1	2	–	1	–	–	–
Phlegmon	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Intemperance	2	2	3	7	3	4	4	1	1	–	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	3	4	2	–	2	3	1	–	–	–	–	–	–	–	–
Poison	1	1	2	–	1	1	1	2	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	4	2	5	4	1	3	3	–	9	4	1	2	–	–	–
Hanging, etc.	3	2	4	4	4	4	1	1	–	2	–	–	–	–	–	–
Suffocation	–	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–
Drowning	14	12	22	9	11	11	9	7	2	1	1	1	–	–	–	1
Fracture and Contusion	36	27	30	35	27	18	17	17	9	14	14	6	5	–	–	5
Gunshot Wounds	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	4
Cuts and Stabs	1	2	7	3	–	3	1	1	2	2	–	–	–	–	–	–
Other Violent Causes	3	1	5	2	1	4	5	3	8	1	2	1	–	–	–	–
Not Specified	38	52	42	67	54	76	103	18	2	–	–	–	–	–	–	20

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	16930	1794	529	1091	1218	630	434	311	888	480	619	654	559
SPECIFIED CAUSES	15864	1452	448	997	1157	600	410	284	841	450	586	623	537
I. Zymotic Class	3491	155	109	297	457	331	261	190	482	174	155	100	74
II. Diseases of Uncertain Seat	494	16	1	2	5	6	6	4	13	3	8	8	15
III. Tubercular Class	2518	48	59	167	209	92	48	33	163	117	238	326	271
IV. Brain and Nervous System	1354	80	23	53	44	30	17	18	42	31	25	27	26
V. Organs of Circulation	819	5	3	3	1	4	2	3	13	9	16	11	17
VI. Respiratory Organs	2137	191	128	266	222	71	45	12	50	24	24	44	40
VII. Organs of Digestion	1326	157	65	157	142	29	15	5	21	28	34	28	20
VIII. Urinary Organs	348	1	–	–	2	2	2	3	10	6	9	13	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	99	–	1	–	2	2	1	1	11	7	13	7	10
XI. Skin, etc.	24	1	3	3	1	2	–	1	1	–	1	1	–
XII. Malformation	49	39	3	4	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	811	725	49	37	–	–	–	–	–	–	–	–	–
XIV. Atrophy	108	–	–	–	40	9	3	4	2	1	1	3	–
XV. Age	1468	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	40	3	–	–	–	1	–	–	–	1	1	–	4
XVII. Violent Deaths	778	31	4	8	30	21	10	10	33	49	61	60	50
I. Small Pox	19	5	2	1	2	–	1	–	–	2	1	–	1
Measles	193	5	5	40	66	27	17	12	18	2	–	–	–
Scarlatina	748	5	7	44	100	117	106	81	208	46	17	8	4
Diphtheria	216	5	3	8	24	33	16	25	64	17	11	1	2
Hooping Cough	327	35	25	97	74	34	32	12	18	–	–	–	–
Croup	250	16	5	29	80	55	29	16	19	1	–	–	–
Thrush	11	6	1	2	1	–	–	1	–	–	–	–	–
Diarrhœa	307	32	33	42	57	14	5	3	6	2	5	1	1
Dysentery	73	1	11	3	4	1	–	1	–	–	–	–	1
Cholera	311	2	4	7	13	13	15	14	34	13	8	15	16
Influenza	54	5	–	1	1	–	2	1	2	–	–	2	1
Purpura	18	1	–	1	2	1	1	–	2	1	4	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	1	3	3	1	–	–	–	–
Typhus	311	4	–	3	6	8	6	7	35	33	30	26	19
Enteric Fever	404	3	3	7	14	14	18	8	47	42	56	38	20
Relapsing Fever	11	–	–	–	–	–	–	–	2	–	3	1	1
Simple Continued Fever	59	1	–	1	3	3	4	1	10	5	9	2	2
Infantile Remittent	46	6	1	8	6	8	4	4	9	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	38	–	–	–	–	–	–	1	4	9	8	2	2
Erysipelas	62	17	3	1	1	1	1	–	3	–	1	2	2
Pyæmia	5	–	–	–	–	–	1	–	–	1	1	–	–
Syphilis	17	6	6	2	3	–	–	–	–	–	–	–	–
Noma	3	–	–	–	–	1	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	6	–	1	–	–	–	–	–	–	1	2	3
Dropsy	151	2	1	–	3	4	4	4	8	3	2	8	4
Abscess	36	4	–	–	1	1	2	–	3	–	3	2	3
Ulcer	11	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	37	3	–	1	–	–	–	–	–	–	2	–	2
Cancer	231	–	–	–	1	1	–	–	2	–	–	1	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	174	5	3	9	12	2	4	2	23	20	24	15	14
Tabes Mesenterica	210	26	10	26	55	24	9	9	21	10	7	3	–
Phthisis	1712	5	12	27	41	15	14	10	53	73	203	307	257
Hydrocephalus	422	12	34	105	101	51	21	12	66	14	4	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	451	403	470	527	541	624	695	831	885	912	747	419	127	34	4	23
SPECIFIED CAUSES	440	381	453	492	513	590	646	824	883	912	747	419	127	34	4	14
Zymotic Class	68	53	80	58	64	72	70	70	65	52	32	14	4	2	–	2
Uncertain Seat	7	13	22	30	31	41	55	57	54	49	32	11	4	1	–	–
Tubercular Class	185	113	98	78	68	73	53	47	17	11	4	–	–	–	–	–
Brain, etc.	23	35	39	54	60	67	103	122	152	139	82	52	5	4	–	1
Heart, etc.	25	27	22	37	58	82	93	121	119	79	55	11	3	–	–	–
Respiratory Organs	36	39	68	86	91	100	102	130	121	119	73	48	6	1	–	–
Digestive Organs	26	42	39	64	59	81	68	78	73	66	24	7	3	–	–	–
Urinary Organs	11	7	10	21	13	13	25	35	45	58	35	13	1	3	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	1	–	3	5	6	6	5	6	5	1	1	–	–	–	–
Skin	–	–	–	–	2	2	2	1	–	–	2	–	1	–	–	–
Malformation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	10	7	13	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	28	124	213	320	397	260	99	23	4	–
Sudden Deaths	1	–	3	2	3	3	8	6	2	2	–	–	–	–	–	–
Violent Deaths	51	48	62	52	45	40	33	28	16	12	10	2	1	–	–	11.
Small Pox	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	2	1	–	1	–	–	1	1	–	1	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	2	4	4	7	9	7	12	14	17	11	9	3	2	–	1
Dysentery	1	4	–	–	7	2	8	11	7	3	7	1	–	–	–	–
Cholera	15	21	24	22	21	13	15	10	10	5	–	–	–	–	–	1
Influenza	1	–	–	1	2	–	2	8	5	10	8	1	1	–	–	–
Purpura	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	13	20	15	17	17	14	7	8	6	–	–	–	–	–	–
Enteric Fever	25	8	20	11	4	19	13	12	12	6	3	1	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Simple Cont. Fever	1	1	–	1	–	3	4	5	–	1	2	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	2	–	1	2	1	1	1	–	–	–	–	–	–	–
Erysipelas	–	2	3	1	2	6	4	3	5	3	–	1	–	–	–	–
Pyæmia	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	1	–	1	–	1	2	–	–	–	–	–	–	–
Dropsy	1	2	4	7	9	8	12	15	19	18	14	3	1	–	–	–
Abscess	3	1	6	–	–	–	2	1	2	1	–	–	1	–	–	–
Ulcer	–	–	–	–	–	1	1	1	2	2	2	–	–	–	–	–
Fistula	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	4	1	4	4	7	3	2	1	–	–	–
Cancer	3	9	9	19	19	27	38	33	25	21	13	6	1	1	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	10	7	3	1	2	4	7	3	1	3	–	–	–	–	–	–
Tabes Mesenterica	1	1	1	2	–	2	1	1	1	–	–	–	–	–	–	–
Phthisis	173	105	94	75	66	67	45	43	15	8	4	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	110	1	4	9	8	6	4	7	16	8	9	6	7
Apoplexy	300	1	–	6	2	4	1	–	4	3	6	1	6
Paralysis	429	1	–	–	–	–	2	–	–	2	–	2	1
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	71	–	1	–	–	–	–	–	2	5	2	6	4
Tetanus	15	8	–	–	–	–	–	1	–	2	–	2	–
Insanity	4	–	–	–	–	–	–	–	1	–	–	1	–
Convulsions	171	68	15	32	25	14	6	4	7	–	–	–	–
Brain Disease	240	1	3	6	9	6	4	6	12	11	8	9	8
V. Pericarditis	11	–	–	–	1	–	–	–	2	–	1	–	–
Aneurism	27	–	–	–	–	1	–	–	1	–	1	1	–
Heart Disease	781	5	3	3	–	3	2	3	10	9	14	10	17
VI. Laryngitis	27	2	–	1	3	2	3	–	3	–	–	–	1
Bronchitis	1312	135	103	214	173	52	28	7	25	8	3	12	15
Pleurisy	71	1	–	4	–	–	–	–	4	3	3	6	2
Pneumonia	529	43	23	47	46	17	11	4	14	12	16	23	17
Asthma	120	–	–	–	–	–	1	–	–	–	1	1	2
Lung Disease	78	10	2	–	–	–	2	1	4	1	1	2	3
VII. Teething	219	2	13	102	90	11	1	–	–	–	–	–	–
Quinsey	22	2	–	7	2	1	1	–	2	–	–	1	1
Gastritis	56	2	4	1	2	2	–	–	2	2	–	2	1
Enteritis	281	84	26	26	33	7	6	1	6	8	9	4	2
Peritonitis	52	6	1	4	2	1	1	–	4	2	5	–	–
Ascites	10	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	59	2	2	1	–	–	–	–	–	3	4	2	1
Hernia	28	1	1	1	1	1	–	–	–	–	–	–	–
Ileus	86	7	–	1	–	–	–	–	2	3	7	5	2
Intussusception	14	–	2	4	–	–	–	–	–	–	–	–	–
Stricture of Intestines	10	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	199	21	12	9	8	3	2	1	–	3	3	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	51	3	–	1	1	1	–	–	1	2	–	3	
Jaundice	52	18	3	–	1	1	2	–	1	1	–	2	–
Liver Disease	173	7	–	–	1	1	1	3	4	3	4	3	5
Spleen Disease	14	–	1	–	1	–	1	–	–	1	–	1	1
VIII. Nephritis	15	–	–	–	1	–	–	–	2	–	2	1	–
Nephria	45	–	–	–	–	–	–	–	5	1	3	3	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	21	1	–	–	–	–	1	–	–	1	–	–	–
Diabetes	32	–	–	–	–	–	–	–	1	1	1	3	3
Stone	36	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	104	–	–	–	1	–	–	–	–	–	–	2	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	88	–	–	–	–	2	1	3	2	3	3	4	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	26	–	–	–	1	–	1	1	2	2	5	1	4
Rheumatism	42	–	–	–	–	1	–	–	2	1	5	1	5
Joint and Bone Disease	31	–	1	–	1	1	–	–	7	4	3	5	1
XI. Carbuncle	8	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	3	–	–	–	–	1	–	–	–	–	–	1	–
Skin Disease	13	1	3	3	1	1	–	1	1	–	–	–	–
XVII. Intemperance	21	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	11	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	1	1	–	–	–	–	–	–	–	–	–
Poison	10	1	–	1	–	1	–	1	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	59	–	–	2	21	9	5	2	3	2	1	1	–
Hanging, etc.	22	–	–	–	–	–	–	–	–	–	1	–	1
Suffocation	22	8	2	2	–	1	–	–	1	–	2	1	1
Drowning	182	–	–	–	8	6	4	3	9	6	21	19	19
Fracture and Contusion	364	4	–	–	–	4	1	4	16	36	32	30	23
Gunshot Wounds	14	–	–	–	–	–	–	–	2	2	3	3	1
Cuts and Stabs	15	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	44	7	–	1	1	–	–	–	1	3	1	6	3
Not Specified	1066	342	81	94	91	30	24	27	47	30	33	31	22

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	5	1	2	2	3	4	–	2	3	1	–	–	–	–	–
Apoplexy	4	4	14	10	17	19	37	35	49	39	22	12	2	1	–	1
Paralysis	3	6	8	14	20	25	39	63	76	79	49	33	3	3	–	–
Delirium Tremens	1	4	2	2	4	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	7	3	6	7	4	4	2	5	4	1	1	–	–	–	–
Tetanus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	9	10	20	10	16	17	22	19	13	9	6	–	–	–	–
Pericarditis	–	1	1	–	–	1	2	1	–	1	–	–	–	–	–	–
Aneurism	4	–	3	3	3	2	3	2	2	1	–	–	–	–	–	–
Heart Disease	21	26	18	34	55	79	88	118	117	77	55	11	3	–	–	–
Laryngitis	1	1	–	3	–	2	1	2	1	1	–	–	–	–	–	–
Bronchitis	13	11	28	35	36	43	51	73	73	74	56	38	5	1	–	–
Pleurisy	2	3	5	3	5	7	4	2	10	–	5	1	1	–	–	–
Pneumonia	17	20	23	25	27	28	24	30	17	31	9	5	–	–	–	–
Asthma	–	1	10	8	15	12	16	20	15	12	2	4	–	–	–	–
Lung Disease	3	3	2	12	8	8	6	3	5	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Gastritis	3	2	2	4	3	4	4	2	5	5	1	1	2	–	–	–
Enteritis	2	7	7	8	6	8	8	4	9	7	3	–	–	–	–	–
Peritonitis	3	1	2	–	1	4	5	3	3	1	1	2	–	–	–	–
Ascites	–	–	–	2	4	–	1	–	1	1	–	–	–	–	–	–
Ulceration of Intestines	1	3	3	3	3	6	5	9	4	2	–	–	–	–	–	–
Hernia	2	1	–	2	1	2	1	4	2	6	1	1	–	–	–	–
Ileus	2	4	1	5	3	4	4	10	12	8	6	–	–	–	–	–
Intussusception	–	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	1	2	1	–	1	–	1	–	–	–	–	–
Stomach Disease	1	4	12	16	12	16	15	15	14	19	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	3	1	5	3	7	5	6	4	1	1	–	–	–	–	–
Jaundice	–	3	1	1	2	2	2	4	1	5	2	–	–	–	–	–
Liver Disease	6	9	8	17	17	22	15	18	14	10	3	1	1	–	–	–
Spleen Disease	–	–	1	–	2	1	–	2	1	–	–	1	–	–	–	–
Nephritis	1	1	1	–	3	–	–	–	2	–	–	1	–	–	–	–
Nephria	3	2	2	5	3	–	5	3	–	3	4	–	–	–	–	–
Addison's Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	–	2	3	1	4	4	1	–	1	–	–
Diabetes	2	2	4	4	–	2	3	3	3	–	–	–	–	–	–	–
Stone	–	1	–	–	–	1	2	5	13	8	5	–	–	–	–	–
Cystitis	–	1	2	3	3	3	2	13	15	32	16	9	–	2	–	–
Stricture of Urethra	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
Kidney Disease	3	–	–	9	3	6	11	7	11	9	5	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	1	–	2	–	2	–	2	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	1	3	4	5	3	5	5	–	1	–	–	–	–
Joint Disease	4	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	–	–	–	2	–	1	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Intemperance	2	2	2	5	2	2	3	1	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	2	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Poison	–	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	4	3	1	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	2	1	3	2	4	4	1	1	–	2	–	–	–	–	–	–
Suffocation	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1
Drowning	12	11	17	6	10	10	7	5	2	1	1	–	–	–	–	5
Fracture and Contusion	29	26	28	32	24	14	16	17	7	7	7	2	1	–	–	4
Gunshot Wounds	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	6	1	–	3	1	–	1	2	–	–	–	–	–	–
Other Violent Causes	2	1	4	1	–	4	2	2	4	–	1	–	–	–	–	–
Not Specified	11	22	17	35	28	34	49	7	2	–	–	–	–	–	–	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17385	1412	458	830	1191	619	395	332	828	473	594	587	600
SPECIFIED CAUSES	16372	1126	377	762	1105	585	367	309	780	454	565	564	571
I. Zymotic Class	3859	108	74	279	517	356	247	210	492	173	151	126	114
II. Diseases of Uncertain Seat	787	9	2	4	9	–	3	4	12	7	5	9	14
III. Tubercular Class	2577	34	58	122	187	74	40	36	129	151	277	291	269
IV. Brain and Nervous System	1229	70	22	47	33	27	10	14	40	43	34	16	29
V. Organs of Circulation	799	5	2	1	–	1	–	–	5	13	15	26	30
VI. Respiratory Organs	1833	114	98	158	182	68	43	30	48	26	19	21	20
VII. Organs of Digestion	1200	112	59	106	122	33	9	5	17	12	27	29	29
VIII. Urinary Organs	152	1	1	2	3	2	1	1	4	11	3	6	7
IX. Organs of Generation	275	–	–	–	–	–	–	1	–	–	17	23	48
X. Organs of Locomotion	84	–	1	–	–	1	–	–	6	6	6	4	1
XI. Skin, etc.	12	2	1	1	–	–	–	–	–	–	–	1	1
XII. Malformation	35	20	3	6	3	–	–	1	–	2	–	–	–
XIII. Premature Debility	705	629	44	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	111	–	–	–	27	8	4	2	5	3	2	4	2
XV. Age	2417	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	23	4	–	1	–	1	–	–	–	1	1	–	3
XVII. Violent Deaths	274	18	12	3	22	14	10	5	22	6	8	8	4
I. Small Pox	20	–	1	3	1	3	2	1	2	–	3	–	1
Measles	196	1	5	33	68	34	23	10	12	2	2	1	1
Scarlatina	708	4	4	36	96	113	95	95	181	36	17	17	4
Diphtheria	217	3	1	10	40	23	26	22	51	19	5	3	–
Hooping Cough	421	27	24	100	136	68	24	16	25	1	–	–	–
Croup	228	6	2	15	64	49	27	26	37	2	–	–	–
Thrush	10	4	1	2	1	2	–	–	–	–	–	–	–
Diarrhœa	336	27	23	35	52	11	6	4	6	4	1	6	7
Dysentery	103	2	3	5	3	5	–	2	–	–	–	–	3
Cholera	372	1	1	8	17	13	18	6	35	12	18	13	20
Influenza	65	2	1	2	2	–	–	–	–	–	–	–	–
Purpura	7	–	–	–	–	–	–	–	–	–	1	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	1	2	1	–	4	–	–	–	–
Typhus	355	4	–	5	6	8	8	9	35	27	35	25	12
Enteric Fever	484	3	1	7	17	17	11	12	71	52	52	30	32
Relapsing Fever	6	–	–	–	–	–	–	1	3	1	–	1	–
Simple Continued Fever	78	–	–	–	5	3	3	1	15	8	8	7	1
Infantile Remittent	33	2	–	7	5	4	2	3	10	–	–	–	–
Metria	91	–	–	–	–	–	–	–	–	–	5	18	27
Rheumatic Fever	26	–	–	–	–	–	–	–	2	6	2	2	1
Erysipelas	63	17	3	4	–	–	–	2	2	3	2	2	3
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	25	5	4	7	2	1	–	–	–	–	–	–	1
Noma	5	–	–	–	1	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	2	–	–	–	–	–	–	–	–	1	1	1
Dropsy	208	1	–	1	4	–	1	2	8	6	–	4	1
Abscess	28	3	–	1	2	–	1	1	–	–	2	–	–
Ulcer	8	–	2	–	–	–	–	–	–	1	–	–	1
Fistula	3	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	28	2	–	–	3	–	–	–	1	–	–	–	–
Cancer	497	1	–	2	–	–	1	1	3	–	2	8	11
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	149	1	4	8	12	4	2	5	18	12	22	15	9
Tabes Mesenterica	199	20	17	22	67	23	8	6	15	9	2	1	1
Phthisis	1931	4	10	20	29	24	10	12	52	122	250	275	259
Hydrocephalus	298	9	27	72	79	23	20	13	44	8	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	544	555	534	511	531	589	750	892	1128	1132	935	617	224	92	19	22
SPECIFIED CAUSES	517	525	509	479	495	547	696	881	1128	1132	935	617	224	92	19	11
Zymotic Class	109	103	98	83	74	78	88	102	95	92	56	25	6	1	–	2
Uncertain Seat	15	27	51	59	77	78	89	79	100	73	41	16	4	–	–	–
Tubercular Class	211	182	147	103	88	75	54	24	17	6	1	–	–	–	–	1
Brain, etc.	19	30	36	51	57	52	80	122	144	131	68	36	12	4	–	2
Heart, etc.	36	46	33	41	53	61	91	97	100	77	43	21	1	1	–	–
Respiratory Organs	29	30	24	43	44	92	126	135	184	140	84	55	13	3	–	4
Digestive Organs	26	39	46	45	63	53	75	106	73	70	30	11	2	–	–	1
Urinary Organs	3	9	10	6	11	10	7	19	20	11	2	2	–	–	–	–
Generative Organs	44	43	38	21	7	7	11	10	3	1	–	–	1	–	–	–
Locomotive Organs	3	5	3	4	2	9	4	9	12	4	4	–	–	–	–	–
Skin	–	1	1	–	–	1	–	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Prèmature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	2	5	8	12	21	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	57	165	370	507	592	444	179	83	19	1
Sudden Deaths	1	–	–	–	–	1	3	3	1	1	2	–	–	–	–	–
Violent Deaths	15	8	17	15	7	9	11	9	8	18	12	7	6	–	–	–
Small Pox	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	2	–	1	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	2	1	1	–	3	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	5	8	9	6	11	10	16	20	37	14	11	3	–	–	–
Dysentery	2	2	1	2	5	3	12	14	15	9	9	5	–	1	–	–
Cholera	28	28	26	22	20	20	17	17	15	13	2	2	–	–	–	–
Influenza	–	1	3	1	3	3	8	9	8	10	8	3	1	–	–	–
Purpura	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	33	19	23	19	15	13	15	11	5	4	2	2	–	–	–
Enteric Fever	21	12	21	19	15	19	17	22	12	11	10	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	4	2	4	1	1	3	3	–	4	1	3	–	–	–	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	20	11	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	–	–	3	1	2	2	–	–	–	–	–	1
Erysipelas	1	1	2	–	1	1	1	2	7	1	6	2	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	2	1	–	1	2	–	1	–	–	–	–	–	–	–
Dropsy	3	6	6	13	8	14	14	28	39	25	15	8	1	–	–	–
Abscess	–	2	1	–	4	1	5	–	3	1	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	3	3	2	5	4	2	1	–	–	–
Cancer	11	16	42	44	63	61	65	48	54	40	21	6	2	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	8	7	3	3	4	3	3	2	3	1	–	–	–	–	–	–
Tabes Mesenterica	1	2	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Phthisis	202	173	142	100	83	71	50	22	14	5	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	89	4	–	9	5	6	3	2	11	19	10	4	3
Apoplexy	293	5	2	7	2	4	2	6	5	3	7	3	4
Paralysis	434	–	–	–	–	–	–	–	–	3	1	–	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	1	–	–
Chorea	4	–	–	–	–	–	–	–	–	2	1	–	–
Epilepsy	64	–	–	–	–	–	–	1	1	3	6	4	11
Tetanus	7	1	1	–	–	1	–	–	–	–	–	1	–
Insanity	7	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	151	56	18	25	22	11	4	3	12	–	–	–	–
Brain Disease	177	4	1	6	4	5	1	2	11	12	8	4	8
V. Pericarditis	6	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	11	–	–	–	–	–	–	–	–	–	1	–	1
Heart Disease	782	5	2	1	–	1	–	–	5	13	14	25	29
VI. Laryngitis	15	–	–	–	2	3	2	2	3	2	1	–	–
Bronchitis	1235	89	76	126	137	48	27	18	26	13	8	8	9
Pleurisy	62	–	1	–	–	2	3	1	3	1	3	2	1
Pneumonia	368	24	18	29	42	15	11	9	14	10	6	14	7
Asthma	107	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	46	1	3	3	1	–	–	–	2	–	1	2	2
VII. Teething	170	–	9	61	84	14	1	–	1	–	–	–	–
Quinsey	13	4	1	1	2	3	–	–	–	–	–	–	–
Gastritis	55	6	3	2	2	–	1	1	1	–	1	3	1
Enteritis	214	59	30	29	22	8	2	2	4	4	–	6	5
Peritonitis	82	8	3	4	2	–	–	–	2	3	9	4	5
Ascites	21	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	60	1	–	1	1	2	–	1	1	–	4	4	5
Hernia	29	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	77	3	–	1	–	2	1	–	1	1	2	6	2
Intussusception	7	–	–	1	–	–	–	–	2	–	1	–	1
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	196	14	12	5	5	2	2	–	3	1	2	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	46	–	–	–	–	–	1	–	–	1	1	–	1
Jaundice	53	15	–	1	1	2	1	1	–	–	1	–	–
Liver Disease	159	1	1	–	2	–	–	–	2	1	5	2	5
Spleen Disease	11	–	–	–	1	–	–	–	–	1	1	1	1
VIII. Nephritis	11	–	–	–	1	–	–	1	–	–	1	1	2
Nephria	50	–	–	1	1	2	1	–	2	2	1	3	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	5	1	–	–	–	–	–	–	–	–	–	1	–
Diabetes	15	–	–	–	–	–	–	–	–	6	–	–	1
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	1	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	55	–	1	–	1	–	–	–	2	3	–	–	2
IX. Paramenia	16	–	–	–	–	–	–	–	–	–	5	4	2
Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	174	–	–	–	–	–	–	–	–	–	11	17	40
Organs of Generation	47	–	–	–	–	–	–	1	–	–	1	2	4
X. Arthritis	10	–	1	–	–	1	–	–	1	–	1	–	–
Rheumatism	51	–	–	–	–	–	–	–	1	2	2	1	–
Joint and Bone Disease	23	–	–	–	–	–	–	–	4	4	3	3	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	5	1	1	1	–	–	–	–	–	–	–	1	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	8	4	1	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	8	–	–	–	–	1	–	–	–	–	–	–	–
Poison	7	1	–	–	–	–	–	1	–	–	–	1	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	79	–	2	2	14	10	6	8	13	–	–	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	17	7	6	–	–	1	1	–	–	–	–	–	–
Drowning	39	2	–	–	3	2	2	–	2	1	4	4	1
Fracture and Contusion	67	–	–	–	3	1	–	1	7	3	3	2	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	–	–	–	1	–	–	–	–	1	–	1	–
Not Specified	1013	286	81	68	86	34	28	24	48	19	29	23	29

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	–	1	–	1	–	–	1	3	1	–	–	–	–	–
Apoplexy	3	7	9	19	15	19	27	32	37	39	14	12	7	3	–	–
Paralysis	1	2	15	17	26	21	40	72	93	70	47	17	5	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	1	10	2	3	3	4	1	5	3	4	1	–	–	1	–	–
Tetanus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	2	1	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	7	7	9	12	7	12	12	9	14	5	7	–	–	–	1
Pericarditis	1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Aneurism	2	–	1	–	–	–	4	1	–	1	–	–	–	–	–	–
Heart Disease	33	45	32	41	53	61	86	95	99	76	43	21	1	1	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	8	18	16	21	47	82	88	130	102	69	46	12	3	–	4
Pleurisy	2	3	1	5	3	6	5	6	6	5	2	1	–	–	–	–
Pneumonia	15	13	5	16	14	23	15	14	24	16	9	4	1	–	–	–
Asthma	1	1	–	4	4	11	16	22	24	16	4	3	–	–	–	–
Lung Disease	2	5	–	2	2	5	8	5	–	1	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	1	1	2	4	4	9	2	1	5	4	1	–	–	–	–
Enteritis	2	4	5	1	7	6	5	4	5	3	1	–	–	–	–	–
Peritonitis	4	4	5	1	5	3	5	6	1	6	2	–	–	–	–	–
Ascites	–	1	3	1	2	2	1	3	3	2	2	–	–	–	–	–
Ulceration of Intestines	4	4	5	3	2	1	4	10	2	2	2	1	–	–	–	–
Hernia	1	–	4	2	–	2	2	5	4	3	4	1	–	–	–	–
Ileus	2	1	1	3	5	9	4	9	9	12	1	1	1	–	–	–
Intussusception	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	2	–	–	1	2	1	–	–	–	–	–	–
Stomach Disease	3	6	5	15	13	15	12	26	26	16	5	2	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	3	4	2	6	2	7	4	2	5	1	1	–	–	–	–
Jaundice	–	2	–	2	4	1	5	8	3	3	2	1	–	–	–	–
Liver-Disease	3	13	12	13	11	8	21	26	13	11	6	3	–	–	–	–
Spleen Disease	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–
Nephritis	–	1	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Nephria	1	4	4	4	3	4	–	8	4	3	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Diabetes	–	1	–	1	1	1	2	2	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Cystitis	1	1	–	1	2	–	–	2	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	6	–	3	5	5	4	13	5	1	2	–	–	–	–
Paramenia	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	6	6	5	5	2	1	1	–	–	–	–	–	–
Childbirth	37	38	28	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	6	11	–	2	6	8	2	–	–	–	1	–	–	–
Arthritis	1	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Rheumatism	2	1	3	3	1	7	3	8	10	3	4	–	–	–	–	–
Joint Disease	–	2	–	–	1	1	1	1	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	2	1	2	1	–	1	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	1	1	–	3	3	–	9	3	1	2	–	–	–
Hanging, etc.	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Drowning	2	1	5	3	1	1	2	2	–	–	–	1	–	–	–	–
Fracture and Contusion	7	1	2	3	3	4	1	–	2	7	7	4	4	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	2	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	1	1	–	3	1	4	1	1	1	–	–	–	–
Not Specified	27	30	25	32	26	42	54	11	–	–	–	–	–	–	–	11

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34372	3462	1367	2601	3416	1564	986	661	1644	735	1078	1357	1353
SPECIFIED CAUSES	33733	3256	1288	2554	3379	1547	976	648	1613	725	1070	1340	1332
I. Zymotic Class	7864	360	288	771	1269	701	514	346	760	207	203	275	263
II. Diseases of Uncertain Seat	1080	16	9	9	15	18	18	5	31	18	23	29	26
III. Tubercular Class	6218	81	159	393	588	297	182	130	382	246	559	656	667
IV. Brain and Nervous System	2751	297	97	147	143	76	46	36	119	47	49	55	76
V. Organs of Circulation	1529	15	3	3	8	7	3	3	10	32	26	45	71
VI. Respiratory Organs	5840	425	405	768	789	307	142	88	151	41	59	90	113
VII. Organs of Digestion	2282	229	123	319	398	60	28	16	35	31	45	38	68
VIII. Urinary Organs	489	2	2	2	7	6	7	7	28	16	19	28	26
IX. Organs of Generation	236	–	–	–	–	–	–	–	–	–	11	32	47
X. Organs of Locomotion	180	1	–	2	4	2	2	–	22	22	15	14	9
XI. Skin, etc.	84	4	2	2	5	1	–	–	2	–	1	–	–
XII. Malformation	83	64	9	5	3	–	1	1	–	–	–	–	–
XIII. Premature Debility	1905	1657	145	103	–	–	–	–	–	–	–	–	–
XIV. Atrophy	297	–	–	–	110	27	10	4	11	9	8	1	3
XV. Age	1756	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	87	10	7	2	–	–	1	–	2	–	–	1	3
XVII. Violent Deaths	1102	95	39	28	40	42	22	12	60	56	52	76	65
I. Small Pox	158	12	23	16	15	14	9	16	19	1	3	14	6
Measles	644	7	12	133	269	99	56	29	33	2	–	1	–
Scarlatina	1210	4	11	68	183	203	185	141	326	48	13	9	9
Diphtheria	234	9	5	26	51	39	33	17	34	3	3	3	2
Hooping Cough	1055	51	68	259	361	141	81	41	52	1	–	–	–
Croup	377	11	9	52	131	85	33	23	29	3	–	–	1
Thrush	18	14	2	–	–	1	1	–	–	–	–	–	–
Diarrhœa	838	143	89	142	141	19	11	9	22	1	7	12	6
Dysentery	113	3	5	11	8	4	2	–	3	–	2	3	4
Cholera	583	5	8	11	27	22	18	19	58	26	5	24	34
Influenza	53	5	–	2	2	1	1	3	2	–	2	2	1
Purpura	16	2	–	–	1	1	–	–	1	–	1	–	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	–	–	4	1	3	–	–	–	–
Typhus	1468	5	4	10	21	18	20	13	73	59	104	131	120
Enteric Fever	486	–	3	11	20	26	38	24	67	43	40	37	30
Relapsing Fever	14	–	–	–	–	2	–	–	4	2	–	–	–
Simple Continued Fever	86	1	–	4	6	5	5	–	11	7	5	6	4
Infantile Remittent	79	3	6	2	18	17	7	8	17	1	–	–	–
Metria	84	–	–	–	–	–	–	–	–	–	6	22	27
Rheumatic Fever	33	–	–	–	–	–	1	1	2	6	2	4	4
Erysipelas	165	46	13	9	6	4	1	–	3	4	7	3	6
Pyæmia	13	1	–	1	–	–	–	–	–	–	2	2	1
Syphilis	114	38	30	13	7	3	–	–	–	–	–	2	6
Noma	15	–	–	1	2	–	8	1	1	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	4	1	–	–	–	–	–	1	1	1	4	1
Dropsy	327	4	5	2	11	9	11	3	24	9	7	9	9
Abscess	70	4	2	7	1	5	3	1	2	4	5	1	2
Ulcer	16	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	76	3	–	–	1	2	1	–	2	–	2	3	4
Cancer	554	–	1	–	1	2	3	1	2	4	8	12	9
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	278	8	14	22	37	21	13	9	41	16	26	17	13
Tabes Mesenterica	442	22	23	59	130	72	24	17	44	18	14	6	8
Phthisis	4351	14	30	46	122	77	51	44	157	191	518	629	545
Hydrocephalus	1147	37	92	266	299	127	94	60	140	21	1	4	8

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1282	1363	1349	1301	1376	1292	1436	1376	1177	1022	713	311	113	22	5	10
Specified Causes	1266	1349	1325	1283	1359	1273	1414	1370	1177	1022	713	311	113	22	5	3
Zymotic Class	252	263	269	220	207	194	159	131	100	56	30	16	5	1	–	1
Uncertain Seat	31	51	77	99	129	103	122	90	67	56	31	6	–	–	–	1
Tubercular Class	479	410	321	246	214	133	99	41	23	9	2	–	–	–	–	1
Brain, etc.	71	93	96	118	151	136	215	233	183	156	79	25	7	–	–	–
Heart, etc.	77	116	113	133	128	141	184	162	111	86	39	12	1	–	–	–
Respiratory Organs	117	160	198	231	293	285	322	305	241	166	97	38	7	2	–	–
Digestive Organs	67	74	97	91	93	126	113	104	65	38	23	5	1	–	–	–
Urinary Organs	40	46	29	31	38	26	34	38	23	21	8	5	–	–	–	–
Generative Organs	38	44	27	10	8	9	3	2	1	4	–	–	–	–	–	–
Locomotive Organs	7	7	12	11	10	13	11	7	4	4	–	1	–	–	–	–
Skin	–	–	3	1	2	–	2	3	2	4	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	11	14	15	24	46	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	100	208	337	408	391	197	91	19	5	–
Sudden Deaths	2	12	9	6	4	10	7	8	3	–	–	–	–	–	–	–
Violent Deaths	81	62	60	71	58	51	43	38	17	14	13	6	1	–	–	–
Small Pox	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	16	19	14	21	27	24	35	23	20	14	6	2	–	–	–
Dysentery	1	3	5	5	7	5	9	7	15	7	1	2	–	1	–	–
Cholera	51	53	44	39	31	34	25	22	16	6	3	2	–	–	–	–
Influenza	1	1	–	–	2	2	5	7	6	4	1	3	–	–	–	–
Purpura	1	–	–	–	4	1	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	111	139	149	135	113	93	75	37	18	10	7	1	1	–	–	1
Enteric Fever	26	18	23	17	18	14	9	8	7	3	1	2	1	–	–	–
Relapsing Fever	2	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
Simple Cont. Fever	3	2	5	2	3	5	2	3	3	2	1	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	4	2	1	–	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	3	8	5	5	7	6	6	9	12	2	–	–	–	–	–	–
Pyæmia	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	5	1	1	1	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	2	3	2	–	–	–	3	–	–	–	–	–	–	–
Dropsy	9	15	20	20	23	30	36	35	15	12	8	1	–	–	–	–
Abscess	5	3	4	2	6	2	5	1	1	2	1	1	–	–	–	–
Ulcer	–	1	4	1	2	2	1	–	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
Mortification	–	1	3	3	3	3	7	14	3	10	10	1	–	–	–	–
Cancer	14	30	44	70	93	64	68	40	44	29	11	3	–	–	–	1
Gout	1	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–
Scrofula	7	7	6	5	5	3	2	1	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	2	–	–	1	2	–	–	–	–	–	–	–	–
Phthisis	468	401	313	239	209	130	96	38	22	8	2	–	–	–	–	1
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	181	4	11	22	20	12	12	5	30	14	10	11	6
Apoplexy	558	13	6	13	17	3	4	5	8	2	7	8	19
Paralysis	707	–	–	1	–	3	–	–	3	–	1	4	10
Delirium Tremens	42	–	–	–	–	–	–	–	–	–	–	3	4
Chorea	7	–	–	–	–	–	–	–	1	1	4	–	–
Epilepsy	115	–	–	–	–	–	–	–	4	4	12	9	16
Tetanus	12	3	1	–	–	–	–	–	2	1	1	–	1
Insanity	24	–	–	–	–	–	–	–	–	–	–	2	1
Convulsions	596	267	74	91	76	40	15	13	19	–	–	–	–
Brain Disease	509	10	5	20	30	18	15	13	52	25	14	18	19
V. Pericarditis	31	1	–	–	–	2	1	–	2	4	2	3	1
Aneurism	47	–	–	–	–	–	–	–	–	–	–	3	1
Heart Disease	1451	14	3	3	8	5	2	3	8	28	24	39	69
VI. Laryngitis	51	6	6	4	6	8	1	2	–	–	1	1	1
Bronchitis	3979	314	331	588	594	213	104	54	100	16	15	32	44
Pleurisy	91	3	–	2	2	2	1	2	3	1	6	4	4
Pneumonia	1266	91	62	167	179	81	32	26	36	19	32	45	43
Asthma	241	–	–	–	–	–	–	–	–	1	3	3	3
Lung Disease	212	11	6	7	8	3	4	4	12	4	2	5	18
VII. Teething	633	4	21	249	326	30	3	–	–	–	–	–	–
Quinsey	13	2	1	–	2	1	1	–	–	–	–	1	–
Gastritis	72	13	4	2	5	1	1	1	3	3	1	1	3
Enteritis	374	105	48	45	35	12	11	9	10	8	6	5	14
Peritonitis	118	4	4	3	1	–	1	–	6	6	10	10	15
Ascites	24	–	–	–	–	2	–	–	1	3	3	–	–
Ulceration of Intestines	56	2	–	3	1	–	–	–	–	–	3	4	7
Hernia	55	6	1	–	–	–	–	–	–	–	–	1	–
Ileus	98	16	5	2	3	2	–	2	2	3	8	3	2
Intussusception	12	–	3	–	1	–	–	–	–	1	–	–	1
Stricture of Intestines	23	2	–	–	1	–	–	–	–	1	1	1	1
Stomach Disease	819	38	33	14	18	6	8	–	4	5	6	6	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	68	1	–	–	1	3	1	1	–	1	2	1	2
Jaundice	62	28	2	–	–	1	2	–	–	–	–	–	–
Liver Disease	344	8	1	1	3	2	–	2	9	–	4	4	12
Spleen Disease	11	–	–	–	1	–	–	1	–	–	1	1	–
VIII. Nephritis	41	1	–	1	1	3	2	1	11	2	3	1	2
Nephria	137	–	–	–	1	2	2	3	5	9	9	9	12
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	19	–	1	–	2	–	–	–	–	–	–	1	–
Diabetes	27	–	–	–	1	1	–	–	1	–	1	1	3
Stone	17	–	–	–	1	–	–	–	1	–	–	1	–
Cystitis	59	–	–	–	1	–	–	–	–	1	1	2	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	175	1	1	1	–	–	3	3	10	4	5	13	8
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	3	1	–
Ovarian Dropsy	39	–	–	–	–	–	–	–	–	–	1	–	6
Childbirth	153	–	–	–	–	–	–	–	–	–	6	30	38
Organs of Generation	36	–	–	–	–	–	–	–	–	–	1	1	3
X. Arthritis	36	1	–	–	2	1	1	–	6	5	7	4	1
Rheumatism	72	–	–	–	–	–	–	–	1	4	5	5	3
Joint and Bone Disease	72	–	–	2	2	1	1	–	15	13	3	5	5
XI. Carbuncle	10	–	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	22	4	2	1	4	1	–	–	1	–	1	–	–
XVII. Intemperance	47	–	–	–	–	–	–	–	–	–	–	1	–
Privation	4	–	–	–	2	1	–	–	–	–	–	–	–
Want of Breast Milk	74	38	24	11	–	1	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	1	–	–	–	–	–	–
Poison	28	4	1	1	–	1	–	–	–	1	–	3	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	158	3	1	8	24	21	14	9	20	5	1	4	9
Hanging, etc.	27	–	–	–	–	–	–	–	–	–	–	1	4
Suffocation	62	38	12	3	1	–	1	–	1	–	–	–	1
Drowning	147	3	–	–	2	7	1	–	9	6	11	13	11
Fracture and Contusion	469	1	–	5	9	10	5	2	29	41	34	46	27
Gunshot Wounds	10	–	–	–	–	–	–	–	–	1	1	1	3
Cuts and Stabs	13	–	–	–	–	–	–	–	–	–	1	2	2
Other Violent Causes	56	7	1	–	1	1	–	1	2	2	4	5	4
Not Specified	639	206	79	47	37	17	10	13	31	10	8	17	21

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	4	1	4	4	2	2	1	–	–	–	–	–	–	–	–
Apoplexy	14	21	26	34	50	42	61	68	59	43	25	7	3	–	–	–
Paralysis	19	21	24	42	50	59	113	107	102	86	45	13	4	–	–	–
Delirium Tremens	6	12	3	6	4	3	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	7	11	11	10	5	2	9	5	3	5	1	1	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	1	3	2	3	2	5	–	–	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	21	28	20	34	25	24	51	19	21	7	4	–	–	–	–
Pericarditis	1	6	2	1	2	1	–	1	1	–	–	–	–	–	–	–
Aneurism	5	9	4	7	4	3	5	3	2	–	1	–	–	–	–	–
Heart Disease	71	101	107	125	122	137	179	158	108	86	38	12	1	–	–	–
Laryngitis	1	4	3	1	1	2	1	1	1	–	–	–	–	–	–	–
Bronchitis	49	81	93	138	185	185	213	209	180	130	74	28	7	2	–	–
Pleurisy	6	4	9	7	7	6	3	7	5	4	2	1	–	–	–	–
Pneumonia	46	47	58	45	53	48	50	44	26	15	13	8	–	–	–	–
Asthma	6	11	22	19	29	30	39	33	23	11	7	1	–	–	–	–
Lung Disease	9	13	13	21	18	14	16	11	6	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–
Gastritis	6	1	6	–	–	3	5	10	1	1	1	–	–	–	–	–
Enteritis	5	7	10	7	4	9	7	6	6	3	–	2	–	–	–	–
Peritonitis	12	8	9	5	1	8	1	8	6	–	–	–	–	–	–	–
Ascites	3	4	2	1	2	–	2	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	6	5	3	2	4	7	3	2	3	–	1	–	–	–	–	–
Hernia	–	4	1	3	8	11	8	5	4	–	3	–	–	–	–	–
Ileus	4	5	3	4	4	6	2	5	7	6	3	–	1	–	–	–
Intussusception	1	–	–	2	–	–	2	–	–	1	–	–	–	–	–	–
Stricture of Intestines	2	2	1	1	4	3	1	1	–	1	–	–	–	–	–	–
Stomach Disease	7	10	19	17	23	16	24	27	16	9	5	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	8	4	5	4	9	8	4	4	4	1	–	–	–	–	–
Jaundice	2	2	–	3	2	5	5	5	2	1	2	–	–	–	–	–
Liver Disease	14	17	38	40	34	49	41	31	16	11	6	1	–	–	–	–
Spleen Disease	1	1	–	–	2	–	2	–	–	1	–	–	–	–	–	–
Nephritis	4	1	2	–	2	–	2	–	1	–	–	1	–	–	–	–
Nephria	12	20	11	11	10	5	5	9	2	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	3	1	–	2	2	–	4	1	1	–	–	–	–
Diabetes	7	1	3	–	4	1	2	–	1	–	–	–	–	–	–	–
Stone	1	–	–	1	3	–	1	1	3	2	1	1	–	–	–	–
Cystitis	1	3	1	–	3	3	12	9	6	10	4	1	–	–	–	–
Stricture of Urethra	2	3	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Kidney Disease	13	17	11	15	14	15	8	16	9	5	2	1	–	–	–	–
Paramenia	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	9	6	2	5	2	–	1	–	3	–	–	–	–	–	–
Childbirth	29	33	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	2	7	2	2	7	3	1	1	1	–	–	–	–	–	–
Arthritis	1	–	1	–	3	1	2	–	–	–	–	–	–	–	–	–
Rheumatism	3	3	7	8	6	8	6	4	4	4	–	1	–	–	–	–
Joint Disease	3	4	4	3	1	4	3	3	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	2	–	2	1	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	1	–	–	–	1	2	2	–	–	–	–	–	–
Intemperance	8	9	6	9	1	5	3	3	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	2	3	–	–	4	3	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	4	3	5	4	2	3	3	2	1	4	–	–	–	–	–
Hanging, etc.	3	2	2	6	5	2	–	–	1	1	–	–	–	–	–	–
Suffocation	1	–	2	1	–	–	1	–	–	1	–	–	–	–	–	–
Drowning	19	10	15	8	11	7	8	3	2	1	–	–	–	–	–	–
Fracture and Contusion	35	31	24	36	32	25	21	25	10	7	7	6	1	–	–	–
Gunshot Wounds	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	4	3	5	5	2	3	–	–	1	–	–	–	–	–
Not Specified	16	14	24	18	17	19	22	6	–	–	–	–	–	–	–	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17120	1879	776	1403	1766	813	511	312	852	386	514	650	637
SPECIFIED CAUSES	16767	1758	731	1376	1746	804	503	304	838	379	510	641	628
I. Zymotic Class	3886	196	165	388	602	366	266	162	373	99	99	133	107
II. Diseases of Uncertain Seat	378	8	6	3	7	6	14	2	15	10	14	8	12
III. Tubercular Class	3038	39	85	222	320	155	92	58	207	123	240	290	260
IV. Brain and Nervous System	1457	162	61	91	80	34	19	16	76	21	23	34	42
V. Organs of Circulation	790	11	3	–	6	5	1	2	7	11	12	27	39
VI. Respiratory Organs	3003	233	238	433	404	159	74	40	79	21	33	45	60
VII. Organs of Digestion	1190	131	72	171	232	33	15	9	18	21	19	16	25
VIII. Urinary Organs	303	2	–	2	6	4	1	5	13	10	9	16	16
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	99	1	–	2	2	1	1	–	13	14	11	7	6
XI. Skin, etc.	17	3	2	1	3	–	–	–	–	–	1	–	–
XII. Malformation	43	34	3	2	2	–	1	1	–	–	–	–	–
XIII. Premature Debility	1002	886	68	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	131	–	–	–	58	14	7	2	3	7	2	1	1
XV. Age	609	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	46	3	5	–	–	–	1	–	1	–	–	–	–
XVII. Violent Deaths	775	49	23	13	24	27	11	7	38	42	47	64	60
I. Small Pox	83	6	15	6	6	6	6	6	9	1	1	8	6
Measles	338	3	5	71	136	54	32	14	20	1	–	–	–
Scarlatina	644	3	8	38	103	106	99	77	156	33	9	5	3
Diphtheria	116	5	2	15	26	20	18	7	11	2	2	2	–
Hooping Cough	468	29	38	118	134	69	35	16	29	–	–	–	–
Croup	189	9	7	24	69	45	15	5	13	1	–	–	1
Thrush	8	5	2	–	–	–	1	–	–	–	–	–	–
Diarrhœa	404	79	48	78	67	12	7	3	11	–	1	6	1
Dysentery	64	2	5	7	5	2	2	–	3	–	2	2	3
Cholera	280	5	5	7	14	14	6	11	30	15	3	10	12
Influenza	27	3	–	1	1	–	1	2	–	–	2	–	1
Purpura	8	1	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	6	–	–	–	–	–	4	1	1	–	–	–	–
Typhus	764	3	1	3	13	7	6	6	34	22	54	71	65
Enteric Fever	218	–	1	6	10	17	22	10	29	15	17	20	8
Relapsing Fever	9	–	–	–	–	2	–	–	1	1	–	–	–
Simple Continued Fever	49	–	–	3	3	3	4	–	8	2	3	3	–
Infantile Remittent	38	1	2	–	10	7	3	2	13	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	17	–	–	–	–	–	1	1	1	3	2	3	2
Erysipelas	90	24	9	4	2	1	–	–	2	3	2	1	1
Pyæmia	7	–	–	1	–	–	–	–	–	–	–	2	1
Syphilis	53	18	17	6	3	1	–	–	–	–	–	–	2
Noma	6	–	–	–	–	–	4	1	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	2	–	–	–	–	–	–	1	1	1	2	1
Dropsy	119	1	4	2	6	3	8	1	12	4	3	1	4
Abscess	34	2	1	1	–	3	3	–	1	2	5	–	1
Ulcer	12	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	35	2	–	–	–	–	–	–	–	–	2	1	2
Cancer	159	–	1	–	1	–	3	1	1	3	3	4	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	140	5	7	8	16	8	7	5	26	11	15	9	8
Tabes Mesenterica	237	11	11	31	71	37	11	8	28	13	5	1	2
Phthisis	2013	4	15	25	56	44	24	18	77	84	220	277	248
Hydrocephalus	648	19	52	158	177	66	50	27	76	15	–	3	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
ALL CAUSES	628	648	683	672	678	668	698	631	494	404	265	111	31	6	–	4
SPECIFIED CAUSES	617	635	676	662	671	660	688	629	494	404	265	111	31	6	–	–
Zymotic Class	118	139	141	107	115	88	80	61	38	22	14	6	1	–	–	–
Uncertain Seat	8	20	20	28	32	32	44	35	20	21	11	2	–	–	–	–
Tubercular Class	215	167	160	128	109	73	56	18	16	5	–	–	–	–	–	–
Brain, etc.	42	51	52	63	67	70	115	122	91	79	34	9	3	–	–	–
Heart, etc.	46	61	58	79	61	79	93	80	48	34	19	7	1	–	–	–
Respiratory Organs	65	82	109	135	158	162	135	125	98	60	34	18	1	2	–	–
Digestive Organs	30	32	48	43	54	74	52	48	31	15	4	2	–	–	–	–
Urinary Organs	23	22	14	17	25	15	31	25	20	17	6	4	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	1	8	7	2	6	7	3	1	2	–	–	–	–	–	–
Skin	–	–	3	–	–	–	–	3	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	4	6	4	7	15	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	42	77	122	141	136	62	25	4	–	–
Sudden Deaths	1	7	6	3	3	7	3	6	–	–	–	–	–	–	–	–
Violent Deaths	65	49	51	48	38	39	30	26	9	7	7	1	–	–	–	–
Small Pox	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	6	5	6	8	13	11	13	7	7	6	1	1	–	–	–
Dysentery	1	3	4	3	4	2	2	2	5	4	–	1	–	–	–	–
Cholera	21	25	22	13	18	11	15	14	6	2	–	1	–	–	–	–
Influenza	–	1	–	–	2	1	2	4	3	2	–	1	–	–	–	–
Purpura	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	62	84	86	70	63	44	39	17	6	3	4	1	–	–	–	–
Enteric Fever	7	6	6	10	12	7	6	3	3	1	1	1	–	–	–	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Simple Cont. Fever	2	1	4	1	1	4	2	1	2	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	5	5	4	4	4	2	7	6	1	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	2	7	2	4	5	10	14	11	7	5	3	–	–	–	–	–
Abscess	1	2	–	2	3	1	3	1	–	1	–	1	–	–	–	–
Ulcer	–	1	3	–	1	2	1	–	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Mortification	–	1	3	–	1	3	2	9	–	5	4	–	–	–	–	–
Cancer	4	8	11	20	22	15	21	14	11	8	3	1	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Scrofula	2	3	1	2	3	2	–	–	1	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	209	162	157	124	106	71	56	17	15	4	–	–	–	–	–	–
Hydrocephalus	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGES:	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	99	2	6	12	12	4	6	8	11	8	5	6	4
Apoplexy	299	8	3	8	7	1	1	1	5	1	2	4	12
Paralysis	331	–	–	1	–	2	–	–	3	–	–	2	4
Delirium Tremens	34	–	–	–	–	–	–	–	–	–	–	2	4
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	61	–	–	–	–	–	–	–	3	1	7	5	6
Tetanus	7	2	1	–	–	–	–	–	1	–	–	–	–
Insanity	10	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	338	145	49	58	43	21	8	5	9	–	–	–	–
Brain Disease	275	5	2	12	18	6	4	7	40	11	7	11	12
V. Pericarditis	17	–	–	–	–	1	1	–	1	2	1	1	1
Aneurism	35	–	–	–	–	–	–	–	–	–	–	2	1
Heart Disease	738	11	3	–	6	4	–	2	6	9	11	24	37
VI. Laryngitis	26	3	2	1	4	5	1	2	–	–	–	–	–
Bronchitis	1954	170	195	326	302	109	57	23	48	8	7	11	22
Pleurisy	51	1	–	2	1	2	–	1	2	1	5	3	2
Pneumonia	733	50	37	99	93	42	13	13	21	9	18	28	26
Asthma	132	–	–	–	–	–	–	–	–	1	2	3	2
Lung Disease	107	9	4	5	4	1	3	1	8	2	1	–	8
VII. Teething	353	2	11	135	187	16	2	–	–	–	–	–	–
Quinsey	6	1	–	–	1	1	–	–	–	–	–	–	–
Gastritis	38	6	4	–	5	1	1	1	1	2	1	–	–
Enteritis	188	62	24	23	23	7	6	4	2	4	1	1	5
Peritonitis	45	2	1	2	1	–	1	–	2	4	4	3	4
Ascites	13	–	–	–	–	1	–	–	1	2	2	–	–
Ulceration of Intestines	26	1	–	1	1	–	–	–	–	–	1	1	4
Hernia	29	5	–	–	–	–	–	–	–	–	–	1	–
Ileus	49	9	4	1	2	1	–	2	1	2	5	1	–
Intussusception	9	–	3	–	1	–	–	–	–	1	–	–	1
Stricture of Intestines	15	1	–	–	–	–	–	–	–	1	1	1	1
Stomach Disease	171	21	22	8	8	4	4	–	8	4	1	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	43	–	–	–	1	1	–	1	–	1	2	1	2
Jaundice	81	16	2	–	–	–	1	–	–	–	–	–	–
Liver Disease	169	5	1	1	2	1	–	1	3	–	1	3	6
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	25	1	–	1	1	2	–	–	5	2	2	1	1
Nephria	72	–	–	–	1	1	–	3	2	6	8	5	7
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	2	–	–	–	–	–	–	–	–
Diabetes	17	–	–	–	–	1	–	–	–	–	1	–	3
Stone	16	–	–	–	1	–	–	–	1	–	–	1	–
Cystitis	47	–	–	–	1	–	–	–	–	–	1	1	1
Stricture of Urethra	11	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	104	1	–	1	–	–	1	2	5	2	2	8	4
IX. Parámenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	23	1	–	–	–	1	–	–	3	4	6	4	1
Rheumatism	33	–	–	–	–	–	–	–	1	2	3	2	1
Joint and Bone Disease	43	–	–	2	2	–	1	–	9	8	2	1	4
XI. Carbuncle	5	–	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	11	3	2	–	2	–	–	–	–	–	1	–	–
X. Intemperance	23	–	–	–	–	–	–	–	–	–	–	–	–
Privation	3	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	41	20	17	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	2	1	1	–	–	–	–	–	–	–	1	3
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	85	1	–	4	14	16	7	5	8	3	1	2	7
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	33	22	4	1	1	–	1	–	–	–	–	–	1
Drowning	122	–	–	–	1	4	1	–	7	6	11	12	11
Fracture and Contusion	376	1	–	3	7	6	2	2	22	30	29	42	27
Gunshot Wounds	10	–	–	–	–	–	–	–	–	1	1	1	3
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	1	1	2
Other Violent Causes	40	3	1	–	–	–	–	–	1	2	4	4	4
Not Specified	353	121	45	27	20	9	8	8	14	7	4	9	9

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	2	–	4	4	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	8	7	13	23	21	25	35	33	38	29	12	2	–	–	–	–
Paralysis	12	14	11	21	17	24	58	55	41	30	19	5	3	–	–	–
Delirium Tremens	4	9	3	6	3	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	5	6	6	3	2	6	3	2	3	–	–	–	–	–	–
Tetanus	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	2	–	2	1	2	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	13	17	3	16	14	12	30	10	8	3	2	–	–	–	–
Pericarditis	–	4	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Aneurism	5	6	2	6	3	2	5	–	2	–	1	–	–	–	–	–
Heart Disease	41	51	55	73	56	76	88	79	46	34	18	7	1	–	–	–
Laryngitis	1	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	19	36	46	73	87	96	89	78	70	44	25	10	1	2	–	–
Pleurisy	3	1	5	4	5	4	2	4	–	1	1	1	–	–	–	–
Pneumonia	35	32	34	38	40	35	21	22	11	6	4	6	–	–	–	–
Asthma	5	6	16	9	16	18	15	15	13	6	4	1	–	–	–	–
Lung Disease	2	5	5	11	10	8	7	6	4	3	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	3	–	–	2	4	5	–	–	–	–	–	–	–	–
Enteritis	1	4	3	–	3	4	2	4	2	2	–	1	–	–	–	–
Peritonitis	5	2	3	–	–	4	1	3	3	–	–	–	–	–	–	–
Ascites	2	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	2	1	1	3	2	2	1	3	–	–	–	–	–	–	–
Hernia	–	2	–	2	2	7	3	3	–	1	–	–	–	–	–	–
Ileus	1	2	3	1	2	4	1	1	3	2	1	–	–	–	–	–
Intussusception	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	1	2	2	1	1	–	1	–	–	–	–	–	–
Stomach Disease	3	8	12	11	16	11	8	13	6	2	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	4	3	3	3	8	3	2	3	2	–	–	–	–	–	–
Jaundice	1	–	–	–	–	3	4	3	1	–	–	–	–	–	–	–
Liver Disease	7	6	18	22	19	27	19	12	7	6	2	–	–	–	–	–
Spleen Disease	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephritis	3	–	1	–	2	–	2	–	1	–	–	–	–	–	–	–
Nephria	7	8	3	5	6	2	5	6	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	2	–	–	1	1	–	4	–	1	–	–	–	–
Diabetes	4	1	1	–	3	1	1	–	1	–	–	–	–	–	–	–
Stone	1	–	–	1	2	–	1	1	3	2	1	1	–	–	–	–
Cystitis	–	2	1	–	1	2	12	6	5	9	4	1	–	–	–	–
Stricture of Urethra	2	3	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Kidney Disease	6	8	8	8	11	9	7	10	7	2	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	5	4	1	2	5	2	1	2	–	–	–	–	–	–
Joint Disease	2	–	2	3	1	3	2	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	4	4	5	4	–	4	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	–	2	–	–	1	3	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	3	–	4	2	–	–	1	1	–	1	–	–	–	–	–
Hanging, etc.	1	2	2	2	2	1	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Drowning	18	8	14	4	8	7	6	2	2	–	–	–	–	–	–	–
Fracture and Contusion	30	28	22	29	22	23	18	20	5	3	4	1	–	–	–	–
Gunshot Wounds	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	3	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	3	2	4	2	2	2	–	–	1	–	–	–	–	–
Not Specified	11	13	7	10	7	8	10	2	–	–	–	–	–	–	–	4

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17252	1583	591	1198	1650	751	475	349	792	349	564	707	716
SPECIFIED CAUSES	16966	1498	557	1178	1633	743	473	344	775	346	560	699	704
I. Zymotic Class	3978	164	123	383	667	338	248	184	387	108	104	142	156
II. Diseases of Uncertain Seat	702	8	3	6	8	12	4	3	16	8	9	21	14
III. Tubercular Class	3180	42	74	171	268	142	90	72	175	123	319	366	307
IV. Brain and Nervous System	1294	135	36	56	63	42	27	20	43	26	26	21	34
V. Organs of Circulation	739	4	–	3	2	2	2	1	3	21	14	18	32
VI. Respiratory Organs	2837	192	167	335	385	148	68	48	72	20	26	45	53
VII. Organs of Digestion	1092	98	51	148	166	27	13	7	22	10	26	22	38
VIII. Urinary Organs	186	–	2	–	1	2	6	2	15	6	10	12	10
IX. Organs of Generation	236	–	–	–	–	–	–	–	–	–	11	32	47
X. Organs of Locomotion	81	–	–	–	2	1	1	–	9	8	4	7	8
XI. Skin, etc.	17	1	–	1	2	1	–	–	2	–	–	–	–
XII. Malformation	40	30	6	3	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	903	771	77	55	–	–	–	–	–	–	–	–	–
XIV. Atrophy	166	–	–	–	52	13	3	2	8	2	6	–	2
XV. Age	1147	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	7	2	2	–	–	–	–	1	–	–	1	3
XVII. Violent Deaths	327	46	16	15	16	15	11	5	22	14	5	12	5
I. Small Pox	75	6	8	10	9	8	3	10	10	–	2	6	–
Measles	306	4	7	62	133	45	24	15	13	1	–	1	–
Scarlatina	566	1	3	30	80	97	86	64	170	15	4	4	6
Diphtheria	118	4	3	11	25	19	15	10	23	1	1	1	2
Hooping Cough	587	22	30	141	227	72	46	25	23	1	–	–	–
Croup	188	2	2	28	62	40	18	18	16	2	–	–	–
Thrush	10	9	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	434	64	41	64	74	7	4	6	11	1	6	6	5
Dysentery	49	1	–	4	3	2	–	–	–	–	–	1	1
Cholera	303	–	3	4	13	8	12	8	28	11	2	14	22
Influenza	26	2	–	1	1	1	–	1	2	–	–	2	–
Purpura	8	1	–	–	1	1	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	2	–	–	–	–
Typhus	704	2	3	7	8	11	14	7	39	37	50	60	55
Enteric Fever	268	–	2	5	10	9	16	14	38	28	23	17	22
Relapsing Fever	5	–	–	–	–	–	–	–	3	1	–	–	–
Simple Continued Fever	37	1	–	1	3	2	1	–	3	5	2	3	4
Infantile Remittent	41	2	4	2	8	10	4	6	4	1	–	–	–
Metria	84	–	–	–	–	–	–	–	–	–	6	22	27
Rheumatic Fever	16	–	–	–	–	–	–	–	1	3	–	1	2
Erysipelas	75	22	4	5	4	3	1	–	1	1	5	2	5
Pyæmia	6	1	–	–	–	–	–	–	–	–	2	–	–
Syphilis	61	20	13	7	4	2	–	–	–	–	–	2	4
Noma	9	–	–	1	2	–	4	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	2	1	–	–	–	–	–	–	–	–	2	–
Dropsy	208	3	1	–	5	6	3	2	12	5	4	8	5
Abscess	36	2	1	6	1	2	–	1	1	2	–	1	1
Ulcer	4	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	41	1	–	–	1	2	1	–	2	–	–	2	2
Cancer	395	–	–	–	–	2	–	–	1	1	5	8	5
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	138	3	7	14	21	13	6	4	15	5	11	8	8
Tabes Mesenterica	205	11	12	28	59	35	13	9	16	5	9	5	1
Phthisis	2338	10	15	21	66	33	27	26	80	107	298	352	297
Hydrocephalus	499	18	40	108	122	61	44	33	64	6	1	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	651	715	666	629	698	624	738	745	683	618	448	200	82	16	5	6
SPECIFIED CAUSES	619	714	649	621	688	613	726	741	683	618	448	200	82	16	5	3
Zymotic Class	134	124	128	113	92	106	79	70	62	34	16	10	4	1	–	1
Uncertain Seat	23	31	57	71	97	71	78	55	47	35	20	4	–	–	–	1
Tubercular Class	264	243	161	118	105	60	43	23	7	4	2	–	–	–	–	1
Brain, etc.	29	42	44	55	84	66	100	111	92	77	45	16	4	–	–	–
Heart, etc.	31	55	55	54	67	62	91	82	63	52	20	5	–	–	–	–
Respiratory Organs	52	78	89	96	135	123	187	180	143	106	63	20	6	–	–	–
Digestive Organs	37	42	49	48	39	52	61	56	34	23	19	3	1	–	–	–
Urinary Organs	17	24	15	14	13	11	3	13	3	4	2	1	–	–	–	–
Generative Organs	38	44	27	10	8	9	3	2	1	4	–	–	–	–	–	–
Locomotive Organs	3	6	4	4	8	7	4	4	3	2	–	1	–	–	–	–
Skin	–	–	–	1	2	–	2	–	2	3	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	7	8	11	17	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	131	215	267	255	135	66	15	5	–
Sudden Deaths	1	5	3	3	1	3	4	2	3	–	–	–	–	–	–	–
Violent Deaths	16	13	9	23	20	12	13	12	8	7	6	5	1	–	–	–
Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	10	14	8	13	14	13	22	16	13	8	5	1	–	–	–
Dysentery	–	–	1	2	3	3	7	5	10	3	1	1	–	1	–	–
Cholera	30	28	22	26	13	23	10	8	10	4	3	1	–	–	–	–
Influenza	1	–	–	–	–	1	3	3	3	2	1	2	–	–	–	–
Purpura	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	55	63	65	50	49	36	20	12	7	3	–	1	–	–	1
Enteric Fever	19	12	17	7	6	7	3	5	4	2	–	1	1	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	1	1	2	1	–	2	1	1	–	–	1	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	1	–	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	3	–	1	3	2	4	2	6	1	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	1	2	–	–	–	2	–	–	–	–	–	–	–
Dropsy	7	8	18	16	18	20	22	24	8	7	5	1	–	–	–	–
Abscess	4	1	4	–	3	1	2	–	1	1	1	–	–	–	–	–
Ulcer	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	3	2	–	5	5	3	5	6	1	–	–	–	–
Cancer	10	22	33	50	71	49	47	26	33	21	8	2	–	–	–	–
Gout	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Scrofula	5	4	5	3	2	1	2	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Phthisis	259	239	156	115	103	59	40	21	7	4	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	82	2	5	10	8	8	6	2	16	6	5	5	2
Apoplexy	259	5	3	5	10	2	3	4	3	1	5	4	7
Paralysis	376	–	–	–	–	1	–	–	–	–	1	2	6
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	4	–	–	–	–	–	–	–	–	1	2	–	–
Epilepsy	54	–	–	–	–	–	–	–	1	3	5	4	10
Tetanus	5	1	–	–	–	–	–	–	1	1	1	–	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	258	122	25	33	33	19	7	8	10	–	–	–	–
Brain Disease	234	5	3	8	12	12	11	6	12	14	7	4	7
V. Pericarditis	14	1	–	–	–	1	–	–	1	2	1	2	–
Aneurism	12	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	713	3	–	3	2	1	2	1	2	19	13	15	32
VI. Laryngitis	25	3	4	3	2	3	–	–	–	–	1	1	1
Bronchitis	2025	144	136	262	292	104	47	31	52	8	8	21	22
Pleurisy	40	2	–	–	1	–	1	1	1	–	1	1	2
Pneumonia	538	41	25	68	86	39	19	13	15	10	14	17	17
Asthma	109	–	–	–	–	–	–	–	–	–	1	–	1
Lung Disease	105	2	2	2	4	2	1	3	4	2	1	5	10
VII. Teething	280	2	10	114	139	14	1	–	–	–	–	–	–
Quinsey	7	1	1	–	1	–	1	–	–	–	–	1	–
Gastritis	34	7	–	2	–	–	–	–	2	1	–	1	3
Enteritis	186	43	24	22	12	5	5	5	8	4	5	4	9
Peritonitis	73	2	3	1	–	–	–	–	4	2	6	7	11
Ascites	11	–	–	–	–	1	–	–	–	1	1	–	–
Ulceration of Intestines	30	1	–	2	–	–	–	–	–	–	2	3	3
Hernia	26	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	49	7	1	1	1	1	–	–	1	1	3	2	2
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	8	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	148	17	11	6	10	2	4	–	1	1	5	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	25	1	–	–	–	2	1	–	–	–	–	–	–
Jaundice	31	12	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	175	3	–	–	1	1	–	1	6	–	3	1	6
Spleen Disease	6	–	–	–	1	–	–	1	–	–	1	–	–
VIII. Nephritis	16	–	–	–	–	1	2	1	6	–	1	–	1
Nephria	65	–	–	–	–	1	2	–	3	3	6	4	5
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	8	–	1	–	–	–	–	–	–	–	–	1	–
Diabetes	10	–	–	–	1	–	–	–	1	–	–	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	–	–	–	–	–	–	–	–	1	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	71	–	1	–	–	–	2	1	5	2	3	5	4
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	3	1	–
Ovarian Dropsy	39	–	–	–	–	–	–	–	–	–	1	–	6
Childbirth	153	–	–	–	–	–	–	–	–	–	6	30	38
Organs of Generation	36	–	–	–	–	–	–	–	–	–	1	1	3
X. Arthritis	13	–	–	–	2	–	1	–	3	1	1	–	–
Rheumatism	39	–	–	–	–	–	–	–	–	2	2	3	2
Joint and Bone Disease	29	–	–	–	–	1	–	–	6	5	1	4	1
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	11	1	–	1	2	1	–	–	1	–	–	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	33	18	7	7	–	1	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	1	–	–	–	–	–	–
Poison	13	2	–	–	–	1	–	–	–	1	–	2	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	73	2	1	4	10	5	7	4	12	2	–	2	2
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	29	16	8	2	–	–	–	–	–	–	–	–	–
Drowning	25	8	–	–	1	3	–	–	2	–	–	1	–
Fracture and Contusion	93	–	–	2	2	4	8	–	7	11	5	4	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	16	4	–	–	1	1	–	1	1	–	–	1	–
Not Specified	286	85	34	20	17	8	2	5	17	3	4	8	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	6	14	13	11	29	17	26	35	21	14	13	5	3	–	–	–
Paralysis	7	7	13	21	33	35	55	52	61	47	26	8	1	–	–	–
Delirium Tremens	2	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Epilepsy	4	6	5	4	2	–	3	2	1	2	1	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	2	1	1	3	–	–	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	8	11	17	18	11	12	21	9	13	4	2	–	–	–	–
Pericarditis	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	3	2	1	1	1	–	3	–	–	–	–	–	–	–	–
Heart Disease	30	50	52	52	66	61	91	79	62	52	20	5	–	–	–	–
Laryngitis	–	2	–	1	1	1	–	1	1	–	–	–	–	–	–	–
Bronchitis	30	45	47	65	98	89	124	131	110	86	49	18	6	–	–	–
Pleurisy	3	3	4	3	2	2	1	3	5	3	1	–	–	–	–	–
Pneumonia	11	15	24	7	13	13	29	22	15	9	9	2	–	–	–	–
Asthma	1	5	6	10	13	12	24	18	10	5	3	–	–	–	–	–
Lung Disease	7	8	8	10	8	6	9	5	2	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	3	–	–	1	1	5	1	1	1	–	–	–	–	–
Enteritis	4	3	7	7	1	5	5	2	4	1	–	1	–	–	–	–
Peritonitis	7	6	6	5	1	4	–	5	3	–	–	–	–	–	–	–
Ascites	1	3	1	–	1	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	4	3	2	1	1	5	1	1	–	–	1	–	–	–	–	–
Hernia	–	2	1	1	6	4	5	2	1	–	2	–	–	–	–	–
Ileus	3	3	–	3	2	2	1	4	4	4	2	–	1	–	–	–
Intussusception	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	7	6	7	5	16	14	10	7	5	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	1	4	1	2	1	1	5	2	1	2	1	–	–	–	–	–
Jaundice	1	2	–	3	2	2	1	2	1	1	2	–	–	–	–	–
Liver Disease	7	11	20	18	15	22	22	19	9	5	4	1	–	–	–	–
Spleen Disease	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Nephritis	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	5	12	8	6	4	3	–	3	–	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	1	–	1	1	–	–	1	–	–	–	–	–
Diabetes	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	1	–	–	2	1	–	3	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	9	3	7	3	6	1	6	2	3	1	–	–	–	–	–
Paramenia	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	9	6	2	5	2	–	1	–	3	–	–	–	–	–	–
Childbirth	29	33	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	2	7	2	2	7	3	1	1	1	–	–	–	–	–	–
Arthritis	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	2	4	5	6	1	2	3	2	–	1	–	–	–	–
Joint Disease	1	4	2	–	–	1	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–
Intemperance	4	5	1	5	1	1	2	2	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	3	1	2	2	3	2	1	1	3	–	–	–	–	–
Hanging, etc.	2	–	–	4	3	1	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	4	3	–	2	1	–	1	–	–	–	–	–	–
Fracture and Contusion	5	3	2	7	10	2	3	5	5	4	3	5	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	1	3	–	1	–	–	–	–	–	–	–	–
Not Specified	5	1	17	8	10	11	12	4	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	12829	1320	510	1075	1566	684	415	287	631	295	398	540	532
Specified Causes	12628	1263	488	1062	1552	680	412	278	619	291	396	536	527
I. Zymotic Class	2854	121	110	317	542	287	186	127	256	67	75	112	103
II. Diseases of Uncertain Seat	349	7	2	3	2	7	5	2	15	11	10	12	5
III. Tubercular Class	2452	27	58	150	280	120	84	64	158	109	211	259	222
IV. Brain and Nervous System	956	127	35	60	64	38	21	19	49	16	17	22	36
V. Organs of Circulation	458	5	–	2	3	2	1	2	4	6	10	15	32
VI. Respiratory Organs	2630	173	166	354	417	169	82	50	71	21	27	44	60
VII. Organs of Digestion	863	104	47	127	174	26	16	8	17	12	15	15	28
VIII. Urinary Organs	162	–	1	1	3	1	4	1	14	6	6	11	6
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	18	11
X. Organs of Locomotion	61	–	–	1	2	–	–	–	6	10	6	3	2
XI. Skin, etc.	12	–	–	1	3	1	–	–	2	–	–	–	–
XII. Malformation	24	18	1	2	2	–	1	–	–	–	–	–	–
XIII. Premature Debility	722	643	47	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	105	–	–	–	43	10	2	–	5	5	3	–	1
XV. Age	434	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	37	1	1	–	–	–	–	–	1	–	–	1	–
XVII. Violent Deaths	421	37	20	12	17	19	10	5	21	28	14	24	26
I. Small-Pox	104	4	16	10	11	9	8	13	13	1	1	8	4
Measles	333	2	5	63	142	57	31	14	17	2	–	–	–
Scarlatina	422	1	4	25	73	63	62	42	121	17	6	3	3
Diphtheria	83	3	1	13	20	20	12	4	7	–	–	–	1
Hooping Cough	432	18	22	105	159	65	32	14	17	–	–	–	–
Croup	127	4	3	18	43	31	10	7	9	2	–	–	–
Thrush	2	1	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	291	49	34	57	50	9	1	6	4	1	3	2	2
Dysentery	29	1	1	5	2	1	–	–	1	–	2	1	1
Cholera	68	3	2	5	3	2	1	4	5	4	1	9	2
Influenza	20	2	–	–	2	–	–	3	1	–	1	–	–
Purpura	5	1	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	–	2	1	1	–	–	–	–
Typhus	596	1	4	8	9	12	6	4	33	23	47	68	59
Enteric Fever	154	–	2	5	11	14	15	11	17	10	6	10	15
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	8	–	–	1	3	–	1	–	–	2	–	–	–
Infantile Remittent	27	1	3	1	6	3	1	4	7	1	–	–	–
Metria	36	–	–	–	–	–	–	–	–	–	3	9	13
Rheumatic Fever	9	–	–	–	–	–	1	–	1	2	–	–	–
Erysipelas	62	16	3	4	5	1	1	–	1	1	3	–	2
Pyæmia	3	1	–	–	–	–	–	–	–	–	1	1	–
Syphilis	33	13	10	2	2	–	–	–	–	–	–	1	–
Noma	3	–	–	–	1	–	1	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	1	1	–	–	–	–	–	–	1	–	3	1
Dropsy	123	2	–	1	2	3	4	2	11	4	4	2	3
Abscess	22	1	1	2	–	2	1	–	1	3	2	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	21	2	–	–	–	1	–	–	2	–	–	2	1
Cancer	170	–	–	–	–	1	–	–	1	3	4	5	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	106	–	7	7	15	11	5	6	18	7	5	10	5
Tabes Mesenterica	195	4	9	20	70	36	10	5	13	9	3	2	2
Phthisis	1720	7	13	22	74	34	26	31	74	85	203	245	213
Hydrocephalus	431	16	29	101	121	39	43	22	48	8	–	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	483	501	506	486	503	437	463	412	313	230	153	53	29	3	4	–
Specified Causes	477	494	497	478	496	431	456	410	313	230	153	53	29	3	4	–
Zymotic Class	83	72	91	63	76	53	43	26	21	13	6	4	–	–	–	–
Uncertain Seat	8	21	26	31	47	36	34	28	13	16	5	3	–	–	–	–
Tubercular Class	188	158	117	94	62	49	26	12	3	1	–	–	–	–	–	–
Brain, etc.	16	31	34	44	45	49	63	77	45	25	21	1	1	–	–	–
Heart, etc.	26	35	37	45	50	33	47	47	27	19	7	2	1	–	–	–
Respiratory Organs	58	71	102	117	132	124	139	99	77	48	22	7	–	–	–	–
Digestive Organs	26	25	30	33	34	37	39	28	14	6	7	–	–	–	–	–
Urinary Organs	17	17	12	10	14	5	13	9	6	2	2	1	–	–	–	–
Generative Organs	16	20	11	3	2	4	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	4	2	3	3	6	3	2	2	1	–	–	–	–	–	–
Skin	–	–	1	–	–	–	2	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	5	3	5	5	16	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	31	63	96	95	82	34	26	3	4	–
Sudden Deaths	2	6	6	3	3	6	1	4	2	–	–	–	–	–	–	–
Violent Deaths	30	29	25	27	23	13	14	15	6	3	1	1	1	–	–	–
Small Pox	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	4	7	2	7	8	7	10	7	6	4	3	–	–	–	–
Dysentery	–	1	–	1	3	3	–	2	4	–	–	–	–	–	–	–
Cholera	8	2	3	2	4	1	5	1	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	1	2	2	2	1	1	–	–	–	–
Purpura	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	52	63	50	50	34	23	7	6	1	–	–	–	–	–	–
Enteric Fever	8	3	10	6	5	1	3	1	–	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	4	3	2	3	2	3	2	2	2	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	8	8	7	10	10	12	14	4	5	3	–	–	–	–	–
Abscess	1	2	1	–	1	1	1	1	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	2	–	5	–	2	1	1	–	–	–	–
Cancer	3	11	13	24	35	23	19	8	9	8	1	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	2	–	1	3	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	182	157	113	93	61	46	26	11	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	76	2	7	11	10	3	5	1	13	3	5	5	3
Apoplexy	177	4	1	7	6	1	3	2	4	1	4	4	5
Paralysis	202	–	–	–	–	1	–	–	–	–	1	2	5
Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	2	3
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	25	–	–	–	–	–	–	–	1	2	2	–	7
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	257	119	25	31	33	24	6	9	10	–	–	–	–
Brain Disease	198	1	2	11	15	9	7	7	21	10	5	9	12
V. Pericarditis	9	–	–	–	–	–	–	–	–	–	1	2	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	443	5	–	2	3	2	1	2	4	6	9	13	32
VI. Laryngitis	15	3	1	2	3	3	–	–	–	–	–	–	–
Bronchitis	1839	128	133	263	314	113	62	33	46	9	8	16	25
Pleurisy	17	1	–	–	1	–	–	–	–	–	1	2	–
Pneumonia	602	36	28	85	95	52	19	15	19	10	16	22	25
Asthma	81	–	–	–	–	–	–	–	–	–	–	3	1
Lung Disease	76	5	4	4	4	1	1	2	6	2	2	1	9
VII. Teething	263	1	6	108	139	9	–	–	–	–	–	–	–
Quinsey	4	1	–	–	1	–	1	–	–	–	–	–	–
Gastritis	35	11	1	–	3	–	1	–	1	2	–	1	2
Enteritis	144	42	18	10	16	7	8	5	7	3	2	1	8
Peritonitis	40	1	2	–	1	–	1	–	1	1	4	5	6
Ascites	8	–	–	–	–	2	–	–	1	2	1	–	–
Ulceration of Intestines	11	–	–	–	–	–	–	–	–	–	2	2	1
Hernia	17	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	37	13	2	1	2	1	–	1	1	–	1	–	–
Intussusception	3	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	5	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	126	24	16	7	8	3	5	–	1	3	2	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	–	–	–	1	3	–	1	–	1	–	1	–
Jaundice	15	4	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	125	5	–	1	1	1	–	1	5	–	3	1	4
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	22	–	–	1	–	1	2	–	9	2	1	–	–
Nephria	40	–	–	–	1	–	1	1	2	3	2	2	4
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	1	–	–	–	–	–	1	1	1
Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	13	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	65	–	1	–	–	–	1	–	2	1	2	7	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	59	–	–	–	–	–	–	–	–	–	1	16	10
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	11	–	–	–	1	–	–	–	1	2	3	1	–
Rheumatism	26	–	–	–	–	–	–	–	1	1	2	1	2
Joint and Bone Disease	24	–	–	1	1	–	–	–	4	7	1	1	–
XI. Carbuncle	4	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	7	–	–	–	3	1	–	–	1	–	–	–	–
XVII. Intemperance	24	–	–	–	–	–	–	–	–	–	–	1	–
Privation	2	–	–	–	1	1	–	–	–	–	–	–	–
Want of Breast Milk	38	17	13	7	–	1	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	12	3	1	–	–	–	–	–	–	1	–	–	4
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	77	–	1	4	12	11	7	5	10	4	–	1	7
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	23	15	4	–	–	–	–	–	–	–	–	–	1
Drowning	48	2	–	–	–	–	–	–	6	3	3	4	5
Fracture and Contusion	166	–	–	1	4	6	3	–	8	18	11	18	7
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	12	–	1	–	–	–	–	–	–	1	–	–	1
Not Specified	201	57	22	13	14	4	3	9	12	4	2	4	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	4	11	8	14	18	15	15	22	13	10	5	–	–	–	–	–
Paralysis	4	7	8	18	10	22	36	36	25	12	14	–	1	–	–	–
Delirium Tremens	–	2	1	3	2	2	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	2	2	4	–	1	2	1	1	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	15	4	14	9	8	17	6	3	2	1	–	–	–	–
Pericarditis	–	4	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	25	30	37	43	48	33	47	45	27	19	7	2	1	–	–	–
Laryngitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	28	45	50	81	97	92	99	74	62	43	16	2	–	–	–	–
Pleurisy	2	1	3	1	2	2	1	–	–	–	–	–	–	–	–	–
Pneumonia	20	16	34	18	21	16	21	14	9	2	4	5	–	–	–	–
Asthma	4	6	8	12	6	10	15	8	5	1	2	–	–	–	–	–
Lung Disease	3	2	6	5	6	4	3	3	1	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	1	2	–	–	3	1	1	1	–	–	–	–	–	–	–
Enteritis	3	2	3	1	1	3	2	–	1	1	–	–	–	–	–	–
Peritonitis	2	1	4	1	1	4	–	4	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	2	1	–	3	3	3	1	1	–	2	–	–	–	–	–
Ileus	2	1	–	1	1	2	–	4	2	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	5	2	9	12	6	4	7	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	4	1	4	1	2	4	1	1	1	1	–	–	–	–	–
Jaundice	2	–	–	1	1	–	3	1	1	–	1	–	–	–	–	–
Liver Disease	9	7	15	15	10	14	18	9	3	1	2	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Nephritis	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	6	4	2	4	–	4	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	3	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	–	2	1	3	2	1	–	–	–	–	–
Stricture of Urethra	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	8	9	5	7	5	5	3	5	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	1	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	1	3	1	4	2	1	2	1	–	–	–	–	–	–
Joint Disease	2	3	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	4	6	2	5	1	2	1	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	1	1	2	1	1	1	1	1	–	–	–	–	–	–
Hanging, etc.	2	1	2	2	2	–	–	–	1	1	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	4	4	–	1	1	1	–	–	–	–	–	–	–
Fracture and Contusion	13	10	13	13	12	8	7	8	2	1	1	1	1	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Not Specified	6	7	9	8	7	6	7	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER: MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6414	695	306	581	795	367	209	128	325	156	180	248	257
SPECIFIED CAUSES	6288	658	291	573	789	365	206	120	318	154	178	245	255
I. Zymotic Class	1403	58	62	164	243	154	95	55	130	33	32	55	50
II. Diseases of Uncertain Seat	130	2	1	1	1	3	4	1	4	7	4	3	1
III. Tubercular Class	1187	9	34	87	153	62	43	28	91	52	91	105	94
IV. Brain and Nervous System	495	67	24	39	38	17	8	7	27	5	6	13	22
V. Organs of Circulation	240	5	–	–	2	2	–	1	3	3	3	10	17
VI. Respiratory Organs	1354	99	100	195	206	91	40	22	34	10	13	26	38
VII. Organs of Digestion	449	59	32	60	104	14	10	3	8	8	6	5	6
VIII. Urinary Organs	99	–	–	1	2	1	–	1	5	4	4	5	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	32	–	–	1	1	–	–	–	3	9	6	1	–
XI. Skin, etc.	3	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	14	12	–	–	1	–	1	–	–	–	–	–	–
XIII. Premature Debility	369	328	23	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	51	–	–	–	25	8	2	–	2	4	1	–	–
XV. Age	154	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	21	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	287	19	15	6	12	13	8	2	10	19	12	22	23
I. Small Pox	56	1	10	5	3	5	5	6	8	1	–	4	4
Measles	168	1	1	32	68	34	17	5	9	1	–	–	–
Scarlatina	221	1	4	12	42	33	31	21	56	12	3	3	2
Diphtheria	43	2	–	7	10	10	7	2	4	–	–	–	–
Hooping Cough	188	6	14	50	56	33	13	5	11	–	–	–	–
Croup	63	3	2	9	21	17	4	2	4	1	–	–	–
Thrush	1	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	134	23	18	34	21	6	1	2	2	–	–	1	–
Dysentery	19	1	1	4	2	–	–	–	1	–	2	1	1
Cholera	34	3	2	3	1	–	–	2	1	1	–	7	1
Influenza	15	2	–	–	1	–	–	2	–	–	1	–	–
Purpura	4	–	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	2	1	–	–	–	–	–
Typhus	312	1	1	–	6	5	–	3	16	11	25	33	36
Enteric Fever	69	–	1	4	4	9	11	4	9	4	1	5	4
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	1	1	–	–	–	–	–	–	–	–
Infantile Remittent	16	–	1	–	5	2	1	–	7	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	1	–	–	1	–	–	–
Erysipelas	30	5	3	2	1	–	–	–	1	–	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	1	–
Syphilis	16	9	4	1	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	1	–	1	1
Dropsy	45	–	–	1	1	1	3	1	3	2	1	1	–
Abscess	15	–	1	–	–	2	1	–	–	2	2	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	53	–	–	–	–	–	–	–	1	2	1	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	55	–	5	1	6	4	3	2	13	5	3	6	1
Tabes Mesenterica	112	1	5	13	38	17	5	4	13	6	1	1	1
Phthisis	774	2	6	13	36	22	12	12	38	35	87	96	90
Hydrocephalus	246	6	18	60	73	19	23	10	27	6	–	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	241	230	264	256	247	224	213	188	127	93	52	20	11	1	–	–
SPECIFIED CAUSES	237	223	261	251	243	222	207	188	127	93	52	20	11	1	–	–
Zymotic Class	40	43	48	32	37	22	21	8	9	7	4	1	–	–	–	–
Uncertain Seat	8	9	9	9	18	14	11	12	7	8	2	1	–	–	–	–
Tubercular Class	85	57	61	52	33	28	11	7	3	1	–	–	–	–	–	–
Brain, etc.	11	13	18	22	22	22	28	40	23	15	7	–	1	–	–	–
Heart, etc.	18	17	19	29	23	17	25	26	10	6	1	2	1	–	–	–
Respiratory Organs	33	37	61	61	69	70	56	40	29	14	7	3	–	–	–	–
Digestive Organs	13	13	11	18	16	24	15	12	6	3	3	–	–	–	–	–
Urinary Organs	10	8	5	5	13	4	11	6	6	2	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	–	3	–	2	3	1	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	22	30	35	27	12	9	1	–	–
Sudden Deaths	1	3	5	1	2	4	–	4	–	–	–	–	–	–	–	–
Violent Deaths	21	22	23	18	13	10	8	10	4	2	–	–	–	–	–	–
Small Pox	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	3	1	1	1	3	2	4	2	2	3	–	–	–	–	–
Dysentery	–	1	–	–	2	1	–	–	2	–	–	–	–	–	–	–
Cholera	3	1	2	–	3	–	4	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	–	2	2	2	–	1	–	–	–	–
Purpura	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	34	37	25	25	14	14	1	2	1	–	–	–	–	–	–
Enteric Fever	2	1	2	4	2	1	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	3	3	2	1	2	1	1	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	5	2	3	3	5	1	4	3	3	1	–	–	–	–	–
Abscess	1	2	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	2	–	3	–	1	1	–	–	–	–	–
Cancer	1	2	4	6	9	6	8	4	4	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	80	57	58	51	32	26	11	6	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES. *(Continued.)*

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	38	–	4	6	5	–	3	1	5	1	3	3	1
	Apoplexy	92	2	–	3	5	–	–	–	2	–	1	3	3
	Paralysis	84	–	–	–	–	–	–	–	–	–	–	–	3
	Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	1	3
	Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
	Epilepsy	11	–	–	–	–	–	–	–	1	–	–	–	3
	Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
	Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	148	64	19	23	17	16	2	3	4	–	–	–	–
	Brain Disease	107	–	1	7	11	1	3	3	15	4	2	6	9
V.	Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	232	5	–	–	2	2	–	1	3	3	3	10	17
VI.	Laryngitis	10	2	–	1	2	2	–	–	–	–	–	–	–
	Bronchitis	914	71	81	139	155	60	34	14	21	5	3	7	15
	Pleurisy	10	1	–	–	1	–	–	–	–	–	1	1	–
	Pneumonia	341	20	16	52	46	29	6	8	8	4	8	15	17
	Asthma	39	–	–	–	–	–	–	–	–	–	–	3	1
	Lung Disease	40	5	3	3	2	–	–	–	5	1	1	–	5
VII.	Teething	140	–	4	50	81	5	–	–	–	–	–	–	–
	Quinsey	2	1	–	–	–	–	–	–	–	–	–	–	–
	Gastritis	15	4	1	–	3	–	1	–	–	1	–	–	–
	Enteritis	69	25	10	3	11	4	5	1	2	1	1	–	1
	Peritonitis	17	1	1	–	1	–	1	–	1	1	1	–	2
	Ascites	7	–	–	–	–	1	–	–	1	2	1	–	–
	Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	1	1	1
	Hernia	6	1	–	–	–	–	–	–	–	–	–	–	–
	Ileus	19	7	1	1	1	–	–	1	1	–	1	–	–
	Intussusception	2	–	1	–	1	–	–	–	–	–	–	–	–
	Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	75	14	13	5	4	2	3	–	1	2	–	2	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	15	–	–	–	1	1	–	1	–	1	–	1	–
	Jaundice	9	3	1	–	–	–	–	–	–	–	–	–	–
	Liver Disease	64	3	–	1	1	1	–	–	2	–	1	1	2
	Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Nephritis	14	–	–	1	–	1	–	–	4	2	1	–	–
	Nephria	24	–	–	–	1	–	–	1	–	2	1	1	3
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	5	–	–	–	–	–	–	–	–	–	1	–	1
	Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
	Cystitis	11	–	–	–	1	–	–	–	–	–	–	1	–
	Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	35	–	–	–	–	–	–	–	–	–	1	3	–
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	7	–	–	–	–	–	–	–	–	2	3	1	–
	Rheumatism	11	–	–	–	–	–	–	–	1	1	2	–	–
	Joint and Bone Disease	14	–	–	1	1	–	–	–	2	6	1	–	–
XI.	Carbuncle	1	–	–	1	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
XVII.	Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	2	–	–	–	1	1	–	–	–	–	–	–	–
	Want of Breast Milk	22	8	11	3	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	8	2	1	–	–	–	–	–	–	–	–	–	3
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	43	–	–	2	8	9	2	2	1	3	–	1	6
	Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	13	9	2	–	–	–	–	–	–	–	–	–	1
	Drowning	40	–	–	–	–	–	–	–	2	3	3	4	5
	Fracture and Contusion	129	–	–	1	3	3	1	–	7	11	9	17	7
	Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
	Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Causes	11	–	1	–	–	–	–	–	–	1	–	–	1
	Not Specified	126	37	15	8	6	2	3	8	7	2	2	3	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	4	11	7	9	7	13	9	5	2	–	–	–	–	–
Paralysis	2	3	2	5	6	6	15	19	11	8	3	–	1	–	–	–
Delirium Tremens	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	2	–	1	2	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	4	9	–	7	5	2	8	3	2	2	–	–	–	–	–
Pericarditis	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	14	19	27	21	17	25	26	10	6	1	2	1	–	–	–
Laryngitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	23	26	39	47	52	43	30	21	13	5	–	–	–	–	–
Pleurisy	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Pneumonia	17	11	22	15	16	9	8	7	4	–	–	3	–	–	–	–
Asthma	3	2	7	5	3	6	3	1	3	–	2	–	–	–	–	–
Lung Disease	1	–	4	2	2	1	1	2	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Peritonitis	2	–	1	–	–	3	–	1	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	2	–	–	1	–	1	–	–	–	–	–
Ileus	–	1	–	–	–	2	–	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	4	–	6	9	4	–	4	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	1	2	–	2	1	1	–	1	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–
Liver Disease	6	2	8	9	5	8	8	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	–	2	3	–	4	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diabetes	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	2	–	3	2	1	–	–	–	–	–
Stricture of Urethra	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	4	4	2	5	4	3	3	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	3	–	–	2	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	2	2	–	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	2	–	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	5	5	2	3	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	10	9	12	11	7	7	6	6	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	1	2	1	2	–	–	–	–	–	–	–	–
Not Specified	4	7	3	0	4	2	6	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6415	625	204	494	771	317	206	159	306	139	218	292	275
SPECIFIED CAUSES	6340	605	197	489	763	315	206	158	301	137	218	291	272
I. Zymotic Class	1451	63	48	153	299	133	91	72	126	34	43	57	53
II. Diseases of Uncertain Seat	219	5	1	2	1	4	1	1	11	4	6	9	4
III. Tubercular Class	1265	18	24	63	127	58	41	36	67	57	120	154	128
IV. Brain and Nervous System	461	60	11	21	26	21	13	12	22	11	11	9	14
V. Organs of Circulation	218	–	–	2	1	–	1	1	1	3	7	5	15
VI. Respiratory Organs	1276	74	66	159	211	78	42	28	37	11	14	18	22
VII. Organs of Digestion	414	45	15	67	70	12	6	5	9	4	9	10	17
VIII. Urinary Organs	63	–	1	–	1	–	4	–	9	2	2	6	2
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	18	11
X. Organs of Locomotion	29	–	–	–	1	–	–	–	3	1	–	2	2
XI. Skin, etc.	9	–	–	–	2	1	–	–	2	–	–	–	–
XII. Malformation	10	6	1	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	353	315	24	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	54	–	–	–	18	2	–	–	3	1	2	–	1
XV. Age	280	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	1	1	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	134	18	5	6	5	6	7	3	11	9	2	2	3
I. Small Pox	48	3	6	5	8	4	3	7	5	–	1	4	–
Measles	165	1	4	31	74	23	14	9	8	1	–	–	–
Scarlatina	201	–	–	13	31	30	31	21	65	5	3	–	1
Diphtheria	40	1	1	6	10	10	5	2	3	–	–	–	1
Hooping Cough	244	12	8	55	103	32	19	9	6	–	–	–	–
Croup	64	1	1	9	22	14	6	5	5	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	157	26	16	23	29	3	–	4	2	1	3	1	2
Dysentery	10	–	–	1	–	1	–	–	–	–	–	–	–
Cholera	34	–	–	2	2	2	1	2	4	3	1	2	1
Influenza	5	–	–	–	1	–	–	1	1	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	284	–	3	3	3	7	6	1	17	12	22	35	23
Enteric Fever	85	–	1	1	7	5	4	7	8	6	5	5	11
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	5	–	–	–	2	–	1	–	–	2	–	–	–
Infantile Remittent	11	1	2	1	1	1	–	4	–	1	–	–	–
Metria	36	–	–	–	–	–	–	–	–	–	3	9	13
Rheumatic Fever	6	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	32	11	–	2	4	1	1	–	–	1	3	–	1
Pyæmia	2	1	–	–	–	–	–	–	–	–	1	–	–
Syphilis	17	4	6	1	1	–	–	–	–	–	–	1	–
Noma	2	–	–	–	1	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	1	–	–	–	–	–	–	–	–	2	–
Dropsy	78	2	–	–	1	2	1	1	8	2	3	1	3
Abscess	7	1	–	2	–	–	–	–	1	1	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	1	–	–	–	1	–	–	2	–	–	2	1
Cancer	117	–	–	–	–	1	–	–	–	1	3	4	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	51	–	2	6	9	7	2	4	5	2	2	4	4
Tabes Mesenterica	83	3	4	7	32	19	5	1	5	3	2	1	1
Phthisis	946	5	7	9	38	12	14	19	36	50	116	149	123
Hydrocephalus	185	10	11	41	48	20	20	12	21	2	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	242	271	242	230	256	213	250	224	186	137	101	33	18	2	4	–
SPECIFIED CAUSES	240	271	236	227	253	209	249	222	186	137	101	33	18	2	4	–
Zymotic Class	43	29	43	31	39	31	22	18	12	6	2	3	–	–	–	–
Uncertain Seat	5	12	17	22	34	22	23	16	6	8	3	2	–	–	–	–
Tubercular Class	103	101	56	42	29	21	15	5	–	–	–	–	–	–	–	–
Brain, etc.	5	18	16	22	23	27	35	37	22	10	14	1	–	–	–	–
Heart, etc.	8	18	18	16	27	16	22	21	17	13	6	–	–	–	–	–
Respiratory Organs	25	34	41	56	63	54	33	59	48	34	15	4	–	–	–	–
Digestive Organs	13	12	19	15	18	13	24	16	8	3	4	–	–	–	–	–
Urinary Organs	7	9	7	5	1	1	2	3	–	–	1	–	–	–	–	–
Generative Organs	16	20	11	3	2	4	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	4	2	–	3	4	–	1	2	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	4	3	4	3	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	13	41	66	60	55	22	17	2	4	–
Sudden Deaths	1	3	1	2	1	2	1	–	2	–	–	–	–	–	–	–
Violent Deaths	9	7	2	9	10	3	6	5	2	1	1	1	1	–	–	–
Small Pox	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	6	1	6	5	5	6	5	4	1	3	–	–	–	–
Dysentery	–	–	–	1	1	2	–	2	2	–	–	–	–	–	–	–
Cholera	5	1	1	2	1	1	1	1	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	18	26	25	25	20	9	6	4	–	–	–	–	–	–	–
Enteric Fever	6	2	8	2	3	–	3	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	2	–	2	1	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	6	4	7	5	11	10	1	2	2	–	–	–	–	–
Abscess	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–
Cancer	2	9	9	18	26	17	11	4	5	5	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	102	100	55	42	29	20	15	5	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 8	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	38	2	3	5	5	3	2	–	8	2	2	2	2
Apoplexy	85	2	1	4	1	1	3	2	2	1	3	1	2
Paralysis	118	–	–	–	–	1	–	–	–	–	1	2	2
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	–	–	–	–	–	2	2	–	4
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	109	55	6	8	16	8	4	6	6	–	–	–	–
Brain Disease	91	1	1	4	4	8	4	4	6	6	3	3	3
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	1	2	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	211	–	–	2	1	–	1	1	1	3	6	3	15
VI. Laryngitis	5	1	1	1	1	1	–	–	–	–	–	–	–
Bronchitis	925	57	52	124	159	53	28	19	25	4	5	9	10
Pleurisy	7	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	261	16	12	33	49	23	13	7	11	6	8	7	8
Asthma	42	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	36	–	1	1	2	1	1	2	1	1	1	1	4
VII. Teething	123	1	2	58	58	4	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	1	–	–	–	–	–	–
Gastritis	20	7	–	–	–	–	–	–	1	1	–	1	2
Enteritis	75	17	8	7	5	3	3	4	5	2	1	1	7
Peritonitis	23	–	1	–	–	–	–	–	–	–	3	5	4
Ascites	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	1	1	–
Hernia	11	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	18	6	1	–	1	1	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	1	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	51	10	3	2	4	1	2	–	–	1	2	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	12	–	–	–	–	2	–	–	–	–	–	–	–
Jaundice	6	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	61	2	–	–	–	–	–	1	3	–	2	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	–	–	2	–	5	–	–	–	–
Nephria	16	–	–	–	–	–	1	–	2	1	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	1	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	30	–	1	–	–	–	1	–	2	1	1	4	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	1	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	59	–	–	–	–	–	–	–	–	–	1	16	10
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	4	–	–	–	1	–	–	–	1	–	–	–	–
Rheumatism	15	–	–	–	–	–	–	–	–	–	–	1	2
Joint and Bone Disease	10	–	–	–	–	–	–	–	2	1	–	1	–
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	5	–	–	–	2	1	–	–	1	–	–	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	9	2	4	–	1	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	–	–	–	–	–	–	1	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	34	–	1	2	4	2	5	3	9	1	–	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	10	6	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	2	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	37	–	–	–	1	3	2	–	1	7	2	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	75	20	7	5	8	2	–	1	5	2	–	1	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	8	4	3	11	6	8	9	4	5	3	–	–	–	–	–
Paralysis	2	4	6	13	4	16	21	17	14	4	11	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	6	4	7	4	6	9	3	1	–	1	–	–	–	–
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	8	16	18	16	27	16	22	19	17	13	6	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	18	22	24	42	50	40	56	44	41	30	11	2	–	–	–	–
Pleurisy	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	5	12	3	5	7	13	7	5	2	4	2	–	–	–	–
Asthma	1	4	1	7	3	4	12	7	2	1	–	–	–	–	–	–
Lung Disease	2	2	2	3	4	3	2	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
Enteritis	2	1	3	1	1	2	2	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	3	1	1	1	–	3	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	1	–	3	1	3	1	–	–	1	–	–	–	–	–
Ileus	2	–	–	1	1	–	–	3	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	2	3	3	2	4	3	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	2	1	–	3	–	1	–	1	–	–	–	–	–
Jaundice	1	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Liver Disease	3	5	7	6	5	6	10	5	2	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	5	1	5	–	1	–	2	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	13	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	1	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	–	1	4	–	–	2	1	–	–	–	–	–	–
Joint Disease	1	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	3	4	–	3	1	1	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	2	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	3	1	1	2	5	1	1	2	1	–	1	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	6	3	3	4	1	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1742	161	84	162	188	86	57	33	66	41	49	72	70
SPECIFIED CAUSES	1706	149	83	156	187	84	57	33	65	38	48	72	69
I. Zymotic Class	372	15	15	42	70	44	29	18	34	5	4	7	11
II. Diseases of Uncertain Seat	43	–	–	–	1	–	–	1	1	2	1	2	2
III. Tubercular Class	354	7	15	34	37	17	11	7	18	17	31	44	38
IV. Brain and Nervous System	153	9	7	11	12	3	2	1	3	4	2	5	4
V. Organs of Circulation	49	–	–	–	–	–	–	–	–	3	–	2	1
VI. Respiratory Organs	320	20	22	49	46	9	9	5	5	4	5	4	10
VII. Organs of Digestion	86	9	11	10	14	4	2	–	1	1	1	1	4
VIII. Urinary Organs	18	1	–	–	–	–	1	–	–	–	–	1	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	2	–
X. Organs of Locomotion	9	–	–	–	–	–	–	–	2	1	–	1	–
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	2	2	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	100	82	11	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	4	4	1	–	–	–	1	1	–
XV. Age	118	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	46	3	–	2	3	3	2	1	1	1	2	2	3
I. Small Pox	6	1	–	–	1	–	–	2	1	–	–	–	–
Measles	49	1	1	11	20	8	6	1	1	–	–	–	–
Scarlatina	71	–	1	6	9	15	8	11	18	3	–	–	–
Diphtheria	15	1	–	1	6	2	2	–	1	–	–	–	–
Hooping Cough	45	–	6	12	15	7	5	–	–	–	–	–	–
Croup	18	–	–	1	4	9	3	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	5	4	3	10	1	–	–	2	–	2	1	1
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	10	–	–	2	1	–	–	1	–	–	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	45	–	–	1	–	–	1	–	1	–	–	1	6
Enteric Fever	24	–	–	1	2	–	3	1	8	1	2	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	5	–	–	–	–	–	–	1	–	–	–	1	1
Erysipelas	10	4	1	–	–	1	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	3	2	4	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	1	–	–	1	1	1	–	–	–
Abscess	5	–	–	–	–	–	–	–	–	1	1	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	24	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	1	2	3	3	1	1	–	2	–	2	–	–
Tabes Mesenterica	29	1	3	5	3	4	3	3	2	2	2	1	–
Phthisis	230	2	3	2	9	5	1	2	8	15	27	43	33
Hydrocephalus	77	3	7	24	22	7	6	2	6	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	64	60	71	72	76	55	71	48	54	44	35	17	3	1	–	2
SPECIFIED CAUSES	64	59	70	71	75	54	69	48	54	44	35	17	3	1	–	1
Zymotic Class	8	16	13	11	7	4	9	4	1	3	2	–	–	–	–	–
Uncertain Seat	3	2	3	6	9	2	3	1	1	1	1	–	–	–	–	1
Tubercular Class	22	16	13	12	13	2	3	1	–	1	–	–	–	–	–	–
Brain, etc.	5	8	8	10	16	9	8	12	7	4	2	1	–	–	–	–
Heart, etc.	1	3	5	13	6	3	8	3	–	1	–	–	–	–	–	–
Respiratory Organs	12	6	17	11	18	15	23	12	7	4	7	–	–	–	–	–
Digestive Organs	–	1	4	4	1	9	3	3	2	1	–	–	–	–	–	–
Urinary Organs	2	3	2	–	–	1	1	2	1	1	1	–	–	–	–	–
Generative Organs	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	35	26	22	15	3	1	–	–
Sudden Deaths	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	7	2	4	3	1	2	3	–	–	–	–	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	–	3	3	2	4	1	1	2	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	7	11	6	1	1	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	1	1	2	1	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	2	6	6	1	1	–	1	1	1	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	22	14	13	12	13	2	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	17	1	1	4	2	–	1	–	1	4	–	–	1
Apoplexy	36	–	1	1	2	–	–	–	–	–	–	2	1
Paralysis	30	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	2	–
Convulsions	26	8	5	5	5	2	1	–	–	–	–	–	–
Brain Disease	30	–	–	1	3	1	–	1	2	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	44	–	–	–	–	–	–	–	–	3	–	2	1
VI. Laryngitis	3	–	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	186	16	16	39	28	9	6	1	4	–	–	–	4
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	93	3	4	10	18	–	3	4	1	3	4	3	6
Asthma	25	–	–	–	–	–	–	–	–	1	1	–	–
Lung Disease	11	1	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	21	–	2	9	10	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	27	6	7	1	2	3	–	–	1	1	1	1	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	–	–	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	2	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	5	1	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	13	2	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	1	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	2	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	1	–	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	–	1	–	–	–	–	1	–	2
Fracture and Contusion	19	–	–	–	1	1	1	–	1	1	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	1	–	–	–	–	–	–	1	–
Not Specified	36	12	1	6	1	2	–	–	1	3	1	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	1	6	4	5	5	2	2	–	1	–	–	–	–
Paralysis	3	1	3	3	5	4	–	3	3	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	1	2	4	1	3	3	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	–	3	3	13	6	3	7	2	–	1	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	4	9	10	8	8	6	4	4	4	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	7	3	7	–	3	5	6	1	1	–	1	–	–	–	–	–
Asthma	–	–	4	1	3	2	6	4	2	–	1	–	–	–	–	–
Lung Disease	1	–	1	1	2	–	3	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	3	2	1	2	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	1	–	1	2	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	851	84	45	84	91	39	25	17	33	22	18	33	26
SPECIFIED CAUSES	837	81	44	80	91	38	25	17	33	19	18	33	26
I. Zymotic Class	180	7	11	18	33	21	13	9	18	2	–	8	3
II. Diseases of Uncertain Seat	14	–	–	–	1	–	–	–	1	–	1	2	–
III. Tubercular Class	155	4	5	20	21	8	4	5	7	8	10	10	13
IV. Brain and Nervous System	88	2	2	6	8	–	1	–	3	3	2	3	2
V. Organs of Circulation	28	–	–	–	–	–	–	–	–	1	–	–	1
VI. Respiratory Organs	162	16	12	23	20	4	5	2	2	3	3	2	3
VII. Organs of Digestion	48	5	7	7	6	2	1	–	–	1	1	–	–
VIII. Urinary Organs	13	1	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	–	–	1	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	43	7	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	1	1	–	–	–	–	1	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	34	2	–	1	1	2	–	1	1	1	2	2	3
I. Small Pox	2	–	–	–	1	–	–	–	–	–	–	–	–
Measles	22	–	1	6	8	4	2	–	1	–	–	–	–
Scarlatina	40	–	–	2	6	9	5	8	9	1	–	–	–
Diphtheria	6	1	–	–	1	–	1	–	1	–	–	–	–
Hooping Cough	20	–	5	4	5	4	2	–	–	–	–	–	–
Croup	10	–	–	–	4	4	2	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	4	3	2	4	–	–	–	2	–	–	1	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	22	–	–	1	–	–	–	–	–	–	–	–	1
Enteric Fever	8	–	–	–	1	–	1	–	3	–	–	1	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	1	–	–	–	1	1
Erysipelas	7	2	1	–	–	–	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	1	–	–	–	1	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	1	1	1	–	–	–	–	1	–	2	–	–
Tabes Mesenterica	13	1	1	2	3	2	1	1	1	1	–	–	–
Phthisis	92	1	–	2	2	4	1	2	4	7	8	19	13
Hydrocephalus	42	1	3	15	16	2	2	2	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	26	36	45	36	32	38	32	22	19	13	4	1	–	–	1
SPECIFIED CAUSES	29	25	36	45	36	32	38	32	22	19	13	4	1	–	–	–
Zymotic Class	4	7	9	6	5	2	3	3	–	2	1	–	–	–	–	–
Uncertain Seat	–	–	–	3	2	–	1	1	–	1	1	–	–	–	–	–
Tubercular Class	9	3	2	5	8	1	2	–	–	1	–	–	–	–	–	–
Brain, etc.	4	7	6	7	7	3	6	9	5	2	–	–	–	–	–	–
Heart, etc.	1	1	3	9	2	2	6	2	–	–	–	–	–	–	–	–
Respiratory Organs	3	1	8	9	8	12	11	8	4	1	2	–	–	–	–	–
Digestive Organs	–	–	3	3	1	7	1	3	–	1	–	–	–	–	–	–
Urinary Organs	2	3	1	–	–	–	1	2	1	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	4	12	11	8	4	1	–	–	–
Sudden Deaths	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	4	2	1	2	1	–	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	1	2	1	–	1	–	–	–	–	•	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	7	4	1	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Contd. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	3	1	–	–	–	–	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	2	2	5	8	1	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	1	–	3	1	–	–	–	1	3	–	–	1
Apoplexy	21	–	–	1	1	–	–	–	–	–	–	1	1
Paralysis	17	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	10	1	2	2	4	–	1	–	–	–	–	–	–
Brain Disease	18	–	–	–	2	–	–	–	2	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	–	–	–	–	–	1	–	–	1
VI. Laryngitis	2	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	94	13	8	20	14	4	4	1	1	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	40	2	3	3	6	–	1	1	1	2	2	2	2
Asthma	20	–	–	–	–	–	–	–	–	1	1	–	–
Lung Disease	6	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	12	–	1	7	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	3	–	–	1	–	–	–	–	–	–	–	–
Enteritis	13	4	4	–	1	2	–	–	–	1	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	2	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	8	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	1	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	1	–	2
Fracture and Contusion	15	–	–	–	–	1	–	–	1	1	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	14	3	1	4	–	1	–	–	–	3	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	4	1	4	4	1	1	–	–	–	–	–	–
Paralysis	3	1	2	3	1	2	–	1	2	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	1	–	2	3	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	9	2	2	5	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	7	3	6	4	3	2	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	1	4	–	1	4	2	–	–	–	–	–	–	–	–	–
Asthma	–	–	2	1	3	2	3	4	2	–	1	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	2	1	1	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	•	–
Cystitis	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	891	77	39	78	97	47	32	16	33	19	31	39	44
SPECIFIED CAUSES	869	68	39	76	96	46	32	16	32	19	30	39	43
I. Zymotic Class	192	8	4	24	37	23	16	9	16	8	4	4	8
II. Diseases of Uncertain Seat	29	–	–	–	–	–	–	1	–	2	–	–	2
III. Tubercular Class	199	3	10	14	16	9	7	2	11	9	21	25	20
IV. Brain and Nervous System	65	7	5	5	4	3	1	1	–	1	–	2	2
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	2	–	2	–
VI. Respiratory Organs	158	4	10	26	26	5	4	3	3	1	2	2	7
VII. Organs of Digestion	38	4	4	3	8	2	1	–	1	–	1	1	4
VIII. Urinary Organs	5	–	–	–	–	–	1	–	–	–	–	1	–
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	2	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	1	–	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	39	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	3	–	–	–	–	1	–	–
XV. Age	74	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	1	–	1	2	1	2	–	–	–	–	–	–
I. Small Pox	4	1	–	–	–	–	–	2	1	–	–	–	–
Measles	27	1	–	5	12	4	4	1	–	–	–	–	–
Scarlatina	31	–	1	4	3	6	3	3	9	2	–	–	–
Diphtheria	9	–	–	1	5	2	1	–	–	–	–	–	–
Hooping Cough	25	–	1	8	10	3	3	–	–	–	–	–	–
Croup	8	–	–	1	–	5	1	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	1	1	1	6	1	–	–	–	–	2	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	–	1	–	–	–	1	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	1	–	–	1	5
Enteric Fever	16	–	–	1	1	–	2	1	5	1	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	3	1	2	–	–	–	–	–	–	–	1	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	1	–	1	–	–	–
Abscess	4	–	–	–	–	–	–	–	–	1	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	1	2	3	1	1	–	1	–	–	–	–
Tabes Mesenterica	16	–	2	3	–	2	2	2	1	1	2	1	–
Phthisis	138	1	3	–	7	1	–	–	4	8	19	24	20
Hydrocephalus	85	2	4	9	6	5	4	–	5	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	34	35	27	40	28	33	16	32	25	22	13	2	1	–	1
SPECIFIED CAUSES	35	34	34	26	39	22	31	16	32	25	22	13	2	1	–	1
Zymotic Class	4	9	4	5	2	2	6	1	1	1	1	–	–	–	–	–
Uncertain Seat	3	2	3	3	7	2	2	–	1	–	–	–	–	–	–	1
Tubercular Class	13	13	11	7	5	1	1	1	–	–	–	–	–	–	–	–
Brain, etc.	1	1	2	3	9	6	2	3	2	2	2	1	–	–	–	–
Heart, etc.	–	2	2	4	4	1	2	1	–	1	–	–	–	–	–	–
Respiratory Organs	9	5	9	2	10	3	12	4	3	3	5	–	–	–	–	–
Digestive Organs	–	1	1	1	–	2	2	–	2	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Generative Organs	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	6	23	15	14	11	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	–	2	2	1	2	–	1	1	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	4	2	–	1	2	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyœmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	2	3	5	1	1	–	1	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	12	11	7	5	1	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	1	1	1	–	1	–	–	1	–	–	–
Apoplexy	15	–	1	–	1	–	–	–	–	–	–	1	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	16	7	3	3	1	2	–	–	–	–	–	–	–
Brain Disease	12	–	–	1	1	1	–	1	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	–	–	2	–	2	–
VI. Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	92	3	8	19	14	5	2	–	3	–	–	–	3
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	53	1	1	7	12	–	2	3	–	1	2	1	4
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	9	–	1	2	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	2	3	1	1	1	–	–	1	–	1	1	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	1	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	22	9	–	2	1	1	–	–	1	–	1	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	2	3	1	1	1	1	–	1	–	–	–	–
Paralysis	–	–	1	–	4	2	–	2	1	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	3	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	4	4	1	2	–	–	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	3	3	2	7	2	4	3	2	3	3	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	4	2	3	–	2	1	4	1	1	–	1	–	–	–	–	–
Asthma	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4813	430	159	297	365	155	92	65	182	88	141	191	237
Specified Causes	4783	422	158	297	361	155	92	65	180	87	141	189	235
I. Zymotic Class	1012	54	44	95	144	56	51	33	62	27	39	42	52
II. Diseases of Uncertain Seat	200	4	–	1	2	2	–	2	1	1	1	3	8
III. Tubercular Class	879	11	21	48	71	40	24	12	45	22	62	91	93
IV. Brain and Nervous System	425	29	10	18	16	12	5	5	17	6	4	4	12
V. Organs of Circulation	294	2	1	1	–	1	–	–	1	3	3	8	15
VI. Respiratory Organs	754	64	42	85	81	32	7	5	20	2	8	12	7
VII. Organs of Digestion	303	26	12	18	24	4	1	3	9	5	7	4	11
VIII. Urinary Organs	110	–	–	–	1	2	–	2	5	5	5	5	9
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	1	1	13
X. Organs of Locomotion	37	–	–	1	1	–	–	–	9	5	1	3	1
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	27	22	2	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	237	198	16	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	40	–	–	–	17	1	3	1	2	–	1	–	–
XV. Age	236	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	2	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	184	9	8	5	3	5	1	2	9	6	9	16	14
I. Small Pox	9	1	2	1	1	–	–	–	1	–	–	2	1
Measles	40	1	2	9	17	3	4	2	2	–	–	–	–
Scarlatina	45	–	–	3	10	9	6	6	4	2	2	3	–
Diphtheria	49	2	1	4	11	2	5	4	12	1	3	2	1
Hooping Cough	189	5	16	46	66	20	16	10	9	1	–	–	–
Croup	19	2	–	3	5	6	2	–	1	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	114	25	11	19	22	1	1	–	2	–	1	3	2
Dysentery	14	1	1	–	–	–	1	–	–	–	–	–	–
Cholera	148	1	1	1	5	8	4	4	9	5	3	5	15
Influenza	7	2	–	–	–	1	1	–	–	–	–	–	1
Purpura	5	1	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	190	–	–	1	1	–	4	1	9	6	13	15	18
Enteric Fever	84	–	–	1	2	3	3	4	11	9	12	6	5
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	7	2	–	–	2	1	–	2	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	1	3	7
Rheumatic Fever	7	–	–	–	–	–	–	–	1	1	1	2	–
Erysipelas	24	3	2	2	–	2	–	–	–	2	1	–	1
Pyæmia	6	–	–	–	–	–	–	–	–	–	1	1	1
Syphilis	30	8	7	5	1	–	–	–	–	–	–	–	4
Noma	5	–	–	–	1	–	3	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	3	–	–	–	–	–	–	–	–	–	–	–
Dropsy	23	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	14	–	–	1	1	1	–	1	–	–	–	–	–
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	14	–	–	–	1	–	–	–	–	–	–	–	1
Cancer	136	–	–	–	–	1	–	1	1	1	1	3	6
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	51	2	–	5	5	5	3	–	8	–	4	2	6
Tabes Mesenterica	57	5	1	5	19	11	3	2	5	2	2	1	–
Phthisis	603	–	2	4	4	3	5	–	15	17	56	86	86
Hydrocephalus	168	4	18	34	43	21	13	10	17	3	–	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	210	254	195	209	231	235	229	256	205	198	122	53	10	3	–	1
Specified Causes	209	254	192	208	229	234	227	256	205	198	122	53	10	3	–	1
Zymotic Class	34	54	28	40	33	40	22	28	18	7	6	1	2	–	–	–
Uncertain Seat	7	12	9	17	29	22	30	14	14	15	6	–	–	–	–	–
Tubercular Class	81	74	51	43	36	26	18	9	3	2	–	–	–	–	–	1
Brain, etc.	16	17	13	19	24	22	29	42	39	40	14	11	1	–	–	–
Heart, etc.	15	28	18	20	19	38	36	32	18	20	6	4	–	–	–	–
Respiratory Organs	15	25	26	32	44	34	42	61	46	38	16	9	1	–	–	–
Digestive Organs	13	15	22	12	22	24	23	19	13	6	8	2	–	–	–	–
Urinary Organs	9	9	4	7	6	10	8	10	5	6	1	1	–	–	–	–
Generative Organs	3	5	2	1	1	1	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	1	2	4	1	1	–	3	2	–	2	–	–	–	–	–	–
Skin	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	5	–	–	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	29	46	57	62	23	6	3	–	–
Sudden Deaths	–	2	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	14	10	9	15	12	8	8	9	3	4	3	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	2	1	1	2	4	6	2	3	2	1	–	–	–	–
Dysentery	–	1	–	1	1	–	1	3	3	1	–	–	–	–	–	–
Cholera	10	17	10	12	6	13	6	7	4	1	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	22	12	21	17	19	9	8	2	2	2	–	1	–	–	–
Enteric Fever	2	7	2	3	4	3	–	2	3	–	1	–	1	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	2	2	2	1	–	2	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	1	1	1	–	4	6	3	2	3	–	–	–	–	–	–
Abscess	–	1	–	1	3	–	3	–	1	1	–	–	–	–	–	–
Ulcer	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	2	–	2	2	–	1	4	–	–	–	–	–
Cancer	6	9	7	15	22	16	17	9	10	9	2	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	2	2	1	2	3	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	78	71	50	40	33	26	12	9	3	2	–	–	–	–	–	1
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	29	–	1	2	3	6	3	2	3	2	1	–	1
Apoplexy	97	6	–	2	3	2	–	–	–	–	–	–	4
Paralysis	121	–	–	–	–	–	–	–	1	–	–	–	4
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	–	–	–	–	1	–	2	–	–
Epilepsy	22	–	–	–	–	–	–	–	–	1	–	3	1
Tetanus	3	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	49	20	7	12	5	2	–	3	–	–	–	–	–
Brain Disease	92	2	1	2	5	2	2	–	12	3	1	1	1
V. Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	280	1	1	1	–	1	–	–	1	8	3	8	15
VI. Laryngitis	13	1	1	–	2	2	–	1	–	–	1	–	1
Bronchitis	512	55	32	66	57	22	6	2	15	2	2	5	1
Pleurisy	25	1	–	–	1	–	–	–	–	–	1	1	1
Pneumonia	136	6	8	18	21	8	–	1	3	–	4	5	2
Asthma	33	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	35	1	1	1	–	–	1	1	2	–	–	1	1
VII. Teething	28	–	1	8	18	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
Gastritis	7	–	–	–	–	–	–	1	1	–	–	–	1
Enteritis	47	16	6	9	2	1	1	2	–	1	–	–	1
Peritonitis	25	2	–	1	–	–	–	–	3	1	–	1	3
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	13	–	–	–	–	–	–	–	–	–	–	1	3
Hernia	14	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	13	–	1	–	–	–	–	–	1	–	4	–	1
Intussusception	3	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	11	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	47	–	2	–	4	1	–	–	–	2	1	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	14	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	67	–	1	–	–	1	–	–	4	–	–	1	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	1	–	1	–	–	–	–	1
Nephria	35	–	–	–	–	1	–	–	2	5	2	3	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	–	–	–	1	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	17	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	–	–	1	3	–	2	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	4
Childbirth	18	–	–	–	–	–	–	–	–	–	1	1	9
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	14	–	–	–	1	–	–	–	4	3	1	1	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	15	–	–	1	–	–	–	–	5	2	–	2	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	12	3	7	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	22	–	–	1	1	3	1	–	2	1	–	1	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	3	1	1	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	105	1	–	1	1	2	–	1	6	5	8	11	8
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	1	–	3
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	2	2
Other Violent Causes	6	2	–	–	–	–	–	1	–	–	–	1	–
Not Specified	30	8	1	–	4	–	–	–	2	1	–	2	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	2	5	8	5	10	11	10	13	6	3	1	–	–	–
Paralysis	5	6	2	7	5	7	13	17	24	18	6	6	–	–	–	–
Delirium Tremens	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	3	2	1	–	1	2	1	3	–	1	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	5	4	5	9	4	12	4	6	2	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	6	1	2	–	1	2	–	–	–	–	–	–	–	–	–
Heart Disease	14	22	17	18	19	37	34	32	18	20	6	4	–	–	–	–
Laryngitis	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	6	10	14	17	25	24	27	43	33	27	12	8	1	–	–	–
Pleurisy	2	1	2	4	2	1	–	5	1	2	–	–	–	–	–	–
Pneumonia	5	6	6	5	10	3	6	6	6	4	2	1	–	–	–	–
Asthma	–	1	4	4	4	4	4	4	3	3	1	–	–	–	–	–
Lung Disease	2	5	–	2	3	1	5	3	2	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–
Enteritis	–	–	3	2	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	3	2	1	2	–	2	–	–	4	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	2	1	–	2	2	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	4	3	3	2	–	–	–	–	–	–	–	–
Ileus	–	2	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	2	–	–	2	2	1	–	–	1	–	–	–	–	–	–
Stomach Disease	1	1	6	1	2	4	6	4	5	1	2	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Jaundice	–	2	–	–	–	1	1	2	–	1	1	–	–	–	–	–
Liver Disease	4	3	3	6	10	9	8	7	2	–	3	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	3	2	3	–	3	–	4	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Diabetes	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	2	–	–	1	–	5	1	2	4	–	1	–	–	–	–
Stricture of Urethra	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Kidney Disease	2	3	1	2	4	5	–	3	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	2	–	1	–	1	1	–	2	–	–	–	–	–	–
Joint Disease	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	1	1	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	3	1	–	1	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–	–
Fracture and Contusion	3	9	5	5	10	6	5	3	2	–	1	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	3	1	2	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2422	238	95	172	182	84	47	31	97	48	77	110	115
SPECIFIED CAUSES	2409	234	95	172	180	84	47	31	97	48	77	109	113
I. Zymotic Class	522	31	33	51	73	32	31	20	27	13	21	22	19
II. Diseases of Uncertain Seat	64	2	–	1	–	–	–	1	–	1	1	1	3
III. Tubercular Class	470	8	8	27	33	21	9	3	24	14	34	55	54
IV. Brain and Nervous System	225	18	8	10	9	6	1	1	13	2	1	2	3
V. Organs of Circulation	161	–	1	–	–	–	–	–	1	2	2	5	9
VI. Respiratory Organs	362	60	26	57	41	16	2	2	13	1	3	5	3
VII. Organs of Digestion	143	13	7	14	14	2	–	3	1	4	4	2	3
VIII. Urinary Organs	68	–	–	–	1	2	–	–	4	3	1	3	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	22	–	–	1	–	–	–	–	6	4	1	2	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	15	12	1	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	127	112	6	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	7	–	3	–	1	–	1	–	–
XV. Age	87	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	121	7	3	1	1	5	1	1	7	4	3	12	18
I. Small Pox	6	–	2	–	1	–	–	–	1	–	–	1	1
Measles	23	–	1	4	9	2	4	1	2	–	–	–	–
Scarlatina	33	–	–	3	8	7	4	4	2	2	2	1	–
Diphtheria	24	–	1	4	6	2	2	1	3	1	2	1	–
Hooping Cough	94	4	12	23	30	8	8	4	5	–	–	–	–
Croup	10	2	–	1	2	3	1	–	1	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	54	15	7	10	13	1	1	–	–	–	–	2	–
Dysentery	9	1	1	–	–	–	1	–	–	–	–	–	–
Cholera	71	1	1	1	3	6	2	4	4	4	2	2	6
Influenza	3	1	–	–	–	–	1	–	–	–	–	–	1
Purpura	2	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	108	–	–	–	–	–	2	1	5	2	6	12	8
Enteric Fever	35	–	–	1	1	2	3	3	2	2	6	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	3	1	–	–	–	–	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	16	2	2	1	–	1	–	–	–	2	1	–	–
Pyæmia	4	–	–	–	–	–	–	–	–	–	–	1	1
Syphilis	15	3	5	3	–	–	–	–	–	–	–	–	2
Noma	2	–	–	–	–	–	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	7	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	36	–	–	–	–	–	–	1	–	1	1	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	24	–	–	2	2	2	2	–	6	–	2	1	5
Tabes Mesenterica	25	4	–	2	8	5	–	1	3	1	–	–	–
Phthisis	332	–	1	1	3	2	–	–	6	10	32	58	49
Hydrocephalus	80	4	7	22	20	12	7	2	9	3	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	117	126	101	104	127	111	105	107	87	74	43	22	1	1	–	–
SPECIFIED CAUSES	116	126	101	103	125	111	105	107	87	74	43	22	1	1	–	–
Zymotic Class	17	30	14	17	19	18	11	13	8	–	2	–	–	–	–	–
Uncertain Seat	2	2	1	6	8	6	13	7	4	3	2	–	–	–	–	–
Tubercular Class	45	35	26	23	21	15	8	8	2	2	–	–	–	–	–	–
Brain, etc.	11	10	6	11	11	12	16	22	21	23	5	3	–	–	–	–
Heart, etc.	10	17	10	11	15	22	14	15	11	8	5	3	–	–	–	–
Respiratory Organs	10	12	14	17	28	15	17	20	11	10	5	4	–	–	–	–
Digestive Organs	5	6	15	8	14	9	9	8	3	2	1	1	–	–	–	–
Urinary Organs	5	5	2	6	4	5	8	3	4	5	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	2	1	–	–	–	1	–	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	23	17	21	10	1	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	10	7	8	8	5	7	5	5	–	2	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Dysentery	–	1	–	1	1	–	–	1	2	–	–	–	–	–	–	–
Cholera	3	9	4	3	3	3	5	3	2	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	13	7	11	11	10	3	6	1	–	1	–	–	–	–	–
Enteric Fever	–	3	1	1	2	2	–	2	2	–	1	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	1	1	2	–	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	2	3	2	1	1	–	–	–	–	–	–
Abscess	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Cancer	2	1	–	5	4	3	5	4	3	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	44	34	26	21	20	15	8	3	2	2	–	–	–	–	–	–
Hydrocephalus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	14	–	1	1	2	3	1	–	2	–	–	–	1
Apoplexy	55	4	–	2	1	1	–	–	–	–	–	–	1
Paralysis	56	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	–	–	–	1	–	1	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	1	–	1	–
Tetanus	3	1	1	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	13	6	5	4	–	–	1	–	–	–	–	–
Brain Disease	47	–	–	2	2	2	–	–	9	1	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	152	–	1	–	–	–	–	–	1	2	2	5	9
VI. Laryngitis	6	1	–	–	1	1	–	1	–	–	–	–	–
Bronchitis	233	26	20	44	27	13	1	–	10	1	–	1	1
Pleurisy	15	–	–	–	–	–	–	–	–	–	1	1	–
Pneumonia	76	2	5	12	13	2	–	1	2	–	2	3	1
Asthma	16	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	16	1	1	1	–	–	1	–	1	–	–	–	–
VII. Teething	18	–	1	5	11	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	29	9	2	8	2	–	–	2	–	1	–	–	1
Peritonitis	5	–	–	1	–	–	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	8	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	–	–	–	–	–	–	2	–	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	9	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	17	–	1	–	1	1	–	–	–	2	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	32	–	1	–	–	–	–	–	1	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	18	–	–	–	–	1	–	–	2	3	–	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	14	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	–	–	2	–	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	8	–	–	–	–	–	–	–	2	2	1	1	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	11	–	–	1	–	–	–	–	4	2	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	1	–	3	1	–	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	81	1	–	–	1	2	–	1	–	4	7	10	8
Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	1	–	3
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	–	1	2
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	4	–	–	2	–	–	–	–	–	–	1	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	1	3	3	2	6	6	7	11	3	1	–	–	–	–
Paralysis	3	5	2	5	–	3	8	8	11	7	2	1	–	–	–	–
Delirium Tremens	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	2	–	–	–	1	1	3	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	2	–	3	6	2	7	2	2	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Heart Disease	9	13	9	10	15	22	12	15	11	8	5	3	–	–	–	–
Laryngitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	7	8	14	8	10	12	9	9	5	3	–	–	–	–
Pleurisy	2	–	1	3	2	1	–	4	–	–	–	–	–	–	–	–
Pneumonia	4	5	3	4	6	2	3	3	1	1	–	1	–	–	–	–
Asthma	–	1	3	2	3	2	2	1	1	–	–	–	–	–	–	–
Lung Disease	1	4	–	–	3	1	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–
Ileus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	2	1	1	–	–	1	–	–	–	–	–	–
Stomach Disease	–	1	4	–	1	2	1	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	2	5	3	5	3	5	4	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	2	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	–	1	–	–	1	–	5	–	1	4	–	1	–	–	–	–
Stricture of Urethra	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Kidney Disease	1	1	1	2	3	3	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	7	5	4	5	6	4	5	–	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2391	192	64	125	183	71	45	34	85	40	64	81	122
SPECIFIED CAUSES	2374	188	63	125	181	71	45	34	83	39	64	80	122
I. Zymotic Class	490	23	11	44	71	24	20	13	35	14	18	20	33
II. Diseases of Uncertain Seat	136	2	–	–	2	2	–	1	1	–	–	2	5
III. Tubercular Class	409	3	13	21	38	19	15	9	21	8	28	36	39
IV. Brain and Nervous System	200	11	2	8	7	6	4	4	4	4	3	2	9
V. Organs of Circulation	133	2	–	1	–	1	–	–	–	6	1	3	6
VI. Respiratory Organs	392	34	16	28	40	16	5	3	7	1	5	7	4
VII. Organs of Digestion	160	13	5	4	10	2	1	–	8	1	3	2	8
VIII. Urinary Organs	42	–	–	–	–	–	–	2	1	2	4	2	4
IX. Organs of Generation	31	–	–	–	–	–	–	–	–	–	1	1	13
X. Organs of Locomotion	15	–	–	–	1	–	–	–	3	1	–	1	–
XI. Skin, etc.	4	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	12	10	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	110	86	10	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	23	–	–	–	10	1	–	1	1	–	–	–	–
XV. Age	149	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	63	2	5	4	2	–	–	1	2	2	1	4	1
I. Small Pox	3	1	–	1	–	–	–	–	–	–	–	1	–
Measles	17	1	1	5	8	1	–	1	–	–	–	–	–
Scarlatina	12	–	–	–	2	2	2	2	2	–	–	2	–
Diphtheria	25	2	–	–	5	–	3	3	9	–	1	1	1
Hooping Cough	95	1	4	23	36	12	8	6	4	1	–	–	–
Croup	9	–	–	2	3	3	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	10	4	9	9	–	–	–	2	–	1	1	2
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	77	–	–	–	2	2	2	–	5	1	1	3	9
Influenza	4	1	–	–	–	1	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	82	–	–	1	1	–	2	–	4	4	7	3	5
Enteric Fever	49	–	–	–	1	1	–	1	9	7	6	5	5
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	1	–	–	2	1	–	–	–	–	–	–	–
Metria	14	–	–	–	–	–	–	–	–	–	1	3	7
Rheumatic Fever	2	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	8	1	–	1	–	1	–	–	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	15	5	2	2	1	–	–	–	–	–	–	–	2
Noma	3	–	–	–	1	–	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	7	–	–	–	1	1	–	1	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	9	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	100	–	–	–	–	1	–	–	1	–	–	2	4
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	2	–	3	3	3	1	–	2	–	2	1	1
Tabes Mesenterica	32	1	1	3	11	6	3	1	2	1	2	1	–
Phthisis	271	–	1	3	1	1	5	–	9	7	24	33	37
Hydrocephalus	79	–	11	12	23	9	6	8	8	–	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	93	128	94	105	104	124	124	149	118	124	79	31	9	2	–	1
SPECIFIED CAUSES	93	128	91	105	104	123	122	149	118	124	79	31	9	2	–	1
Zymotic Class	17	24	14	23	14	22	11	15	10	7	4	1	2	–	–	–
Uncertain Seat	5	10	8	11	21	16	17	7	10	12	4	–	–	–	–	–
Tubercular Class	36	39	25	20	15	11	5	6	1	–	–	–	–	–	–	1
Brain, etc.	5	7	7	8	13	10	13	20	18	17	9	8	1	–	–	–
Heart, etc.	5	11	8	9	4	16	22	17	7	12	1	1	–	–	–	–
Respiratory Organs	5	13	12	15	16	19	25	41	35	28	11	5	1	–	–	–
Digestive Organs	8	9	7	9	8	15	14	11	10	4	7	1	–	–	–	–
Urinary Organs	4	4	2	1	2	5	–	7	1	1	–	–	–	–	–	–
Generative Organs	3	5	2	1	1	1	2	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	2	2	–	1	–	3	1	–	–	–	–	–	–	–	–
Skin	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	2	–	–	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	19	23	40	41	13	5	2	–	–
Sudden Deaths	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	4	3	1	7	7	1	3	4	3	2	2	2	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	1	1	1	2	5	2	3	2	1	–	–	–	–
Dysentery	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
Cholera	7	8	6	9	3	10	1	4	2	1	1	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	9	5	10	6	9	6	2	1	2	1	–	1	–	–	–
Enteric Fever	2	4	1	2	2	1	–	–	1	–	–	–	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	1	–	2	3	1	1	2	–	–	–	–	–	–
Dropsy	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	2	1	–	1	3	–	–	–	–	–
Mortification	4	8	7	10	18	13	12	5	7	7	1	–	–	–	–	–
Cancer	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Gout	2	2	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	34	37	24	19	13	11	4	6	1	–	–	–	–	–	–	1
Phthisis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrocephalus																

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

	DISEASES.	FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	15	–	–	1	1	3	2	2	1	2	1	–	–
	Apoplexy	42	2	–	–	2	1	–	–	–	–	–	–	3
	Paralysis	65	–	–	–	–	–	–	–	–	–	–	–	4
	Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
	Epilepsy	12	–	–	–	–	–	–	–	–	–	–	2	1
	Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
	Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
	Convulsions	20	7	1	7	1	2	–	2	–	–	–	–	–
	Brain Disease	45	2	1	–	3	–	2	–	3	2	1	–	1
V.	Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–
	Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	128	1	–	1	–	1	–	–	–	6	1	3	6
VI.	Laryngitis	7	–	1	–	1	1	–	–	–	–	1	–	1
	Bronchitis	279	29	12	22	30	9	5	2	5	1	2	4	–
	Pleurisy	10	1	–	–	1	–	–	–	–	–	–	–	1
	Pneumonia	60	4	3	6	8	6	–	–	1	–	2	2	1
	Asthma	17	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	19	–	–	–	–	–	–	1	1	–	–	1	1
VII.	Teething	10	–	–	3	7	–	–	–	–	–	–	–	–
	Quinsey	1	–	–	–	–	–	–	–	–	–	–	1	–
	Gastritis	5	–	–	–	–	–	–	–	1	–	–	–	1
	Enteritis	18	7	4	1	–	1	1	–	–	–	–	–	–
	Peritonitis	20	2	–	–	–	–	–	–	3	1	–	–	3
	Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	8	–	–	–	–	–	–	–	–	–	–	1	2
	Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
	Ileus	7	–	–	–	–	–	–	–	1	–	2	–	1
	Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	30	–	1	–	3	–	–	–	–	–	–	–	1
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
	Jaundice	10	3	–	–	–	–	–	–	–	–	–	–	–
	Liver Disease	35	–	–	–	–	1	–	–	3	–	–	–	–
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII.	Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
	Nephria	17	–	–	–	–	–	–	–	–	2	2	1	2
	Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
	Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
	Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	15	–	–	–	–	–	–	1	1	–	2	–	2
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	4
	Childbirth	18	–	–	–	–	–	–	–	–	–	1	1	9
	Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	–
X.	Arthritis	6	–	–	–	1	–	–	–	2	1	–	–	–
	Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
	Joint and Bone Disease	4	–	–	–	–	–	–	–	1	–	–	1	–
XI.	Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII.	Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
	Want of Breast Milk	7	1	4	2	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
	Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
	Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Burns and Scalds	12	–	–	–	1	–	–	–	–	1	–	1	1
	Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
	Suffocation	3	–	1	1	–	–	–	–	–	–	–	–	–
	Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
	Fracture and Contusion	24	–	–	1	–	–	–	–	2	1	1	1	–
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	1	–
	Other Violent Causes	4	1	–	–	–	–	–	1	–	–	–	1	–
	Not Specified	17	4	1	–	2	–	–	–	2	1	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	1	2	5	3	4	5	3	2	3	2	1	–	–	–
Paralysis	2	1	–	2	5	4	5	9	13	11	4	5	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	–	1	–	1	1	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	3	4	2	3	2	5	2	4	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	9	8	8	4	15	22	17	7	12	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	3	9	7	9	11	16	17	31	24	18	7	5	1	–	–	–
Pleurisy	–	1	1	1	–	–	–	1	1	2	–	–	–	–	–	–
Pneumonia	1	1	3	1	4	1	3	3	5	3	2	–	–	–	–	–
Asthma	–	–	1	2	1	2	2	3	2	3	1	–	–	–	–	–
Lung Disease	1	1	–	2	–	–	3	3	2	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteritis	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	2	2	–	2	–	2	–	–	3	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	2	1	1	2	5	4	5	1	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	2	–	–	–	1	1	1	–	1	1	–	–	–	–	–
Liver Disease	4	1	3	3	5	6	3	3	1	–	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	1	1	–	2	–	3	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	–	1	2	–	2	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	–	1	–	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	1	–	1	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	2	2	–	1	5	–	1	3	2	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	3	–	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	3130	414	166	215	260	122	79	42	146	50	97	134	111
Specified Causes	3006	379	146	209	253	116	76	41	135	50	95	127	106
I. Zymotic Class	771	47	36	43	83	56	48	28	68	25	21	84	25
II. Diseases of Uncertain Seat	119	3	2	1	3	3	2	–	6	1	–	4	1
III. Tubercular Class	544	9	18	37	51	26	13	4	33	14	50	54	47
IV. Brain and Nervous System	218	48	9	14	9	3	4	2	5	1	4	5	3
V. Organs of Circulation	140	4	1	–	1	1	–	–	1	–	4	3	3
VI. Respiratory Organs	455	44	51	63	48	20	5	5	11	3	1	10	9
VII. Organs of Digestion	190	19	10	40	41	3	1	–	1	–	2	3	5
VIII. Urinary Organs	39	–	–	–	2	–	–	1	2	–	2	4	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	2	7
X. Organs of Locomotion	6	–	–	–	–	–	–	–	2	–	–	–	–
XI. Skin, etc.	8	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	212	190	14	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	29	–	–	–	10	3	2	–	–	1	–	–	–
XV. Age	160	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	1	–	–	–	1	–	–	–	–	–	1
XVII. Violent Deaths	87	11	3	3	5	1	–	1	6	5	9	8	4
I. Small Pox	23	3	2	3	1	5	1	1	3	–	2	1	–
Measles	7	–	–	–	1	2	1	2	1	–	–	–	–
Scarlatina	100	1	1	6	16	17	18	13	23	1	1	1	2
Diphtheria	18	2	2	2	3	2	4	1	2	–	–	–	–
Hooping Cough	59	9	5	13	14	9	4	2	3	–	–	–	–
Croup	54	1	2	5	24	12	4	2	4	–	–	–	–
Thrush	7	7	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	82	15	16	5	16	1	1	2	2	–	–	4	–
Dysentery	15	1	1	1	–	–	–	–	1	–	–	–	2
Cholera	112	–	1	2	2	2	5	2	15	7	1	7	6
Influenza	10	–	–	1	–	–	–	–	1	–	1	1	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	183	1	–	1	2	–	–	2	3	11	10	14	13
Enteric Fever	41	–	–	1	1	2	5	–	5	5	4	3	–
Relapsing Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	19	–	–	2	1	2	3	–	2	–	1	–	–
Infantile Remittent	8	–	1	–	1	2	–	–	2	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	–	3	2
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	9	2	1	1	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	5	4	–	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	53	1	2	1	3	1	2	–	6	1	–	3	1
Abscess	8	2	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	1	2	–	–	1	–	4	1	–
Tabes Mesenterica	23	4	–	3	5	2	–	–	5	1	1	–	1
Phthisis	393	1	7	4	14	7	4	2	12	12	45	53	46
Hydrocephalus	117	4	11	29	31	15	9	2	15	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	109	112	138	109	143	154	161	119	95	79	46	21	7	1	–	–
Specified Causes	107	110	134	106	140	150	161	116	95	79	46	21	7	1	–	–
Zymotic Class	30	30	37	30	32	39	27	13	11	5	1	2	–	–	–	–
Uncertain Seat	2	1	12	15	11	11	17	11	7	4	1	1	–	–	–	–
Tubercular Class	41	31	34	20	28	15	14	2	3	–	–	–	–	–	–	–
Brain, etc.	9	6	4	3	10	11	24	14	14	10	6	–	–	–	–	–
Heart, etc.	9	8	19	13	12	19	17	11	6	5	2	1	–	–	–	–
Respiratory Organs	7	14	8	14	28	30	27	22	18	10	4	2	1	–	–	–
Digestive Organs	3	6	8	3	8	8	12	7	4	4	2	–	–	–	–	–
Urinary Organs	3	6	2	1	1	3	3	7	–	–	–	1	–	–	–	–
Generative Organs	1	2	3	1	2	1	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	1	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	25	29	41	28	14	6	1	–	–
Sudden Deaths	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	4	3	4	6	4	3	–	–	2	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	1	–	3	4	3	2	2	1	–	–	–	–	–	–
Dysentery	–	1	1	1	1	1	–	–	2	1	–	1	–	–	–	–
Cholera	8	10	8	6	8	10	4	4	2	1	–	1	–	–	–	–
Influenza	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	14	15	23	20	15	16	15	5	1	2	–	–	–	–	–	–
Enteric Fever	1	–	2	2	3	3	2	–	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	1	1	4	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	4	4	3	5	7	3	3	1	1	1	–	–	–	–
Abscess	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Cancer	–	1	6	9	7	5	8	6	3	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	41	30	34	20	28	15	13	2	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	–	–	–	1	–	–	–	1	1	1	3	–
Apoplexy	47	1	2	–	–	–	–	1	–	–	1	–	3
Paralysis	47	–	–	1	–	1	–	–	–	–	–	–	–
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	84	47	7	13	8	2	3	1	3	–	–	–	–
Brain Disease	17	–	–	–	–	–	1	–	1	–	2	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	138	4	1	–	1	1	–	–	–	–	4	3	3
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Bronchitis	311	37	45	49	42	15	2	5	5	1	–	3	3
Pleurisy	4	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	86	7	6	13	5	3	2	–	5	2	1	5	1
Asthma	24	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	28	–	–	–	1	1	1	–	1	–	–	1	4
VII. Teething	78	–	4	36	36	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	23	6	3	2	3	–	1	–	–	–	–	–	1
Peritonitis	6	1	–	–	–	–	–	–	–	–	1	–	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	11	–	1	–	1	–	–	–	–	–	–	2	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	4	1	2	1	1	–	–	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	9	8	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	21	–	–	–	–	–	–	–	–	–	–	1	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	1	–	–	–	1	–	1	1	–
Nephria	14	–	–	–	–	–	–	1	–	–	1	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	1	2	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	1	1	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	1	–	–	1	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	7	5	2	–	–	–	–	–	–	–	–	–	–
Drowning	18	–	–	–	1	–	–	–	–	2	4	2	–
Fracture and Contusion	34	–	–	2	2	–	–	1	4	2	2	5	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	1	–	–	–	–	–	–	–	1	3	1	1
Not Specified	124	35	20	6	7	6	3	1	11	–	2	7	5

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	1	4	9	4	10	5	2	–	–	–	–	–
Paralysis	–	2	1	–	6	5	12	7	4	4	4	–	–	–	–	–
Delirium Tremens	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	2	1	2	3	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	8	19	13	11	19	17	11	6	5	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	5	5	6	15	17	17	14	13	7	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Pneumonia	4	4	2	2	2	5	4	5	3	2	2	1	–	–	–	–
Asthma	1	3	–	–	6	3	5	2	2	–	1	–	–	–	–	–
Lung Disease	–	2	1	6	5	3	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–
Enteritis	1	3	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	2	1	1	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	2	3	–	2	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	3	2	3	1	5	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	3	4	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	1	–	–	3	–	–	–	1	–	–	–	–
Paramenia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	–	–	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	2	2	3	1	–	2	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	4	3	3	4	–	3	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1567	232	96	118	147	66	40	17	79	21	48	58	45
SPECIFIED CAUSES	1499	207	85	116	142	63	38	17	75	21	48	54	44
I. Zymotic Class	382	27	22	17	46	30	23	11	34	6	9	12	5
II. Diseases of Uncertain Seat	41	3	2	1	1	1	1	–	4	1	–	1	–
III. Tubercular Class	271	4	12	17	35	17	7	1	19	7	22	20	25
IV. Brain and Nervous System	126	28	6	11	5	2	2	1	3	1	3	2	3
V. Organs of Circulation	71	4	1	–	1	1	–	–	–	–	2	1	2
VI. Respiratory Organs	235	26	27	42	26	7	3	2	9	–	1	4	3
VII. Organs of Digestion	90	10	5	23	17	2	–	–	–	–	–	2	2
VIII. Urinary Organs	23	–	–	–	2	–	–	1	1	–	2	4	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	99	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	6	2	1	–	–	1	–	–	–
XV. Age	60	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	63	4	1	2	3	1	–	1	4	5	9	8	4
I. Small Pox	10	2	2	–	1	1	1	–	–	–	1	1	–
Measles	5	–	–	–	1	1	–	2	1	–	–	–	–
Scarlatina	55	1	–	3	9	11	11	6	13	–	1	–	–
Diphtheria	9	2	1	1	2	–	1	1	1	–	–	–	–
Hooping Cough	25	7	2	4	6	3	1	–	2	–	–	–	–
Croup	28	1	2	3	12	8	2	–	–	–	–	–	–
Thrush	5	5	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	5	9	1	9	1	1	–	–	–	–	1	–
Dysentery	10	–	1	–	–	–	–	–	1	–	–	–	1
Cholera	54	–	1	2	2	1	2	–	8	4	1	1	1
Influenza	4	–	–	1	–	–	–	–	–	–	1	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	87	–	–	–	2	–	–	1	2	1	2	8	3
Enteric Fever	16	–	–	–	–	2	1	–	2	–	2	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	19	–	–	2	1	2	3	–	2	–	1	–	–
Infantile Remittent	3	–	1	–	1	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	19	1	2	1	1	–	1	–	4	1	–	–	–
Abscess	4	2	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	1	1	–	–	1	–	4	1	–
Tabes Mesenterica	15	2	–	1	5	2	–	–	2	1	1	–	1
Phthisis	175	7	4	1	7	4	2	–	7	6	17	19	24
Hydrocephalus	71	2	8	14	22	10	5	1	9	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	46	53	67	50	70	82	78	49	40	37	19	7	1	1	–	–
SPECIFIED CAUSES	45	52	64	48	70	80	78	47	40	37	19	7	1	1	–	–
Zymotic Class	15	16	23	13	23	19	14	7	5	3	1	1	–	–	–	–
Uncertain Seat	–	1	3	6	1	3	6	4	–	2	–	–	–	–	–	–
Tubercular Class	14	18	17	10	12	4	7	1	2	–	–	–	–	–	–	–
Brain, etc.	4	4	3	1	4	9	15	6	6	5	2	–	–	–	–	–
Heart, etc.	3	2	7	7	5	14	10	5	3	2	1	–	–	–	–	–
Respiratory Organs	6	4	4	8	14	17	9	7	9	5	1	1	–	–	–	–
Digestive Organs	1	2	3	2	6	4	4	2	3	2	–	–	–	–	–	–
Urinary Organs	1	2	–	–	–	1	3	5	–	–	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	7	11	18	12	4	1	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	2	–	4	4	4	3	–	–	2	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	3	1	2	2	1	–	–	–	–	–	–	–
Dysentery	–	1	1	1	1	1	–	–	1	1	–	–	–	–	–	–
Cholera	5	4	4	2	5	4	3	2	–	1	–	1	–	–	–	–
Influenza	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	9	16	8	9	8	6	2	1	1	–	–	–	–	–	–
Enteric Fever	–	–	–	1	3	1	2	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	1	1	4	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	5	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	–	1	2	4	1	2	1	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	17	17	10	12	4	7	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	1	–	–	–	–	1	–	1	–
Apoplexy	31	1	1	–	–	–	–	–	–	–	1	–	3
Paralysis	21	–	–	1	–	1	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	52	27	5	10	4	1	2	1	2	–	–	–	–
Brain Disease	11	–	–	–	–	–	–	–	1	–	2	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	70	4	1	–	1	1	–	–	–	–	2	1	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	151	22	23	30	22	5	2	2	4	–	–	1	–
Pleurisy	3	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	55	4	4	11	4	1	–	–	4	–	1	8	1
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	16	–	–	–	–	1	1	–	1	–	–	–	2
VII. Teething	39	–	1	22	15	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	4	2	1	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	1	–	–	–	–	–	–	1	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	6	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	1	–	–	–	–	–	1	1	–
Nephria	6	–	–	–	–	–	–	1	–	–	1	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	15	–	–	–	1	–	–	–	–	2	4	2	–
Fracture and Contusion	28	–	–	1	2	–	–	1	2	2	2	5	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	1	–	–	–	–	–	–	–	1	3	1	1
Not Specified	68	25	11	2	5	3	2	–	4	–	–	4	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	–	4	7	1	5	2	2	–	–	–	–	–
Paralysis	–	2	–	–	2	3	6	3	1	2	–	–	–	–	–	–
Delirium Tremens	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	1	1	1	2	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	7	7	4	14	10	5	3	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	3	3	7	8	4	3	7	3	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Pneumonia	3	2	1	2	2	4	2	2	1	1	1	1	–	–	–	–
Asthma	1	2	–	–	2	1	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	3	3	3	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	–	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	3	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	–	3	1	–	2	–	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	3	2	–	2	–	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1563	182	70	97	113	56	39	25	67	29	49	76	66
SPECIFIED CAUSES	1507	172	61	93	111	53	38	24	60	29	47	73	62
I. Zymotic Class	389	20	14	26	37	26	25	17	34	19	12	22	20
II. Diseases of Uncertain Seat	78	–	2	–	2	2	1	–	2	–	–	3	1
III. Tubercular Class	273	5	6	20	16	9	6	3	14	7	28	34	22
IV. Brain and Nervous System	92	20	3	3	4	1	2	1	2	–	1	3	–
V. Organs of Circulation	69	–	–	–	–	–	–	–	1	–	2	2	1
VI. Respiratory Organs	220	18	24	21	22	13	2	3	2	3	–	6	6
VII. Organs of Digestion	100	9	5	17	24	1	1	–	1	–	2	1	3
VIII. Urinary Organs	16	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	22	–	–	–	–	–	–	–	–	–	2	2	7
X. Organs of Locomotion	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	103	91	7	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	4	1	1	–	–	–	–	–	–
XV. Age	100	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	24	7	2	1	2	–	–	–	2	–	–	–	–
I. Small Pox	13	1	–	3	–	4	–	1	3	–	1	–	–
Measles	2	–	–	–	–	1	1	–	–	–	–	–	–
Scarlatina	45	–	1	3	7	6	7	7	10	1	–	1	2
Diphtheria	9	–	1	1	1	2	3	–	1	–	–	–	–
Hooping Cough	34	2	3	9	8	6	3	2	1	–	–	–	–
Croup	26	–	–	2	12	4	2	2	4	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	44	10	7	4	7	–	–	2	2	–	–	3	–
Dysentery	5	1	–	1	–	–	–	–	–	–	–	–	1
Cholera	58	–	–	–	–	1	3	2	7	3	–	6	5
Influenza	6	–	–	–	–	–	–	–	1	–	–	1	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	96	1	–	1	–	–	–	1	1	10	8	6	10
Enteric Fever	25	–	–	1	1	–	4	–	3	5	2	2	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	–	–	2	2	–	1	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	–	3	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	1	1	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	3	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	34	–	–	–	2	1	1	–	2	–	–	3	1
Abscess	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	34	–	–	–	–	–	–	–	4	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	8	2	–	2	–	–	–	–	3	–	–	–	–
Phthisis	218	1	3	3	7	3	2	2	5	6	28	34	22
Hydrocephalus	46	2	3	15	9	5	4	1	6	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	59	71	59	73	72	83	70	55	42	27	14	6	–	–	–
SPECIFIED CAUSES	62	58	70	58	70	70	83	69	55	42	27	14	6	–	–	–
Zymotic Class	15	14	14	17	9	20	13	6	6	2	–	1	–	–	–	–
Uncertain Seat	2	–	9	9	10	8	11	7	7	2	1	1	–	–	–	–
Tubercular Class	27	13	17	10	16	11	7	1	1	–	–	–	–	–	–	–
Brain, etc.	5	2	1	2	6	2	9	8	8	5	4	–	–	–	–	–
Heart, etc.	6	6	12	6	7	5	7	6	3	3	1	1	–	–	–	–
Respiratory Organs	1	10	4	6	14	13	18	15	9	5	3	1	1	–	–	–
Digestive Organs	2	4	5	1	2	4	8	5	1	2	2	–	–	–	–	–
Urinary Organs	2	4	2	1	1	2	–	2	–	–	–	–	–	–	–	–
Generative Organs	1	2	3	1	2	1	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	18	18	23	16	10	5	–	–	–
Sudden Deaths	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	3	–	2	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	–	–	3	1	–	1	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Cholera	3	6	4	4	3	6	1	2	2	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	6	7	12	6	8	9	3	–	1	–	–	–	–	–	–
Enteric Fever	1	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	4	3	3	4	2	2	3	1	1	1	–	–	–	–
Abscess	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	–	4	5	6	3	7	5	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	27	13	17	10	16	11	6	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	–	–	–	–	–	–	–	1	–	1	2	–
Apoplexy	16	–	1	–	–	–	–	1	–	–	–	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	32	20	2	3	4	1	1	–	1	–	–	–	–
Brain Disease	6	–	–	–	–	–	1	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	68	–	–	–	–	–	–	–	–	–	2	2	1
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	1	–
Bronchitis	160	15	22	19	20	10	–	3	1	1	–	2	3
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	31	3	2	2	1	2	2	–	1	2	–	2	–
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	12	–	–	–	1	–	–	–	–	–	–	1	2
VII. Teething	39	–	3	14	21	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	2	1	1	2	–	1	–	–	–	–	–	1
Peritonitis	5	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	4	1	2	1	–	–	–	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	1	2	6
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	2	1	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	2	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	1	–	–	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	56	10	9	4	2	3	1	1	7	–	2	3	4

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	–	2	3	5	3	–	–	–	–	–	–
Paralysis	–	–	1	–	4	2	6	4	3	2	4	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	6	12	6	7	5	7	6	3	3	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	5	2	3	8	9	13	11	6	4	1	1	1	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	1	–	–	1	2	3	2	1	1	–	–	–	–	–
Asthma	–	1	–	–	4	2	3	1	1	–	1	–	–	–	–	–
Lung Disease	–	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	3	–	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	1	1	1	4	2	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	1	3	2	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2324	228	94	168	206	112	75	53	130	51	73	83	67
SPECIFIED CAUSES	2311	224	93	166	206	112	75	50	130	51	73	83	67
I. Zymotic Class	610	30	22	61	84	54	51	32	73	21	7	20	11
II. Diseases of Uncertain Seat	69	2	3	–	–	1	2	–	2	1	3	1	1
III. Tubercular Class	376	10	8	29	22	22	12	3	23	19	45	39	21
IV. Brain and Nervous System	234	29	19	7	10	3	–	5	11	4	5	5	5
V. Organs of Circulation	106	1	–	–	–	–	–	–	1	1	–	3	5
VI. Respiratory Organs	342	34	28	37	40	21	7	4	13	–	2	3	4
VII. Organs of Digestion	168	15	3	27	42	5	2	2	–	1	1	4	8
VIII. Urinary Organs	48	–	–	1	1	1	–	2	2	1	2	–	2
XI. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	1	2
X. Organs of Locomotion	19	–	–	–	–	–	–	–	–	1	2	4	3
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	1	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	94	87	5	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	2	–	–	1	–	–	–	–
XV. Age	145	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	66	14	4	1	2	3	1	1	3	2	5	3	5
I. Small Pox	10	1	–	2	1	–	–	–	1	–	–	3	1
Measles	70	1	1	25	19	9	6	5	3	–	–	–	–
Scarlatina	143	2	2	5	21	17	31	16	35	8	1	1	1
Diphtheria	17	–	–	1	1	5	3	4	2	–	–	1	–
Hooping Cough	68	5	9	14	18	11	5	4	2	–	–	–	–
Croup	10	–	–	1	6	2	–	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	53	9	5	9	5	2	3	–	1	–	–	–	–
Dysentery	9	–	–	–	2	–	–	–	1	–	–	1	–
Cholera	66	1	1	–	4	2	1	3	9	3	–	2	2
Influenza	7	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	–	–	1	1	1	1	–	4	3	1	5	1
Enteric Fever	45	–	–	–	1	–	–	–	7	6	3	5	2
Relapsing Fever	5	–	–	–	–	2	–	–	3	–	–	–	–
Simple Continued Fever	14	1	–	1	1	–	–	–	4	1	–	1	1
Infantile Remittent	5	–	1	–	1	2	1	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	11	5	1	–	–	–	–	–	–	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	1	2	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	13	–	2	–	–	1	1	–	1	1	–	–	–
Abscess	4	1	–	–	–	–	–	–	–	–	1	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	39	–	1	–	–	–	1	–	–	–	1	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	2	–	3	2	–	2	–	1	5	2	1	–
Tabes Mesenterica	31	2	3	8	8	3	2	–	3	–	1	–	–
Phthisis	261	1	–	2	3	9	5	–	8	12	42	38	21
Hydrocephalus	64	5	5	16	9	10	3	3	11	2	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	72	70	66	84	71	74	101	112	112	100	64	40	15	2	1	–
Specified Causes	72	70	66	82	71	74	101	111	112	100	64	40	15	2	1	–
Zymotic Class	19	19	17	22	11	14	7	17	12	4	1	1	–	–	–	–
Uncertain Seat	4	3	2	5	6	3	12	5	5	3	5	–	–	–	–	–
Tubercular Class	28	24	15	15	10	6	13	6	4	1	1	–	–	–	–	–
Brain, etc.	8	8	13	6	6	8	17	22	18	17	7	1	–	–	–	–
Heart, etc.	2	4	5	5	11	12	22	8	12	10	2	2	–	–	–	–
Respiratory Organs	1	4	4	13	10	14	16	21	28	16	11	9	2	–	–	–
Digestive Organs	3	3	1	7	4	9	5	9	8	5	3	–	1	–	–	–
Urinary Organs	1	4	4	4	5	3	2	3	3	5	2	–	–	–	–	–
Generative Organs	1	1	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	2	–	3	1	–	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	14	21	37	30	25	12	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	1	2	1	3	1	4	1	1	2	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	2	–	4	1	7	2	–	1	–	–	–	–	–
Dysentery	–	–	1	–	1	–	1	–	1	1	–	–	–	–	–	–
Cholera	8	7	4	7	3	1	–	3	3	1	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	6	9	5	7	3	3	–	–	–	–	–	–	–	–
Enteric Fever	5	3	3	3	1	2	1	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	1	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	–	2	2	–	–	–	–	–
Cancer	3	3	1	4	5	2	8	2	3	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	28	24	14	15	10	6	12	5	4	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	–	–	–	–	–	2	4	1	–	2	1
Apoplexy	40	–	–	–	1	–	–	–	–	–	–	–	1
Paralysis	62	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	3	–	3	2	2
Tetanus	2	–	–	–	–	–	–	–	1	–	1	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	63	28	18	7	8	2	–	–	–	–	–	–	–
Brain Disease	30	1	1	–	1	–	–	3	3	3	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	102	1	–	–	–	–	–	–	1	1	–	2	5
VI. Laryngitis	6	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	211	15	22	22	25	14	3	3	5	–	1	2	1
Pleurisy	12	–	–	–	–	1	–	–	1	–	–	–	–
Pneumonia	82	19	5	14	13	4	3	–	5	–	–	1	2
Asthma	15	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	16	–	–	1	2	1	1	1	2	–	–	–	1
VII. Teething	71	1	1	24	39	4	2	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	3	–	1	–	–	–	–	–	–	–	–	1
Peritonitis	6	–	–	–	–	–	–	–	–	–	–	2	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	1	–	–	–	–	–	–	–	2
Hernia	3	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	1	–	–	–	1	–	1	–	1	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	3	2	1	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	7	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	22	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	2	–	–	–	–	–	–	1	–	–	–	1	–
VIII. Nephritis	3	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	10	–	–	–	–	–	–	1	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	1	–	–	–	1	2	1	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	13	–	–	–	–	–	–	–	–	1	1	4	1
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	–	1	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	1	1	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	8	5	2	1	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	1	1	1
Fracture and Contusion	24	–	–	–	1	1	–	–	2	2	4	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	1	–	–	–	–	–	–	2
Not Specified	13	4	1	2	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	3	4	2	1	2	6	5	7	4	4	–	–	–	–	–
Paralysis	4	1	5	2	–	4	7	11	9	13	3	1	–	–	–	–
Delirium Tremens	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	1	2	1	1	4	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	5	5	10	12	21	8	12	10	2	2	–	–	–	–
Laryngitis	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	1	5	4	7	12	13	21	12	10	9	2	–	–	–
Pleurisy	1	1	1	1	1	–	1	2	–	1	1	–	–	–	–	–
Pneumonia	–	–	–	4	3	3	–	4	–	2	–	–	–	–	–	–
Asthma	–	–	–	1	1	3	2	2	4	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	1	1	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	–	4	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	4	1	1	1	4	4	4	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	3	1	–	1	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	2	3	1	3	1	1	1	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	1	–	1	1	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	2	1	2	1	–	1	1	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1144	127	57	92	110	55	40	30	65	29	34	42	40
SPECIFIED CAUSES	1139	125	56	91	110	55	40	30	65	29	34	42	40
I. Zymotic Class	300	19	10	34	37	27	28	17	37	12	2	12	6
II. Diseases of Uncertain Seat	25	1	2	–	–	1	2	–	1	–	3	–	1
III. Tubercular Class	179	7	3	17	13	10	4	1	12	11	20	18	10
IV. Brain and Nervous System	146	14	14	5	6	2	–	5	6	3	2	4	5
V. Organs of Circulation	50	–	–	–	–	–	–	–	–	–	–	2	4
VI. Respiratory Organs	160	18	19	15	19	10	4	2	8	–	2	–	1
VII. Organs of Digestion	98	9	3	17	30	4	1	1	–	1	1	2	5
VIII. Urinary Organs	27	–	–	1	1	–	–	2	–	1	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	–	–	2	3
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	–	1	–	–	–	–	1	–	–	–	–	–
XIII. Premature Debility	52	48	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	43	8	1	1	2	–	1	1	1	1	3	2	4
I. Small Pox	5	1	–	1	–	–	–	–	–	–	–	2	1
Measles	39	1	1	16	9	4	5	2	1	–	–	–	–
Scarlatina	77	1	2	4	11	8	15	11	16	7	–	1	–
Diphtheria	7	–	–	–	1	2	2	1	–	–	–	1	–
Hooping Cough	33	5	2	9	5	5	3	2	2	–	–	–	–
Croup	5	–	–	–	2	2	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	6	2	3	2	1	2	–	1	–	–	–	–
Dysentery	6	–	–	–	2	–	–	–	1	–	–	1	–
Cholera	31	1	1	–	2	1	–	1	5	1	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	1	–	–	1	–	3	–	1	3	1
Enteric Fever	24	–	–	–	1	–	–	–	4	3	1	4	2
Relapsing Fever	2	–	–	–	–	2	–	–	–	–	–	–	–
Simple Continued Fever	6	–	–	–	–	–	–	–	3	1	–	–	–
Infantile Remittent	2	–	–	–	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	6	3	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	1	–	1	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	4	–	1	–	–	1	1	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	1	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	9	–	1	–	–	–	1	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	1	1	–	1	–	1	3	1	1	–
Tabes Mesenterica	18	2	1	4	6	2	1	–	2	–	–	–	–
Phthisis	117	1	–	–	1	4	2	–	4	6	19	17	10
Hydrocephalus	34	8	2	12	5	4	–	1	5	2	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	30	32	35	26	36	55	51	59	31	22	13	2	–	–	–
SPECIFIED CAUSES	31	30	32	34	26	36	55	51	59	31	22	13	2	–	–	–
Zymotic Class	8	9	8	8	5	5	4	7	3	2	–	–	–	–	–	–
Uncertain Seat	2	3	–	–	1	1	4	–	1	1	1	–	–	–	–	–
Tubercular Class	11	10	5	7	3	2	9	2	4	–	–	–	–	–	–	–
Brain, etc.	3	4	9	3	2	6	12	17	13	7	4	–	–	–	–	–
Heart, etc.	2	1	4	2	4	6	10	3	6	3	2	1	–	–	–	–
Respiratory Organs	–	2	2	6	7	6	9	5	14	5	4	2	–	–	–	–
Digestive Organs	–	–	–	3	2	5	2	5	6	1	–	–	–	–	–	–
Urinary Organs	–	1	2	2	1	2	2	3	2	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	8	9	8	7	10	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	–	1	2	1	3	1	1	1	1	2	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	4	3	2	2	3	–	–	3	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	4	3	4	1	2	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–
Cancer	1	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	10	5	7	3	2	9	2	4	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	–	–	–	2	1	1	–	1	1
Apoplexy	22	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	40	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	2	–	2	2	2
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	38	13	14	5	5	1	–	–	–	–	–	–	–
Brain Disease	19	1	–	–	1	–	–	3	2	2	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	46	–	–	–	–	–	–	–	–	–	–	1	4
VI. Laryngitis	3	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	91	6	15	10	13	4	1	1	2	–	1	–	1
Pleurisy	7	–	–	–	–	1	–	–	1	–	–	–	–
Pneumonia	44	12	4	5	5	4	2	–	4	–	–	–	–
Asthma	7	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	8	–	–	–	1	–	1	1	1	–	–	–	–
VII. Teething	49	–	1	17	27	3	1	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	–	–	–	–	–	–	–	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	1	–	–	–	–	–	–	–	1
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	1	–	–	–	–	–	1	–	1	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	2	2	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	3	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	1	–	–	–	1	–	1	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	2	1
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	–	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	5	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	3	–	1	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	1	1	1
Fracture and Contusion	18	–	–	–	1	–	–	–	1	1	2	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	5	2	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	3	1	–	2	4	1	6	2	2	–	–	–	–	–
Paralysis	2	1	3	1	–	3	4	11	6	5	2	–	–	–	–	–
Delirium Tremens	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	1	1	1	3	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	4	2	3	6	9	3	6	3	2	1	–	–	–	–
Laryngitis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	–	2	3	3	5	4	9	4	3	2	–	–	–	–
Pleurisy	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–
Pneumonia	–	–	–	2	3	2	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	2	–	2	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	3	1	–	–	2	3	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	2	1	2	1	1	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	2	1	2	1	–	1	1	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1180	101	37	76	96	57	35	23	65	22	39	41	27
SPECIFIED CAUSES	1172	99	37	75	96	57	35	20	65	22	39	41	27
I. Zymotic Class	310	11	12	27	47	27	23	15	36	9	5	8	5
II. Diseases of Uncertain Seat	44	1	1	–	–	–	–	–	1	1	–	1	–
III. Tubercular Class	197	3	5	12	9	12	8	2	11	8	25	21	11
IV. Brain and Nervous System	88	15	5	2	4	1	–	–	5	1	3	1	–
V. Organs of Circulation	56	1	–	–	–	–	–	–	1	1	–	1	1
VI. Respiratory Organs	182	16	9	22	21	11	3	2	5	–	–	3	3
VII. Organs of Digestion	70	6	–	10	12	1	1	1	–	–	–	2	3
VIII. Urinary Organs	21	–	–	–	–	1	–	–	2	–	1	–	1
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	1	2
X. Organs of Locomotion	11	–	–	–	–	–	–	–	–	1	2	2	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	42	39	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	1	–	–	1	–	–	–	–
XV. Age	101	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	23	6	3	–	–	3	–	–	2	1	2	1	1
I. Small Pox	5	–	–	1	1	–	–	–	1	–	–	1	–
Measles	31	–	–	9	10	5	1	3	2	–	–	–	–
Scarlatina	66	1	–	1	10	9	16	5	19	1	1	–	1
Diphtheria	10	–	–	1	–	3	1	3	2	–	–	–	–
Hooping Cough	35	–	7	5	13	6	2	2	–	–	–	–	–
Croup	5	–	–	1	4	–	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	29	3	3	6	3	1	1	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	35	–	–	–	2	1	1	2	4	2	–	2	1
Influenza	5	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	–	–	–	1	1	–	–	1	3	–	2	–
Enteric Fever	21	–	–	–	–	–	–	–	3	3	2	1	–
Relapsing Fever	3	–	–	–	–	–	–	–	3	–	–	–	–
Simple Continued Fever	8	1	–	1	1	–	–	–	1	–	–	1	1
Infantile Remittent	3	–	1	–	–	1	1	–	–	–	–	–	–
Metria	5	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	1	–	–	–	–	–	1	1	–	–	–
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	2	1	–	1	–	–	2	1	–	–
Tabes Mesenterica	13	–	2	4	2	1	1	–	1	–	1	–	–
Phthisis	144	–	–	2	2	5	3	–	4	6	23	21	11
Hydrocephalus	30	2	3	4	1	6	3	2	6	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	41	40	34	49	45	38	46	61	53	69	42	27	13	2	1	–
SPECIFIED CAUSES	41	40	34	48	45	38	46	60	53	69	42	27	13	2	1	–
Zymotic Class	11	10	9	14	6	9	3	10	9	2	1	1	–	–	–	–
Uncertain Seat	2	–	2	5	5	2	8	5	4	2	4	–	–	–	–	–
Tubercular Class	17	14	10	8	7	4	4	4	–	1	1	–	–	–	–	–
Brain, etc.	5	4	4	3	4	2	5	5	5	10	3	1	–	–	–	–
Heart, etc.	–	3	1	3	7	6	12	5	6	7	–	1	–	–	–	–
Respiratory Organs	1	2	2	7	3	8	7	16	14	11	7	7	2	–	–	–
Digestive Organs	3	3	1	4	2	4	3	4	2	4	3	–	1	–	–	–
Urinary Organs	1	3	2	2	4	1	–	–	1	2	–	–	–	–	–	–
Generative Organs	1	1	3	1	1	1	–	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	2	–	1	1	–	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	6	12	29	23	15	10	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	2	–	2	–	6	1	–	1	–	–	–	–	–
Dysentery	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Cholera	4	4	2	5	–	1	–	–	3	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	3	5	4	5	2	3	–	–	–	–	–	–	–	–
Enteric Fever	4	2	2	1	–	1	–	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	–	–	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cancer	2	–	1	4	4	2	7	2	3	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	17	14	9	8	7	4	3	3	–	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	–	–	–	–	–	–	–	3	–	–	1	–
Apoplexy	18	–	–	–	1	–	–	–	–	–	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	25	15	4	2	3	1	–	–	–	–	–	–	–
Brain Disease	11	–	1	–	–	–	–	–	1	1	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	56	1	–	–	–	–	–	–	1	1	–	1	1
VI. Laryngitis	3	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	120	9	7	12	12	10	2	2	3	–	–	2	–
Pleurisy	5	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	38	7	1	9	8	–	1	–	1	–	–	1	2
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	–	–	1	1	1	–	–	1	–	–	–	1
VII. Teething	22	1	–	7	12	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	1	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	1	–	1	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	1	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	–	–	–	–	1
Nephria	6	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	2	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	1	1	2	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	4	2	2	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	–	1	–	–	1	1	2	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	1	–	–	–	–	–	–	–
Not Specified	8	2	–	1	–	–	–	3	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1866.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	1	1	1	–	2	4	1	2	2	–	–	–	–	–
Paralysis	2	–	2	1	–	1	3	–	3	8	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	1	1	–	–	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	3	1	3	7	6	12	5	6	7	–	1	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	3	1	4	7	9	12	8	7	7	2	–	–	–
Pleurisy	1	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Pneumonia	–	–	–	2	–	1	–	3	–	2	–	–	–	–	–	–
Asthma	–	–	–	1	1	2	–	2	2	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	1	1	2	1	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	1	–	1	–	–	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1345	113	48	92	125	56	43	27	47	25	50	55	48
Specified Causes	1302	99	42	85	123	55	40	27	47	25	49	53	47
I. Zymotic Class	320	11	4	20	43	26	19	14	29	8	10	14	10
II. Diseases of Uncertain Seat	44	–	–	–	3	1	–	–	–	–	–	3	4
III. Tubercular Class	224	2	5	12	26	11	12	7	9	8	24	22	20
IV. Brain and Nervous System	106	4	2	7	3	2	4	2	3	3	4	1	3
V. Organs of Circulation	50	1	–	–	1	1	–	–	–	1	1	3	1
VI. Respiratory Organs	166	6	14	20	15	6	3	4	1	–	2	3	3
VII. Organs of Digestion	117	8	7	16	22	4	1	–	1	1	3	2	2
VIII. Urinary Organs	9	–	–	–	–	1	–	–	–	1	1	–	1
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	2	1	1
X. Organs of Locomotion	12	–	–	–	–	1	–	–	2	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	82	64	10	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	9	2	1	–	–	1	–	–	–
XV. Age	107	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII Violent Deaths	80	1	–	2	1	–	–	–	2	2	1	4	2
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	31	1	–	6	15	5	1	1	2	–	–	–	–
Scarlatina	59	–	–	–	8	13	12	10	13	2	–	1	–
Diphtheria	5	–	–	–	2	–	1	–	2	–	–	–	–
Hooping Cough	22	1	–	8	3	5	2	1	2	–	–	–	–
Croup	17	–	1	1	10	1	2	1	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	5	1	5	4	–	1	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	7	–	–	–	–	1	–	–	1	1	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	116	–	–	–	1	–	–	1	2	4	9	9	8
Enteric Fever	14	–	–	–	–	–	–	–	2	1	1	1	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	4	–	–	–	–	1	–	–	3	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	3	1	–	–	–	–	–	1	–	–	3	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	27	–	–	–	2	1	–	–	–	–	–	2	4
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	1	1	2	1	1	1	1	1	4	–	2
Tabes Mesenterica	11	–	1	1	4	2	1	1	–	–	1	–	–
Phthisis	155	2	2	1	5	2	7	3	3	6	19	22	18
Hydrocephalus	42	–	1	9	15	6	3	2	5	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	41	62	74	58	55	45	53	67	53	44	45	11	6	–	–	2
Specified Causes	41	62	73	57	55	43	52	67	53	44	45	11	6	–	–	1
Zymotic Class	14	16	19	15	12	8	9	8	8	4	8	–	–	–	–	1
Uncertain Seat	2	–	4	–	4	2	8	7	7	2	2	–	–	–	–	–
Tubercular Class	9	15	15	16	6	2	2	–	1	–	–	–	–	–	–	–
Brain, etc.	3	7	3	5	6	5	9	13	3	8	4	1	1	–	–	–
Heart, etc.	1	6	7	3	3	4	6	4	5	1	1	–	–	–	–	–
Respiratory Organs	2	7	11	5	11	11	10	15	9	2	6	–	–	–	–	–
Digestive Organs	5	6	6	8	6	5	6	5	1	2	–	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Generative Organs	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	4	–	1	3	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	12	23	24	29	10	5	–	–	–
Sudden Deaths	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	2	4	2	1	1	1	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	2	3	–	2	–	–	1	–	–	–	–	–
Dysentery	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	14	14	12	8	3	8	4	2	1	2	–	–	–	–	1
Enteric Fever	–	–	1	–	1	1	–	2	–	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	–	3	2	2	6	3	–	–	–	–	–	–	–
Abscess	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	–	1	–	1	–	1	1	4	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	15	15	15	6	2	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	–	–	1	–	–	–	–	1	–	1	–	–
Apoplexy	33	–	–	2	2	–	1	2	1	1	–	1	1
Paralysis	32	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	2	–	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	2	2	4	–	2	3	–	–	–	–	–	–
Brain Disease	13	2	–	–	1	–	–	–	1	2	–	–	–
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	43	1	–	–	1	1	–	–	–	1	1	2	1
VI. Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	114	4	14	17	11	5	3	2	1	–	–	–	3
Pleurisy	3	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	35	1	–	3	4	1	–	2	–	–	1	2	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	28	–	–	10	14	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	40	7	5	6	8	–	–	–	–	–	2	1	1
Peritonitis	7	–	–	–	–	–	–	–	1	1	1	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	2	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	20	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	2	–	–	–	–	–	–	–	–	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	1	1	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	6	–	–	–	–	1	–	–	2	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	1	–	–	–	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	1	–	–	–	–
Fracture and Contusion	13	–	–	–	–	–	–	–	1	2	–	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	1	1	–
Not Specified	43	14	6	7	2	1	3	–	–	–	1	2	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	3	4	3	1	4	–	2	1	–	1	–	–	–
Paralysis	–	1	1	1	1	2	6	7	3	6	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Pericarditis	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	5	2	3	4	6	4	4	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	5	1	6	4	8	11	8	2	5	–	–	–	–	–
Pleurisy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	2	3	6	1	3	1	–	–	–	–	–	–	–
Asthma	–	–	3	–	2	1	1	1	–	–	1	–	–	–	–	–
Lung Disease	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	3	1	–	2	2	–	–	–	–	–	–	–	–
Peritonitis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	–	2	2	1	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	3	3	4	3	–	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	1	2	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	3	–	1	–	1	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1488	143	60	133	184	55	50	29	72	29	47	63	65
SPECIFIED CAUSES	1443	130	54	128	183	55	50	29	72	28	46	63	61
I. Zymotic Class	310	12	6	36	74	17	22	15	32	2	6	12	7
II. Diseases of Uncertain Seat	34	–	1	–	1	1	4	–	1	–	–	–	–
III. Tubercular Class	293	2	5	14	22	13	10	8	23	12	27	31	28
IV. Brain and Nervous System	135	12	4	13	10	3	2	2	5	4	2	5	5
V. Organs of Circulation	74	2	–	–	1	–	1	–	–	3	1	3	1
VI. Respiratory Organs	210	16	20	32	34	13	8	3	5	1	3	2	6
VII. Organs of Digestion	115	9	6	27	29	6	1	–	–	3	3	1	1
VIII. Urinary Organs	13	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	–	4	7
X. Organs of Locomotion	4	–	–	–	1	–	1	–	1	–	–	–	–
XI. Skin, etc.	4	–	1	–	2	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	83	70	9	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	8	–	1	1	2	–	1	–	1
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	59	4	1	2	1	2	–	–	2	3	3	4	5
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	40	1	1	4	25	2	2	1	4	–	–	–	–
Scarlatina	44	–	–	3	7	4	8	8	12	1	–	–	1
Diphtheria	10	–	–	1	3	1	2	–	3	–	–	–	–
Hooping Cough	35	3	2	11	14	2	2	1	–	–	–	–	–
Croup	23	–	1	3	8	4	1	3	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	3	1	8	12	2	1	–	1	–	1	1	–
Dysentery	7	–	–	2	2	–	1	–	–	–	–	–	–
Cholera	14	–	–	–	–	–	–	–	2	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	69	1	–	3	1	–	2	1	5	1	5	7	5
Enteric Fever	8	–	–	1	1	–	1	1	2	–	–	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Remittent	3	–	1	–	1	1	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	1	–	1	1	3	–	–	–	–	–	–
Abscess	2	–	–	–	–	–	1	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	2	–	–	3	1	1	–	5	–	–	–	–
Tabes Mesenterica	17	–	1	–	4	2	2	2	3	1	–	2	–
Phthisis	216	–	1	5	4	4	1	1	9	11	26	29	28
Hydrocephalus	47	–	3	9	11	6	6	5	6	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	66	56	54	44	62	47	60	51	49	32	23	8	3	3	–	–
SPECIFIED CAUSES	62	54	51	44	62	46	56	51	49	32	23	8	3	3	–	–
Zymotic Class	4	9	11	10	7	5	10	5	3	3	2	–	–	–	–	–
Uncertain Seat	1	4	2	–	3	3	3	4	3	1	2	–	–	–	–	–
Tubercular Class	26	17	13	3	16	8	9	2	3	1	–	–	–	–	–	–
Brain, etc.	4	2	6	8	10	6	8	9	8	5	2	–	–	–	–	–
Heart, etc.	4	7	3	8	8	8	5	9	7	1	2	–	–	–	–	–
Respiratory Organs	6	6	4	5	8	3	9	7	6	4	3	–	1	–	–	–
Digestive Organs	3	4	6	3	5	1	2	2	1	1	–	1	–	–	–	–
Urinary Organs	3	–	1	1	1	1	1	–	1	2	–	–	–	–	–	–
Generative Organs	3	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	10	15	14	11	7	2	3	–	–
Sudden Deaths	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	4	3	4	2	3	3	2	2	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	–	–	1	2	–	2	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	2	–	1	–	2	3	–	–	–	2	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	5	8	7	3	5	1	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–
Cancer	–	1	1	–	2	1	–	2	3	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	17	13	3	16	8	9	2	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	3	2	–	–	–	2	–	1	–	–
Apoplexy	21	2	–	–	–	–	–	–	–	–	–	–	3
Paralysis	30	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	26	9	4	5	5	1	1	–	1	–	–	–	–
Brain Disease	41	1	–	5	3	2	1	2	2	3	1	2	1
V. Pericarditis	5	–	–	–	–	–	1	–	–	1	–	–	1
Aneurism	2	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	67	2	–	–	1	–	–	–	–	2	1	2	–
VI. Laryngitis	2	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	154	14	17	28	29	10	7	1	3	1	2	–	2
Pleurisy	3	–	–	–	–	–	–	1	1	–	–	1	–
Pneumonia	30	1	2	4	4	3	1	–	–	–	1	1	2
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	14	1	1	–	1	–	–	–	1	–	–	–	2
VII. Teething	61	1	2	24	28	5	1	–	–	–	–	–	–
Quinsey	3	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	2	–	–	1	–	–	–	–	–	–	–
Enteritis	9	5	1	1	–	–	–	–	–	1	–	–	–
Peritonitis	8	–	–	1	1	–	–	–	–	1	2	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	1	1	–	–	–	–	–	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	1	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	4	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	2	–	–	–	–	–	1	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	1	–	1	1	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	1	–	–	–	–	1	2	3
Fracture and Contusion	27	–	–	1	–	–	–	–	1	3	1	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	45	13	6	5	1	–	–	–	–	1	1	–	4

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	2	3	–	2	3	3	–	–	–	–	–	–	–
Paralysis	–	–	–	3	4	5	6	3	5	1	2	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	3	3	3	–	–	3	–	4	–	–	–	–	–	–
Pericarditis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	6	2	7	8	8	5	9	7	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	4	3	5	5	4	5	6	1	3	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	–	2	1	1	1	–	–	2	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	3	2	–	–	–	–	–	–	–	–
Lung Disease	3	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	2	1	1	1	1	1	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	2	–	3	–	1	1	2	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	4	2	3	–	–	1	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	924	127	33	74	77	46	20	14	39	18	19	26	34
Specified Causes	911	120	31	73	77	45	20	14	39	18	19	26	34
I. Zymotic Class	232	9	6	16	24	20	14	8	24	8	8	8	11
II. Diseases of Uncertain Seat	27	–	–	–	2	–	1	–	–	–	–	–	–
III. Tubercular Class	113	5	7	15	13	6	3	4	5	3	7	13	8
IV. Brain and Nervous System	68	10	2	3	2	3	1	–	2	1	3	–	1
V. Organs of Circulation	43	–	–	–	–	–	–	–	1	1	1	2	3
VI. Respiratory Organs	163	17	5	24	22	7	1	1	3	1	2	1	5
VII. Organs of Digestion	71	4	4	11	8	4	–	1	1	1	2	1	3
VIII. Urinary Organs	8	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	1	–	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	75	67	4	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	3	2	–	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	44	6	2	–	3	3	–	–	3	2	1	1	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	–	1	1	2	–	–	1	–	–	–	–
Scarlatina	8	–	–	1	1	3	–	1	2	–	–	–	–
Diphtheria	4	–	–	2	–	2	–	–	–	–	–	–	–
Hooping Cough	20	2	2	5	4	2	4	–	1	–	–	–	–
Croup	5	–	–	1	4	–	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	5	3	2	1	2	–	–	2	–	–	–	–
Dysentery	6	–	1	2	1	–	–	–	–	–	–	–	–
Cholera	98	–	–	1	11	6	5	5	13	4	–	1	3
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	–	–	–	–	–	–	–	2	2	2	5	5
Enteric Fever	20	–	–	–	–	1	4	2	2	2	–	2	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	–	1	2	1	–	1	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	1
Pyæmia	2	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	2	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	1	–	2	–	–	1	–	1	–	–	1
Tabes Mesenterica	15	4	2	3	4	1	–	–	–	–	1	–	–
Phthisis	56	–	–	–	–	1	–	–	4	2	6	18	7
Hydrocephalus	35	1	4	12	7	4	3	3	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	44	28	45	32	37	25	48	35	38	26	30	3	5	–	–	1
SPECIFIED CAUSES	44	28	44	32	37	25	48	35	38	26	30	3	5	–	–	–
Zymotic Class	17	11	18	6	6	4	6	5	4	3	1	–	–	–	–	–
Uncertain Seat	2	1	2	5	1	3	2	1	4	1	2	–	–	–	–	–
Tubercular Class	7	3	8	2	2	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	2	2	2	5	4	9	4	7	1	3	1	–	–	–	–
Heart, etc.	4	2	1	2	4	2	7	5	6	1	1	–	–	–	–	–
Respiratory Organs	4	2	5	5	9	8	9	9	10	7	6	–	–	–	–	–
Digestive Organs	2	3	7	2	3	1	6	4	–	3	–	–	–	–	–	–
Urinary Organs	1	–	–	2	1	–	2	1	–	1	–	–	–	–	–	–
Generative Organs	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	3	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	5	5	9	16	1	5	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	4	2	1	3	5	1	2	1	1	–	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	1	–	1	–	2	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	11	6	13	2	5	2	3	3	3	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	5	2	1	–	1	2	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	2	1	3	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cancer	–	–	2	1	–	–	1	–	4	–	1	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	3	8	2	2	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	1	–	–	2	–	–	1	–	–	–	–
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	25	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	3	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	10	1	3	1	–	1	–	–	–	–	–	–
Brain Disease	5	–	–	–	1	1	–	–	1	1	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	39	–	–	–	–	–	–	–	1	–	1	2	2
VI. Laryngitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	117	12	5	16	18	3	1	–	2	1	–	–	2
Pleurisy	8	1	–	1	–	–	–	–	1	–	2	–	2
Pneumonia	25	2	–	6	4	4	–	1	–	–	–	1	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	1	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	18	–	1	7	8	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	1	1	–	1	–	–	–	–	–	–	1
Peritonitis	6	–	1	–	–	–	–	–	1	–	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	5	–	–	1	–	–	–	–	–	–	–	1	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	1	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	15	1	1	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	3	3	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	4	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	15	–	–	–	–	–	–	–	3	2	1	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	7	2	1	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	1	1	4	2	2	–	–	–	–	–	–	–
Paralysis	–	1	1	1	4	2	5	2	5	1	2	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	1	1	2	3	2	7	5	6	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	2	2	2	4	8	6	7	7	7	6	6	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	3	1	2	–	–	1	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	1	1	4	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
Paramœnia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	2	1	–	–	1	–	–	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	613	62	24	29	26	20	10	8	20	10	22	23	23
Specified Causes	601	59	20	29	26	20	10	8	20	9	22	23	22
I. Zymotic Class	113	3	4	6	7	7	7	5	9	1	2	3	4
II. Diseases of Uncertain Seat	18	–	1	–	–	–	–	–	–	–	–	–	1
III. Tubercular Class	103	–	1	5	5	5	1	2	6	3	12	10	12
IV. Brain and Nervous System	51	4	2	1	–	–	–	–	2	–	1	–	–
V. Organs of Circulation	44	–	1	–	1	–	–	–	–	1	1	2	1
VI. Respiratory Organs	68	6	6	11	5	1	1	–	–	2	2	–	–
VII. Organs of Digestion	34	2	–	3	6	2	–	–	–	2	–	2	–
VIII. Urinary Organs	15	–	–	–	–	1	–	–	1	–	–	–	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	1	1
X. Organs of Locomotion	4	–	–	–	–	–	1	–	–	–	2	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	48	41	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	–	–	–	–	3	–	1	2	–	1	5	2
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	–	–	–	1	–	1	1	2	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	1	1	–	–	–	–
Hooping Cough	14	–	–	2	5	2	1	1	3	–	–	–	–
Croup	7	–	–	–	1	2	3	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	1	–	3	–	–	1	–	2	–	–	–	–
Dysentery	2	–	1	–	–	–	–	–	–	–	–	–	1
Cholera	17	–	–	–	–	–	–	–	–	1	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	–	–	–	2	1	1	1	–	1	–	1
Enteric Fever	7	–	–	–	–	–	–	–	–	–	–	1	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	5	2	1	–	–	–	–	–	–	–	1	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	–	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	1	–	–	–	–	1	1	1	–
Tabes Mesenterica	4	–	–	1	–	2	–	–	1	–	–	–	–
Phthisis	77	–	–	1	–	–	–	–	2	2	11	9	12
Hydrocephalus	17	–	1	3	4	3	1	2	3	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	33	27	30	35	18	23	32	36	32	31	30	5	3	1	–	–
Specified Causes	32	27	30	35	17	23	31	36	32	31	30	5	3	1	–	–
Zymotic Class	11	5	6	8	4	6	6	2	4	3	–	–	–	–	–	–
Uncertain Seat	–	–	2	5	1	1	1	1	2	1	2	–	–	–	–	–
Tubercular Class	11	6	10	9	2	2	–	1	–	–	–	–	–	–	–	–
Brain, etc.	2	3	1	1	3	4	7	7	8	3	2	–	–	–	–	–
Heart, etc.	3	3	2	3	1	2	7	6	6	2	2	–	–	–	–	–
Respiratory Organs	1	1	3	3	4	3	1	7	4	3	3	–	–	1	–	–
Digestive Organs	2	2	1	1	–	2	–	5	2	1	1	–	–	–	–	–
Urinary Organs	–	–	2	2	–	1	3	1	–	2	1	–	–	–	–	–
Generative Organs	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	6	6	15	18	5	3	–	–	–
Sudden Deaths	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	2	–	1	1	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	1	–	–	–	1	2	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	1	–	4	1	2	2	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	1	3	1	2	3	2	–	1	–	–	–	–	–	–	–
Enteric Fever	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	1	2	1	1	1	1	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	6	10	8	2	2	–	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Apoplexy	12	–	1	–	–	–	–	–	1	–	–	–	–
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	4	1	1	–	–	–	–	–	–	–	–	–
Brain Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	39	–	1	–	1	–	–	–	–	1	–	2	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	49	4	6	10	5	1	–	–	–	1	1	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	15	2	–	1	–	–	1	–	–	1	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	–	3	5	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	1	–	–	1	–	–	–	–	–	–	1	–
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	1	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	2	–	–	–	–	–	2	–
Fracture and Contusion	9	–	–	–	–	–	–	–	–	–	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	1	–	–	1	–
Not Specified	12	3	4	–	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1866.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	1	1	1	2	2	–	1	–	–	–	–	–
Paralysis	–	–	–	–	2	1	6	4	3	2	–	–	–	–	–	–
Delirium Tremens	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	1	–	1	3	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Heart Disease	2	3	2	3	1	2	6	6	5	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	2	2	1	4	3	3	2	–	–	1	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	2	–	1	1	–	3	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1866.

			DEATHS in 1866.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1866		39°·4	36°·7	38°·0	44°·0	47°·9	56°·1	56°·9	55°·0	51°·4	48°·6	41°·2	40°·6	46°·3
		Population 1866.													
	SCOTLAND . .	3,153,413	6336	5745	7002	6263	6545	5769	5425	5324	4722	5673	6155	6389	71,348
	INSULAR DISTRICTS .	157,714	241	245	248	243	254	226	210	190	177	178	211	238	2,661
	MAINLAND DISTRICTS	1,790,374	2931	2762	3463	2924	3113	2855	2584	2623	2306	2693	2967	3094	34,315
	TOWN DISTRICTS .	1,205,325	3164	2738	3291	3096	3178	2688	2631	2511	2239	2802	2977	3057	34,372
	DIVISIONS.														
1	Northern . .	132,201	201	197	198	173	202	206	179	148	126	142	153	160	2,085
2	North-Western .	162,919	232	245	326	286	278	220	180	193	172	194	234	269	2,829
3	North-Eastern . .	376,448	626	659	732	715	730	675	556	590	499	587	620	641	7,630
4	East-Midland . .	527,947	1042	960	1144	927	1001	923	827	847	739	924	1173	1134	11,641
5	West-Midland . .	243,063	456	376	487	391	413	385	385	382	342	353	384	446	4,800
6	South-Western .	1,075,015	2583	2211	2677	2590	2667	2225	2211	2153	1884	2253	2328	2483	28,265
7	South-Eastern . .	422,475	852	772	992	820	858	791	772	706	724	947	975	924	10,133
8	Southern . . .	213,345	344	325	446	361	396	344	315	305	236	273	288	332	3,965
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,980	41	52	44	49	70	56	51	40	42	42	44	45	576
2	Orkney . . .	32,888	46	42	55	34	41	50	38	33	29	32	35	36	471
3	Caithness . . .	43,464	74	61	68	56	60	60	62	52	33	44	47	52	669
4	Sutherland . .	23,869	40	42	31	34	31	40	28	23	22	24	27	27	369
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	81,714	119	123	149	151	138	125	80	75	80	95	102	141	1,378
6	Inverness . . .	81,205	113	122	177	135	140	95	100	118	92	99	132	128	1,451
	III. NORTH-EASTERN.														
7	Nairn . . .	8,488	13	14	11	13	9	16	14	22	15	11	12	14	164
8	Elgin (or Moray) .	46,150	63	87	113	77	89	89	101	92	56	63	77	84	991
9	Banff . . .	58,467	81	67	105	107	106	101	71	74	51	73	78	78	992
10	Aberdeen . . .	228,531	437	450	448	443	465	415	331	363	340	373	410	408	4,883
11	Kincardine . .	34,812	32	41	55	75	61	54	39	39	37	67	43	57	600
	IV. EAST-MIDLAND.														
12	Forfar . . .	213,637	490	461	519	408	473	417	380	416	351	446	505	533	5,399
13	Perth . . .	131,009	236	192	259	221	229	200	183	179	153	173	192	223	2,440
14	Fife	155,666	272	270	314	240	250	276	219	206	204	267	441	328	3,287
15	Kinross . . .	8,264	12	11	14	8	13	7	9	14	7	11	13	13	132
16	Clackmannan . .	19,371	32	26	38	50	36	23	36	32	24	27	22	37	383
	V. WEST-MIDLAND.														
17	Stirling . . .	90,411	175	139	183	151	160	154	140	137	128	133	151	180	1,831
18	Dumbarton . .	57,954	111	90	119	93	98	94	93	104	93	86	90	107	1,178
19	Argyll . . .	78,515	140	115	161	106	110	107	108	108	89	110	118	130	1,402
20	Bute	16,183	30	32	24	41	45	30	44	33	32	24	25	29	389
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	174,417	389	347	400	388	444	340	406	395	324	399	391	445	4,668
22	Ayr	203,831	399	371	464	372	402	339	335	370	337	340	355	410	4,494
23	Lanark . . .	696,767	1795	1493	1813	1830	1821	1546	1470	1388	1223	1514	1582	1628	19,103
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	43,486	71	72	87	86	79	77	63	75	80	89	122	124	1,025
25	Edinburgh . .	281,758	641	532	723	583	629	539	547	501	501	700	695	643	7,239
26	Haddington . .	38,288	60	67	76	56	58	68	62	52	62	76	75	66	778
27	Berwick . . .	36,655	45	57	65	58	61	70	63	35	47	50	54	52	657
28	Peebles . . .	11,557	17	18	17	15	18	20	19	14	20	5	14	19	196
29	Selkirk . . .	10,731	18	26	24	17	13	17	18	29	14	27	15	20	238
	VIII. SOUTHERN.														
30	Roxburgh . . .	55,029	91	75	105	67	83	78	77	77	47	58	64	86	908
31	Dumfries . . .	74,728	132	124	183	158	170	130	120	130	113	110	103	113	1,586
32	Kirkcudbright .	42,169	66	77	81	85	83	78	61	53	43	64	59	66	816
33	Wigtown . . .	41,419	55	49	77	51	60	58	57	45	33	41	62	67	655

APPENDIX.

MEAN TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	36·1	28·6	36·7	44·9	45·7	56·5	61·8	59·2	53·4	45·5	39·5	34·4	45·2
1856	34·3	39·7	39·4	44·3	46·7	53·3	56·4	57·1	50·9	48·8	39·7	37·9	45·7
1857	35·7	39·3	39·2	42·7	49·8	57·4	58·0	60·0	56·1	49·6	43·7	44·9	48·0
1858	39·3	35·8	39·5	43·8	49·5	58·9	56·0	57·9	54·5	44·9	39·4	39·9	46·6
1859	39·6	40·5	43·0	41·9	51·9	56·6	59·0	57·8	52·3	45·8	39·4	34·0	46·8
1860	33·9	34·9	39·1	42·1	50·9	54·4	59·3	55·4	50·7	47·4	39·3	34·4	45·3
1861	37·3	40·2	42·3	45·9	49·8	58·0	57·8	58·5	54·5	49·8	38·9	38·0	47·6
1862	38·4	40·1	37·8	44·6	51·1	52·4	53·8	56·0	53·4	47·1	37·1	41·8	46·1
1863	39·0	41·6	43·7	45·0	49·8	55·2	57·4	56·5	50·4	47·4	44·3	41·7	47·7
1864	36·2	33·5	37·5	46·1	50·0	53·4	56·7	54·4	52·4	45·8	40·9	39·4	45·5
Mean,	37·18	37·41	39·82	44·13	49·52	55·61	57·62	57·28	52·86	47·21	40·22	38·64	46·45

Absolute HIGHEST TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	51·9	44 0	53·0	72·0	75 0	79·0	87·0	79·0	77·0	68·0	56·0	51·0	87·0
1856	51·0	60 0	61·0	70·0	77·0	83·0	83·0	89·0	72·0	67 9	62·0	57·0	89·0
1857	55·0	60·0	62·0	66·0	75·0	95·0	78·0	87·0	77·9	71·0	66·0	60·0	95·0
1858	58·0	57·0	67·0	78·0	80·5	82·0	79·0	84·0	82 0	68·0	59·0	58·0	84·0
1859	58·0	57 0	65·0	79·0	82·0	89·0	87·0	82·0	75·0	73·0	59·0	55·0	89·0
1860	55·0	58 5	65·5	69·0	78·0	79·0	85·2	81·0	78·2	69 0	73·4	54·8	85·2
1861	57·0	62·0	63·0	76·5	85 0	85·5	79·5	76·7	69·5	71·2	58·5	59·2	85·5
1862	55·0	61·9	60·4	74·5	77·4	80·0	73·0	80·5	79·0	73 0	59 0	57·4	80·5
1863	59·0	60 5	67·2	65 4	72·0	74 0	83·0	85·2	80·7	66·0	64·0	59·0	85·2
1864	52·2	55·0	64·0	74·0	88·0	73·5	83·0	85·9	73·6	69·5	58·0	58·2	88·0
Highest,	59·0	62·0	67·2	79·0	88 0	95·0	87·0	89·0	82·0	73·0	64·0	60·0	95·0

Absolute LOWEST TEMPERATURE during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	1·0	—7·0	12·0	15·0	21·0	30·0	44·0	33·0	27·0	18·0	21·0	14·0	—7·0
1856	10·0	16·0	14·5	22·0	25·0	31·0	30·0	30·0	26·0	25·0	9·0	4·0	4 0
1857	4·9	4·0	12·5	20·0	28·0	28·5	31·5	34·0	30 0	24·0	16·0	22·0	4 0
1858	17·8	8·0	11·0	17·0	25·8	35·0	35·0	32·0	27·0	20·0	9·0	20·0	8·0
1859	17·1	11·0	17·0	18·0	22·8	32·0	33·3	34·8	29·0	10·5	17·0	0·0	0·0
1860	6·0	—5·0	18·7	21·0	26·0	30·2	33·8	32·7	26·3	22·7	13·2	—12 0	—12·0
1861	—3·7	8·3	23 3	20·0	20·7	35·0	37·1	37·0	30·3	24·4	9·0	10·9	—3·7
1862	19·3	9·0	10·0	18·9	27·2	33·0	33·9	35·0	28·0	21·3	9·0	23·0	9 0
1863	12·0	17·9	19·0	25·5	30·0	34·3	31·0	32·0	30·0	24·8	18·0	17·0	12 0
1864	10·3	3·3	2·0	23·9	21·0	27·0	36·7	28·3	31·3	24·0	20·0	14 0	2·0
Lowest,	—3·7	—7·0	2·0	15·0	20·7	27·0	30·0	28·3	26·3	10·5	9·0	—12·0	—12·0

Mean DAY TEMPERATURE (mean of highest each Day) during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	40·7	34·6	43·6	53·4	53·0	65·5	69·7	67·6	61·9	52·1	44·2	39·8	52·1
1856	37·7	43·6	45·1	51·1	53·9	60·1	64·6	64·3	57·2	54·0	42·9	42·4	53·9
1857	39·8	44·3	44·0	48·7	57·0	66·0	65·0	67·1	62·5	55·3	48·3	49·2	53·9
1858	44·0	41·2	45·5	51·4	56·9	67·1	63·4	65·9	61·8	51·0	44·4	44·0	53·0
1859	44·4	45·4	48·5	48·7	61·7	64·7	66·2	65·2	59·2	51·8	44·5	38·3	53·2
1860	39·6	39·2	44·0	48·9	57·7	59·7	64·5	60·8	57·1	51·4	43·1	37·9	50·3
1861	40·4	44·1	46·9	52·4	56·9	64·0	63·6	62·8	59·2	55·4	43·9	42·9	52·7
1862	42·0	44·4	42·5	51·5	58·1	58·7	60·4	62·3	60·3	53·4	42·6	46·2	51·8
1863	42·8	46·6	48·5	51·2	55·7	60·6	64·5	62·7	56·2	52·1	48·1	45·7	52·9
1864	40·7	39·0	43·0	53·3	58·1	60·2	64·1	62·5	59·3	51·4	46·2	43·2	51·7
Mean,	41·21	42·24	45·16	51·06	56·90	62·66	64·60	64·12	59·47	52·79	44·82	42·96	52·55

Mean NIGHT TEMPERATURE (mean of lowest each Night) during each Month of the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	31·3	23·4	29·4	35·2	37·1	46·2	53·0	50·3	44·5	37·9	34·9	28·4	37·6
1856	30·6	34·8	32·8	37·5	39·5	46·1	48·0	49·2	44·4	43·2	34·3	34·1	39·5
1857	31·6	34·3	34·5	36·7	42·6	48·8	51·0	53·0	49·7	43·9	39·2	40·7	42·1
1858	34·6	30·5	33·6	36·1	42·0	50·7	48·7	49·9	47·2	39·2	34·4	35·7	40·2
1859	34·8	35·5	37·6	35·2	42·1	48·6	51·9	50·4	45·5	39·8	34·2	29·7	40·4
1860	31·4	28·6	32·5	34·0	42·6	46·5	50·1	48·0	43·3	40·5	35·1	30·0	38·5
1861	32·9	34·9	35·5	38·3	41·3	50·4	50·0	51·9	48·2	43·7	33·0	33·3	41·1
1862	34·8	35·8	33·2	37·8	44·0	46·0	47·3	49·7	46·4	40·7	31·6	37·5	40·4
1863	34·3	35·7	37·3	37·7	41·6	47·5	47·7	48·7	44·0	41·5	38·2	35·9	40·8
1864	31·6	27·9	32·0	38·8	42·0	46·6	49·4	46·4	45·5	40·3	35·6	35·5	39·3
Mean,	32·79	32·14	33·84	36·73	41·48	47·74	49·71	49·75	45·87	41·07	35·05	34·08	39·99

Monthly Mortality in SCOTLAND during the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	5808	7231	6520	5324	5376	4624	4474	4457	4037	4366	4374	5413	62004
1856	5474	5189	5355	5200	5006	4478	4419	4203	4239	4338	4591	6037	58529
1857	5788	5274	5622	5404	5179	4943	4789	4927	4997	4744	4855	5384	61906
1858	5311	5566	6444	5590	5211	4856	4994	4576	4442	4785	5788	5976	63539
1859	5960	5494	5668	5562	5262	4734	4539	4509	4322	4355	5215	6094	61714
1860	6366	6901	6916	6529	6265	5406	5051	4612	4199	4856	5098	5971	68170
1861	6995	5201	5724	5498	5644	4810	4931	4134	4042	4300	5172	5590	62341
1862	6895	5825	6693	6229	5844	5309	5177	4455	4598	4782	5209	6179	67195
1863	6362	6164	6703	6063	5952	5948	5630	5521	5122	5580	6019	6426	71481
1864	7682	7305	7620	6465	6028	5976	5453	5620	5067	5320	5664	6216	74416
10 Years,	62641	60150	63265	57864	55767	51084	49457	47314	45065	47426	51976	59286	651205

Monthly Mortality in INSULAR DISTRICTS of Scotland during the TEN YEARS 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	168	340	329	208	229	174	166	126	128	129	146	183	2326
1856	186	192	239	200	171	162	171	159	139	164	155	228	2166
1857	247	204	209	196	178	211	236	158	154	150	165	198	2306
1858	195	224	246	208	227	182	174	171	158	170	201	221	2377
1859	254	218	264	305	253	220	196	182	192	150	192	207	2633
1860	224	240	235	262	261	229	200	213	183	212	203	252	2714
1861	269	212	282	257	240	180	170	187	161	165	202	237	2562
1862	247	260	398	345	264	211	238	213	188	176	188	247	2975
1863	324	293	271	276	280	241	204	202	199	236	184	224	2934
1864	256	287	295	231	192	241	201	188	201	201	190	237	2720
10 Years,	2370	2470	2768	2488	2295	2051	1956	1799	1703	1753	1826	2234	25713

Monthly Mortality in the MAINLAND-RURAL DISTRICTS of Scotland during the TEN YEARS 1855–64.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2896	3835	3380	2724	2718	2326	2235	2126	2004	2180	2142	2681	31247
1856	2687	2617	2741	2604	2534	2244	2201	2013	2043	2081	2146	2914	28825
1857	2824	2592	2721	2666	2620	2457	2238	2312	2534	2318	2316	2792	30390
1858	2704	2939	3346	2951	2651	2342	2333	2181	2152	2296	2711	2958	31564
1859	2984	2810	2819	2852	2772	2424	2270	2283	2189	2130	2474	2952	30959
1860	2996	3247	3505	3182	3268	2766	2480	2256	2076	2309	2439	2834	33358
1861	3241	2566	2928	2761	2865	2432	2431	2337	2029	2184	2515	2625	30814
1862	3213	2911	3312	3029	2871	2656	2647	2290	2195	2248	2406	2916	32694
1863	3110	3099	3363	3038	2933	2908	2811	2621	2468	2663	2756	2952	34722
1864	3568	3469	3671	3244	3014	2913	2604	2677	2453	2527	2655	2924	35719
10 Years,	30223	30085	31786	29051	28246	25468	24250	23096	22143	22836	24560	28548	320292

Monthly Mortality in the TOWN DISTRICTS of Scotland during the TEN YEARS 1855–64.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2744	3056	2811	2392	2429	2124	2073	2205	1905	2057	2086	2549	28431
1856	2601	2380	2375	2396	2301	2072	2047	2031	2057	2053	2290	2895	27538
1857	2717	2478	2652	2542	2381	2275	2315	2457	2309	2276	2374	2394	29210
1858	2412	2403	2852	2431	2333	2332	2187	2224	2132	2319	2876	2797	29598
1859	2722	2466	2585	2405	2237	2090	2073	2044	1941	2075	2549	2935	28122
1860	3146	3414	3176	3085	2736	2411	2371	2143	1940	2335	2456	2885	32098
1861	3485	2423	2514	2480	2539	2198	2330	2010	1852	1951	2455	2728	28965
1862	3435	2654	2983	2855	2709	2442	2292	1952	2215	2358	2615	3016	31526
1863	2928	2772	3069	2749	2739	2799	2615	2698	2455	2681	3070	3250	33825
1864	3858	3549	3654	2990	2822	2822	2648	2755	2413	2592	2819	3055	35977
10 Years,	30048	27595	28711	26325	25226	23565	23251	22519	21219	22737	25590	28504	305290

MONTHLY MORTALITY in the EIGHT DIVISIONS of SCOTLAND during the TEN YEARS 1855–1864.

1. NORTHERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	157	298	255	189	217	164	126	106	112	124	123	141	2012
1856	156	132	142	140	144	114	125	109	124	120	125	182	1613
1857	207	138	169	145	164	162	138	118	131	110	149	161	1782
1858	157	155	182	169	173	130	141	123	106	123	148	175	1782
1859	203	164	181	177	151	124	123	141	154	129	138	145	1830
1860	154	173	190	190	214	165	152	169	127	157	149	197	2037
1861	195	173	213	177	180	152	133	154	120	123	143	178	1936
1862	165	192	229	243	167	143	179	153	132	138	127	149	2017
1863	186	175	179	192	189	165	137	134	142	148	162	173	1967
1864	207	206	230	190	163	208	164	178	201	213	175	212	2347
10 Years,	1787	1806	1970	1812	1752	1527	1418	1385	1349	1380	1429	1708	19323

2. NORTH-WESTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	219	442	361	243	252	220	183	174	158	172	157	249	2830
1856	212	229	261	222	194	201	157	141	158	176	162	221	2334
1857	220	216	208	232	199	200	192	164	157	156	169	198	2311
1858	193	273	307	266	221	204	185	190	147	183	192	233	2594
1859	205	255	236	314	292	237	176	175	161	153	210	262	2676
1860	278	349	252	260	241	236	200	187	195	222	219	250	2889
1861	295	201	285	273	219	180	193	178	175	181	205	219	2604
1862	266	289	380	322	270	230	237	220	230	197	191	274	3106
1863	330	284	286	272	263	278	226	197	206	269	225	248	3084
1864	285	296	333	321	255	298	211	231	211	213	227	279	3160
10 Years,	2503	2834	2909	2725	2406	2284	1960	1857	1798	1922	1957	2433	27588

3. NORTH-EASTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	570	744	672	549	554	417	395	411	404	390	423	510	6039
1856	543	533	555	524	526	482	493	434	378	382	436	528	5814
1857	521	439	596	565	530	496	443	485	488	451	549	621	6184
1858	587	675	707	628	610	476	443	422	401	436	555	563	6503
1859	595	573	543	569	583	508	455	459	448	417	516	601	6267
1860	597	663	732	671	685	564	490	492	417	527	519	621	7008
1861	664	560	600	575	617	478	523	445	482	488	568	592	6592
1862	656	623	724	630	600	554	508	447	448	399	556	643	6788
1863	649	672	681	563	547	511	513	466	513	502	543	604	6764
1864	739	797	799	729	608	572	501	521	438	483	500	589	7276
10 Years,	6121	6279	6609	6003	5860	5058	4764	4582	4447	4475	5165	5872	65235

4. EAST-MIDLAND DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	1000	1216	1113	827	823	722	705	695	652	701	752	896	10102
1856	962	876	866	856	867	727	714	683	667	697	739	1008	9662
1857	984	916	892	843	839	803	821	804	862	886	832	949	10431
1858	978	971	1140	969	888	790	846	763	748	822	903	1029	10847
1859	1066	928	921	913	881	860	760	741	748	760	858	1000	10436
1860	1011	1024	1167	1107	1022	836	755	700	688	912	959	1014	11195
1861	1137	922	941	907	849	803	810	751	639	753	809	920	10241
1862	1074	938	1173	1083	957	835	867	771	735	734	796	946	10909
1863	1026	1005	1058	937	948	982	908	920	769	906	952	1007	11418
1864	1201	1223	1203	981	969	1035	972	1026	895	941	1032	990	12468
10 Years,	10439	10019	10474	9424	9043	8392	8158	7854	7403	8112	8632	9759	107709

MONTHLY MORTALITY in the EIGHT DIVISIONS of SCOTLAND during the TEN YEARS 1855–1864.

5. WEST-MIDLAND DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	407	534	494	401	402	374	354	319	310	296	309	421	4621
1856	362	379	417	336	356	302	305	295	263	304	325	447	4091
1857	429	421	396	382	387	376	379	343	379	358	345	409	4604
1858	356	368	442	349	407	375	351	295	365	338	414	425	4485
1859	449	435	487	471	457	346	331	345	340	303	353	418	4735
1860	438	479	531	480	476	422	394	351	314	317	359	392	4953
1861	491	386	384	389	415	336	338	354	293	303	345	401	4435
1862	523	453	505	441	447	366	419	344	338	315	382	434	4967
1863	457	463	536	428	416	429	443	414	402	390	430	496	5304
1864	556	514	561	483	452	467	431	387	367	354	402	424	5398
10 Years,	4468	4432	4753	4160	4215	3793	3745	3447	3371	3278	3664	4267	47593

6. SOUTH-WESTERN DIVISION.—Monthly Mortality, 1555–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	2332	2622	2407	2039	2137	1833	1839	1932	1597	1712	1642	2126	24218
1856	2150	1990	2029	2067	1881	1653	1637	1712	1720	1704	1911	2472	22926
1857	2351	2144	2329	2252	2115	1963	1982	2123	2090	1893	1915	1973	25130
1858	1982	2036	2376	2092	1943	1874	2042	1813	1754	1942	2509	2396	24759
1859	2363	2139	2227	2096	1908	1722	1771	1788	1621	1746	2118	2474	23973
1860	2604	2871	2750	2634	2409	2147	2095	1823	1548	1790	1872	2326	26869
1861	2856	2006	2243	2148	2197	1894	1938	1630	1484	1598	1997	2143	24134
1862	2772	2142	2368	2292	2265	2082	1906	1622	1834	1954	2031	2299	25567
1863	2382	2347	2666	2349	2369	2343	2324	2242	2126	2283	2604	2801	28836
1864	3283	2942	3109	2546	2447	2281	2185	2275	2004	2100	2309	2593	30074
10 Years,	25075	23239	24504	22515	21671	19792	19719	18960	17778	18722	20908	23603	256486

7. SOUTH-EASTERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	773	878	821	707	672	577	596	550	559	639	672	732	8176
1856	723	716	737	716	687	664	700	592	665	667	648	866	8381
1857	745	694	713	667	690	638	550	631	610	611	642	757	7888
1858	711	728	823	769	659	691	693	707	658	681	722	775	8617
1859	681	649	694	669	659	604	579	547	579	551	713	808	7733
1860	883	924	858	791	825	682	620	581	603	647	693	787	8894
1861	916	628	697	681	791	663	664	651	558	566	783	832	8430
1862	980	823	875	813	767	732	714	598	629	788	792	1031	9552
1863	905	846	849	862	813	821	713	799	643	755	779	797	9582
1864	1006	969	938	836	772	795	675	700	670	749	758	820	9088
10 Years,	8323	7855	8005	7511	7275	6867	6504	6356	6174	6664	7202	8205	86941

8. SOUTHERN DIVISION.—Monthly Mortality, 1855–1864.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
1855	350	497	397	369	319	317	276	270	245	332	296	338	4006
1856	366	334	348	339	351	335	288	237	264	288	245	313	3708
1857	331	306	319	318	325	305	284	259	280	279	254	316	3576
1858	347	360	467	348	310	316	293	263	263	260	345	380	3952
1859	398	351	379	353	331	333	344	313	271	296	309	386	4064
1860	401	418	436	396	393	354	345	309	277	284	328	384	4325
1861	441	325	361	348	376	304	332	271	291	288	322	310	3969
1862	459	365	439	405	371	367	347	300	252	247	334	403	4289
1863	427	372	448	460	407	419	366	349	321	332	325	300	4526
1864	405	358	447	379	362	329	314	302	281	267	261	309	4005
10 Years,	3925	3686	4041	3715	3545	3370	3189	2873	2745	2873	3019	3439	40420

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	I. NORTHERN DIVISION.			
	1. Shetland.			
1	Bressay, etc.—			
	(1) Bressay	915	136	1·48
	(2) Burra and Quarff	890	98	1·10
2	Delting	1975	331	1·68
3	Dunrossness, etc.—			
	(1) Dunrossness	2113	270	1·28
	(2) Sandwick and Cunningsburgh	2337	337	1·44
	(3) Fair Isle	880	88	1·00
4	Fetlar, etc.—			
	(1) Fetlar	548	111	2·03
	(2) North Yell	932	174	1·88
5	Lerwick	3631	635	1·74
6	Mid and South Yell	1784	260	1·45
7	Nesting, etc.—			
	(1) Nesting	855	108	1·26
	(2) Lunnasting	880	92	1·04
	(3) Whalsay and Skerries	848	108	1·27
8	Northmavine	2585	386	1·49
9	Sandsting and Aithsting	2670	336	1·22
10	Tingwall, etc.—			
	(1) Tingwall	1554	255	1·64
	(2) Whiteness and Weisdale	1143	142	1·24
11	Unst	3060	455	1·48
12	Walls, etc.—			
	(1) Walls	1365	180	1·32
	(2) Sandness	606	111	1·83
	(3) Papa-Stour	366	52	1·42
	(4) Foula	233	21	0·90
	2. Orkney.			
13	Birsay	1774	228	1·23
14	Deerness	813	110	1·35
15	Eday and Pharay	979	148	1·51
16	Evie and Rendall	1408	159	1·08
17	Firth and Stennes	1493	162	1·08
18	Harray	819	107	1·31
19	Holm and Paplay	884	99	1·16
20	Hoy and Græmsay	556	84	1·51
21	KIRKWALL and ST OLA (incl. Burgh)	4422	878	1·98
22	North Ronaldshay	532	64	1·20
23	Orphir	1133	149	1·30
24	Rousay and Egilsay	1152	177	1·53
25	St Andrews	868	117	1·34
26	Sanday	2145	244	1·13
27	Sandwick	1225	132	1·08
28	Shapinshay	973	131	1·34
29	South Ronaldshay and Burray	3282	433	1·32
30	Stromness	2540	491	1·93
31	Stronsay	1228	142	1·15
32	Walls and Flotta	1674	178	1·06
33	Westray & Papa Westray	2545	381	1·49
	3. Caithness.			
34	Bower	1746	218	1·25
35	Canisbay	2730	347	1·27
36	Dunnet	1861	272	1·45
37	Halkirk	2864	413	1·44
38	Latheron	8571	1143	1·33
39	Olrig	2059	320	1·55
40	Reay	2476	356	1·44
41	Thurso	5561	1003	1·81
42	Watten	1491	181	1·21
43	WICK—			
	(1) Burgh	7505	1696	2·58
	(2) Landward	5336	716	1·32
	4. Sutherland.			
44	Assynt—			
	(1) Kirkton	553	77	1·89
	(2) Stoer	2625	298	1·13
45	Clyne	1886	270	1·43
46	Creich—			
	(1) Bonar	1982	310	1·56
	(2) Rosehall	539	95	1·76
47	DORNOCH (inc. Burgh)	2885	433	1·50
48	Durness	1109	146	1·31
49	Eddrachillis—			
	(1) Scourie	727	93	1·28
	(2) Kinlochbervie	914	117	1·37
50	Farr—			
	(1) Kirkton	1251	197	1·57
	(2) Strathy	852	118	1·32
51	Golspie	1615	182	1·12
52	Kildonan	2132	365	1·71
53	Lairg	961	148	1·54
54	Loth	610	73	1·19
55	Rogart	1439	218	1·51
56	Tongue	2077	289	1·39
	II. NORTH-WESTERN DIVISION.			
	5. Ross and Cromarty.			
	Mainland.			
57	Alness	1178	173	1·47
58	Applecross	2544	399	1·57
59	Avoch	1788	293	1·64
60	Contin	1509	201	1·33
61	CROMARTY (including Burgh)	2300	486	2·11
62	DINGWALL (including Burgh)	2412	439	1·82
63	Edderton	836	115	1·37
64	Fearn	2083	381	1·83
65	Fodderty	2247	366	1·62
66	Gairloch	5449	793	1·27
67	Glenshiel	485	76	1·57
68	Killearnan	1494	253	1·69
69	Kilmuir-Easter	1295	195	1·50
70	Kiltearn	1634	254	1·55
71	Kincardine	1746	252	1·44
72	Kintail	890	118	1·32
73	Knockbain	2486	383	1·54
74	Lochalsh	2413	344	1·42
75	Lochbroom and Coigach	4862	817	1·68
76	Lochcarron	1592	257	1·61
77	Logie-Easter	932	131	1·40

Note.—Districts marked thus (*) only give the Mortality for Nine Years.

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
78	Nigg	1253	216	1·72
79	Resolis	1568	257	1·64
80	Rosemarkie (including FORTROSE)	1545	292	1·88
81	Rosskeen	3766	652	1·73
82	TAIN (including Burgh)	3294	632	1·92
83	Tarbat	2269	360	1·14
84	Urquhart and Logie-Wester	3147	477	1·51
85	Urray	2355	339	1·44
	Insular.			
a86	Barvas	4609	795	1·72
b86	Carloway	2204?	?	?
87	Lochs	3568	571	1·61
88	STORNOWAY (including Town)	8668	1396	1·49
89	Uig	2007	351	1·74
	6. INVERNESS.			
	Mainland.			
90	Alvie	833	142	1·70
91	Ardersier	1239	262	2·11
92	Boleskine & Abertarff—			
	(1) Boleskine	813	88	1·08
	(2) Fort-Augustus or Abertarff	930	146	1·58
93	Cromdale and Inverallan	3942	631	1·60
94	Croy and Dalcross	1873	239	1·27
95	Daviot and Dunlichty	1741	256	1·47
96	Dores	1506	205	1·36
97	Glenelg—			
	(1) Glenelg	800	123	1·53
	(2) Knoydart	574	80	1·39
	(3) North Morar	469	96	2·05
98	INVERNESS (including Burgh)	16162	3483	2·15
99	Kilmonivaig			
	(1) Glengarry	625	73	1·16
	(2) Lochaber	1651	205	1·24
100	Kilmorack	2852	403	1·41
101	Kiltarlity	2339	329	1·16
102	Kingussie and Insh	2033	364	1·79
103	Kirkhill	1757	253	1·44
104	Laggan	986	147	1·49
105	Moy and Dalarossie	1026	143	1·39
106	Petty	1671	244	1·46
107	Urquhart, etc.—			
	(1) Urquhart	2294	332	1·44
	(2) Glenormiston	617	85	1·37
	Insular.			
108	Barra	1858	269	1·45
109	Bracadale	1335	205	1·53
110	Duirinish	4775	788	1·53
111	Harris—			
	(1) Harris	3769	578	1·53
	(2) Bernera	336	64	1·90
	(3) St Kilda	78	?	?
112	Kilmuir—			
	(1) Kilmuir	1561	297	1·90
	(2) Stenscholl	1311	221	1·68
113	North Uist	3959	596	1·50
114	Portree and Raasay	3159	505	1·59
115	Sleat	2330	390	1·67
116	Small Isles	567	85	1·50
117	Snizort	2613	409	1·56
118	South Uist (Benbecula, Howmore, and Boisdale)	5358	867	1·62
119	Strath	2664	472	1·77
	III. NORTH-EASTERN DIVISION.			
	7. NAIRN.			
120	Ardclach	1330	203	1·53
121	Auldearn	1828	204	1·53
122	Cawdor	1203	196	1·63
123	NAIRN (incl. Burgh)	4486	982	2·19
	8. ELGIN.			
124	Abernethy and Kincardine	1928	280	1·45
125	Alves	1010	135	1·33
126	Bellie	1967	346	1·76
127	Birnie	411	46	1·12
128	Boharm	1412	207	1·46
129	Dallas	1102	168	1·52
130	Drainy	3028	450	1·48
131	Duffus	3308	571	1·75
132	Duthil, etc.—			
	(1) Duthil	1609	210	1·30
	(2) Rothiemurchus	319	59	1·85
133	Dyke	1247	211	1·69
134	Edinkillie	1303	187	1·43
135	ELGIN (incl. Burgh)	9866	1970	1·99
136	New Spynie	518?	?	?
137	FORRES (incl. Burgh)	4112	898	2·18
138	Kinloss	1315	235	1·78
139	Knockando	1736	274	1·58
140	Rafford	1055	148	1·40
141	Rothes	2407	415	1·72
142	St Andrews Lhanbryde	1344	172	1·28
143	Speymouth	689	108	1·57
144	Urquhart	2532	370	1·46
	9. BANFF.			
145	Aberlour	1665	228	1·37
146	Alvah	1467	156	1·06
147	BANFF—			
	(1) Burgh	6791	1289	1·89
	(2) Landward	949	100	1·05
148	Botriphnie	867	101	1·16
149	Boyndie	1711	283	1·65
150	CULLEN (part of Burgh)	1821	312	1·70
151	Deskford	1031	146	1·41
152	Enzie	2072	346	1·67
153	Fordyce	4145	734	1·77
154	Forglen	783	83	1·06
155	Gamrie	3019	432	1·43
156	Grange	1909	284	1·48

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
157	Inveravon—			
	(1) Inveravon	868	101	1·16
	(2) Auchbreck	1771	321	1·81
158	Inverkeithny	880	109	1·24
159	KEITH	5943	1041	1·75
160	Kirkmichael, etc.—			
	(1) Kirkmichael	551	99	1·79
	(2) Tomintoul	960	199	2·07
161	Marnoch	3289	557	1·69
162	Mortlach	3095	487	1·57
163	Ordiquhill	764	91	1·19
164	Rathven (incl. BUCKIE)	4922	1029	2·09
165	Rothiemay	1414	223	1·57
166	St Fergus	1608	267	1·66
167	Seafield (part of CULLEN)	1725	284	1·64
	10. ABERDEEN.			
168	ABERDEEN—			
	(1) St Nicholas	41962	11484	2·71
	(2) Old Machar	31938	6951	2·18
	(3) Do. (Landward)	1298	151	1·16
169	Aberdour	1837	264	1·44
170	Aboyne	1160	179	1·54
171	Alford	1264	193	1·52
172	Auchindoir	1593	223	1·40
173	Auchterless	2010	291	1·44
174	Belhelvie	1807	262	1·45
175	Birse	1284	146	1·13
176	Bourtie	547	73	1·33
177	Cabrach	794	122	1·54
178	Cairney	1490	247	1·66
179	Chapel of Garioch	2023	282	1·39
180	Clatt	511	66	1·29
181	Cluny	1254	184	1·47
182	Coull	792	115	1·45
183	Crathie and Braemar	1574	236	1·50
184	Crimond	892	140	1·57
185	Craden	2743	397	1·44
186	Culsamond	1165	139	1·11
187	Daviot	614	91	1·48
188	Drumblade	926	147	1·58
189	Drumoak	996	126	1·26
190	Dyce	585	82	1·40
191	Echt	1287	185	1·43
192	Ellon	3259	446	1·37
193	Fintray	1003	177	1·77
194	Forgue	2686	396	1·47
195	Foveran	1891	244	1·29
196	FRASERBURGH (including Town)	4511	834	1·85
197	Fyvie	*c.* 3264	592	1·81
198	Gartly	1029	127	1·23
199	Glass	1049	148	1·41
200	Glenbucket	552	78	1·41
201	Glenmuick, Tullich, and Glengairn	1668	302	1·81
202	HUNTLY (incl. Town)	4329	814	1·88
203	Insch	1565	264	1·69
204	INVERURIE (including part of Burgh)	2668	531	1·99
205	Keig	811	116	1·43
206	Keith-hall	933	109	1·17
207	Kemnay	832	114	1·37
208	Kildrummy	590	77	1·30
209	Kincardine O'Neil	2186	344	1·57
210	King-Edward	2843	406	1·43
211	Kinnellar	691	90	1·30
212	Kinnethmont	1187	228	1·92
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE)	1895	351	1·84
214	Leochel-Cushnie	1173	159	1·35
215	Leslie	577	89	1·54
216	Logie-Buchan	762	92	1·21
217	Logie-Coldstone	932	153	1·64
218	Longside	3008	477	1·58
219	Lonmay	2142	278	1·29
220	Lumphanan	1251	180	1·44
221	Methlic	2157	302	1·40
222	Midmar	1091	164	1·50
b222	Millbrex	*c.* 1295	?	?
223	Monquhitter	*c.* 2365	349	1·47
224	Monymusk	988	125	1·26
225	New Deer	3736	542	1·45
226	Newhills	3463	526	1·52
a227	New Machar	1556	242	1·55
b227	New Pitsligo	2609	?	?
228	Old Deer	4392	754	1·71
229	Old Meldrum	2348	434	1·85
230	Oyne	1127	170	1·51
231	Peterculter	1410	209	1·48
232	PETERHEAD (incl. Burgh)	9796	1908	1·94
233	Pitsligo	1890	320	1·70
234	Premnay	916	174	1·90
235	Rathen	2554	384	1·50
236	Rayne	1514	198	1·31
a237	Rhynie	1061	174	1·64
b237	Savoch	2061	?	?
238	Skene	1891	273	1·49
239	Slains	1266	151	1·19
240	Strathdon	1459	235	1·61
241	Strichen	2409	454	1·88
242	Tarland	1246	177	1·42
243	Tarves	2377	354	1·49
244	Tough	874	139	1·59
245	Towie	839	98	1·17
246	Tullynessle and Forbes	957	130	1·36
247	Turriff	3693	633	1·71
248	Tyrie	833	?	?
249	Udny	1623	231	1·42
	11. KINCARDINE.			
250	Arbuthnot	932	117	1·25
251	Banchory-Devenick	2919	450	1·54
252	Banchory-Ternan	2947	594	2·01
253	Benholm	1574	292	1·85
254	BERVIE (incl. Burgh)	1561	297	1·90
255	Dunnottar (incl. part of STONEHAVEN)	1828	366	2·00
256	Durris	1109	148	1·33
257	Fettercairn	1700	256	1·51
258	Fetteresso	5527	990	1·79
259	Fordoun	2297	397	1·73
260	Garvock	458	50	1·09
261	Glenbervie	1219	195	1·60
262	Kinneff and Catterline	1054	122	1·16
263	Laurencekirk	2110	367	1·74
264	Maryculter	1055	140	1·32
265	Marykirk	2068	339	1·64
266	Nigg	2074	341	1·64

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
267	St Cyrus	1552	214	1·38
268	Strachan	870	129	1·48
	IV. EAST-MIDLAND DIVISION.			
	12. Forfar.			
269	Aberlemno	1054	120	1·14
270	Airlie	845	138	1·63
271	Arbirlot	960	128	1·33
272	Arbroath (incl. Burgh)	17831	4405	2·47
273	Auchterhouse	706	94	1·33
274	Barry	2465	484	1·96
275	Brechin (incl. Burgh)	8810	1828	2·07
276	Carmylie	1286	175	1·36
277	Careston	225	31	1·37
278	Cortachy and Clova	653	77	1·17
279	Coupar-Angus	2642	563	2·13
280	Craig (including part of Montrose)	2177	343	1·57
281	Dun	552	66	1·19
282	Dundee—			
	(1) First District	44064	12026	2·72
	(2) Second District	40813	12251	3·00
	(3) Third (or Lochee District)	6787	1835	2·70
283	Dunnichen	1932	338	1·75
284	Eassie and Nevay	748	87	1·16
285	Edzell	1025	156	1·52
286	Farnell	703	107	1·52
287	Fearn	439	63	1·43
288	Forfar (incl. Burgh)	10838	2514	2·32
289	Glammis	1980	289	1·46
290	Glenisla	1008	149	1·48
291	Guthrie	476	42	0·88
292	Inverarity	961	133	1·38
293	Inverkeilor	1792	256	1·43
294	Kettins	962	124	1·29
295	Kingoldrum	473	51	1·08
296	Kinnell	816	96	1·17
297	Kinnettles	447	60	1·34
298	Kirkden	1862	337	1·81
299	Kirriemuir (incl. Town)	7359	1413	1·92
300	Lethnott and Navar	446	42	0·94
301	Liff, Benvie, and Invergowrie	1480	246	1·72
302	Lintrathen	898	109	1·21
303	Lochlee	495	72	1·45
304	Logie-Pert	1483	170	1·14
305	Lunan	259	32	1·23
306	Lundie	442	62	1·40
307	Mains, etc.—			
	(1) Mains	1392	251	1·80
	(2) Strathmartine	789	111	1·41
308	Marytown	417	56	1·34
309	Menmuir	796	105	1·32
310	Monifieth (incl. part of Broughty Ferry)	5052	1086	2·15
311	Monikie	1460	198	1·35
312	Montrose (including part of Burgh)	15668	3714	2·37
313	Murroes	763	117	1·53
314	Newtyle	1139	225	1·97
315	Oathlaw	899	70	1·90
316	Panbride	1299	246	1·89
317	Rescobie	747	95	1·27
318	Ruthven	265	47	1·77
319	St Vigeans	2553	418	1·63
320	Stracathro	546	89	1·44
321	Tannadice	1439	221	1·53
322	Tealing	883	125	1·41
	13. Perth.			
323	Aberdalgie	295	42	1·42
324	Aberfeldy	2402	440	1·83
325	Aberfoyle	565	119	2·10
326	Abernethy	1960	338	1·72
327	Abernyte	310	50	1·61
328	Alyth (including Town)	3198	611	1·91
329	Auchterarder (including Town)	4208	850	2·02
330	Auchtergaven	2562	486	1·89
331	Balquhidder	c. 846	129	1·52
332	Bendochy	549	71	1·29
333	Blackford	2084	319	1·23
334	Blair-Athol	1553	308	1·98
335	Blairgowrie (including Town)	4423	1017	2·29
336	Callander	1676	357	2·13
337	Caputh	1728	286	1·65
338	Cargill	1647	256	1·55
339	Clunie	699	105	1·50
340	Collace	534	90	1·68
341	Comrie	c. 2126	423	1·99
342	Crieff (including Town)	4490	886	1·99
343	Culross (incl. Burgh)	1423	223	1·56
344	Dowally	486	86	1·76
345	Dron	376	47	1·25
346	Dull	753	145	1·92
347	Dunbarney	1035	188	1·81
348	Dunblane	3096	528	1·70
349	Dunkeld	1086	249	2·29
350	Dunning	2084	409	1·96
351	Errol	2759	444	1·61
352	Findo-Gask	399	75	1·88
353	Forgandenny	739	104	1·41
354	Forteviot	595	78	1·31
a355	Fortingall	1244	190	1·52
b355	Foss	361	43	1·25
356	Fowlis-Easter	317	37	1·17
357	Fowlis-Wester	1276	203	1·59
358	Glendevon	138	16	1·16
359	Inchture	659	116	1·76
360	Kenmore	1515	246	1·62
361	Killin	1081	318	1·89
362	Kilmadock	3312	672	2·03
363	Kilspindie	665	107	1·61
364	Kincardine	1778	345	1·94
365	Kinclaven	758	120	1·58
366	Kinfauns	659	102	1·54
367	Kinloch-Rannoch	1147	180	1·57
368	Kinnaird	318	56	1·76
369	Kinnoull	796	127	1·59
370	Kirkmichael & Glenshee	1146	199	1·73
371	Lecropt	538	90	1·67
372	Lethendy and Kinloch	530	66	1·24
373	Little Dunkeld	2089	429	2·05
374	Logie (including part of STIRLING)	3483	631	1·81
375	Logiealmond	815	119	1·46
376	Logierait	1902	364	1·91

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
377	Longforgan	1823	321	1·76
378	Madderty	536	89	1·66
379	Meigle	1122	171	1·52
380	Methven	2290	421	1·84
381	Moneydie	252	26	1·03
382	Monzie	461	53	1·15
383	Monzievaird	782	115	1·47
384	Moulin	1605	292	1·82
385	Muckhart	615	81	1·32
a386	Muthill	2008	555	2·76
b386	Persie	839	?	?
7	PERTH (incl. Burgh)	26094	6793	2·60
38	Port of Menteith	1375	210	1·53
38	Rattray	2234	412	1·84
39	Redgorton	1596	265	1·66
39	Rhynd	297	50	1·68
39	St Madoes	280	35	1·25
39	St Martins	904	122	1·35
39	Scone	2153	409	1·90
b394	Strathfillan	411	?	?
c394	Tenandry	595	91	1·69
395	Tibbermore	1132	159	1·34
396	Trinity-Gask	488	63	1·29
397	Tullialian (including KINCARDINE)	2410	505	2·09
398	Weem	215	45	2·09
	14. FIFE.			
399	Abbotshall	808	91	1·13
400	Abdie	1257	189	1·50
401	Aberdour	1874	315	1·68
402	ANSTRUTHER-EASTER (part of Burgh)	1155	231	2·00
403	ANSTRUTHER-WESTER (including Burgh)	1438	98	2·23
404	Arngask	705	86	1·22
405	Auchterderran	3457	681	1·97
406	AUCHTERMUCHTY (including Burgh)	3285	654	1·99
407	Auchtertool	609	106	1·74
408	Ballingry	736	181	2·46
409	Balmerino	815	152	1·86
410	Beath	2390	468	1·96
411	BURNTISLAND (including Burgh)	3670	656	1·79
412	Cameron	1362	151	1·11
413	Carnbee	1157	146	1·26
414	Carnock	2925	493	1·68
415	Ceres	2723	422	1·55
416	Collessie	1580	241	1·57
417	CRAIL (incl. Burgh)	1931	432	2·23
418	Creich	377	67	1·77
419	Cults	800	156	1·95
420	CUPAR (incl. Burgh)	6750	1359	2·01
421	Dairsie	638	109	1·71
422	Dalgetty	1569	240	1·53
423	Dunbog	414	42	1·01
424	DUNFERMLINE— (1) Burgh	13506	2839	2·12
	(2) Landward	7609	1780	2·33
425	Dunino	370	51	1·38
426	DYSART (incl. Burgh)	8842	1646	1·86
427	Elie	826	162	1·96
428	FALKLAND (including Burgh)	2037	549	1·87
429	Ferry-Port-on-Craig	2013	387	1·92
430	Flisk	230	37	1·61
431	Forgan	1326	208	1·57
432	INVERKEITHING (including Burgh)	3196	580	1·81
433	Kemback	896	145	1·62
434	Kennoway	2012	346	1·71
435	Kettle	2474	394	1·59
436	Kilconquhar (including EARLSFERRY)	2431	400	1·65
437	Kilmany	656	97	1·47
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER)	2534	411	1·62
439	KINGHORN (including Burgh)	2349	602	2·56
440	Kinglassie	1266	201	1·59
441	Kingsbarns	937	153	1·63
442	KIRKCALDY (including Burgh)	11117	2121	1·90
443	Largo	2626	408	1·55
444	LESLIE (including Town)	4332	814	1·76
445	Leuchars	1903	354	1·86
446	Logie	410	60	1·46
447	Markinch	5375	1065	1·98
448	Monimail	1054	167	1·58
449	Moonzie	179	34	1·90
450	NEWBURGH (including Burgh)	2693	601	2·23
451	Newburgh	374	56	1·50
452	PITTENWEEM (including Burgh)	1710	308	2·09
453	ST ANDREWS & ST LEONARDS (incl. ST ANDREWS)	7605	1483	1·95
454	St Monance (or Aberrombie)	1498	288	1·92
455	Saline	1610	247	1·53
456	Scoonie (incl. LEVEN)	3257	650	1·99
457	Strathmiglo	2261	423	1·87
458	Torryburn	1229	243	1·97
459	Wemyss	6003	1151	1·91
	15. KINROSS.			
460	Cleish	649	85	1·31
461	Fossoway and Tullibole	1584	220	1·39
462	KINROSS (incl. Town)	2649	524	1·98
463	Orwell	2399	413	1·72
464	Portmoak	1450	254	1·75
465	ALLOA (including Town)	8867	1907	2·15
466	Clackmannan	4425	867	1·96
467	Dollar	1776	305	1·71
468	TILLICOULTRY (including Town)	5054	997	1·97
	V. WEST-MIDLAND DIVISION.			
	17. STIRLING.			
469	Airth	1194	241	2·02
470	ALVA (including Town)	3283	641	1·95

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
471	Baldernock	718	121	1·68
472	Balfron	1517	373	2·45
473	Bothkennar	1722	299	1·73
474	Buchanan	705	111	1·57
475	CAMPSIE (including LENNOXTOWN)	6483	1361	2·09
476	DENNY (including Town)	4988	1008	2·02
477	Drymen	1619	281	1·11
478	Dunipace	1731	350	2·02
479	FALKIRK—			
	(1) Burgh	9030	2157	2·38
	(2) Landward	7996	1574	1·96
480	Fintry	685	129	1·88
481	Gargunnock	728	100	1·37
482	Killearn	1171	194	1·66
483	KILSYTH (incl. Town)	6112	1474	2·41
484	Kippen	1722	379	2·20
485	Larbert	4999	1014	2·02
486	Muiravonside	2660	439	1·65
487	Polmont	4111	699	1·70
488	St Ninians (including BANNOCKBURN)	6648	1353	2·03
489	Slamannan	2916	534	1·83
490	STIRLING (including part of Burgh)	14012	8241	2·31
491	Strathblane	1888	206	1·49
	18. DUMBARTON.			
492	Arrochar	629	105	1·67
493	BONHILL (incl. Town and ALEXANDRIA)	9059	1668	1·84
494	Cardross (incl. RENTON)	4168	957	2·29
495	Cumbernauld	3513	622	1·77
496	DUMBARTON (including Burgh)	8268	2135	2·58
497	Kilmaronock	1085	135	1·24
498	KIRKINTILLOCH (including Town)	8179	1903	2·32
499	Luss	831	155	1·85
500	New, or East, Kilpatrick	4910	992	2·02
501	Old, or West, Kilpatrick (incl. DUNTOCHER)	5577	1404	2·51
502	Roseneath	1626	238	1·46
503	Row (incl. HELENSBURGH)	6334	1235	1·95
	19. ARGYLL.			
	Mainland.			
504	Ardchattan	1381	213	1·54
505	Ardnamurchan—			
	(1) Aharacle	1544	217	1·40
	(2) Arisaig	1343	153	1·14
	(3) Sunart (or Strontian)	759	117	1·54
	(4) Western District	1054	169	1·60
506	Ballachulish and Corran of Ardgour	919	128	1·39
507	CAMPBELTOWN (including Burgh)	8149	1537	1·88
508	Craignish	618	115	1·86
509	Cumlodden	1038	150	1·45
510	DUNOON and KILMUN (including DUNOON and KIRN)	5461	1013	1·85
511	Glassary	1769	316	1·83
512	Glenorchy and Inishail	1307	217	1·66
513	INVERARAY (including Burgh)	1650	303	1·83
514	Inverchaolain	424	64	1·51
515	Kilbrandon & Kilchattan	2053	380	1·85
516	Kilcalmonell, etc.—			
	(1) Kilcalmonell	742	143	1·93
	(2) Kilberry	583	79	1·35
517	Kilchrenan, etc.—			
	(1) Kilchrenan	386	77	2·00
	(2) Dalavich	230	46	2·00
518	Kilfinan	1891	331	1·75
519	Killean and Kilchenzie	1890	243	1·28
520	Kilmallie	3358	652	1·94
521	Kilmartin	949	146	1·53
522	Kilmodan	433	75	1·73
523	Kilmore and Kilbride (incl. OBAN)	2962	647	2·18
524	Kilninver, etc.—			
	(1) Kilninver	314	64	2·04
	(2) Kilmelford	486	73	1·50
525	Lismore, etc.—			
	(1) Lismore	1023	203	1·99
	(2) Appin	825	121	1·47
	(3) Glencoe and Ballachulish	1324	207	1·56
	(4) Duror	423	62	1·46
526	Lochgilphead	3312	575	1·74
527	Lochgoilhead and Kilmorich	702	113	1·61
528	Morvern	1226	211	1·72
529	Muckairn	729	138	1·89
530	North Knapdale	1327	232	1·75
531	Saddell, etc.—			
	(1) Saddell	739	98	1·33
	(2) Skipness	533	106	1·99
532	Southend	1214	172	1·42
533	South Knapdale	654	84	1·28
534	Stralachlan, etc.—			
	(1) Stralachlan	309	61	1·97
	(2) Strachur	563	107	1·90
535	Tarbert	1661	336	2·02
	Insular.			
536	Bowmore (or Kilarrow)	2701	486	1·80
537	Gigha	467	66	1·41
538	Iona	743	125	1·68
539	Jura, etc.—			
	(1) Jura	858	107	1·25
	(2) Colonsay	598	87	1·45
540	Kilchoman	2377	450	1·89
541	Kildalton	2187	342	1·56
542	Kilfinichen & Kilvickeon	1792	270	1·51
543	Kilmeny	1268	263	2·07
544	Kilninian and Kilmore	1641	249	1·46
545	Kinlochspelvie	428	62	1·45
546	Oa	769	97	1·26
547	Portnahaven	1059	226	2·13
548	Salen	604	103	1·70
549	Tobermory	1566	361	2·30
550	Torosay	557	95	1·70
551	Tyree, etc.—			
	(1) Tyree	3217	502	1·56
	(2) Coll	781	130	1·66

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	20. Bute.			
552	Cumbraes	1256	261	2·08
553	Kilbride (part of)	2253	405	1·79
554	Kilmory	2515	446	1·77
555	Kingarth	905	141	1·56
556	Lochranza	824	113	1·37
557	North Bute	1351	224	1·66
558	ROTHESAY	7227	1856	2·57
	VI. SOUTH-WESTERN DIVISION.			
	21. Renfrew.			
559	Abbey—			
	(1) Part of PAISLEY	15889	4050	2·54
	(2) Landward (incl. part of Barrhead)	5670	1006	1·73
	(3) Johnstone (incl. Town)	8142	2072	2·54
560	Cathcart	3782	686	1·81
561	Eaglesham	2328	386	1·66
562	Eastwood	11314	2527	2·23
563	Erskine	1457	229	1·57
564	Greenock—			
	(1) New, or Middle	9446	8379	8·56
	(2) East	12135	3144	2·59
	(3) Old, or West	22313	7960	3·56
565	Houstoun and Killellan	2490	489	1·96
566	Inchinnan	619	95	1·53
567	Innerkip—			
	(1) Innerkip	1188	223	1·87
	(2) Gourock (incl. Town)	2307	593	2·57
568	Kilbarchan	6348	1328	2·09
569	Kilmalcolm	1455	268	1·84
570	Lochwinnoch	3821	813	2·13
571	Mearns	3547	680	1·92
572	Neilston (incl. part of Barrhead)	11013	2102	1·90
573	PAISLEY—			
	(1) High	14900	8470	2·32
	(2) Low	6712	2307	3·43
	(3) Middle	9926	3073	3·09
574	PORT-GLASGOW (including Burgh)	7294	2413	3·30
575	RENFREW (including Burgh)	4650	991	2·13
	22. Ayr.			
576	Ardrossan	6776	1328	1·96
577	Auchinleck	4213	902	2·14
578	AYR (including Burgh)	19659	4708	2·39
579	Ballantrae	1483	252	1·70
580	Barr	910	126	1·39
581	Beith (including Town)	5775	1251	2·16
582	Colmonell	2588	356	1·37
583	Coylton	1604	212	1·32
584	Craigie	730	104	1·42
585	Dailly	2050	349	1·70
586	Dalmellington	4194	861	2·05
587	Dalry (including Town)	11156	2748	2·46
588	Dalrymple	1325	219	1·65
589	Dreghorn	3283	489	1·49
590	Dundonald (incl. Troon)	4694	823	1·75
591	Dunlop	1038	167	1·61
592	Fenwick	1532	289	1·88
593	Galston (incl. Town)	5254	1039	1·97
594	Girvan (including Town)	7053	1503	2·13
595	IRVINE (incl. Burgh)	8607	2129	2·47
596	Kilbirnie (incl. Town)	5265	1262	2·40
597	KILMARNOCK (including part of Burgh)	23556	5866	2·49
598	Kilmaurs	8526	690	1·96
599	Kilwinning (incl. Town)	7717	1561	2·02
600	Kirkmichael	2823	483	1·71
601	Kirkoswald	2060	248	1·20
602	Largs (including Town)	8620	735	2·03
603	Loudoun (including Newmilns)	4840	935	1·93
604	Mauchline	2303	461	2·00
605	Mayhole (incl. Town)	6713	1342	1·99
606	Monkton and Prestwick	1937	359	1·85
607	Muirkirk (incl. Town)	3270	633	1·93
608	New Cumnock	2891	471	1·63
609	Ochiltree	1676	239	1·43
610	Old Cumnock (including Town)	3721	755	2·03
611	Riccarton (incl. part of KILMARNOCK)	5629	1248	2·21
612	St Quivox and Newton-upon-Ayr	1870	382	2·04
613	Sorn (incl. Catrine)	4042	868	2·14
614	Stair	743	87	1·17
615	Stevenston (including Town and part of Saltcoats)	5452	1430	2·62
616	Stewarton (incl. Town)	4449	912	2·05
617	Straiton	1544	233	1·51
618	Symington	855	114	1·33
619	Tarbolton	2669	610	2·28
620	West Kilbride	1968	310	1·57
	23. Lanark.			
621	Avondale (including Strathaven)	6125	1309	2·13
622	Barony—			
	(1) Maryhill (incl. Town and part of GLASGOW)	6734	1685	2·50
	(2) Springburn (including part of GLASGOW)	8911	4648	5·21
	(3) Shettleston	6914	1501	2·17
623	Biggar	1999	373	1·86
624	Blantyre	3092	591	1·91
625	Bothwell—			
	(1) Bothwell (incl. Bellshill)	7059	1619	2·29
	(2) Holytown	10844	2355	2·17
a626	Cadder	5948	1085	1·82
b626	Calderhead	c. 3789	?	?
627	Cambuslang	3647	642	1·76
628	Cambusnethan (incl. part of Wishaw)	c. 13377	2654	1·98
629	Carluke (incl. Town)	6176	1185	1·91
630	Carmichael	836	128	1·53
631	Carmunnock	734	113	1·54
632	Carnwath	3584	635	1·77

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
633	Carstairs	1345	189	1·40
634	Covington & Thankerton	532	83	1·56
635	Crawford	1590	309	1·94
636	Crawfordjohn	980	148	1·51
637	Culter	665	93	1·40
638	Dalserf—			
	(1) Larkhall (incl. Town)	3629	786	2·18
	(2) Dalserf	1247	208	1·66
639	Dalziel (incl. Motherwell)	5438	1227	2·25
640	Dolphington	260	37	1·42
641	Douglas	2490	560	2·25
642	Dunsyre	312	43	1·38
643	East Kilbride	4064	722	1·77
644	GLASGOW—			
	(1) Central District	49678	18230	3·66
	(2) High	48119	19884	4·13
	(3) Bridgeton	45485	12406	2·72
	(4) Calton	36625	11471	3·13
	(5) Clyde	29975	10180	3·39
	(6) Blythswood	28697	5562	1·93
	(7) Milton	33360	8933	2·67
	(8) Anderston	40945	10436	2·54
	(9) Tradeston	38600	10381	2·68
	(10) Hutchesontown	44019	12348	2·80
645	Glassford	1938	389	2·01
646	Govan—			
	(1) Govan (inch Town)	13725	3380	2·47
	(2) Partick (including Town)	14859	3526	2·36
647	HAMILTON (including Burgh)	14047	3114	2·21
648	LANARK (incl. Burgh)	7891	1771	2·24
649	Lesmahagow	9266	1659	1·79
650	Libberton	836	106	1·27
651	New Monkland—			
	(1) AIRDRIE	12922	3194	2·47
	(2) Landward	7632	1797	2·35
652	Old Monkland—			
	(1) Western District	6932	1612	2·32
	(2) Middle District (including Coatbridge)	15303	3736	2·44
	(3) Eastern District (incl. Calderbank)	7308	1436	1·96
653	Pettinain	407	64	1·57
654	RUTHERGLEN (including Burgh)	9335	2261	2·42
655	Shotts (part of)	c. 4778	1101	2·30
656	Stonehouse (incl. Town)	3267	595	1·82
657	Symington	528	90	1·70
658	Walston	480	82	1·71
659	Wandell and Lamington	380	58	1·53
660	Wiston and Roberton	786	104	1·32
	VII. SOUTH-EASTERN DIVISION.			
	24. Linlithgow.			
661	Abercorn	965	206	2·13
662	Bathgate (incl. Town and Armadale)	10134	2233	2·20
663	Borrowstounness (including Town)	5698	1156	2·03
664	Carriden	1821	340	1·87
665	Dalmeny	804	126	1·57
666	Ecclesmachen	309	31	1·00
667	Kirkliston	1907	328	1·72
668	LINLITHGOW—			
	(1) Burgh	3843	855	2·22
	(2) Landward	1941	381	1·96
669	Livingstone	1366	239	1·75
670	QUEENSFERRY (including Burgh)	1391	307	2·20
671	Torphichen	1848	299	1·62
672	Uphall	1507	245	1·62
673	Whitburn	5511	929	1·68
	25. Edinburgh.			
674	Borthwick	1742	291	1·67
675	Carrington	681	61	0·89
676	Cockpen	2902	543	1·87
677	Colinton	2656	457	1·72
678	Corstorphine	1579	293	1·85
679	Cramond	2695	469	1·74
680	Cranston	1035	179	1·73
681	Crichton	1304	261	2·00
682	Currie	2248	390	1·74
683	Dalkeith (incl. Town)	7114	1629	2·29
684	Duddingstone—			
	(1) PORTOBELLO	4366	868	1·98
	(2) Landward	857	138	1·60
685	EDINBURGH	170444	43119	2·53
686	Fala and Soutra	382	66	1·73
687	Glencross	1217	141	1·16
688	Heriot	407	55	1·35
689	Inveresk (including MUSSELBURGH)	9518	2471	2·59
690	Kirknewton and East-Calder	1549	258	1·66
691	Lasswade	5688	1075	1·89
692	LEITH—			
	(1) North Leith	11562	2377	2·05
	(2) South Leith	24467	6107	2·49
693	Liberton	3510	714	2·03
694	Mid-Calder	1389	210	1·51
695	Newbattle	2837	517	1·82
696	Newton	1553	262	1·69
697	Penicuick	3249	564	1·73
698	Ratho	1659	275	1·65
699	Stow	2171	271	1·25
700	Temple	1385	250	1·80
701	West-Calder	1927	379	1·97
	26. Haddington.			
702	Aberlady	1019	168	1·65
703	Athelstaneford	902	136	1·51
704	Bolton	332	54	1·63
705	Dirleton	1540	231	1·50
706	DUNBAR (incl. Burgh)	4944	930	1·88
707	Garvald	891	111	1·25
708	Gladsmuir	1945	341	1·75
709	HADDINGTON (including Burgh)	5548	1200	2·16
710	Humbie	997	123	1·23
711	Innerwick	937	129	1·38

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
712	Morham	281	40	1·42
713	NORTH BERWICK (including Burgh)	2071	327	1·58
714	Oldhamstocks	615	85	1·38
715	Ormiston	915	156	1·70
716	Pencaitland	1187	247	2·08
717	Prestonkirk	1960	330	1·68
718	Prestonpans	2080	451	2·16
719	Salton	712	94	1·32
720	Spott	555	91	1·64
721	Stenton	692	103	1·49
722	TRANENT (incl. Town)	4647	1014	2·18
723	Whitekirk and Tynninghame	1113	179	1·61
724	Whittinghame	710	88	1·24
725	Yester (or Gifford)	1033	160	1·55
	27. BERWICK.			
726	Abbey St Bathans	179	10	0·56
727	Ayton	2014	370	1·83
728	Bunkle and Preston	756	83	1·10
729	Channelkirk	671	103	1·53
730	Chirnside	1502	238	1·58
731	Cockburnspath	1194	158	1·32
732	Coldingham	3241	532	1·64
733	Coldstream	2823	567	2·01
734	Cranshaws	134	10	0·74
735	DUNSE (including Town)	3595	690	1·92
736	Earlston	1825	296	1·62
737	Eccles	1861	264	1·42
738	Edrom	1592	189	1·18
739	Eyemouth	1804	347	1·92
740	Fogo	559	58	1·04
741	Foulden	431	54	1·25
742	Gordon	931	123	1·32
743	Greenlaw	1370	236	1·72
744	Hume	420	47	1·12
745	Hutton	1067	147	1·38
746	Ladykirk	564	95	1·68
747	Langton	502	73	1·45
748	LAUDER (incl. Burgh)	2198	379	1·72
749	Legerwood	599	79	1·32
750	Longformacus	448	60	1·34
751	Merton	729	90	1·23
752	Mordington	377	59	1·59
753	Nenthorn	461	52	1·13
754	Polwarth	251	33	1·31
755	Swinton	964	171	1·77
756	Westruther	786	115	1·46
757	Whitsome	640	95	1·48
	28. PEEBLES.			
758	Broughton	297	31	1·04
759	Drumelzier	209	34	1·62
760	Eddlestone	753	99	1·31
761	Glenholm	198	21	1·06
762	Innerleithen	1823	274	1·41
763	Kilbucho	228	33	1·44
764	Kirkurd	362	59	1·63
765	Lyne, etc.—			
	(1) Lyne	81	11	1·36
	(2) Megget	53	3	0·56
766	Manor	247	34	1·37
767	Newlands	987	151	1·53
768	PEEBLES (incl. Burgh)	2850	599	2·06
769	Skirling	317	40	1·26
770	Stobo	478	60	1·25
771	Traquair	687	80	1·16
772	Tweedsmuir	196	22	1·12
773	West Linton	1534	329	2·14
	29. SELKIRK.			
774	Ettrick	454	47	1·03
775	GALASHIELS (including part of Town)	3379	666	1·97
776	Kirkhope	555	78	1·31
777	Roberton	640	96	1·50
778	SELKIRK (incl. Burgh)	4739	805	1·69
779	Yarrow	643	80	1·24
	VII. SOUTHERN DIVISION.			
	30. ROXBURGH.			
780	Ancrum	1511	227	1·50
781	Ashkirk	578	68	1·18
782	Bedrule	222	30	1·35
783	Bowden	864	160	1·85
784	Castleton	3688	480	1·30
785	Cavers	1824	269	1·47
786	Crailing	673	90	1·33
787	Eckford	957	125	1·30
787	Edgerston	359	45	1·39
788	Ednam	599	75	1·25
789	HAWICK (including part of Town)	8726	2239	2·66
790	Hobkirk	771	115	1·49
791	Hownam	289	29	1·00
792	JEDBURGH (including Burgh)	5011	942	1·88
793	KELSO (including Town)	5192	1093	2·10
794	Kirkton	421	53	1·26
795	Lilliesleaf	772	108	1·40
796	Linton	608	60	0·99
797	Makerston	380	51	1·34
798	Maxton	497	74	1·49
799	Melrose—			
	(1) Melrose	3557	670	1·88
	(2) Ladhope (including part of GALASHIELS)	4154	834	2·01
800	Minto	430	47	1·09
801	Morebattle	1031	148	1·43
802	Oxnam	592	77	1·30
803	Roxburgh	1178	194	1·64
804	St Boswells	865	146	1·69
805	Smailholm	554	92	1·66
806	Southdean	687	66	0·96
807	Sprouston	1305	200	1·53
808	Stitchel	425	40	0·94
809	Teviothead	438	54	1·23
810	WILTON (incl. Town and part of HAWICK)	3357	709	2·11
811	Yetholm	1207	240	1·99

Mortality of each District in Scotland during the Ten Years 1855–1864, with Per-centage to the Mean Population.

No. of District.	Registration Districts.	Population, 1861.	Deaths—Ten Years.	Annual Per-cent. to Population.
	31. DUMFRIES.			
812	ANNAN (including part of Burgh)	5113	1101	2·15
*a*813	Applegarth	935	136	1·45
*b*813	Brydekirk (incl. part of ANNAN)	779	140	2·00
814	Canonbie	3219	558	1·73
815	Carlaverock	1248	213	1·71
816	Closeburn	1651	239	1·44
817	Cummertrees	1184	223	1·88
818	Dalton	679	96	1·41
819	Dornock	856	144	1·68
820	Dryfesdale	2502	514	2·05
821	DUMFRIES (including part of Burgh)	13523	3692	2·73
822	Dunscore	1554	236	1·52
823	Durrisdeer	1320	196	1·48
824	Eskdalemuir	590	83	1·41
825	Ewes	356	54	1·52
826	Glencairn	1867	406	2·17
827	Graitney (or Gretna)	1620	315	1·94
828	Halfmorton	713	90	1·26
829	Hoddam	1568	293	1·87
830	Holywood	1115	188	1·68
831	Hutton	876	104	1·18
832	Johnstone	1149	178	1·55
833	Keir	849	150	1·77
834	Kirkconnel	996	162	1·63
835	Kirkmahoe	1462	293	2·00
836	Kirkmichael	1026	186	1·32
837	Kirkpatrick-Fleming	1925	343	1·78
838	Kirkpatrick-Juxta	1025	154	1·50
839	Langholm	2979	752	2·52
840	LOCHMABEN (including Burgh)	3087	674	2·17
841	Middlebie	2004	341	1·70
842	Moffat	2232	444	1·98
843	Morton	2253	487	2·16
844	Mousewald	633	102	1·61
845	Penpont	1326	249	1·88
846	Ruthwell	1046	164	1·57
847	St Mungo	686	84	1·22
848	SANQUHAR (including Burgh)	2758	566	2·05
849	Tinwald	1079	174	1·61
850	Torthorwald	1254	254	2·02
851	Tundergarth	507	83	1·63
852	Tynron	446	77	1·72
*a*853	Wamphray	569	87	1·54
*b*853	Wanlockhead	811	129	1·77
854	Westerkirk	537	86	1·60
	32. KIRKCUDBRIGHT.			
855	Anwoth	899	143	1·59
856	Balmaclellan	890	159	1·79
*a*857	Balmaghie	1225	208	1·70
*b*887	Bargrennan	*c.* 500	?	?
858	Borgue	1162	142	1·22
859	Buittle	1165	159	1·36
860	Carsphairn	553	97	1·75
861	Colvend	1366	181	1·32
862	Corsock Bridge	544	71	1·30
863	Cressmichal	1536	300	1·95
864	Dalbeattie	2054	455	2·21
865	Dalry	1149	204	1·77
866	Girthon	1702	300	1·76
867	Irongray	913	138	1·51
868	Kells (including NEW GALLOWAY)	1170	183	1·56
869	Kelton	3436	685	1·99
870	Kirkbean	942	127	1·35
871	KIRKCUDBRIGHT (including Burgh)	3407	812	2·38
872	Kirkgunzeon	793	121	1·53
873	Kirkmabreck	1851	361	1·95
874	Kirkpatrick-Durham	1823	271	1·29
875	Lochrutton	677	123	1·82
876	Minnigaff	*c.* 1554	293	1·88
877	New Abbey	1063	191	1·80
878	Parton	572	75	1·31
879	Rerrick	1738	297	1·71
880	Terregles (incl. part of DUMFRIES)	580	86	1·48
881	Tongland	892	147	1·65
882	Troqueer (incl. part of DUMFRIES)	4743	1032	2·42
883	Tynholm	815	123	1·51
884	Urr	1531	267	1·74
	33. WIGTOWN.			
885	Glasserton	1472	190	1·29
886	Inch	2460	357	1·45
887	Kirkcolm	1860	304	1·63
888	Kirkcowan	1434	287	2·00
889	Kirkinner	1716	260	1·51
890	Kirkmaiden	2333	387	1·65
891	Leswalt	1417	206	1·45
892	Mochrum	2694	472	1·75
893	New Luce	731	106	1·45
894	Old Luce (or Glenluce)	2800	477	1·70
895	Penninghame (incl. NEWTON-STEWART)	*c.* 3811	768	2·01
896	Portpatrick	2189	362	1·65
897	Sorbie	1814	313	1·72
898	Stoneykirk	3228	493	1·49
899	STRANRAER (including Burgh)	6315	1588	2·51
900	WHITHORN (including Burgh)	2934	586	1·99
901	WIGTOWN (including Burgh)	2637	511	1·93

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Abernethy, . 269
Abernethy and Kinearding, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, . 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, 251
Banchory-Ternan, 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Bellhelvie, . 174
Bellie, . 126
Benbecula, . 418
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Berwick, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Botnwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, . 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, . 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Collinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, . 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), 46
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, . 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, . 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286

* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . . 50
Fearn (Forfar), 287
Fearn (Ross), . 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Gleneig, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenrinnes, 1555
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Holmkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeilor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . . 538
Irongray, . 867
Irvine, . . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . . 539

Keig, . . 205
Keir, . . 833
Keith, . . 159
Keith-hall, 206
Kells, . . 868
Kelso, . . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, . 208
Kilfinan, . . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, . 68
Killin, . . . 361
Kilmadock, . 362
Kilmalcolm, . 569
Kilmalie, . . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, . 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, . 99
Kilmorack, . 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, . 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, . 363
Kilsyth, . . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, . 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, . 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), . 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, . 874
Kirkpatrick-Fleming, . 837
Kirkpatrick-Juxta, . 838
Kirkton (Asswnt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, . 299
Knockando, . 139
Knockbain, . 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 602
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . . 303
Lochmaben, 810
Lochranza, . 528
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
222*b*
644
876
800
892
842
381
310
311
448

Dyne, . 230
Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
72 Port-Glas[illegible] 574
53 Portle[illegible]

New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, 802

Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrews (Dundee), 282
St Andrew (Edinburgh)
St Andr[illegible] 685
(Or[illegible]ews
[illegible]kney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys . 282
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters . 282
St Quivox &c. 612

Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton
[illegible]rling, . 616
Stitchel, . 490
Stobo, . 808
Stoer, . 770
Stonehouse, 44
Stoneykirk, 656
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington
. 618
657
82
321
83

Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, .
Tyrie,
[illegible] 851
U[illegible] . 248
[illegible]ny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale. 10
Whithorn, 900
Whitsome 757
Whittinghame, 724
43

EDINBURGH: PRINTED BY MURRAY AND GI
FOR HER MAJESTY'S STATIONERY OFFICE.



Millbrex,
Milton,
Minnigaff,
Minto,
Mochrum,
Moffat,
Moneydie,
Monifieth,
Monikie,
Monimail,
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dala-
ro . 105
529
385
486
607
13
89
86
23
7
877
695
450
451
508
225
868
500
226
685
767
576
893
227a
651
547 Sand
684 Sandsting,
896 Aithsting,
114 Sandwick, . 2,
234 Sandwick & Cun-
717 ningsburgh, 3
718 Sanquhar, . 848
670 Savoch, . 237b
Scone, . 394a
140 Scoonie, . 456
114 Scourie, . 49
235 Seafield, . 167
698 Selkirk, . 778
535
619 Wick,
242 Wigtown,
243 Wilton,
322 Wiston an
700 berton,
394c
880 Yarrow,
809 Yester (or
41 ford),
395 Yetholm,
Tarland, .
Tarves, .
Tealing, .
Temple, .
Tenandry,
Terregles, .
Teviothead,
Thurso, .
Tibbermore,

Digitized with financial assistance from the
Government of Maharashtra
on 19 September, 2016